

# Yan Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2457890/publications.pdf>

Version: 2024-02-01

59  
papers

7,065  
citations

81900

39  
h-index

149698

56  
g-index

61  
all docs

61  
docs citations

61  
times ranked

8176  
citing authors

#	ARTICLE	IF	CITATIONS
1	Construction of amorphous Fe <sub>0.95</sub> S <sub>1.05</sub> nanorods with high electrocatalytic activity for enhanced hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2022, 402, 139554.	5.2	6
2	Evaluation of the pore morphologies for piezoelectric energy harvesting application. <i>Ceramics International</i> , 2022, 48, 5017-5025.	4.8	14
3	High Efficiency Water Splitting using Ultrasound Coupled to a BaTiO <sub>3</sub> Nanofluid. <i>Advanced Science</i> , 2022, 9, e2105248.	11.2	17
4	Improved photocatalytic performance of gradient reduced TiO <sub>2</sub> ceramics with aligned pore channels. , 2022, 1, 100025.		27
5	Construction of Bio-Piezoelectric Platforms: From Structures and Synthesis to Applications. <i>Advanced Materials</i> , 2021, 33, e2008452.	21.0	114
6	Hierarchically structured lead-free barium strontium titanate for low-grade thermal energy harvesting. <i>Ceramics International</i> , 2021, 47, 18761-18772.	4.8	6
7	Flexible pillar-base structured piezocomposite with aligned porosity for piezoelectric energy harvesting. <i>Nano Energy</i> , 2021, 88, 106278.	16.0	37
8	Porous ferroelectric materials for energy technologies: current status and future perspectives. <i>Energy and Environmental Science</i> , 2021, 14, 6158-6190.	30.8	56
9	Self-Healing of Materials under High Electrical Stress. <i>Matter</i> , 2020, 3, 989-1008.	10.0	47
10	Electronic structure engineering on two-dimensional (2D) electrocatalytic materials for oxygen reduction, oxygen evolution, and hydrogen evolution reactions. <i>Nano Energy</i> , 2020, 77, 105080.	16.0	157
11	Piezoelectric Materials for Controlling Electro-Chemical Processes. <i>Nano-Micro Letters</i> , 2020, 12, 149.	27.0	87
12	Demonstration of Enhanced Piezo-Catalysis for Hydrogen Generation and Water Treatment at the Ferroelectric Curie Temperature. <i>IScience</i> , 2020, 23, 101095.	4.1	64
13	Thermal Energy Harvesting Using Pyroelectric-Electrochemical Coupling in Ferroelectric Materials. <i>Joule</i> , 2020, 4, 301-309.	24.0	103
14	Self-Healing Dielectric Elastomers for Damage-Tolerant Actuation and Energy Harvesting. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 7595-7604.	8.0	55
15	Dielectric and piezoelectric properties of porous lead-free 0.5Ba(Ca <sub>0.8</sub> Zr <sub>0.2</sub> )O <sub>3</sub> -0.5(Ba <sub>0.7</sub> Ca <sub>0.3</sub> )TiO <sub>3</sub> ceramics. <i>Materials Research Bulletin</i> , 2019, 112, 426-431.	5.2	39
16	Interface design for high energy density polymer nanocomposites. <i>Chemical Society Reviews</i> , 2019, 48, 4424-4465.	38.1	531
17	Investigation of shear piezoelectric fiber composite for flexible sensor application. <i>Smart Materials and Structures</i> , 2019, 28, 125015.	3.5	2
18	Ice-templated poly(vinylidene fluoride) ferroelectrets. <i>Soft Matter</i> , 2019, 15, 825-832.	2.7	35

#	ARTICLE	IF	CITATIONS
19	Recent advances in metal sulfides: from controlled fabrication to electrocatalytic, photocatalytic and photoelectrochemical water splitting and beyond. <i>Chemical Society Reviews</i> , 2019, 48, 4178-4280.	38.1	810
20	Electrical and Mechanical Self-Healing in High-Performance Dielectric Elastomer Actuator Materials. <i>Advanced Functional Materials</i> , 2019, 29, 1808431.	14.9	92
21	Piezoelectric performance of PZT-based materials with aligned porosity: experiment and modelling. <i>Smart Materials and Structures</i> , 2019, 28, 125021.	3.5	7
22	Micro-scale to nano-scale generators for energy harvesting: Self powered piezoelectric, triboelectric and hybrid devices. <i>Physics Reports</i> , 2019, 792, 1-33.	25.6	111
23	Pyro-electrolytic water splitting for hydrogen generation. <i>Nano Energy</i> , 2019, 58, 183-191.	16.0	50
24	Ferroelectret materials and devices for energy harvesting applications. <i>Nano Energy</i> , 2019, 57, 118-140.	16.0	108
25	1 $\beta$ -Type Composites Based on Ferroelectrics: Electromechanical Coupling, Figures of Merit, and Piezotechnical Energy-Harvesting Applications. <i>Energy Technology</i> , 2018, 6, 813-828.	3.8	18
26	Model Validation of a Porous Piezoelectric Energy Harvester Using Vibration Test Data. <i>Vibration</i> , 2018, 1, 123-137.	1.9	6
27	Flexible and active self-powered pressure, shear sensors based on freeze casting ceramic-polymer composites. <i>Energy and Environmental Science</i> , 2018, 11, 2919-2927.	30.8	130
28	Understanding the effect of porosity on the polarisation-field response of ferroelectric materials. <i>Acta Materialia</i> , 2018, 154, 100-112.	7.9	97
29	High piezoelectric sensitivity and hydrostatic figures of merit in unidirectional porous ferroelectric ceramics fabricated by freeze casting. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4203-4211.	5.7	45
30	Simultaneous Realization of Enhanced Photoactivity and Promoted Photostability by Multilayered MoS <sub>2</sub> Coating on CdS Nanowire Structure via Compact Coating Methodology. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 6950-6958.	8.0	110
31	Aligned macroporous TiO <sub>2</sub> /chitosan/reduced graphene oxide (rGO) composites for photocatalytic applications. <i>Applied Surface Science</i> , 2017, 424, 170-176.	6.1	37
32	Enhanced pyroelectric and piezoelectric properties of PZT with aligned porosity for energy harvesting applications. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6569-6580.	10.3	176
33	Grain boundary engineering in organic-inorganic hybrid semiconductor ZnS(en) <sub>0.5</sub> for visible-light photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2017, 5, 1387-1393.	10.3	55
34	Control of electro-chemical processes using energy harvesting materials and devices. <i>Chemical Society Reviews</i> , 2017, 46, 7757-7786.	38.1	135
35	Hollow and porous hydroxyapatite microspheres prepared with an O/W emulsion by spray freezing method. <i>Materials Science and Engineering C</i> , 2016, 69, 1068-1074.	7.3	21
36	Porous PZT Ceramics with Aligned Pore Channels for Energy Harvesting Applications. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2980-2983.	3.8	68

#	ARTICLE	IF	CITATIONS
37	Piezo-potential enhanced photocatalytic degradation of organic dye using ZnO nanowires. <i>Nano Energy</i> , 2015, 13, 414-422.	16.0	361
38	Enhanced Ferroelectric-Nanocrystal-Based Hybrid Photocatalysis by Ultrasonic-Wave-Generated Piezophototronic Effect. <i>Nano Letters</i> , 2015, 15, 2372-2379.	9.1	428
39	Aligned porous barium titanate/hydroxyapatite composites with high piezoelectric coefficients for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2014, 39, 143-149.	7.3	137
40	Effects of alcohol additives on pore structure and morphology of freeze-cast ceramics. <i>Transactions of Nonferrous Metals Society of China</i> , 2014, 24, 718-722.	4.2	23
41	PVDF mesoporous nanostructures as the piezo-separator for a self-charging power cell. <i>Nano Energy</i> , 2014, 10, 44-52.	16.0	93
42	Fiber-Based Generator for Wearable Electronics and Mobile Medication. <i>ACS Nano</i> , 2014, 8, 6273-6280.	14.6	543
43	Porous Al <sub>2</sub> O <sub>3</sub> microspheres prepared by a novel ice-templated spray drying technique. <i>Ceramics International</i> , 2014, 40, 1215-1219.	4.8	21
44	Finger typing driven triboelectric nanogenerator and its use for instantaneously lighting up LEDs. <i>Nano Energy</i> , 2013, 2, 491-497.	16.0	264
45	CuO/PVDF nanocomposite anode for a piezo-driven self-charging lithium battery. <i>Energy and Environmental Science</i> , 2013, 6, 2615.	30.8	109
46	A self-powered piezotronic strain sensor based on single ZnSnO <sub>3</sub> microbelts. <i>RSC Advances</i> , 2013, 3, 25184.	3.6	57
47	An elastic-spring-substrated nanogenerator as an active sensor for self-powered balance. <i>Energy and Environmental Science</i> , 2013, 6, 1164.	30.8	53
48	Transparent flexible nanogenerator as self-powered sensor for transportation monitoring. <i>Nano Energy</i> , 2013, 2, 75-81.	16.0	171
49	Fabrication of CaSiO <sub>3</sub> bioceramics with open and unidirectional macro-channels using an ice/fiber-templated method. <i>Ceramics International</i> , 2013, 39, 6035-6040.	4.8	10
50	Effects of rheological properties on ice-templated porous hydroxyapatite ceramics. <i>Materials Science and Engineering C</i> , 2013, 33, 340-346.	7.3	59
51	Surface free-carrier screening effect on the output of a ZnO nanowire nanogenerator and its potential as a self-powered active gas sensor. <i>Nanotechnology</i> , 2013, 24, 225501.	2.6	156
52	Lead-Free Nanogenerator Made from Single ZnSnO <sub>3</sub> Microbelt. <i>ACS Nano</i> , 2012, 6, 4335-4340.	14.6	133
53	Hybridizing Energy Conversion and Storage in a Mechanical-to-Electrochemical Process for Self-Charging Power Cell. <i>Nano Letters</i> , 2012, 12, 5048-5054.	9.1	255
54	Freeze gelcasting of aqueous alumina suspensions for porous ceramics. <i>Ceramics International</i> , 2012, 38, 6063-6066.	4.8	31

#	ARTICLE	IF	CITATIONS
55	Self-Powered System with Wireless Data Transmission. Nano Letters, 2011, 11, 2572-2577.	9.1	385
56	Porous hydroxyapatite ceramics fabricated by an ice-templating method. Scripta Materialia, 2011, 64, 426-429.	5.2	50
57	High-Output Nanogenerator by Rational Unipolar Assembly of Conical Nanowires and Its Application for Driving a Small Liquid Crystal Display. Nano Letters, 2010, 10, 5025-5031.	9.1	244
58	Effect of Particle Size on the Lamellar Pore Microstructure of Porous Al <sub>2</sub> O <sub>3</sub> Ceramics Fabricated by the Unidirectional Freezing. Applied Mechanics and Materials, 0, 184-185, 818-825.	0.2	4
59	Fabrication of Barium Titanate/Hydroxyapatite with Aligned Pore Channels by Freeze Gelcasting. Applied Mechanics and Materials, 0, 692, 341-346.	0.2	1