

Xavier Bosch

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2458275/xavier-bosch-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

5,410
citations

29
h-index

71
g-index

173
ext. papers

6,348
ext. citations

3.7
avg, IF

4.63
L-index

#	Paper	IF	Citations
120	Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events. <i>New England Journal of Medicine</i> , 2006 , 354, 1706-17	59.2	2120
119	Enalapril and carvedilol for preventing chemotherapy-induced left ventricular systolic dysfunction in patients with malignant hemopathies: the OVERCOME trial (prevention of left ventricular dysfunction with Enalapril and carvedilol in patients submitted to intensive chemotherapy for the treatment of Malignant hemopathies). <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2355-62	15.1	403
118	Ischaemic postconditioning revisited: lack of effects on infarct size following primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2012 , 33, 103-12	9.5	181
117	Clinical and angiographic assessment 6 months after double vessel percutaneous coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1985 , 6, 1239-44	15.1	176
116	A randomized study comparing propranolol and diltiazem in the treatment of unstable angina. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 717-22	15.1	129
115	Circadian variation in variant angina. <i>American Journal of Cardiology</i> , 1984 , 54, 61-4	3	116
114	New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations: a comparison with the TIMI risk score. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 443-9	15.1	111
113	Comparison of clinical variables and variables derived from a limited pre-discharge exercise test as predictors of early and late mortality after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 1-8	15.1	107
112	Early postinfarction ischemia: clinical, angiographic, and prognostic significance. <i>Circulation</i> , 1987 , 75, 988-95	16.7	97
111	Elevation of serum levels of the anti-inflammatory cytokine interleukin-10 and decreased risk of coronary events in patients with unstable angina. <i>American Heart Journal</i> , 2002 , 144, 811-7	4.9	93
110	Prevention of early aortocoronary bypass occlusion by low-dose aspirin and dipyridamole. Grupo Español para el Seguimiento del Injerto Coronario (GESIC). <i>Circulation</i> , 1990 , 82, 765-73	16.7	91
109	Metabolomic profile of human myocardial ischemia by nuclear magnetic resonance spectroscopy of peripheral blood serum: a translational study based on transient coronary occlusion models. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1629-41	15.1	71
108	Role of circulating angiotensin converting enzyme 2 in left ventricular remodeling following myocardial infarction: a prospective controlled study. <i>PLoS ONE</i> , 2013 , 8, e61695	3.7	64
107	Scar Characterization to Predict Life-Threatening Arrhythmic Events and Sudden Cardiac Death in Patients With Cardiac Resynchronization Therapy: The GAUDI-CRT Study. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 561-572	8.4	59
106	Hypothermia in acute coronary syndrome: brain salvage versus stent thrombosis?. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 686-7	15.1	54
105	Short- and Long-Term Prognostic Relevance of Cardiogenic Shock in Takotsubo Syndrome: Results From the RETAKO Registry. <i>JACC: Heart Failure</i> , 2018 , 6, 928-936	7.9	49
104	Influence of comorbid conditions on one-year outcomes in non-ST-segment elevation acute coronary syndrome. <i>Mayo Clinic Proceedings</i> , 2011 , 86, 291-6	6.4	47

103	Reducci3n de la mortalidad por infarto agudo de miocardio en un periodo de 5 a3os. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 200-208	1.5	46
102	Predictors of early saphenous vein aortocoronary bypass graft occlusion. The GESIC Study Group. <i>Annals of Thoracic Surgery</i> , 1993 , 56, 1101-6	2.7	45
101	Prediction of Reverse Remodeling at Cardiac MR Imaging Soon after First ST-Segment-Elevation Myocardial Infarction: Results of a Large Prospective Registry. <i>Radiology</i> , 2016 , 278, 54-63	20.5	36
100	T1 mapping: characterisation of myocardial interstitial space. <i>Insights Into Imaging</i> , 2015 , 6, 189-202	5.6	36
99	Prognostic value of clinical variables at presentation in patients with non-ST-segment elevation acute coronary syndromes: results of the Proyecto de Estudio del Pron3stico de la Angina (PEPA). <i>Medicine (United States)</i> , 2002 , 81, 434-42	1.8	33
98	Late tears in leaflets of porcine bioprostheses in adults. <i>Annals of Thoracic Surgery</i> , 1984 , 37, 78-83	2.7	33
97	Angiographic findings after myocardial infarction in patients with previous bypass surgery: explanations for smaller infarcts in this group compared with control patients. <i>Circulation</i> , 1985 , 71, 693-8	16.7	33
96	Left ventricular ejection fraction to predict early mortality in patients with non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2005 , 150, 215-20	4.9	32
95	NFB in the development of endothelial activation and damage in uremia: an in vitro approach. <i>PLoS ONE</i> , 2012 , 7, e43374	3.7	30
94	Relation of plasma brain natriuretic peptide levels on admission for ST-elevation myocardial infarction to left ventricular end-diastolic volume six months later measured by both echocardiography and cardiac magnetic resonance. <i>American Journal of Cardiology</i> , 2009 , 104, 878-82	3	29
93	Clinical recognition of pure premature ventricular complex-induced cardiomyopathy at presentation. <i>Heart Rhythm</i> , 2017 , 14, 1864-1870	6.7	28
92	Myocardial Protection During Cardiotoxic Chemotherapy. <i>Circulation</i> , 2015 , 132, 1835-45	16.7	27
91	Limitations of clinical history for evaluation of patients with acute chest pain, non-diagnostic electrocardiogram, and normal troponin. <i>American Journal of Cardiology</i> , 2008 , 101, 613-7	3	27
90	Usefulness of high-sensitivity troponin T for the evaluation of patients with acute chest pain and no or minimal myocardial damage. <i>American Heart Journal</i> , 2012 , 164, 194-200.e1	4.9	26
89	Cardiotoxicity of tyrosine-kinase-targeting drugs. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2010 , 8, 11-21	1.9	26
88	Usefulness of early exercise testing and clinical risk score for prognostic evaluation in chest pain units without preexisting evidence of myocardial ischemia. <i>American Journal of Cardiology</i> , 2006 , 97, 633-5	3	25
87	Early and late prognosis after reoperation for prosthetic valve replacement. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1984 , 88, 567-572	1.5	25
86	Cardiac Magnetic Resonance-Guided Ventricular Tachycardia Substrate Ablation. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 436-447	4.6	22

85	Prevention of chemotherapy-induced left ventricular dysfunction with enalapril and carvedilol: rationale and design of the OVERCOME trial. <i>Journal of Cardiac Failure</i> , 2011 , 17, 643-8	3.3	22
84	Análisis de la actividad de una unidad estructural de dolor torácico en un servicio de urgencias hospitalario. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 276-284	1.5	21
83	Feasibility of early discharge after acute Q wave myocardial infarction in patients not receiving thrombolytic treatment. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1795-801	15.1	21
82	Mortality and morbidity reduction after frequent premature ventricular complexes ablation in patients with left ventricular systolic dysfunction. <i>Europace</i> , 2019 , 21, 1079-1087	3.9	20
81	Image-based criteria to identify the presence of epicardial arrhythmogenic substrate in patients with transmural myocardial infarction. <i>Heart Rhythm</i> , 2018 , 15, 814-821	6.7	20
80	Early risk stratification of patients with cardiogenic shock complicating acute myocardial infarction who undergo percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2009 , 103, 1073-7	3	20
79	Coronary angiographic significance of left anterior fascicular block during acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 9-15	15.1	20
78	Recurrent ischemia after thrombolysis: importance of associated clinical findings. GUSTO-I Investigators. Global Utilization of Streptokinase and t-PA [tissue-plasminogen activator] for Occluded Coronary Arteries. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 94-102	15.1	19
77	Prevalence of acute kidney injury in intensive care units: the "Corte de prevalencia de disFunción RenAl y DEpuración en críticos" point-prevalence multicenter study. <i>Journal of Critical Care</i> , 2013 , 28, 687-94	4	18
76	Platelet glycoprotein IIb/IIIa blockers during percutaneous coronary intervention and as the initial medical treatment of non-ST segment elevation acute coronary syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD002130		16
75	Combination of clinical risk profile, early exercise testing and circulating biomarkers for evaluation of patients with acute chest pain without ST-segment deviation or troponin elevation. <i>Heart</i> , 2008 , 94, 311-5	5.1	16
74	Prognostic usefulness of white blood cell count on admission and one-year outcome in patients with non-ST-segment elevation acute chest pain. <i>American Journal of Cardiology</i> , 2006 , 98, 885-9	3	16
73	Evaluación del dolor torácico agudo mediante ecocardiografía de ejercicio y tomografía computarizada multidetectores. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 17-24	1.5	15
72	Prevalencia, características clínicas y riesgo de infarto de miocardio en pacientes con dolor torácico y consumo de cocaína. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 1028-1034	1.5	15
71	Technetium 99m-labeled tetrofosmin and iodine 123-labeled metaiodobenzylguanidine scintigraphy in the assessment of transmyocardial laser revascularization. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 125, 1493-8	1.5	14
70	Additional value of B-type natriuretic peptide on discrimination of patients at risk for mortality after a non-ST-segment elevation acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 132-40	4.3	13
69	Clinical and angiographic features and prognostic significance of early postinfarction angina with and without electrocardiographic signs of transient ischemia. <i>American Journal of Medicine</i> , 1991 , 91, 493-501	2.4	13
68	Platelet glycoprotein IIb/IIIa blockers during percutaneous coronary intervention and as the initial medical treatment of non-ST segment elevation acute coronary syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2013 , CD002130		12

67	Follow-Up After Myocardial Infarction to Explore the Stability of Arrhythmogenic Substrate: The Footprint Study. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 207-218	4.6	12
66	Utility of galectin-3 in predicting post-infarct remodeling after acute myocardial infarction based on extracellular volume fraction mapping. <i>International Journal of Cardiology</i> , 2016 , 223, 458-464	3.2	12
65	Influence of myocardial scar on the response to frequent premature ventricular complex ablation. <i>Heart</i> , 2019 , 105, 378-383	5.1	12
64	Shoshin beriberi mimicking a high-risk non-ST-segment elevation acute coronary syndrome with cardiogenic shock: when the arteries are not guilty. <i>Journal of Emergency Medicine</i> , 2011 , 41, e73-7	1.5	11
63	A practical approach with outcome for the prognostic assessment of non-ST-segment elevation chest pain and normal troponin. <i>American Journal of Cardiology</i> , 2007 , 99, 797-801	3	11
62	Accessibility to coronary angiography and one-year survival after myocardial infarction. <i>American Journal of Cardiology</i> , 2002 , 90, 409-12	3	11
61	Serum levels of Growth Arrest-Specific 6 protein and soluble AXL in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 708-716	4.3	11
60	Atypical cardiac manifestation of hypereosinophilic syndrome and reversible cardiotoxicity to imatinib. <i>International Journal of Cardiology</i> , 2010 , 139, e29-31	3.2	10
59	Usefulness of pain presentation characteristics for predicting outcome in patients presenting to the hospital with chest pain of uncertain origin. <i>Emergency Medicine Journal</i> , 2011 , 28, 847-50	1.5	10
58	Hemodynamic, platelet and clinical responses to prostacyclin in unstable angina pectoris. <i>American Journal of Cardiology</i> , 1990 , 65, 1084-9	3	10
57	Cardiac complications of chemotherapy: role of prevention. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2014 , 16, 312	2.1	9
56	Causes of ineligibility in randomized controlled trials and long-term mortality in patients with non-ST-segment elevation acute coronary syndromes. <i>International Journal of Cardiology</i> , 2008 , 124, 86-91	3.2	9
55	Angiographic and magnetic resonance imaging evaluation of in-hospital delay in primary percutaneous intervention delivery on myocardial salvage. <i>American Journal of Cardiology</i> , 2010 , 106, 924-30	3	8
54	Feasibility and prognostic value of dobutamine-atropine stress echocardiography early in unstable angina. <i>European Heart Journal</i> , 2000 , 21, 1063-71	9.5	8
53	Surgical treatment of the post-infarction left ventricular aneurysm. Factors influencing early and late results. <i>Thoracic and Cardiovascular Surgeon</i> , 1985 , 33, 86-93	1.6	8
52	Ventricular arrhythmia risk is associated with myocardial scar but not with response to cardiac resynchronization therapy. <i>Europace</i> , 2020 , 22, 1391-1400	3.9	8
51	Clinical Evaluation Versus Undetectable High-Sensitivity Troponin for Assessment of Patients With Acute Chest Pain. <i>American Journal of Cardiology</i> , 2016 , 118, 1631-1635	3	8
50	Cardiac Magnetic Resonance as an Alternative to Endomyocardial Biopsy to Predict Recoverability of Left Ventricular Function in Methamphetamine- Associated Cardiomyopathy. <i>JACC: Heart Failure</i> , 2017 , 5, 853-854	7.9	7

49	Platelet glycoprotein IIb/IIIa blockers during percutaneous coronary intervention and as the initial medical treatment of non-ST segment elevation acute coronary syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2013 , CD002130		7
48	Efficacy of coronary revascularization in patients with acute chest pain managed in a chest pain unit. <i>Mayo Clinic Proceedings</i> , 2009 , 84, 323-9	6.4	7
47	Impaired response of atrial natriuretic factor to blood volume expansion in acute right ventricular infarction. <i>American Journal of Cardiology</i> , 1991 , 68, 719-24	3	7
46	Falsos positius en la activaci3 por IAMCEST en una red regional: an3lisis integral e impacte cl3nic. Resultados del registro Codi Infart de Catalu3. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 243-249	1.5	6
45	Fracci3 aminoterminal del pept3ido natriur3tico cerebral y troponina ultrasensible en el dolor tor3cico agudo de origen incierto. Un subestudio del estudio PITAGORAS. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 532-538	1.5	6
44	Randomized comparison between clinical evaluation plus N-terminal pro-B-type natriuretic peptide versus exercise testing for decision making in acute chest pain of uncertain origin. <i>American Heart Journal</i> , 2010 , 159, 176-82	4.9	6
43	Red cardiovascular HERACLES. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 66-75	1.5	6
42	Identification of the potentially arrhythmogenic substrate in the acute phase of ST-segment elevation myocardial infarction. <i>Heart Rhythm</i> , 2017 , 14, 592-598	6.7	5
41	Reply: Enalapril and carvedilol for preventing chemotherapy-induced left ventricular systolic dysfunction in patients with malignant hemopathies. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 2452	15.1	5
40	Identification of very low risk chest pain using clinical data in the emergency department. <i>International Journal of Cardiology</i> , 2011 , 150, 260-3	3.2	5
39	New insights in the management of cardiogenic shock complicating myocardial infarction: role of urgent heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2008 , 27, 984-9	5.8	5
38	Diferencias en el tratamiento y la evoluci3 cl3nica de los pacientes con s3ndrome coronario agudo sin elevaci3 del segmento ST en funci3 del servicio cl3nico de ingreso. <i>Revista Espanola De Cardiologia</i> , 2004 , 57, 283-290	1.5	5
37	Diagnostic value of technetium-99m-MIBI as a myocardial perfusion imaging agent: comparison of long and short intervals between rest and stress injections. <i>Clinical Cardiology</i> , 1992 , 15, 497-503	3.3	5
36	Arrhythmogenic substrate detection in chronic ischaemic patients undergoing ventricular tachycardia ablation using multidetector cardiac computed tomography: compared evaluation with cardiac magnetic resonance. <i>Europace</i> , 2021 , 23, 82-90	3.9	5
35	Gender gap in medical care in ST segment elevation myocardial infarction networks: Findings from the Catalan network Codi Infart. <i>Medicina Intensiva</i> , 2017 , 41, 70-77	1.2	4
34	Effects of enalapril on left ventricular function and exercise performance after a first acute myocardial infarction. The EDEN Study Investigators. <i>International Journal of Cardiology</i> , 1997 , 59, 257-63	3.2	4
33	Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 1084-90	5.8	4
32	Prediction of in-hospital cardiac events using dipyridamole-thallium scintigraphy performed very early after acute myocardial infarction. <i>Clinical Cardiology</i> , 1996 , 19, 189-96	3.3	4

31	Técnicas de imagen en la medicina cardiovascular moderna. <i>Revista Espanola De Cardiologia</i> , 2003 , 56, 193-194	1.5	4
30	Cervical spinal cord injury by a low-impact trauma as an unnoticed cause of cardiorespiratory arrest. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-6	0.9	3
29	Prediction of premature ventricular complex origin in left vs. right ventricular outflow tract: a novel anatomical imaging approach. <i>Europace</i> , 2019 , 21, 147-153	3.9	3
28	Takotsubo syndrome and cancer, clinical and prognostic implications, insights of RETAKO. <i>Medicina Clínica</i> , 2020 , 155, 521-528	1	3
27	Cardiovascular magnetic resonance determinants of ventricular arrhythmic events after myocardial infarction. <i>Europace</i> , 2021 ,	3.9	3
26	N-terminal pro-brain natriuretic peptide and high-sensitivity troponin in the evaluation of acute chest pain of uncertain etiology. A PITAGORAS substudy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 532-8	0.7	2
25	Comentarios a la evaluación del dolor torácico agudo mediante ecocardiografía de ejercicio y tomografía computarizada multidetectores. Respuesta. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 165-166	1.5	2
24	Factores asociados al uso de la reperfusión en pacientes con infarto agudo de miocardio y elevación del segmento ST en España: Proyecto de Registro del Infarto Agudo de Miocardio en Hospitales (PRIAMHO II). <i>Medicina Intensiva</i> , 2003 , 27, 653-661	1.2	2
23	Subclavian artery to pulmonary circulation fistulas. <i>Catheterization and Cardiovascular Diagnosis</i> , 1983 , 9, 175-80		2
22	Haemodynamic effects of molsidomine in patients with severe chronic coronary disease. <i>European Heart Journal</i> , 1985 , 6, 1032-9	9.5	2
21	Ensayos clínicos presentados en la 75 Sesión Científica Anual de la American Heart Association (Chicago, 17-20 de noviembre de 2002). <i>Revista Espanola De Cardiologia</i> , 2003 , 56, 89-98	1.5	2
20	Prognostic Value of ECG Changes During Chest Pain in Patients With Unstable Angina. Results of the Proyecto de Estudio del Pronóstico de la Angina (PEPA). <i>Journal of the American College of Cardiology</i> , 1998 , 31, 79A	15.1	2
19	Orbitofrontal cortex and neuromaturation: a gateway to risk?. <i>Biological Psychiatry</i> , 2012 , 71, 664-5	7.9	1
18	Monocyte Subsets Are Differently Associated with Infarct Size, Left Ventricular Function, and the Formation of a Potentially Arrhythmogenic Scar in Patients with Acute Myocardial Infarction. <i>Journal of Cardiovascular Translational Research</i> , 2020 , 13, 722-730	3.3	1
17	Efficacy of Coronary Revascularization in Patients With Acute Chest Pain Managed in a Chest Pain Unit. <i>Mayo Clinic Proceedings</i> , 2009 , 84, 323-329	6.4	0
16	«Respuesta ecocardiográfica» al sacubitrilo-valsartán: disminución de la implantación de desfibriladores, pero ¿también de la incidencia de arritmias malignas?. <i>Revista Espanola De Cardiologia</i> , 2021 , 75, 107-107	1.5	0
15	Takotsubo syndrome and cancer, clinical and prognostic implications, insights of RETAKO. <i>Medicina Clínica (English Edition)</i> , 2020 , 155, 521-528	0.3	0
14	Response to Letter Regarding Article, "Myocardial Protection During Cardiotoxic Chemotherapy". <i>Circulation</i> , 2016 , 133, e598	16.7	

13	What is This Image? 2018: Image 2 Result : Early infective endocarditis with aorto-left atrial fistula: Unmasking the underlying disease with positron emission tomography. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 1514-1518	2.1
12	Complicaciones cardiacas graves por shabu: una droga emergente en Europa. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 1014-1016	1.5
11	Exercise echocardiography and multidetector computed tomography for the evaluation of acute chest pain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 17-24	0.7
10	Comments on exercise echocardiography and multidetector computed tomography for the evaluation of acute chest pain. Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 165-6	0.7
9	A randomized study of exercise echocardiography versus computed coronary angiography in the evaluation of acute chest pain. <i>European Heart Journal</i> , 2013 , 34, P2058-P2058	9.5
8	Modelo de intervenci3 coronaria percut3nea primaria en Catalu3a. <i>Revista Espanola De Cardiologia Suplementos</i> , 2011 , 11, 51-60	0.2
7	Prevalence, clinical characteristics and risk of myocardial infarction in patients with cocaine-related chest pain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010 , 63, 1028-34	0.7
6	Reduction in Acute Myocardial Infarction Mortality Over a Five-Year Period. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006 , 59, 200-208	0.7
5	Differences in the Management and Prognosis of Patients With Non-ST Segment Elevation Acute Coronary Syndrome According to the Department of Initial Admission. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004 , 57, 283-290	0.7
4	After accounting for other risk factors, long-term smokers have no post-infarction survival advantage over non-smokers. <i>Evidence-based Cardiovascular Medicine</i> , 2001 , 5, 92-93	
3	Non-Antithrombotic Treatment of Acute Coronary Syndromes: Role of Beta-Blockers, Calcium Channel Blockers, and Nitrates 2002 , 141-155	
2	Myocardial injury in a Shabu user: late gadolinium multiphocal enhancement. <i>Medicina Cl3nica</i> , 2016 , 147, 570	1
1	"Echocardiographic response" to sacubitril-valsartan: does it decrease defibrillation implantation, as well as the incidence of malignant arrhythmias?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 75, 107-107	0.7