

Xavier Bosch

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2458275/xavier-bosch-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

5,410
citations

29
h-index

71
g-index

173
ext. papers

6,348
ext. citations

3.7
avg, IF

4.63
L-index

#	Paper	IF	Citations
120	«Respuesta ecocardiográfica» al sacubitrilo-valsartán: disminución de la implantación de desfibriladores, pero ¿también de la incidencia de arritmias malignas?. <i>Revista Espanola De Cardiologia</i> , 2021 , 75, 107-107	1.5	0
119	Cardiovascular magnetic resonance determinants of ventricular arrhythmic events after myocardial infarction. <i>Europace</i> , 2021 ,	3.9	3
118	Arrhythmogenic substrate detection in chronic ischaemic patients undergoing ventricular tachycardia ablation using multidetector cardiac computed tomography: compared evaluation with cardiac magnetic resonance. <i>Europace</i> , 2021 , 23, 82-90	3.9	5
117	"Echocardiographic response" to sacubitril-valsartan: does it decrease defibrillation implantation, as well as the incidence of malignant arrhythmias?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 75, 107-107	0.7	
116	Cervical spinal cord injury by a low-impact trauma as an unnoticed cause of cardiorespiratory arrest. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-6	0.9	3
115	Cardiac Magnetic Resonance-Guided Ventricular Tachycardia Substrate Ablation. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 436-447	4.6	22
114	Takotsubo syndrome and cancer, clinical and prognostic implications, insights of RETAKO. <i>Medicina Clínica</i> , 2020 , 155, 521-528	1	3
113	Monocyte Subsets Are Differently Associated with Infarct Size, Left Ventricular Function, and the Formation of a Potentially Arrhythmogenic Scar in Patients with Acute Myocardial Infarction. <i>Journal of Cardiovascular Translational Research</i> , 2020 , 13, 722-730	3.3	1
112	Follow-Up After Myocardial Infarction to Explore the Stability of Arrhythmogenic Substrate: The Footprint Study. <i>JACC: Clinical Electrophysiology</i> , 2020 , 6, 207-218	4.6	12
111	Takotsubo syndrome and cancer, clinical and prognostic implications, insights of RETAKO. <i>Medicina Clínica (English Edition)</i> , 2020 , 155, 521-528	0.3	0
110	Ventricular arrhythmia risk is associated with myocardial scar but not with response to cardiac resynchronization therapy. <i>Europace</i> , 2020 , 22, 1391-1400	3.9	8
109	Mortality and morbidity reduction after frequent premature ventricular complexes ablation in patients with left ventricular systolic dysfunction. <i>Europace</i> , 2019 , 21, 1079-1087	3.9	20
108	Prediction of premature ventricular complex origin in left vs. right ventricular outflow tract: a novel anatomical imaging approach. <i>Europace</i> , 2019 , 21, 147-153	3.9	3
107	Serum levels of Growth Arrest-Specific 6 protein and soluble AXL in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019 , 8, 708-716	4.3	11
106	Influence of myocardial scar on the response to frequent premature ventricular complex ablation. <i>Heart</i> , 2019 , 105, 378-383	5.1	12
105	Image-based criteria to identify the presence of epicardial arrhythmogenic substrate in patients with transmural myocardial infarction. <i>Heart Rhythm</i> , 2018 , 15, 814-821	6.7	20
104	Falsos positivos en la activación por IAMCEST en una red regional: análisis integral e impacto clínico. Resultados del registro Codi Infart de Cataluña. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 243-249	1.5	6

103	What is This Image? 2018: Image 2 Result : Early infective endocarditis with aorto-left atrial fistula: Unmasking the underlying disease with positron emission tomography. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 1514-1518	2.1	
102	Scar Characterization to Predict Life-Threatening Arrhythmic Events and Sudden Cardiac Death in Patients With Cardiac Resynchronization Therapy: The GAUDI-CRT Study. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 561-572	8.4	59
101	Short- and Long-Term Prognostic Relevance of Cardiogenic Shock in Takotsubo Syndrome: Results From the RETAKO Registry. <i>JACC: Heart Failure</i> , 2018 , 6, 928-936	7.9	49
100	Identification of the potentially arrhythmogenic substrate in the acute phase of ST-segment elevation myocardial infarction. <i>Heart Rhythm</i> , 2017 , 14, 592-598	6.7	5
99	Cardiac Magnetic Resonance as an Alternative to Endomyocardial Biopsy to Predict Recoverability of Left Ventricular Function in Methamphetamine- Associated Cardiomyopathy. <i>JACC: Heart Failure</i> , 2017 , 5, 853-854	7.9	7
98	Complicaciones cardiacas graves por shabu: una droga emergente en Europa. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 1014-1016	1.5	
97	Clinical recognition of pure premature ventricular complex-induced cardiomyopathy at presentation. <i>Heart Rhythm</i> , 2017 , 14, 1864-1870	6.7	28
96	Gender gap in medical care in ST segment elevation myocardial infarction networks: Findings from the Catalan network Codi Infart. <i>Medicina Intensiva</i> , 2017 , 41, 70-77	1.2	4
95	Response to Letter Regarding Article, "Myocardial Protection During Cardiotoxic Chemotherapy". <i>Circulation</i> , 2016 , 133, e598	16.7	
94	Prediction of Reverse Remodeling at Cardiac MR Imaging Soon after First ST-Segment-Elevation Myocardial Infarction: Results of a Large Prospective Registry. <i>Radiology</i> , 2016 , 278, 54-63	20.5	36
93	Myocardial injury in a Shabu user: late gadolinium multiphocal enhancement. <i>Medicina Clínica</i> , 2016 , 147, 570	1	
92	Clinical Evaluation Versus Undetectable High-Sensitivity Troponin for Assessment of Patients With Acute Chest Pain. <i>American Journal of Cardiology</i> , 2016 , 118, 1631-1635	3	8
91	Utility of galectin-3 in predicting post-infarct remodeling after acute myocardial infarction based on extracellular volume fraction mapping. <i>International Journal of Cardiology</i> , 2016 , 223, 458-464	3.2	12
90	Myocardial Protection During Cardiotoxic Chemotherapy. <i>Circulation</i> , 2015 , 132, 1835-45	16.7	27
89	Evaluaci3n del dolor tor3cico agudo mediante ecocardiograf3a de ejercicio y tomograf3a computarizada multidetectores. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 17-24	1.5	15
88	Exercise echocardiography and multidetector computed tomography for the evaluation of acute chest pain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 17-24	0.7	
87	Comments on exercise echocardiography and multidetector computed tomography for the evaluation of acute chest pain. Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 165-6	0.7	
86	Comentarios a la evaluaci3n del dolor tor3cico agudo mediante ecocardiograf3a de ejercicio y tomograf3a computarizada multidetectores. Respuesta. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 165-166	1.5	2

85	T1 mapping: characterisation of myocardial interstitial space. <i>Insights Into Imaging</i> , 2015 , 6, 189-202	5.6	36
84	Cardiac complications of chemotherapy: role of prevention. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2014 , 16, 312	2.1	9
83	Additional value of B-type natriuretic peptide on discrimination of patients at risk for mortality after a non-ST-segment elevation acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014 , 3, 132-40	4.3	13
82	Reply: Enalapril and carvedilol for preventing chemotherapy-induced left ventricular systolic dysfunction in patients with malignant hemopathies. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 2452	15.1	5
81	N-terminal pro-brain natriuretic peptide and high-sensitivity troponin in the evaluation of acute chest pain of uncertain etiology. A PITAGORAS substudy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013 , 66, 532-8	0.7	2
80	Prevalence of acute kidney injury in intensive care units: the "CORte de prevalencia de disFunci3n RenAl y DEpuraci3n en cr3ticos" point-prevalence multicenter study. <i>Journal of Critical Care</i> , 2013 , 28, 687-94	4	18
79	Hypothermia in acute coronary syndrome: brain salvage versus stent thrombosis?. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 686-7	15.1	54
78	Enalapril and carvedilol for preventing chemotherapy-induced left ventricular systolic dysfunction in patients with malignant hemopathies: the OVERCOME trial (preveniOn of left Ventricular dysfunction with Enalapril and caRvedilol in patients submitted to intensive ChemOtherapy for the treatment of solid tumors). <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2355-62	15.1	403
77	Fracci3n aminoterminal del propeptido natriurico cerebral y troponina ultrasensible en el dolor tor3cico agudo de origen incierto. Un subestudio del estudio PITAGORAS. <i>Revista Espanola De Cardiologia</i> , 2013 , 66, 532-538	1.5	6
76	Platelet glycoprotein IIb/IIIa blockers during percutaneous coronary intervention and as the initial medical treatment of non-ST segment elevation acute coronary syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2013 , CD002130		12
75	A randomized study of exercise echocardiography versus computed coronary angiography in the evaluation of acute chest pain. <i>European Heart Journal</i> , 2013 , 34, P2058-P2058	9.5	
74	Platelet glycoprotein IIb/IIIa blockers during percutaneous coronary intervention and as the initial medical treatment of non-ST segment elevation acute coronary syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2013 , CD002130		7
73	Role of circulating angiotensin converting enzyme 2 in left ventricular remodeling following myocardial infarction: a prospective controlled study. <i>PLoS ONE</i> , 2013 , 8, e61695	3.7	64
72	Usefulness of high-sensitivity troponin T for the evaluation of patients with acute chest pain and no or minimal myocardial damage. <i>American Heart Journal</i> , 2012 , 164, 194-200.e1	4.9	26
71	Metabolomic profile of human myocardial ischemia by nuclear magnetic resonance spectroscopy of peripheral blood serum: a translational study based on transient coronary occlusion models. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1629-41	15.1	71
70	Orbitofrontal cortex and neuromaturation: a gateway to risk?. <i>Biological Psychiatry</i> , 2012 , 71, 664-5	7.9	1
69	Ischaemic postconditioning revisited: lack of effects on infarct size following primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2012 , 33, 103-12	9.5	181
68	NFB in the development of endothelial activation and damage in uremia: an in vitro approach. <i>PLoS ONE</i> , 2012 , 7, e43374	3.7	30

67	Influence of comorbid conditions on one-year outcomes in non-ST-segment elevation acute coronary syndrome. <i>Mayo Clinic Proceedings</i> , 2011 , 86, 291-6	6.4	47
66	Prevention of chemotherapy-induced left ventricular dysfunction with enalapril and carvedilol: rationale and design of the OVERCOME trial. <i>Journal of Cardiac Failure</i> , 2011 , 17, 643-8	3.3	22
65	Identification of very low risk chest pain using clinical data in the emergency department. <i>International Journal of Cardiology</i> , 2011 , 150, 260-3	3.2	5
64	Shoshin beriberi mimicking a high-risk non-ST-segment elevation acute coronary syndrome with cardiogenic shock: when the arteries are not guilty. <i>Journal of Emergency Medicine</i> , 2011 , 41, e73-7	1.5	11
63	Modelo de intervenció coronaria percutánea primaria en Cataluña. <i>Revista Espanola De Cardiologia Suplementos</i> , 2011 , 11, 51-60	0.2	
62	Usefulness of pain presentation characteristics for predicting outcome in patients presenting to the hospital with chest pain of uncertain origin. <i>Emergency Medicine Journal</i> , 2011 , 28, 847-50	1.5	10
61	Prevalence, clinical characteristics and risk of myocardial infarction in patients with cocaine-related chest pain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010 , 63, 1028-34	0.7	
60	Atypical cardiac manifestation of hypereosinophilic syndrome and reversible cardiotoxicity to imatinib. <i>International Journal of Cardiology</i> , 2010 , 139, e29-31	3.2	10
59	Randomized comparison between clinical evaluation plus N-terminal pro-B-type natriuretic peptide versus exercise testing for decision making in acute chest pain of uncertain origin. <i>American Heart Journal</i> , 2010 , 159, 176-82	4.9	6
58	Prevalencia, características clínicas y riesgo de infarto de miocardio en pacientes con dolor torácico y consumo de cocaína. <i>Revista Espanola De Cardiologia</i> , 2010 , 63, 1028-1034	1.5	15
57	Cardiotoxicity of tyrosine-kinase-targeting drugs. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2010 , 8, 11-21	1.9	26
56	Platelet glycoprotein IIb/IIIa blockers during percutaneous coronary intervention and as the initial medical treatment of non-ST segment elevation acute coronary syndromes. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD002130		16
55	Angiographic and magnetic resonance imaging evaluation of in-hospital delay in primary percutaneous intervention delivery on myocardial salvage. <i>American Journal of Cardiology</i> , 2010 , 106, 924-30	3	8
54	Early risk stratification of patients with cardiogenic shock complicating acute myocardial infarction who undergo percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2009 , 103, 1073-7	3	20
53	Relation of plasma brain natriuretic peptide levels on admission for ST-elevation myocardial infarction to left ventricular end-diastolic volume six months later measured by both echocardiography and cardiac magnetic resonance. <i>American Journal of Cardiology</i> , 2009 , 104, 878-82	3	29
52	Efficacy of Coronary Revascularization in Patients With Acute Chest Pain Managed in a Chest Pain Unit. <i>Mayo Clinic Proceedings</i> , 2009 , 84, 323-329	6.4	0
51	Efficacy of coronary revascularization in patients with acute chest pain managed in a chest pain unit. <i>Mayo Clinic Proceedings</i> , 2009 , 84, 323-9	6.4	7
50	Limitations of clinical history for evaluation of patients with acute chest pain, non-diagnostic electrocardiogram, and normal troponin. <i>American Journal of Cardiology</i> , 2008 , 101, 613-7	3	27

49	Red cardiovascular HERACLES. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 66-75	1.5	6
48	New insights in the management of cardiogenic shock complicating myocardial infarction: role of urgent heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2008 , 27, 984-9	5.8	5
47	Causes of ineligibility in randomized controlled trials and long-term mortality in patients with non-ST-segment elevation acute coronary syndromes. <i>International Journal of Cardiology</i> , 2008 , 124, 86-91	3.2	9
46	Combination of clinical risk profile, early exercise testing and circulating biomarkers for evaluation of patients with acute chest pain without ST-segment deviation or troponin elevation. <i>Heart</i> , 2008 , 94, 311-5	5.1	16
45	Análisis de la actividad de una unidad estructural de dolor torácico en un servicio de urgencias hospitalario. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 276-284	1.5	21
44	A practical approach with outcome for the prognostic assessment of non-ST-segment elevation chest pain and normal troponin. <i>American Journal of Cardiology</i> , 2007 , 99, 797-801	3	11
43	Usefulness of early exercise testing and clinical risk score for prognostic evaluation in chest pain units without preexisting evidence of myocardial ischemia. <i>American Journal of Cardiology</i> , 2006 , 97, 633-5	3	25
42	Prognostic usefulness of white blood cell count on admission and one-year outcome in patients with non-ST-segment elevation acute chest pain. <i>American Journal of Cardiology</i> , 2006 , 98, 885-9	3	16
41	Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events. <i>New England Journal of Medicine</i> , 2006 , 354, 1706-17	59.2	2120
40	Reduction in Acute Myocardial Infarction Mortality Over a Five-Year Period. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006 , 59, 200-208	0.7	
39	Reducción de la mortalidad por infarto agudo de miocardio en un período de 5 años. <i>Revista Espanola De Cardiologia</i> , 2006 , 59, 200-208	1.5	46
38	Left ventricular ejection fraction to predict early mortality in patients with non-ST-segment elevation acute coronary syndromes. <i>American Heart Journal</i> , 2005 , 150, 215-20	4.9	32
37	New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations: a comparison with the TIMI risk score. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 443-9	15.1	111
36	Diferencias en el tratamiento y la evolución clínica de los pacientes con síndrome coronario agudo sin elevación del segmento ST en función del servicio clínico de ingreso. <i>Revista Espanola De Cardiologia</i> , 2004 , 57, 283-290	1.5	5
35	Differences in the Management and Prognosis of Patients With Non-ST Segment Elevation Acute Coronary Syndrome According to the Department of Initial Admission. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2004 , 57, 283-290	0.7	
34	Technetium 99m-labeled tetrofosmin and iodine 123-labeled metaiodobenzylguanidine scintigraphy in the assessment of transmural laser revascularization. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 125, 1493-8	1.5	14
33	Factores asociados al uso de la reperfusión en pacientes con infarto agudo de miocardio y elevación del segmento ST en España: Proyecto de Registro del Infarto Agudo de Miocardio en Hospitales (PRIAMHO II). <i>Medicina Intensiva</i> , 2003 , 27, 653-661	1.2	2
32	Técnicas de imagen en la medicina cardiovascular moderna. <i>Revista Espanola De Cardiologia</i> , 2003 , 56, 193-194	1.5	4

31	Ensayos clínicos presentados en la 75 Sesión Científica Anual de la American Heart Association (Chicago, 17-20 de noviembre de 2002). <i>Revista Espanola De Cardiologia</i> , 2003 , 56, 89-98	1.5	2
30	Accessibility to coronary angiography and one-year survival after myocardial infarction. <i>American Journal of Cardiology</i> , 2002 , 90, 409-12	3	11
29	Elevation of serum levels of the anti-inflammatory cytokine interleukin-10 and decreased risk of coronary events in patients with unstable angina. <i>American Heart Journal</i> , 2002 , 144, 811-7	4.9	93
28	Prognostic value of clinical variables at presentation in patients with non-ST-segment elevation acute coronary syndromes: results of the Proyecto de Estudio del Pronóstico de la Angina (PEPA). <i>Medicine (United States)</i> , 2002 , 81, 434-42	1.8	33
27	Non-Antithrombotic Treatment of Acute Coronary Syndromes: Role of Beta-Blockers, Calcium Channel Blockers, and Nitrates 2002 , 141-155		
26	After accounting for other risk factors, long-term smokers have no post-infarction survival advantage over non-smokers. <i>Evidence-based Cardiovascular Medicine</i> , 2001 , 5, 92-93		
25	Feasibility and prognostic value of dobutamine-atropine stress echocardiography early in unstable angina. <i>European Heart Journal</i> , 2000 , 21, 1063-71	9.5	8
24	Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 1084-90	5.8	4
23	Recurrent ischemia after thrombolysis: importance of associated clinical findings. GUSTO-I Investigators. Global Utilization of Streptokinase and t-PA [tissue-plasminogen activator] for Occluded Coronary Arteries. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 94-102	15.1	19
22	Prognostic Value of ECG Changes During Chest Pain in Patients With Unstable Angina. Results of the Proyecto de Estudio del Pronostico de la Angina (PEPA). <i>Journal of the American College of Cardiology</i> , 1998 , 31, 79A	15.1	2
21	Effects of enalapril on left ventricular function and exercise performance after a first acute myocardial infarction. The EDEN Study Investigators. <i>International Journal of Cardiology</i> , 1997 , 59, 257-65	3.2	4
20	Prediction of in-hospital cardiac events using dipyridamole-thallium scintigraphy performed very early after acute myocardial infarction. <i>Clinical Cardiology</i> , 1996 , 19, 189-96	3.3	4
19	Predictors of early saphenous vein aortocoronary bypass graft occlusion. The GESIC Study Group. <i>Annals of Thoracic Surgery</i> , 1993 , 56, 1101-6	2.7	45
18	Feasibility of early discharge after acute Q wave myocardial infarction in patients not receiving thrombolytic treatment. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1795-801	15.1	21
17	Diagnostic value of technetium-99m-MIBI as a myocardial perfusion imaging agent: comparison of long and short intervals between rest and stress injections. <i>Clinical Cardiology</i> , 1992 , 15, 497-503	3.3	5
16	Impaired response of atrial natriuretic factor to blood volume expansion in acute right ventricular infarction. <i>American Journal of Cardiology</i> , 1991 , 68, 719-24	3	7
15	Clinical and angiographic features and prognostic significance of early postinfarction angina with and without electrocardiographic signs of transient ischemia. <i>American Journal of Medicine</i> , 1991 , 91, 493-501	2.4	13
14	Hemodynamic, platelet and clinical responses to prostacyclin in unstable angina pectoris. <i>American Journal of Cardiology</i> , 1990 , 65, 1084-9	3	10

13	Prevention of early aortocoronary bypass occlusion by low-dose aspirin and dipyridamole. Grupo Espa�l para el Seguimiento del Injerto Coronario (GESIC). <i>Circulation</i> , 1990 , 82, 765-73	16.7	91
12	Early postinfarction ischemia: clinical, angiographic, and prognostic significance. <i>Circulation</i> , 1987 , 75, 988-95	16.7	97
11	Haemodynamic effects of molsidomine in patients with severe chronic coronary disease. <i>European Heart Journal</i> , 1985 , 6, 1032-9	9.5	2
10	Surgical treatment of the post-infarction left ventricular aneurysm. Factors influencing early and late results. <i>Thoracic and Cardiovascular Surgeon</i> , 1985 , 33, 86-93	1.6	8
9	Angiographic findings after myocardial infarction in patients with previous bypass surgery: explanations for smaller infarcts in this group compared with control patients. <i>Circulation</i> , 1985 , 71, 693-8	16.7	33
8	Comparison of clinical variables and variables derived from a limited pre-discharge exercise test as predictors of early and late mortality after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 1-8	15.1	107
7	Coronary angiographic significance of left anterior fascicular block during acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 9-15	15.1	20
6	Clinical and angiographic assessment 6 months after double vessel percutaneous coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1985 , 6, 1239-44	15.1	176
5	A randomized study comparing propranolol and diltiazem in the treatment of unstable angina. <i>Journal of the American College of Cardiology</i> , 1985 , 5, 717-22	15.1	129
4	Early and late prognosis after reoperation for prosthetic valve replacement. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1984 , 88, 567-572	1.5	25
3	Late tears in leaflets of porcine bioprostheses in adults. <i>Annals of Thoracic Surgery</i> , 1984 , 37, 78-83	2.7	33
2	Circadian variation in variant angina. <i>American Journal of Cardiology</i> , 1984 , 54, 61-4	3	116
1	Subclavian artery to pulmonary circulation fistulas. <i>Catheterization and Cardiovascular Diagnosis</i> , 1983 , 9, 175-80		2