Jorge J Polónia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2458544/publications.pdf

Version: 2024-02-01

99 papers 15,459 citations

30 h-index 97 g-index

106 all docs

 $\begin{array}{c} 106 \\ \\ \text{docs citations} \end{array}$

106 times ranked 18377 citing authors

#	Article	IF	CITATIONS
1	2018 ESC/ESH Guidelines for the management of arterial hypertension. European Heart Journal, 2018, 39, 3021-3104.	2.2	6,826
2	2013 ESH/ESC Guidelines for the management of arterial hypertension. European Heart Journal, 2013, 34, 2159-2219.	2.2	5,681
3	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients. Hypertension, 2016, 67, 693-700.	2.7	399
4	Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13 844 patients with hypertension. Journal of Hypertension, 2014, 32, 2332-2340.	0.5	222
5	An Educational Intervention to Improve Physician Reporting of Adverse Drug Reactions. JAMA - Journal of the American Medical Association, 2006, 296, 1086.	7.4	160
6	Prevalence, awareness, treatment and control of hypertension and salt intake in Portugal. Journal of Hypertension, 2014, 32, 1211-1221.	0.5	147
7	Physicians??? Attitudes and Adverse Drug Reaction Reporting. Drug Safety, 2005, 28, 825-833.	3.2	129
8	Nail Changes Secondary to Docetaxel (Taxotere). Dermatology, 1999, 198, 288-290.	2.1	96
9	Influence of Pharmacists??? Attitudes on Adverse Drug Reaction Reporting. Drug Safety, 2006, 29, 331-340.	3.2	96
10	Atrial natriuretic peptides and renin release. American Journal of Medicine, 1988, 84, 112-118.	1.5	75
11	Drug-induced anaphylaxis: a decade review of reporting to the Portuguese Pharmacovigilance Authority. European Journal of Clinical Pharmacology, 2013, 69, 673-681.	1.9	71
12	Arterial stiffness predicts cardiovascular outcome in a low-to-moderate cardiovascular risk population: the EDIVA (Estudo de Distensibilidade VAscular) project. Journal of Hypertension, 2011, 29, 669-675.	0.5	63
13	Low-dose oral contraceptives and 24-hour ambulatory blood pressure. International Journal of Gynecology and Obstetrics, 1997, 59, 237-243.	2.3	62
14	Exercise training reduces arterial stiffness in adults with hypertension: a systematic review and meta-analysis. Journal of Hypertension, 2021, 39, 214-222.	0.5	60
15	Estimation of salt intake by urinary sodium excretion in a Portuguese adult population and its relationship to arterial stiffness. Revista Portuguesa De Cardiologia, 2006, 25, 801-17.	0.5	59
16	Estimation of populational 24-h urinary sodium and potassium excretion from spot urine samples. Journal of Hypertension, 2017, 35, 477-486.	0.5	57
17	Improving the Reporting of Adverse Drug Reactions. Drug Safety, 2008, 31, 335-344.	3.2	52
18	Different patterns of peripheral versus central blood pressure in hypertensive patients treated with \hat{l}^2 -blockers either with or without vasodilator properties or with angiotensin receptor blockers. Blood Pressure Monitoring, 2010, 15, 235-239.	0.8	45

#	Article	IF	Citations
19	Lifestyle, psychological, socioeconomic and environmental factors and their impact on hypertension during the coronavirus disease 2019 pandemic. Journal of Hypertension, 2021, 39, 1077-1089.	0.5	44
20	Factors that influence spontaneous reporting of adverse drug reactions: a model centralized in the medical professional. Journal of Evaluation in Clinical Practice, 2004, 10, 483-489.	1.8	43
21	Workshop- and Telephone-Based Interventions to Improve Adverse Drug Reaction Reporting. Drug Safety, 2012, 35, 655-665.	3.2	43
22	Nutraceuticals and blood pressure control: a European Society of Hypertension position document. Journal of Hypertension, 2020, 38, 799-812.	0.5	43
23	Effect of Exercise Training on Ambulatory Blood Pressure Among Patients With Resistant Hypertension. JAMA Cardiology, 2021, 6, 1317.	6.1	41
24	Morning rise, morning surge and daytime variability of blood pressure and cardiovascular target organ damage. A cross-sectional study in 743 subjects. Revista Portuguesa De Cardiologia, 2005, 24, 65-78.	0.5	40
25	Estratégias para aumentar a sensibilidade da farmacovigilância em Portugal. Revista De Saude Publica, 2011, 45, 129-135.	1.7	38
26	A survey of spontaneous reporting of adverse drug reactions in 10 years of activity in a pharmacovigilance centre in Portugal. International Journal of Pharmacy Practice, 2014, 22, 275-282.	0.6	34
27	Salt intake in children 10–12 years old and its modification by active working practices in a school garden. Journal of Hypertension, 2013, 31, 1966-1971.	0.5	32
28	Sequential follow-up clinic and ambulatory blood pressure evaluation in a low risk population of white-coat hypertensive patients and in normotensives. Blood Pressure Monitoring, 2005, 10, 57-64.	0.8	31
29	Brain natriuretic peptide as a marker of cardiac involvement in hypertension. International Journal of Cardiology, 1999, 69, 169-177.	1.7	30
30	Improvement of aortic reflection wave responses 6 months after stopping smoking: a prospective study. Blood Pressure Monitoring, 2009, 14, 69-75.	0.8	30
31	Cardiovascular prognostic value of ambulatory blood pressure monitoring in a Portuguese hypertensive population followed up for 8.2 years. Blood Pressure Monitoring, 2010, 15, 240-246.	0.8	30
32	Long-term administration of 1,3-dipropyl-8-sulfophenylxanthine causes arterial hypertension. European Journal of Pharmacology, 1991, 193, 101-104.	3.5	27
33	Arterial distensibility in subjects with white-coat hypertension with and without diabetes or dyslipidaemia: comparison with normotensives and sustained hypertensives. Blood Pressure Monitoring, 2000, 5 , $11-17$.	0.8	26
34	Attenuation of heart rate recovery after exercise in hypertensive patients with blunting of the nighttime blood pressure fall. International Journal of Cardiology, 2006, 106, 238-243.	1.7	24
35	Influence of Two Doses of Irbesartan on Non-Dipper Circadian Blood Pressure Rhythm in Salt-Sensitive Black Hypertensives Under High Salt Diet. Journal of Cardiovascular Pharmacology, 2003, 42, 98-104.	1.9	23
36	Prognostic impact of sex–ambulatory blood pressure interactions in 10 cohorts of 17 312 patients diagnosed with hypertension. Journal of Hypertension, 2015, 33, 212-220.	0.5	23

#	Article	IF	CITATIONS
37	SEVERE ACUTE FORM OF ADULT DERMATOMYOSITIS TREATED WITH CYCLOSPORINE. International Journal of Dermatology, 1992, 31, 517-519.	1.0	22
38	Genital fixed drug eruption: cross-reactivity between doxycycline and minocycline. Clinical and Experimental Dermatology, 1999, 24, 137-137.	1.3	22
39	Differences in behavior profile between normotensive subjects and patients with white-coat and sustained hypertension. Journal of Psychosomatic Research, 1999, 46, 15-27.	2.6	21
40	A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. Journal of Human Hypertension, 2009, 23, 771-772.	2.2	21
41	Possible phototoxicity with subsequent progression to discoid lupus following pantoprazole administration. Clinical and Experimental Dermatology, 2001, 26, 455-456.	1.3	20
42	Relationship between aortic stiffness and cardiovascular risk factors in a population of normotensives, white-coat normotensives, white-coat hypertensives, sustained hypertensives and diabetic patients. Revista Portuguesa De Cardiologia, 2004, 23, 1533-47.	0.5	20
43	High salt intake is associated with a higher risk of cardiovascular events. Blood Pressure Monitoring, 2016, 21, 301-306.	0.8	19
44	Causality assessment of adverse drug reaction reports using an expert-defined Bayesian network. Artificial Intelligence in Medicine, 2018, 91, 12-22.	6.5	18
45	Annual deterioration of renal function in hypertensive patients with and without diabetes. Vascular Health and Risk Management, 2017, Volume 13, 231-237.	2.3	16
46	Association between ambulatory blood pressure values and central aortic pressure in a large population of normotensive and hypertensive patients. Blood Pressure Monitoring, 2018, 23, 24-32.	0.8	16
47	Association of 24-h urinary salt excretion with central haemodynamics and assessment of food categories contributing to salt consumption in Portuguese patients with hypertension. Blood Pressure Monitoring, 2013, 18, 303-310.	0.8	15
48	Contrasting plasma atrial natriuretic factor concentrations during comparable natriuresis with infusions of atrial natriuretic factor and saline in normal man. Clinical Science, 1988, 75, 455-462.	4.3	14
49	Prognostic Value of Subdivisions of Nighttime Blood Pressure Fall in Hypertensives Followed Up for 8.2 Years. Does Nondipping Classification Need to Be Redefined?. Journal of Clinical Hypertension, 2010, 12, 508-515.	2.0	14
50	Diagnostic value and cost-benefit analysis of 24Âhours ambulatory blood pressure monitoring in primary care in Portugal. BMC Cardiovascular Disorders, 2013, 13, 57.	1.7	14
51	Acute Hypotensive, Natriuretic, and Hormonal Effects of Nifedipine in Salt-Sensitive and Salt-Resistant Black Normotensive and Hypertensive Subjects. Journal of Cardiovascular Pharmacology, 1999, 34, 346-353.	1.9	14
52	Risk Factors for Development of Microalbuminuria in Diabetic and Nondiabetic Normoalbuminuric Hypertensives with High or Very High Cardiovascular Risk – A Twelve-Month Follow-Up Study. Nephron Clinical Practice, 2009, 113, c8-c15.	2.3	13
53	Ambulatory blood pressure monitoring profile in urban African black and European white untreated hypertensive patients matched for age and sex. Blood Pressure Monitoring, 2014, 19, 192-198.	0.8	13
54	Ambulatory blood pressure monitoring profiles in a cross-sectional analysis of a large database of normotensive and true or suspected hypertensive patients. Revista Portuguesa De Cardiologia, 2018, 37, 319-327.	0.5	13

#	Article	IF	CITATIONS
55	Relationship between ambulatory blood pressure monitoring values and future occurrence of ischemic cerebrovascular and coronary events in hypertensive patients. Revista Portuguesa De Cardiologia, 2006, 25, 305-16.	0.5	13
56	Influence of sublingual captopril on plasma catecholamine levels during hypertensive emergencies and cold immersion. American Journal of Medicine, 1988, 84, 148-151.	1.5	12
57	Prognostic significance of ambulatory arterial stiffness index in hypertensives followed for 8.2 years: its relation with new events and cardiovascular risk estimation. Revista Portuguesa De Cardiologia, 2010, 29, 1287-303.	0.5	12
58	The Chester step test is a valid tool to assess cardiorespiratory fitness in adults with hypertension: reducing the gap between clinical practice and fitness assessments. Hypertension Research, 2019, 42, 2021-2024.	2.7	11
59	Association of circulating endothelin and noradrenaline with increased calcium-channel binding sites in the placental bed in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1104-1112.	2.3	10
60	Reprodutibilidade dos valores da pressurometria ambulatória de 24 horas e dos perfis circadiários de descida noturna registados com intervalo 1â€11 meses em indivÃduos não medicados. Revista Portuguesa De Cardiologia, 2015, 34, 643-650.	0.5	10
61	Sympathetic denervation causes atrial natriuretic peptide-storing granules to appear in the ventricular myocardium of the rat. Naunyn-Schmiedeberg's Archives of Pharmacology, 1990, 342, 241-244.	3.0	9
62	A statistical definition of aortic pulse wave velocity normality in a Portuguese population: A subanalysis of the EDIVA project. Revista Portuguesa De Cardiologia (English Edition), 2011, 30, 691-698.	0.2	9
63	PERSYVE: design and validation of a questionnaire about adverse effects of antihypertensive drugs. Pharmacy Practice, 2014, 12, 0-0.	1.5	9
64	Reproducibility of ambulatory blood pressure values and circadian blood pressure patterns in untreated subjects in a $1\hat{a}\in 11$ month interval. Revista Portuguesa De Cardiologia (English Edition), 2015, 34, 643-650.	0.2	8
65	POPs' effect on cardiometabolic and inflammatory profile in a sample of women with obesity and hypertension. Archives of Environmental and Occupational Health, 2019, 74, 310-321.	1.4	8
66	Posicionamento Luso-Brasileiro de Emergências Hipertensivas – 2020. Arquivos Brasileiros De Cardiologia, 2020, 114, 736-751.	0.8	8
67	Prevalence of microalbuminuria in hypertensive patients with or without type 2 diabetes in a Portuguese primary care setting: The RACE (micRoAlbumin sCreening survEy) study. Revista Portuguesa De Cardiologia (English Edition), 2015, 34, 237-246.	0.2	7
68	Long-term cardiovascular risk of white-coat hypertension with normal night-time blood pressure values. Blood Pressure Monitoring, 2019, 24, 59-66.	0.8	7
69	Physical Activity is Associated With Lower Arterial Stiffness in Patients With Resistant Hypertension. Heart Lung and Circulation, 2021, 30, 1762-1768.	0.4	7
70	Global cardiovascular risk stratification of hypertensive patients followed in Portugal in primary care or in hospital care according to the 2007 ESH/ESC guidelines. Revista Portuguesa De Cardiologia, 2010, 29, 1685-96.	0.5	6
71	Os valores da pressão arterial aórtica e Ãndice de aumentação central em indivÃduos com hipertensão da bata branca são mais próximos dos indivÃduos normotensos do que dos hipertensos tratados para idênticas idades, género e pressão noturna. Revista Portuguesa De Cardiologia, 2016, 35, 559-567.	0.5	5
72	Central pressures and central hemodynamic values in white coat hypertensives are closer to those of normotensives than to those of controlled hypertensives for similar age, gender, and 24-h and nocturnal blood pressures. Revista Portuguesa De Cardiologia (English Edition), 2016, 35, 559-567.	0.2	5

#	Article	IF	CITATIONS
73	Ambulatory blood pressure monitoring profiles in a cross-sectional analysis of a large database of normotensive and true or suspected hypertensive patients. Revista Portuguesa De Cardiologia (English) Tj ETQq1	100278431	4srgBT /Ove
74	The historical evolution of knowledge of the involvement of neurohormonal systems in the pathophysiology and treatment of heart failure. Revista Portuguesa De Cardiologia (English Edition), 2019, 38, 883-895.	0.2	5
75	Impact on Longevity of Genetic Cardiovascular Risk and Lifestyle including Red Meat Consumption. Oxidative Medicine and Cellular Longevity, 2020, 2020, 1-14.	4.0	5
76	Modulation of arterial stiffness with intensive competitive training. Revista Portuguesa De Cardiologia, 2006, 25, 709-14.	0.5	5
77	A comprehensive review of adverse events to drugs used in COVIDâ€19 patients: Recent clinical evidence. European Journal of Clinical Investigation, 2022, 52, e13763.	3.4	5
78	Assessment of cardiovascular risk and social framework of Cape Verdean university students studying in Portugal. Revista Portuguesa De Cardiologia, 2018, 37, 577-582.	0.5	4
79	Comparison of Salt Intake in Children to that of their Parents. Nephron, 2019, 142, 284-290.	1.8	4
80	Nifedipine-Retard Versus Nifedipine-Capsules for the Therapy of Hypertensive Crisis in Black Patients. Journal of Cardiovascular Pharmacology, 1998, 31, 165-169.	1.9	4
81	Reliable Quantification of the Potential for Equations Based on Spot Urine Samples to Estimate Population Salt Intake: Protocol for a Systematic Review and Meta-Analysis. JMIR Research Protocols, 2016, 5, e190.	1.0	4
82	Assessment of central hemodynamic properties of the arterial wall in women with previous preeclampsia. Revista Portuguesa De Cardiologia (English Edition), 2014, 33, 345-351.	0.2	3
83	Type B adverse drug reactions reported by an immunoallergology department. Pharmacy Practice, 2018, 16, 1070.	1.5	3
84	Long-Term Risk of Progression to Sustained Hypertension in White-Coat Hypertension with Normal Night-Time Blood Pressure Values. International Journal of Hypertension, 2020, 2020, 1-8.	1.3	3
85	Unattended versus two attended, ambulatory and central blood pressure measurements in hypertensive patients with and without diabetes. Blood Pressure, 2019, 28, 99-106.	1.5	2
86	A evolução histórica do envolvimento dos sistemas neuroâ€humorais no conhecimento da fisiopatologia e do tratamento da insuficiência cardÃaca. Revista Portuguesa De Cardiologia, 2019, 38, 883-895.	0.5	2
87	Effect of empagliflozin beyond glycemic control: Cardiovascular benefit in patients with type 2 diabetes and established cardiovascular disease. Revista Portuguesa De Cardiologia (English Edition), 2019, 38, 721-735.	0.2	2
88	Guiding axes for drug safety management of pharmacovigilance centres during the COVID-19 era. International Journal of Clinical Pharmacy, 2021, 43, 1133-1138.	2.1	2
89	Adverse events with the influenza A(H1N1) vaccine Pandemrix \hat{A}^{\otimes} at healthcare professionals in Portugal. Acta Medica Portuguesa, 2013, 26, 107-12.	0.4	2
90	Estimation of 24-hour sodium, potassium and albumin excretion from spot urine samples in a national representative survey of hypertension (PHYSA). Journal of the American Society of Hypertension, 2014, 8, e83.	2.3	1

#	Article	IF	CITATIONS
91	Neutrophil-to-lymphocyte ratio and ambulatory blood pressure: Exploring the link between inflammation and hypertension. Revista Portuguesa De Cardiologia, 2017, 36, 107-109.	0.5	1
92	Neutrophil-to-lymphocyte ratio and ambulatory blood pressure: Exploring the link between inflammation and hypertension. Revista Portuguesa De Cardiologia (English Edition), 2017, 36, 107-109.	0.2	1
93	Are subjective measures the answer to assess physical inactivity on a daily basis in patients with resistant hypertension?. Journal of Human Hypertension, 2021, 35, 1180-1182.	2.2	1
94	Comparison of Blood Pressure Variability between 24 h Ambulatory Monitoring and Office Blood Pressure in Diabetics and Nondiabetic Patients: A Cross-Sectional Study. International Journal of Hypertension, 2022, 2022, 1-8.	1.3	1
95	Postprandial hypotension based on ambulatory blood pressure monitoring. Journal of the American Society of Hypertension, 2014, 8, e58.	2.3	O
96	Préâ€eclâmpsia: uma sÃndroma fascinante com stress oxidativo, mas não só. Revista Portuguesa De Cardiologia, 2016, 35, 477-478.	0.5	0
97	Preeclampsia: A fascinating syndrome due not only to oxidative stress. Revista Portuguesa De Cardiologia (English Edition), 2016, 35, 477-478.	0.2	O
98	Reply. Journal of Hypertension, 2017, 35, 1120-1122.	0.5	0
99	Assessment of cardiovascular risk and social framework of Cape Verdean university students studying in Portugal. Revista Portuguesa De Cardiologia (English Edition), 2018, 37, 577-582.	0.2	O