

# Jorge J PolÃ³nia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2458544/publications.pdf>

Version: 2024-02-01

99  
papers

15,459  
citations

159585

30  
h-index

36028

97  
g-index

106  
all docs

106  
docs citations

106  
times ranked

18377  
citing authors

#	ARTICLE	IF	CITATIONS
1	A comprehensive review of adverse events to drugs used in COVID-19 patients: Recent clinical evidence. <i>European Journal of Clinical Investigation</i> , 2022, 52, e13763.	3.4	5
2	Comparison of Blood Pressure Variability between 24 h Ambulatory Monitoring and Office Blood Pressure in Diabetics and Nondiabetic Patients: A Cross-Sectional Study. <i>International Journal of Hypertension</i> , 2022, 2022, 1-8.	1.3	1
3	Guiding axes for drug safety management of pharmacovigilance centres during the COVID-19 era. <i>International Journal of Clinical Pharmacy</i> , 2021, 43, 1133-1138.	2.1	2
4	Are subjective measures the answer to assess physical inactivity on a daily basis in patients with resistant hypertension?. <i>Journal of Human Hypertension</i> , 2021, 35, 1180-1182.	2.2	1
5	Effect of Exercise Training on Ambulatory Blood Pressure Among Patients With Resistant Hypertension. <i>JAMA Cardiology</i> , 2021, 6, 1317.	6.1	41
6	Physical Activity is Associated With Lower Arterial Stiffness in Patients With Resistant Hypertension. <i>Heart Lung and Circulation</i> , 2021, 30, 1762-1768.	0.4	7
7	Exercise training reduces arterial stiffness in adults with hypertension: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2021, 39, 214-222.	0.5	60
8	Lifestyle, psychological, socioeconomic and environmental factors and their impact on hypertension during the coronavirus disease 2019 pandemic. <i>Journal of Hypertension</i> , 2021, 39, 1077-1089.	0.5	44
9	Impact on Longevity of Genetic Cardiovascular Risk and Lifestyle including Red Meat Consumption. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-14.	4.0	5
10	Nutraceuticals and blood pressure control: a European Society of Hypertension position document. <i>Journal of Hypertension</i> , 2020, 38, 799-812.	0.5	43
11	Long-Term Risk of Progression to Sustained Hypertension in White-Coat Hypertension with Normal Night-Time Blood Pressure Values. <i>International Journal of Hypertension</i> , 2020, 2020, 1-8.	1.3	3
12	Posicionamento Luso-Brasileiro de Emergências Hipertensivas - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 736-751.	0.8	8
13	The Chester step test is a valid tool to assess cardiorespiratory fitness in adults with hypertension: reducing the gap between clinical practice and fitness assessments. <i>Hypertension Research</i> , 2019, 42, 2021-2024.	2.7	11
14	Unattended versus two attended, ambulatory and central blood pressure measurements in hypertensive patients with and without diabetes. <i>Blood Pressure</i> , 2019, 28, 99-106.	1.5	2
15	Comparison of Salt Intake in Children to that of their Parents. <i>Nephron</i> , 2019, 142, 284-290.	1.8	4
16	The historical evolution of knowledge of the involvement of neurohormonal systems in the pathophysiology and treatment of heart failure. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2019, 38, 883-895.	0.2	5
17	A evoluçÃ3o histÃ3rica do envolvimento dos sistemas neuro-humorais no conhecimento da fisiopatologia e do tratamento da insuficiÃ3ncia cardÃ3aca. <i>Revista Portuguesa De Cardiologia</i> , 2019, 38, 883-895.	0.5	2
18	Effect of empagliflozin beyond glycemic control: Cardiovascular benefit in patients with type 2 diabetes and established cardiovascular disease. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2019, 38, 721-735.	0.2	2

#	ARTICLE	IF	CITATIONS
19	Long-term cardiovascular risk of white-coat hypertension with normal night-time blood pressure values. <i>Blood Pressure Monitoring</i> , 2019, 24, 59-66.	0.8	7
20	POPsâ€™ effect on cardiometabolic and inflammatory profile in a sample of women with obesity and hypertension. <i>Archives of Environmental and Occupational Health</i> , 2019, 74, 310-321.	1.4	8
21	Ambulatory blood pressure monitoring profiles in a cross-sectional analysis of a large database of normotensive and true or suspected hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 319-327.	0.5	13
22	Association between ambulatory blood pressure values and central aortic pressure in a large population of normotensive and hypertensive patients. <i>Blood Pressure Monitoring</i> , 2018, 23, 24-32.	0.8	16
23	Type B adverse drug reactions reported by an immunoallergy department. <i>Pharmacy Practice</i> , 2018, 16, 1070.	1.5	3
24	Assessment of cardiovascular risk and social framework of Cape Verdean university students studying in Portugal. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 577-582.	0.5	4
25	Causality assessment of adverse drug reaction reports using an expert-defined Bayesian network. <i>Artificial Intelligence in Medicine</i> , 2018, 91, 12-22.	6.5	18
26	Assessment of cardiovascular risk and social framework of Cape Verdean university students studying in Portugal. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2018, 37, 577-582.	0.2	0
27	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018, 39, 3021-3104.	2.2	6,826
28	Ambulatory blood pressure monitoring profiles in a cross-sectional analysis of a large database of normotensive and true or suspected hypertensive patients. <i>Revista Portuguesa De Cardiologia (English)</i> Tj ETQq0 002gBT /Overlock 10		
29	Neutrophil-to-lymphocyte ratio and ambulatory blood pressure: Exploring the link between inflammation and hypertension. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 107-109.	0.5	1
30	Estimation of populational 24-h urinary sodium and potassium excretion from spot urine samples. <i>Journal of Hypertension</i> , 2017, 35, 477-486.	0.5	57
31	Neutrophil-to-lymphocyte ratio and ambulatory blood pressure: Exploring the link between inflammation and hypertension. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017, 36, 107-109.	0.2	1
32	Reply. <i>Journal of Hypertension</i> , 2017, 35, 1120-1122.	0.5	0
33	Annual deterioration of renal function in hypertensive patients with and without diabetes. <i>Vascular Health and Risk Management</i> , 2017, Volume 13, 231-237.	2.3	16
34	PrÃ©clÃ¢mpsia: uma sÃ¢ndroma fascinante com stress oxidativo, mas nÃ£o sÃ³. <i>Revista Portuguesa De Cardiologia</i> , 2016, 35, 477-478.	0.5	0
35	Preeclampsia: A fascinating syndrome due not only to oxidative stress. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016, 35, 477-478.	0.2	0
36	Os valores da pressÃ£o arterial aÃ³rtica e Ãndice de aumentaÃ§Ã£o central em indivÃduos com hipertensÃ£o da bata branca sÃ£o mais prÃ³ximos dos indivÃduos normotensos do que dos hipertensos tratados para idÃnticas idades, gÃnero e pressÃ£o noturna. <i>Revista Portuguesa De Cardiologia</i> , 2016, 35, 559-567.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Central pressures and central hemodynamic values in white coat hypertensives are closer to those of normotensives than to those of controlled hypertensives for similar age, gender, and 24-h and nocturnal blood pressures. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016, 35, 559-567.	0.2	5
38	High salt intake is associated with a higher risk of cardiovascular events. <i>Blood Pressure Monitoring</i> , 2016, 21, 301-306.	0.8	19
39	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients. <i>Hypertension</i> , 2016, 67, 693-700.	2.7	399
40	Reliable Quantification of the Potential for Equations Based on Spot Urine Samples to Estimate Population Salt Intake: Protocol for a Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2016, 5, e190.	1.0	4
41	Reprodutibilidade dos valores da pressurometria ambulatĂ³ria de 24 horas e dos perfis circadiĂ³rios de descida noturna registados com intervalo 11 meses em indivĂduos nĂo medicados. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 643-650.	0.5	10
42	Reproducibility of ambulatory blood pressure values and circadian blood pressure patterns in untreated subjects in a 11 month interval. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 643-650.	0.2	8
43	Prevalence of microalbuminuria in hypertensive patients with or without type 2 diabetes in a Portuguese primary care setting: The RACE (micRoAlbumin sCreening survEy) study. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 237-246.	0.2	7
44	Prognostic impact of sex-specific ambulatory blood pressure interactions in 10 cohorts of 17312 patients diagnosed with hypertension. <i>Journal of Hypertension</i> , 2015, 33, 212-220.	0.5	23
45	Ambulatory blood pressure monitoring profile in urban African black and European white untreated hypertensive patients matched for age and sex. <i>Blood Pressure Monitoring</i> , 2014, 19, 192-198.	0.8	13
46	Prevalence, awareness, treatment and control of hypertension and salt intake in Portugal. <i>Journal of Hypertension</i> , 2014, 32, 1211-1221.	0.5	147
47	Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13844 patients with hypertension. <i>Journal of Hypertension</i> , 2014, 32, 2332-2340.	0.5	222
48	A survey of spontaneous reporting of adverse drug reactions in 10 years of activity in a pharmacovigilance centre in Portugal. <i>International Journal of Pharmacy Practice</i> , 2014, 22, 275-282.	0.6	34
49	Assessment of central hemodynamic properties of the arterial wall in women with previous preeclampsia. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2014, 33, 345-351.	0.2	3
50	Postprandial hypotension based on ambulatory blood pressure monitoring. <i>Journal of the American Society of Hypertension</i> , 2014, 8, e58.	2.3	0
51	Estimation of 24-hour sodium, potassium and albumin excretion from spot urine samples in a national representative survey of hypertension (PHYSA). <i>Journal of the American Society of Hypertension</i> , 2014, 8, e83.	2.3	1
52	PERSYVE: design and validation of a questionnaire about adverse effects of antihypertensive drugs. <i>Pharmacy Practice</i> , 2014, 12, 0-0.	1.5	9
53	Drug-induced anaphylaxis: a decade review of reporting to the Portuguese Pharmacovigilance Authority. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 673-681.	1.9	71
54	Diagnostic value and cost-benefit analysis of 24-hour ambulatory blood pressure monitoring in primary care in Portugal. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 57.	1.7	14

#	ARTICLE	IF	CITATIONS
55	2013 ESH/ESC Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2013, 34, 2159-2219.	2.2	5,681
56	Salt intake in children 10-12 years old and its modification by active working practices in a school garden. <i>Journal of Hypertension</i> , 2013, 31, 1966-1971.	0.5	32
57	Association of 24-h urinary salt excretion with central haemodynamics and assessment of food categories contributing to salt consumption in Portuguese patients with hypertension. <i>Blood Pressure Monitoring</i> , 2013, 18, 303-310.	0.8	15
58	Adverse events with the influenza A(H1N1) vaccine Pandemrix® at healthcare professionals in Portugal. <i>Acta Medica Portuguesa</i> , 2013, 26, 107-12.	0.4	2
59	Workshop- and Telephone-Based Interventions to Improve Adverse Drug Reaction Reporting. <i>Drug Safety</i> , 2012, 35, 655-665.	3.2	43
60	A statistical definition of aortic pulse wave velocity normality in a Portuguese population: A subanalysis of the EDIVA project. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2011, 30, 691-698.	0.2	9
61	EstratÃ©gias para aumentar a sensibilidade da farmacovigilÃ¢ncia em Portugal. <i>Revista De Saude Publica</i> , 2011, 45, 129-135.	1.7	38
62	Arterial stiffness predicts cardiovascular outcome in a low-to-moderate cardiovascular risk population: the EDIVA (Estudo de Distensibilidade Vascular) project. <i>Journal of Hypertension</i> , 2011, 29, 669-675.	0.5	63
63	Cardiovascular prognostic value of ambulatory blood pressure monitoring in a Portuguese hypertensive population followed up for 8.2 years. <i>Blood Pressure Monitoring</i> , 2010, 15, 240-246.	0.8	30
64	Different patterns of peripheral versus central blood pressure in hypertensive patients treated with ð²-blockers either with or without vasodilator properties or with angiotensin receptor blockers. <i>Blood Pressure Monitoring</i> , 2010, 15, 235-239.	0.8	45
65	Prognostic Value of Subdivisions of Nighttime Blood Pressure Fall in Hypertensives Followed Up for 8.2 Years. Does Nondipping Classification Need to Be Redefined?. <i>Journal of Clinical Hypertension</i> , 2010, 12, 508-515.	2.0	14
66	Prognostic significance of ambulatory arterial stiffness index in hypertensives followed for 8.2 years: its relation with new events and cardiovascular risk estimation. <i>Revista Portuguesa De Cardiologia</i> , 2010, 29, 1287-303.	0.5	12
67	Global cardiovascular risk stratification of hypertensive patients followed in Portugal in primary care or in hospital care according to the 2007 ESH/ESC guidelines. <i>Revista Portuguesa De Cardiologia</i> , 2010, 29, 1685-96.	0.5	6
68	Risk Factors for Development of Microalbuminuria in Diabetic and Nondiabetic Normoalbuminuric Hypertensives with High or Very High Cardiovascular Risk - A Twelve-Month Follow-Up Study. <i>Nephron Clinical Practice</i> , 2009, 113, c8-c15.	2.3	13
69	A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. <i>Journal of Human Hypertension</i> , 2009, 23, 771-772.	2.2	21
70	Improvement of aortic reflection wave responses 6 months after stopping smoking: a prospective study. <i>Blood Pressure Monitoring</i> , 2009, 14, 69-75.	0.8	30
71	Improving the Reporting of Adverse Drug Reactions. <i>Drug Safety</i> , 2008, 31, 335-344.	3.2	52
72	Influence of Pharmacists' Attitudes on Adverse Drug Reaction Reporting. <i>Drug Safety</i> , 2006, 29, 331-340.	3.2	96

#	ARTICLE	IF	CITATIONS
73	Attenuation of heart rate recovery after exercise in hypertensive patients with blunting of the nighttime blood pressure fall. <i>International Journal of Cardiology</i> , 2006, 106, 238-243.	1.7	24
74	An Educational Intervention to Improve Physician Reporting of Adverse Drug Reactions. <i>JAMA - Journal of the American Medical Association</i> , 2006, 296, 1086.	7.4	160
75	Relationship between ambulatory blood pressure monitoring values and future occurrence of ischemic cerebrovascular and coronary events in hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> , 2006, 25, 305-16.	0.5	13
76	Modulation of arterial stiffness with intensive competitive training. <i>Revista Portuguesa De Cardiologia</i> , 2006, 25, 709-14.	0.5	5
77	Estimation of salt intake by urinary sodium excretion in a Portuguese adult population and its relationship to arterial stiffness. <i>Revista Portuguesa De Cardiologia</i> , 2006, 25, 801-17.	0.5	59
78	Sequential follow-up clinic and ambulatory blood pressure evaluation in a low risk population of white-coat hypertensive patients and in normotensives. <i>Blood Pressure Monitoring</i> , 2005, 10, 57-64.	0.8	31
79	Physicians??? Attitudes and Adverse Drug Reaction Reporting. <i>Drug Safety</i> , 2005, 28, 825-833.	3.2	129
80	Morning rise, morning surge and daytime variability of blood pressure and cardiovascular target organ damage. A cross-sectional study in 743 subjects. <i>Revista Portuguesa De Cardiologia</i> , 2005, 24, 65-78.	0.5	40
81	Factors that influence spontaneous reporting of adverse drug reactions: a model centralized in the medical professional. <i>Journal of Evaluation in Clinical Practice</i> , 2004, 10, 483-489.	1.8	43
82	Relationship between aortic stiffness and cardiovascular risk factors in a population of normotensives, white-coat normotensives, white-coat hypertensives, sustained hypertensives and diabetic patients. <i>Revista Portuguesa De Cardiologia</i> , 2004, 23, 1533-47.	0.5	20
83	Influence of Two Doses of Irbesartan on Non-Dipper Circadian Blood Pressure Rhythm in Salt-Sensitive Black Hypertensives Under High Salt Diet. <i>Journal of Cardiovascular Pharmacology</i> , 2003, 42, 98-104.	1.9	23
84	Possible phototoxicity with subsequent progression to discoid lupus following pantoprazole administration. <i>Clinical and Experimental Dermatology</i> , 2001, 26, 455-456.	1.3	20
85	Arterial distensibility in subjects with white-coat hypertension with and without diabetes or dyslipidaemia: comparison with normotensives and sustained hypertensives. <i>Blood Pressure Monitoring</i> , 2000, 5, 11-17.	0.8	26
86	Genital fixed drug eruption: cross-reactivity between doxycycline and minocycline. <i>Clinical and Experimental Dermatology</i> , 1999, 24, 137-137.	1.3	22
87	Brain natriuretic peptide as a marker of cardiac involvement in hypertension. <i>International Journal of Cardiology</i> , 1999, 69, 169-177.	1.7	30
88	Differences in behavior profile between normotensive subjects and patients with white-coat and sustained hypertension. <i>Journal of Psychosomatic Research</i> , 1999, 46, 15-27.	2.6	21
89	Nail Changes Secondary to Docetaxel (Taxotere). <i>Dermatology</i> , 1999, 198, 288-290.	2.1	96
90	Acute Hypotensive, Natriuretic, and Hormonal Effects of Nifedipine in Salt-Sensitive and Salt-Resistant Black Normotensive and Hypertensive Subjects. <i>Journal of Cardiovascular Pharmacology</i> , 1999, 34, 346-353.	1.9	14

#	ARTICLE	IF	CITATIONS
91	Association of circulating endothelin and noradrenaline with increased calcium-channel binding sites in the placental bed in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1998, 105, 1104-1112.	2.3	10
92	Nifedipine-Retard Versus Nifedipine-Capsules for the Therapy of Hypertensive Crisis in Black Patients. Journal of Cardiovascular Pharmacology, 1998, 31, 165-169.	1.9	4
93	Low-dose oral contraceptives and 24-hour ambulatory blood pressure. International Journal of Gynecology and Obstetrics, 1997, 59, 237-243.	2.3	62
94	SEVERE ACUTE FORM OF ADULT DERMATOMYOSITIS TREATED WITH CYCLOSPORINE. International Journal of Dermatology, 1992, 31, 517-519.	1.0	22
95	Long-term administration of 1,3-dipropyl-8-sulfophenylxanthine causes arterial hypertension. European Journal of Pharmacology, 1991, 193, 101-104.	3.5	27
96	Sympathetic denervation causes atrial natriuretic peptide-storing granules to appear in the ventricular myocardium of the rat. Naunyn-Schmiedeberg's Archives of Pharmacology, 1990, 342, 241-244.	3.0	9
97	Atrial natriuretic peptides and renin release. American Journal of Medicine, 1988, 84, 112-118.	1.5	75
98	Influence of sublingual captopril on plasma catecholamine levels during hypertensive emergencies and cold immersion. American Journal of Medicine, 1988, 84, 148-151.	1.5	12
99	Contrasting plasma atrial natriuretic factor concentrations during comparable natriuresis with infusions of atrial natriuretic factor and saline in normal man. Clinical Science, 1988, 75, 455-462.	4.3	14