Jorge J Polnia

List of Publications by Citations

Source: https://exaly.com/author-pdf/2458544/jorge-j-polonia-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96 96 9,255 25 h-index g-index citations papers 106 2.8 11,735 4.79 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
96	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
95	2013 ESH/ESC guidelines for the management of arterial hypertension: the Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2013 , 34, 2159-219	9.5	3400
94	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients: The Ambulatory Blood Pressure Collaboration in Patients With Hypertension (ABC-H) Meta-Analysis. <i>Hypertension</i> , 2016 , 67, 693-700	8.5	282
93	Prognostic impact from clinic, daytime, and night-time systolic blood pressure in nine cohorts of 13,844 patients with hypertension. <i>Journal of Hypertension</i> , 2014 , 32, 2332-40; discussion 2340	1.9	175
92	An educational intervention to improve physician reporting of adverse drug reactions: a cluster-randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 1086	5- 3 73 ⁴	124
91	Prevalence, awareness, treatment and control of hypertension and salt intake in Portugal: changes over a decade. The PHYSA study. <i>Journal of Hypertension</i> , 2014 , 32, 1211-21	1.9	111
90	PhysiciansTattitudes and adverse drug reaction reporting : a case-control study in Portugal. <i>Drug Safety</i> , 2005 , 28, 825-33	5.1	87
89	Nail changes secondary to docetaxel (Taxotere). <i>Dermatology</i> , 1999 , 198, 288-90	4.4	77
88	Influence of pharmacistsTattitudes on adverse drug reaction reporting: a case-control study in Portugal. <i>Drug Safety</i> , 2006 , 29, 331-40	5.1	74
87	Atrial natriuretic peptides and renin release. American Journal of Medicine, 1988, 84, 112-8	2.4	68
86	Drug-induced anaphylaxis: a decade review of reporting to the Portuguese Pharmacovigilance Authority. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 673-81	2.8	57
85	Arterial stiffness predicts cardiovascular outcome in a low-to-moderate cardiovascular risk population: the EDIVA (Estudo de Distensibilidade VAscular) project. <i>Journal of Hypertension</i> , 2011 , 29, 669-75	1.9	51
84	Estimation of salt intake by urinary sodium excretion in a Portuguese adult population and its relationship to arterial stiffness. <i>Revista Portuguesa De Cardiologia</i> , 2006 , 25, 801-17	1	51
83	Low-dose oral contraceptives and 24-hour ambulatory blood pressure. <i>International Journal of Gynecology and Obstetrics</i> , 1997 , 59, 237-43	4	49
82	Estimation of populational 24-h urinary sodium and potassium excretion from spot urine samples: evaluation of four formulas in a large national representative population. <i>Journal of Hypertension</i> , 2017 , 35, 477-486	1.9	44
81	Different patterns of peripheral versus central blood pressure in hypertensive patients treated with Eblockers either with or without vasodilator properties or with angiotensin receptor blockers. <i>Blood Pressure Monitoring</i> , 2010 , 15, 235-9	1.3	37
80	Improving the reporting of adverse drug reactions: a cluster-randomized trial among pharmacists in Portugal. <i>Drug Safety</i> , 2008 , 31, 335-44	5.1	37

(2004-2005)

79	Morning rise, morning surge and daytime variability of blood pressure and cardiovascular target organ damage. A cross-sectional study in 743 subjects. <i>Revista Portuguesa De Cardiologia</i> , 2005 , 24, 65-7	§	33	
78	Factors that influence spontaneous reporting of adverse drug reactions: a model centralized in the medical professional. <i>Journal of Evaluation in Clinical Practice</i> , 2004 , 10, 483-9	2.5	31	
77	Strategies to increase the sensitivity of pharmacovigilance in Portugal. <i>Revista De Saude Publica</i> , 2011 , 45, 129-35	2.4	29	
76	Workshop- and telephone-based interventions to improve adverse drug reaction reporting: a cluster-randomized trial in Portugal. <i>Drug Safety</i> , 2012 , 35, 655-65	5.1	28	
75	Sequential follow-up clinic and ambulatory blood pressure evaluation in a low risk population of white-coat hypertensive patients and in normotensives. <i>Blood Pressure Monitoring</i> , 2005 , 10, 57-64	1.3	28	•
74	Cardiovascular prognostic value of ambulatory blood pressure monitoring in a Portuguese hypertensive population followed up for 8.2 years. <i>Blood Pressure Monitoring</i> , 2010 , 15, 240-6	1.3	27	
73	Brain natriuretic peptide as a marker of cardiac involvement in hypertension. <i>International Journal of Cardiology</i> , 1999 , 69, 169-77	3.2	27	•
72	Long-term administration of 1,3-dipropyl-8-sulfophenylxanthine causes arterial hypertension. <i>European Journal of Pharmacology</i> , 1991 , 193, 101-4	5.3	26	
71	Improvement of aortic reflection wave responses 6 months after stopping smoking: a prospective study. <i>Blood Pressure Monitoring</i> , 2009 , 14, 69-75	1.3	24	
70	Arterial distensibility in subjects with white-coat hypertension with and without diabetes or dyslipidaemia: comparison with normotensives and sustained hypertensives. <i>Blood Pressure Monitoring</i> , 2000 , 5, 11-7	1.3	24	
69	Salt intake in children 10-12 years old and its modification by active working practices in a school garden. <i>Journal of Hypertension</i> , 2013 , 31, 1966-71	1.9	23	
68	Nutraceuticals and blood pressure control: a European Society of Hypertension position document. Journal of Hypertension, 2020 , 38, 799-812	1.9	22	
67	Attenuation of heart rate recovery after exercise in hypertensive patients with blunting of the nighttime blood pressure fall. <i>International Journal of Cardiology</i> , 2006 , 106, 238-43	3.2	21	
66	A survey of spontaneous reporting of adverse drug reactions in 10 years of activity in a pharmacovigilance centre in Portugal. <i>International Journal of Pharmacy Practice</i> , 2014 , 22, 275-82	1.7	19	
65	Influence of two doses of irbesartan on non-dipper circadian blood pressure rhythm in salt-sensitive black hypertensives under high salt diet. <i>Journal of Cardiovascular Pharmacology</i> , 2003 , 42, 98-104	3.1	19	
64	Severe acute form of adult dermatomyositis treated with cyclosporine. <i>International Journal of Dermatology</i> , 1992 , 31, 517-9	1.7	19	
63	Lifestyle, psychological, socioeconomic and environmental factors and their impact on hypertension during the coronavirus disease 2019 pandemic. <i>Journal of Hypertension</i> , 2021 , 39, 1077-10	89 9	19	
62	Relationship between aortic stiffness and cardiovascular risk factors in a population of normotensives, white-coat normotensives, white-coat hypertensives, sustained hypertensives and diabetic patients. <i>Revista Portuguesa De Cardiologia</i> , 2004 , 23, 1533-47	1	18	

61	A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. <i>Journal of Human Hypertension</i> , 2009 , 23, 771-2	2.6	16
60	Exercise training reduces arterial stiffness in adults with hypertension: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2021 , 39, 214-222	1.9	16
59	Differences in behavior profile between normotensive subjects and patients with white-coat and sustained hypertension. <i>Journal of Psychosomatic Research</i> , 1999 , 46, 15-27	4.1	15
58	Prognostic impact of sex-ambulatory blood pressure interactions in 10 cohorts of 17 312 patients diagnosed with hypertension: systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2015 , 33, 212-20	1.9	14
57	High salt intake is associated with a higher risk of cardiovascular events: a 7.2-year evaluation of a cohort of hypertensive patients. <i>Blood Pressure Monitoring</i> , 2016 , 21, 301-6	1.3	14
56	Diagnostic value and cost-benefit analysis of 24 hours ambulatory blood pressure monitoring in primary care in Portugal. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 57	2.3	14
55	Association of 24-h urinary salt excretion with central haemodynamics and assessment of food categories contributing to salt consumption in Portuguese patients with hypertension. <i>Blood Pressure Monitoring</i> , 2013 , 18, 303-10	1.3	14
54	Genital fixed drug eruption: cross-reactivity between doxycycline and minocycline. <i>Clinical and Experimental Dermatology</i> , 1999 , 24, 137	1.8	14
53	Risk factors for development of microalbuminuria in diabetic and nondiabetic normoalbuminuric hypertensives with high or very high cardiovascular risk - a twelve-month follow-up study. <i>Nephron Clinical Practice</i> , 2009 , 113, c8-15		13
52	Prognostic value of subdivisions of nighttime blood pressure fall in hypertensives followed up for 8.2 years. Does nondipping classification need to be redefined?. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 508-15	2.3	13
51	Possible phototoxicity with subsequent progression to discoid lupus following pantoprazole administration. <i>Clinical and Experimental Dermatology</i> , 2001 , 26, 455-6	1.8	13
50	Contrasting plasma atrial natriuretic factor concentrations during comparable natriuresis with infusions of atrial natriuretic factor and saline in normal man. <i>Clinical Science</i> , 1988 , 75, 455-62	6.5	13
49	Relationship between ambulatory blood pressure monitoring values and future occurrence of ischemic cerebrovascular and coronary events in hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> , 2006 , 25, 305-16	1	13
48	Ambulatory blood pressure monitoring profile in urban African black and European white untreated hypertensive patients matched for age and sex. <i>Blood Pressure Monitoring</i> , 2014 , 19, 192-8	1.3	12
47	Acute hypotensive, natriuretic, and hormonal effects of nifedipine in salt-sensitive and salt-resistant black normotensive and hypertensive subjects. <i>Journal of Cardiovascular Pharmacology</i> , 1999 , 34, 346-53	3.1	11
46	Influence of sublingual captopril on plasma catecholamine levels during hypertensive emergencies and cold immersion. <i>American Journal of Medicine</i> , 1988 , 84, 148-51	2.4	10
45	Prognostic significance of ambulatory arterial stiffness index in hypertensives followed for 8.2 years: its relation with new events and cardiovascular risk estimation. <i>Revista Portuguesa De Cardiologia</i> , 2010 , 29, 1287-303	1	10
44	Association between ambulatory blood pressure values and central aortic pressure in a large population of normotensive and hypertensive patients. <i>Blood Pressure Monitoring</i> , 2018 , 23, 24-32	1.3	9

43	Annual deterioration of renal function in hypertensive patients with and without diabetes. <i>Vascular Health and Risk Management</i> , 2017 , 13, 231-237	4.4	9
42	Association of circulating endothelium and noradrenaline with increased calcium-channel binding sites in the placental bed in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998 , 105, 1104-12	3.7	9
41	Ambulatory blood pressure monitoring profiles in a cross-sectional analysis of a large database of normotensive and true or suspected hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> , 2018 , 37, 319-327	1	8
40	Reproducibility of ambulatory blood pressure values and circadian blood pressure patterns in untreated subjects in a 1-11 month interval. <i>Revista Portuguesa De Cardiologia</i> , 2015 , 34, 643-50	1	8
39	Sympathetic denervation causes atrial natriuretic peptide-storing granules to appear in the ventricular myocardium of the rat. <i>Naunyn-Schmiedebergps Archives of Pharmacology</i> , 1990 , 342, 241-4	3.4	8
38	Causality assessment of adverse drug reaction reports using an expert-defined Bayesian network. <i>Artificial Intelligence in Medicine</i> , 2018 , 91, 12-22	7.4	7
37	Reproducibility of ambulatory blood pressure values and circadian blood pressure patterns in untreated subjects in a 1111 month interval. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015 , 34, 643-650	О	7
36	PERSYVE - Design and validation of a questionnaire about adverse effects of antihypertensive drugs. <i>Pharmacy Practice</i> , 2014 , 12, 396	1.8	7
35	Prevalence of microalbuminuria in hypertensive patients with or without type 2 diabetes in a Portuguese primary care setting: The RACE (micRoAlbumin sCreening survEy) study. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015 , 34, 237-246	O	6
34	A statistical definition of aortic pulse wave velocity normality in a Portuguese population: A subanalysis of the EDIVA project. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2011 , 30, 691-698	Ο	6
33	Effect of Exercise Training on Ambulatory Blood Pressure Among Patients With Resistant Hypertension: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 1317-1323	16.2	6
32	Global cardiovascular risk stratification of hypertensive patients followed in Portugal in primary care or in hospital care according to the 2007 ESH/ESC guidelines. <i>Revista Portuguesa De Cardiologia</i> , 2010 , 29, 1685-96	1	6
31	Ambulatory blood pressure monitoring profiles in a cross-sectional analysis of a large database of normotensive and true or suspected hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> (English Edition), 2018 , 37, 319-327	О	5
30	POPsTeffect on cardiometabolic and inflammatory profile in a sample of women with obesity and hypertension. <i>Archives of Environmental and Occupational Health</i> , 2019 , 74, 310-321	2	5
29	Comparison of Salt Intake in Children to that of their Parents. Nephron, 2019, 142, 284-290	3.3	4
28	Reliable Quantification of the Potential for Equations Based on Spot Urine Samples to Estimate Population Salt Intake: Protocol for a Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2016 , 5, e190	2	4
27	Nifedipine-retard versus nifedipine-capsules for the therapy of hypertensive crisis in black patients. Journal of Cardiovascular Pharmacology, 1998 , 31, 165-9	3.1	4
26	Central pressures and central hemodynamic values in white coat hypertensives are closer to those of normotensives than to those of controlled hypertensives for similar age, gender, and 24-h and nocturnal blood pressures. <i>Revista Portuguesa De Cardiologia</i> , 2016 , 35, 559-567	1	4

25	Long-term cardiovascular risk of white-coat hypertension with normal night-time blood pressure values. <i>Blood Pressure Monitoring</i> , 2019 , 24, 59-66	1.3	4
24	Modulation of arterial stiffness with intensive competitive training. <i>Revista Portuguesa De Cardiologia</i> , 2006 , 25, 709-14	1	4
23	Impact on Longevity of Genetic Cardiovascular Risk and Lifestyle including Red Meat Consumption. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 1305413	6.7	3
22	Assessment of cardiovascular risk and social framework of Cape Verdean university students studying in Portugal. <i>Revista Portuguesa De Cardiologia</i> , 2018 , 37, 577-582	1	3
21	Assessment of central hemodynamic properties of the arterial wall in women with previous preeclampsia. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2014 , 33, 345-351	О	2
20	Central pressures and central hemodynamic values in white coat hypertensives are closer to those of normotensives than to those of controlled hypertensives for similar age, gender, and 24-h and nocturnal blood pressures. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016 , 35, 559-567	О	2
19	The historical evolution of knowledge of the involvement of neurohormonal systems in the pathophysiology and treatment of heart failure. <i>Revista Portuguesa De Cardiologia</i> , 2019 , 38, 883-895	1	2
18	Adverse events with the influenza A(H1N1) vaccine Pandemrix at healthcare professionals in Portugal. <i>Acta Medica Portuguesa</i> , 2013 , 26, 107-12	1.4	2
17	Neutrophil-to-lymphocyte ratio and ambulatory blood pressure: Exploring the link between inflammation and hypertension. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017 , 36, 107-109	0	1
16	The Chester step test is a valid tool to assess cardiorespiratory fitness in adults with hypertension: reducing the gap between clinical practice and fitness assessments. <i>Hypertension Research</i> , 2019 , 42, 2021-2024	4.7	1
15	Unattended versus two attended, ambulatory and central blood pressure measurements in hypertensive patients with and without diabetes. <i>Blood Pressure</i> , 2019 , 28, 99-106	1.7	1
14	Effect of empagliflozin beyond glycemic control: Cardiovascular benefit in patients with type 2 diabetes and established cardiovascular disease. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2019 , 38, 721-735	О	1
13	Type B adverse drug reactions reported by an immunoallergology department. <i>Pharmacy Practice</i> , 2018 , 16, 1070	1.8	1
12	A comprehensive review of adverse events to drugs used in COVID-19 patients: Recent clinical evidence <i>European Journal of Clinical Investigation</i> , 2022 , e13763	4.6	1
11	Neutrophil-to-lymphocyte ratio and ambulatory blood pressure: Exploring the link between inflammation and hypertension. <i>Revista Portuguesa De Cardiologia</i> , 2017 , 36, 107-109	1	0
10	Luso-Brazilian Position Statement on Hypertensive Emergencies - 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2020 , 114, 736-751	1.2	O
9	Long-Term Risk of Progression to Sustained Hypertension in White-Coat Hypertension with Normal Night-Time Blood Pressure Values. <i>International Journal of Hypertension</i> , 2020 , 2020, 8817544	2.4	0
8	Guiding axes for drug safety management of pharmacovigilance centres during the COVID-19 era. <i>International Journal of Clinical Pharmacy</i> , 2021 , 43, 1133-1138	2.3	O

LIST OF PUBLICATIONS

7	Physical Activity is Associated With Lower Arterial Stiffness in Patients With Resistant Hypertension. <i>Heart Lung and Circulation</i> , 2021 , 30, 1762-1768	1.8	О
6	Assessment of cardiovascular risk and social framework of Cape Verdean university students studying in Portugal. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2018 , 37, 577-582	О	
5	Reply. Journal of Hypertension, 2017 , 35, 1120-1122	1.9	
4	Are subjective measures the answer to assess physical inactivity on a daily basis in patients with resistant hypertension?. <i>Journal of Human Hypertension</i> , 2021 , 35, 1180-1182	2.6	
3	Preeclampsia: a fascinating syndrome due not only to oxidative stress. <i>Revista Portuguesa De Cardiologia</i> , 2016 , 35, 477-8	1	
2	Preeclampsia: A fascinating syndrome due not only to oxidative stress. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2016 , 35, 477-478	О	
1	The historical evolution of knowledge of the involvement of neurohormonal systems in the pathophysiology and treatment of heart failure. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2019 , 38, 883-895	0	