

Heike Schmitt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2461109/heike-schmitt-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

3,212
citations

27
h-index

56
g-index

76
ext. papers

4,296
ext. citations

7.3
avg, IF

5.27
L-index

#	Paper	IF	Citations
65	Determinants for antimicrobial resistance genes in farm dust on 333 poultry and pig farms in nine European countries.. <i>Environmental Research</i> , 2022 , 208, 112715	7.9	0
64	The potential of using E. coli as an indicator for the surveillance of antimicrobial resistance (AMR) in the environment. <i>Current Opinion in Microbiology</i> , 2021 , 64, 152-158	7.9	7
63	Natural recreational waters and the risk that exposure to antibiotic resistant bacteria poses to human health. <i>Current Opinion in Microbiology</i> , 2021 , 65, 40-46	7.9	5
62	Effects of Clinical Wastewater on the Bacterial Community Structure from Sewage to the Environment. <i>Microorganisms</i> , 2021 , 9,	4.9	1
61	Antibiotic Resistance in Wastewater Treatment Plants and Transmission Risks for Employees and Residents: The Concept of the AWARE Study. <i>Antibiotics</i> , 2021 , 10,	4.9	3
60	Targeted metagenomics reveals inferior resilience of farm soil resistome compared to soil microbiome after manure application. <i>Science of the Total Environment</i> , 2021 , 770, 145399	10.2	8
59	Ecological Risk Assessment of Pharmaceuticals in the Transboundary Vecht River (Germany and The Netherlands). <i>Environmental Toxicology and Chemistry</i> , 2021 ,	3.8	2
58	Role played by the environment in the emergence and spread of antimicrobial resistance (AMR) through the food chain. <i>EFSA Journal</i> , 2021 , 19, e06651	2.3	14
57	Nationwide surveillance reveals frequent detection of carbapenemase-producing Enterobacterales in Dutch municipal wastewater. <i>Science of the Total Environment</i> , 2021 , 776, 145925	10.2	3
56	Cycling in degradation of organic polymers and uptake of nutrients by a litter-degrading fungus. <i>Environmental Microbiology</i> , 2021 , 23, 224-238	5.2	1
55	Annual dynamics of antimicrobials and resistance determinants in flocculent and aerobic granular sludge treatment systems. <i>Water Research</i> , 2021 , 190, 116752	12.5	9
54	Temperature and Nutrient Limitations Decrease Transfer of Conjugative IncP-1 Plasmid pJKJ5 to Wild Strains. <i>Frontiers in Microbiology</i> , 2021 , 12, 656250	5.7	1
53	Carriage of ESBL-producing Enterobacterales in wastewater treatment plant workers and surrounding residents - the AWARE Study.. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 1	5.3	0
52	Effects of Dutch livestock production on human health and the environment. <i>Science of the Total Environment</i> , 2020 , 737, 139702	10.2	8
51	Updated research agenda for water, sanitation and antimicrobial resistance. <i>Journal of Water and Health</i> , 2020 , 18, 858-866	2.2	8
50	The impact of manure and soil texture on antimicrobial resistance gene levels in farmlands and adjacent ditches. <i>Science of the Total Environment</i> , 2020 , 737, 139563	10.2	9
49	Occupational Exposure and Carriage of Antimicrobial Resistance Genes (tetW, ermB) in Pig Slaughterhouse Workers. <i>Annals of Work Exposures and Health</i> , 2020 , 64, 125-137	2.4	8

48	Description and determinants of the faecal resistome and microbiome of farmers and slaughterhouse workers: A metagenome-wide cross-sectional study. <i>Environment International</i> , 2020 , 143, 105939	12.9	12
47	Association of antimicrobial usage with faecal abundance of aph(3 ϕ -III, ermB, sul2 and tetW resistance genes in veal calves in three European countries. <i>International Journal of Antimicrobial Agents</i> , 2020 , 56, 106131	14.3	1
46	Farm dust resistomes and bacterial microbiomes in European poultry and pig farms. <i>Environment International</i> , 2020 , 143, 105971	12.9	23
45	Setting a baseline for global urban virome surveillance in sewage. <i>Scientific Reports</i> , 2020 , 10, 13748	4.9	15
44	Prevalence of antibiotics and antibiotic resistance genes in a wastewater effluent-receiving river in the Netherlands. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 102245	6.8	100
43	Attributable sources of community-acquired carriage of Escherichia coli containing β -lactam antibiotic resistance genes: a population-based modelling study. <i>Lancet Planetary Health</i> , 2019 , 3, e357-e369	9.8	97
42	Abundance and Antimicrobial Resistance of Three Bacterial Species along a Complete Wastewater Pathway. <i>Microorganisms</i> , 2019 , 7,	4.9	15
41	Associations between antimicrobial use and the faecal resistome on broiler farms from nine European countries. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 2596-2604	5.1	20
40	Antibiotic resistance genes in treated wastewater and in the receiving water bodies: A pan-European survey of urban settings. <i>Water Research</i> , 2019 , 162, 320-330	12.5	117
39	Determinants of presence and removal of antibiotic resistance genes during WWTP treatment: A cross-sectional study. <i>Water Research</i> , 2019 , 161, 319-328	12.5	68
38	Insights into Livestock-Related Microbial Concentrations in Air at Residential Level in a Livestock Dense Area. <i>Environmental Science & Technology</i> , 2019 , 53, 7746-7758	10.3	20
37	Global monitoring of antimicrobial resistance based on metagenomics analyses of urban sewage. <i>Nature Communications</i> , 2019 , 10, 1124	17.4	293
36	A new extraction procedure to abate the burden of non-extractable antibiotic residues in manure. <i>Chemosphere</i> , 2019 , 224, 544-553	8.4	8
35	Do wastewater treatment plants increase antibiotic resistant bacteria or genes in the environment? Protocol for a systematic review. <i>Systematic Reviews</i> , 2019 , 8, 304	3	9
34	Quantitative and qualitative analysis of antimicrobial usage patterns in 180 selected farrow-to-finish pig farms from nine European countries based on single batch and purchase data. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 807-816	5.1	36
33	The antimicrobial resistome in relation to antimicrobial use and biosecurity in pig farming, a metagenome-wide association study in nine European countries. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 865-876	5.1	30
32	Quantitative and qualitative analysis of antimicrobial usage at farm and flock level on 181 broiler farms in nine European countries. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 798-806	5.1	23
31	Evaluation of attenuation of pharmaceuticals, toxic potency, and antibiotic resistance genes in constructed wetlands treating wastewater effluents. <i>Science of the Total Environment</i> , 2018 , 631-632, 1572-1581	10.2	73

30	Molecular relatedness of ESBL/AmpC-producing <i>Escherichia coli</i> from humans, animals, food and the environment: a pooled analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 339-347	5.1	93
29	Abundance and diversity of the faecal resistome in slaughter pigs and broilers in nine European countries. <i>Nature Microbiology</i> , 2018 , 3, 898-908	26.6	128
28	Indoor airborne microbiota composition associated with asthma and atopy in rural children 2018 ,		2
27	Limited influence of hospital wastewater on the microbiome and resistome of wastewater in a community sewerage system. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3	37
26	ESBL carriage in pig slaughterhouse workers is associated with occupational exposure. <i>Epidemiology and Infection</i> , 2017 , 145, 2003-2010	4.3	27
25	Air exposure as a possible route for ESBL in pig farmers. <i>Environmental Research</i> , 2017 , 155, 359-364	7.9	20
24	Hepatitis E Virus in Farmed Rabbits, Wild Rabbits and Petting Farm Rabbits in the Netherlands. <i>Food and Environmental Virology</i> , 2016 , 8, 227-9	4	29
23	Reduction of extended-spectrum- β -lactamase- and AmpC- β -lactamase-producing <i>Escherichia coli</i> through processing in two broiler chicken slaughterhouses. <i>International Journal of Food Microbiology</i> , 2015 , 215, 57-63	5.8	25
22	Tetracycline resistance genes persist in soil amended with cattle feces independently from chlortetracycline selection pressure. <i>Soil Biology and Biochemistry</i> , 2015 , 81, 259-265	7.5	45
21	Spread of tetracycline resistance genes at a conventional dairy farm. <i>Frontiers in Microbiology</i> , 2015 , 6, 536	5.7	48
20	Quantitative assessment of soil functioning across a representative range of Dutch soils. <i>Ecological Indicators</i> , 2014 , 39, 88-93	5.8	5
19	Nutrient amendment does not increase mineralisation of sequestered carbon during incubation of a nitrogen limited mangrove soil. <i>Soil Biology and Biochemistry</i> , 2013 , 57, 822-829	7.5	37
18	Cow excrements enhance the occurrence of tetracycline resistance genes in soil regardless of their oxytetracycline content. <i>Chemosphere</i> , 2013 , 93, 2413-8	8.4	38
17	Microbe-mediated processes as indicators to establish the normal operating range of soil functioning. <i>Soil Biology and Biochemistry</i> , 2013 , 57, 995-1002	7.5	42
16	Impact of incorporated fresh ^{13}C potato tissues on the bacterial and fungal community composition of soil. <i>Soil Biology and Biochemistry</i> , 2012 , 49, 88-95	7.5	36
15	Antibiotic resistance gene spread due to manure application on agricultural fields. <i>Current Opinion in Microbiology</i> , 2011 , 14, 236-43	7.9	632
14	Antibiotic Use During an Influenza Pandemic: Downstream Ecological Effects and Antibiotic Resistance 2011 , 503-537		
13	Assessing the ecotoxicologic hazards of a pandemic influenza medical response. <i>Environmental Health Perspectives</i> , 2011 , 119, 1084-90	8.4	27

12	Recommendations on the environmental risk assessment of pharmaceuticals: Effect characterization. <i>Integrated Environmental Assessment and Management</i> , 2010 , 6 Suppl, 588-602	2.5	4
11	Effects of sulfamethoxazole on soil microbial communities after adding substrate. <i>Soil Biology and Biochemistry</i> , 2009 , 41, 840-848	7.5	112
10	Analysis, fate and effects of the antibiotic sulfadiazine in soil ecosystems. <i>TrAC - Trends in Analytical Chemistry</i> , 2009 , 28, 612-618	14.6	89
9	Ecotoxicological effects of activated carbon addition to sediments. <i>Environmental Science & Technology</i> , 2009 , 43, 5959-66	10.3	92
8	Tetracyclines and tetracycline resistance in agricultural soils: microcosm and field studies. <i>Microbial Ecology</i> , 2006 , 51, 267-76	4.4	178
7	On the limits of toxicant-induced tolerance testing: cotolerance and response variation of antibiotic effects. <i>Environmental Toxicology and Chemistry</i> , 2006 , 25, 1961-8	3.8	20
6	Antibiotika als Umweltkontaminanten – Effekte auf Bodenbakterien. <i>Environmental Sciences Europe</i> , 2006 , 18, 110-118		4
5	The EU-project ERAPharm. Incentives for the further development of guidance documents?. <i>Environmental Science and Pollution Research</i> , 2005 , 12, 62-5	5.1	19
4	Algal toxicity of nitrobenzenes: combined effect analysis as a pharmacological probe for similar modes of interaction. <i>Environmental Toxicology and Chemistry</i> , 2005 , 24, 324-33	3.8	66
3	Effects of antibiotics on soil microorganisms: time and nutrients influence pollution-induced community tolerance. <i>Soil Biology and Biochemistry</i> , 2005 , 37, 1882-1892	7.5	103
2	Pollution-induced community tolerance of soil microbial communities caused by the antibiotic sulfachloropyridazine. <i>Environmental Science & Technology</i> , 2004 , 38, 1148-53	10.3	129
1	Quantitative structure-activity analysis of the algae toxicity of nitroaromatic compounds. <i>Chemical Research in Toxicology</i> , 2000 , 13, 441-50	4	69