

Monika Pobiega

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2461833/publications.pdf>

Version: 2024-02-01

23
papers

316
citations

858243

12
h-index

993246

17
g-index

23
all docs

23
docs citations

23
times ranked

557
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular Epidemiology and Drug Resistance of <i>Acinetobacter baumannii</i> Isolated from Hospitals in Southern Poland: ICU as a Risk Factor for XDR Strains. <i>Microbial Drug Resistance</i> , 2016, 22, 328-335.	0.9	36
2	<i>Acinetobacter baumannii</i> isolated from hospital-acquired infection: biofilm production and drug susceptibility. <i>Apmis</i> , 2017, 125, 1017-1026.	0.9	31
3	Urinary tract infections caused by <i>Pseudomonas aeruginosa</i> among children in Southern Poland: Virulence factors and antibiotic resistance. <i>Journal of Pediatric Urology</i> , 2016, 12, 36.e1-36.e6.	0.6	25
4	Age and other risk factors of pneumonia among residents of Polish long-term care facilities. <i>International Journal of Infectious Diseases</i> , 2013, 17, e37-e43.	1.5	22
5	Molecular characterization and drug resistance of <i>Escherichia coli</i> strains isolated from urine from long-term care facility residents in Cracow, Poland. <i>Medical Science Monitor</i> , 2013, 19, 317-326.	0.5	22
6	Molecular characterization of carbapenem-resistant <i>Pseudomonas aeruginosa</i> strains isolated from patients with urinary tract infections in Southern Poland. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015, 83, 295-297.	0.8	21
7	Exacerbations of Chronic Rhinosinusitis – Microbiology and Perspectives of Phage Therapy. <i>Antibiotics</i> , 2019, 8, 175.	1.5	20
8	Molecular analysis of methicillin-resistant <i>Staphylococcus aureus</i> strains isolated from different types of infections from patients hospitalized in 12 regional, non-teaching hospitals in southern Poland. <i>Journal of Hospital Infection</i> , 2017, 95, 259-267.	1.4	18
9	Epidemiology, antibiotic consumption and molecular characterisation of <i>Staphylococcus aureus</i> infections – data from the Polish Neonatology Surveillance Network, 2009–2012. <i>BMC Infectious Diseases</i> , 2015, 15, 169.	1.3	16
10	Molecular epidemiology, plasmid analysis, virulence, and resistance of <i>Escherichia coli</i> isolated from neonatal intensive care units in Poland. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013, 76, 542-545.	0.8	14
11	The general status of patients and limited physical activity as risk factors of Methicillin-resistant <i>Staphylococcus aureus</i> occurrence in long-term care facilities residents in Krakow, Poland. <i>BMC Infectious Diseases</i> , 2014, 14, 271.	1.3	14
12	Virulence and antimicrobial resistance of <i>Staphylococcus aureus</i> isolated from bloodstream infections and pneumonia in Southern Poland. <i>Journal of Global Antimicrobial Resistance</i> , 2017, 11, 100-104.	0.9	13
13	Mode of delivery and other risk factors for <i>Escherichia coli</i> infections in very low birth weight infants. <i>BMC Pediatrics</i> , 2014, 14, 274.	0.7	11
14	Virulence Potential of <i>Staphylococcus aureus</i> Strains Isolated from Diabetic Foot Ulcers Among Patients from Southern Poland. <i>Current Vascular Pharmacology</i> , 2016, 14, 547-551.	0.8	9
15	Virulence and Antibiotic Resistance of <i>Pseudomonas aeruginosa</i> Isolated from Patients with Urinary Tract Infections in Southern Poland. <i>Chemotherapy</i> , 2015, 60, 253-260.	0.8	8
16	Severe infections caused by multidrug-resistant non-fermentative bacilli in southern Poland. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 401-407.	0.6	7
17	Bloodstream Infections due to Enterobacteriaceae Among Neonates in Poland – Molecular Analysis of the Isolates. <i>Polish Journal of Microbiology</i> , 2015, 64, 217-225.	0.6	7
18	Virulence factors genes and drug resistance in <i>Pseudomonas aeruginosa</i> strains derived from different forms of community and healthcare associated infections. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2018, 72, 751-759.	0.1	6

#	ARTICLE	IF	CITATIONS
19	The High Prevalence of Plasmid-Mediated Quinolone Resistance Among Very Low Birth-Weight Infants in Poland. <i>Microbial Drug Resistance</i> , 2015, 21, 391-397.	0.9	5
20	Multi-locus sequence typing (MLST) of non-fermentative Gram-negative bacilli isolated from bloodstream infections in southern Poland. <i>Folia Microbiologica</i> , 2018, 63, 191-196.	1.1	5
21	Long-Term Antibiotic Prophylaxis in Urology and High Incidence of <i>Clostridioides difficile</i> Infections in Surgical Adult Patients. <i>Microorganisms</i> , 2020, 8, 810.	1.6	3
22	Consumption of Antibiotics and Epidemiology of <i>Clostridioides difficile</i> in the European Union in 2016 – Opportunity for Practical Application of Aggregate ECDC Data. <i>Antibiotics</i> , 2020, 9, 127.	1.5	3
23	Growing consumption of antibiotics and epidemiology of <i>Clostridioides difficile</i> infections in Poland: A need to develop new solutions. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2020, 67, 79-86.	0.4	0