

David Cameron-Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2463695/publications.pdf>

Version: 2024-02-01

283
papers

11,513
citations

20817

60
h-index

45317

90
g-index

287
all docs

287
docs citations

287
times ranked

14572
citing authors

#	ARTICLE	IF	CITATIONS
1	Postprandial glycine as a biomarker of satiety: A dose-rising randomised control trial of whey protein in overweight women. <i>Appetite</i> , 2022, 169, 105871.	3.7	7
2	The Kynurenine Pathway Metabolites in Cord Blood Positively Correlate With Early Childhood Adiposity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2464-e2473.	3.6	6
3	Association of plasma kynurenine pathway metabolite concentrations with metabolic health risk in prepubertal Asian children. <i>International Journal of Obesity</i> , 2022, 46, 1128-1137.	3.4	6
4	Circulatory amino acid responses to milk consumption in dairy and lactose intolerant individuals. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 1415-1422.	2.9	2
5	Omega-3 fats in pregnancy: could a targeted approach lead to better metabolic health for children?. <i>Nutrition Reviews</i> , 2021, 79, 574-584.	5.8	10
6	Ribosome biogenesis and degradation regulate translational capacity during muscle disuse and reloading. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 130-143.	7.3	32
7	Preterm human milk: associations between perinatal factors and hormone concentrations throughout lactation. <i>Pediatric Research</i> , 2021, 89, 1461-1469.	2.3	9
8	Blunted nutrient-response pathways in adipose tissue following high fat meals in men with metabolic syndrome: A randomized postprandial transcriptomic study. <i>Clinical Nutrition</i> , 2021, 40, 1355-1366.	5.0	2
9	Comparing Response of Sheep and Cow Milk on Acute Digestive Comfort and Lactose Malabsorption: A Randomized Controlled Trial in Female Dairy Avoiders. <i>Frontiers in Nutrition</i> , 2021, 8, 603816.	3.7	8
10	Acute Nutritional Ketosis and Its Implications for Plasma Glucose and Glucoregulatory Peptides in Adults with Prediabetes: A Crossover Placebo-Controlled Randomized Trial. <i>Journal of Nutrition</i> , 2021, 151, 921-929.	2.9	14
11	Plasma B Vitamins: Population Epidemiology and Parent-Child Concordance in Children and Adults. <i>Nutrients</i> , 2021, 13, 821.	4.1	5
12	Daily protein supplementation attenuates immobilization-induced blunting of postabsorptive muscle mTORC1 activation in middle-aged men. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 320, C591-C601.	4.6	5
13	Metabolic Hormone Profiles in Breast Milk From Mothers of Moderate-Late Preterm Infants Are Associated With Growth From Birth to 4 Months in a Sex-Specific Manner. <i>Frontiers in Nutrition</i> , 2021, 8, 641227.	3.7	2
14	Inhibition of the Renin-Angiotensin System Reduces Gene Expression of Inflammatory Mediators in Adipose Tissue Independent of Energy Balance. <i>Frontiers in Endocrinology</i> , 2021, 12, 682726.	3.5	6
15	A Modern Flexitarian Dietary Intervention Incorporating Web-Based Nutrition Education in Healthy Young Adults: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e30909.	1.0	5
16	Response to Bannenberg and Rice. <i>Nutrition Reviews</i> , 2021, 80, 138-140.	5.8	0
17	High-frequency blood flow-restricted resistance exercise results in acute and prolonged cellular stress more pronounced in type I than in type II fibers. <i>Journal of Applied Physiology</i> , 2021, 131, 643-660.	2.5	5
18	Responsiveness of one-carbon metabolites to a high-protein diet in older men: Results from a 10-wk randomized controlled trial. <i>Nutrition</i> , 2021, 89, 111231.	2.4	2

#	ARTICLE	IF	CITATIONS
19	MOTS-c is an exercise-induced mitochondrial-encoded regulator of age-dependent physical decline and muscle homeostasis. <i>Nature Communications</i> , 2021, 12, 470.	12.8	97
20	nâ€Šâ€“â€Š Docosapentaenoic acid: the iceberg nâ€Šâ€“â€Š fatty acid. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2021, 24, 134-138.	2.5	16
21	The Effect of Elevated Protein Intake on DNA Damage in Older People: Comparative Secondary Analysis of Two Randomized Controlled Trials. <i>Nutrients</i> , 2021, 13, 3479.	4.1	4
22	Postmenopausal Chinese-Singaporean Women Have a Higher Ratio of Visceral to Subcutaneous Adipose Tissue Volume than Caucasian Women of the Same Age and BMI. <i>Diagnostics</i> , 2021, 11, 2127.	2.6	1
23	Associations between ketone bodies and fasting plasma glucose in individuals with post-pancreatitis prediabetes. <i>Archives of Physiology and Biochemistry</i> , 2020, 126, 308-319.	2.1	11
24	Circulatory miRNA biomarkers of metabolic syndrome. <i>Acta Diabetologica</i> , 2020, 57, 203-214.	2.5	42
25	Acute responses of comprehensive gonadosteroids and corticosteroids to resistance exercise before and after 10 weeks of supervised strength training. <i>Experimental Physiology</i> , 2020, 105, 438-448.	2.0	2
26	Comparison of the impact of bovine milk Î²-casein variants on digestive comfort in females self-reporting dairy intolerance: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 149-160.	4.7	28
27	Acute Digestive Symptoms and Lactose Malabsorption to Cow Milk or Sheep Milk in Female Dairy Avoiders. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa052_046.	0.3	0
28	Postprandial One-Carbon Metabolite Responses Are Dependent on Meal Composition and Age: A Comparison Between Older and Younger Adults. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa067_016.	0.3	1
29	Circulatory and Urinary B-Vitamin Responses to Multivitamin Supplement Ingestion Differ between Older and Younger Adults. <i>Nutrients</i> , 2020, 12, 3529.	4.1	11
30	Association between Habitual Dietary Iron Intake and Glucose Metabolism in Individuals after Acute Pancreatitis. <i>Nutrients</i> , 2020, 12, 3579.	4.1	9
31	Circulating Branched Chain Amino Acid Concentrations Are Higher in Dairy-Avoiding Females Following an Equal Volume of Sheep Milk Relative to Cow Milk: A Randomized Controlled Trial. <i>Frontiers in Nutrition</i> , 2020, 7, 553674.	3.7	10
32	A period of 10 weeks of increased protein consumption does not alter faecal microbiota or volatile metabolites in healthy older men: a randomised controlled trial. <i>Journal of Nutritional Science</i> , 2020, 9, e25.	1.9	10
33	Growth Factor Concentrations in Human Milk Are Associated With Infant Weight and BMI From Birth to 5 Years. <i>Frontiers in Nutrition</i> , 2020, 7, 110.	3.7	26
34	Folate and Vitamin Bâ€Š12 Status Is Associated With Bone Mineral Density and Hip Strength of Postmenopausal <sc>Chineseâ€ŠSingaporean </sc> Women. <i>JBMR Plus</i> , 2020, 4, e10399.	2.7	10
35	Exploring trajectories in dietary adequacy of the B vitamins folate, riboflavin, vitamins B6 and B12, with advancing older age: a systematic review. <i>British Journal of Nutrition</i> , 2020, 126, 1-11.	2.3	2
36	Human Milk Glucocorticoid Levels Are Associated With Infant Adiposity and Head Circumference Over the First Year of Life. <i>Frontiers in Nutrition</i> , 2020, 7, 166.	3.7	12

#	ARTICLE	IF	CITATIONS
37	Infant Feeding Frequency Impacts Human Milk Composition: A Metabolomic Analysis. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa054_058.	0.3	0
38	Shared Regulatory Pathways Reveal Novel Genetic Correlations Between Grip Strength and Neuromuscular Disorders. <i>Frontiers in Genetics</i> , 2020, 11, 393.	2.3	5
39	Short-term high-intensity interval training exercise does not affect gut bacterial community diversity or composition of lean and overweight men. <i>Experimental Physiology</i> , 2020, 105, 1268-1279.	2.0	30
40	Differences in Compositions of Gut Bacterial Populations and Bacteriophages in 5-11 Year-Olds Born Preterm Compared to Full Term. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 276.	3.9	9
41	The Effects of Cold Water Immersion and Active Recovery on Molecular Factors That Regulate Growth and Remodeling of Skeletal Muscle After Resistance Exercise. <i>Frontiers in Physiology</i> , 2020, 11, 737.	2.8	8
42	Inflexibility of the plasma miRNA response following a high-carbohydrate meal in overweight insulin-resistant women. <i>Genes and Nutrition</i> , 2020, 15, 2.	2.5	3
43	Evaluation of breath, plasma, and urinary markers of lactose malabsorption to diagnose lactase non-persistence following lactose or milk ingestion. <i>BMC Gastroenterology</i> , 2020, 20, 204.	2.0	6
44	Sexually Dimorphic Associations between Maternal Factors and Human Milk Hormonal Concentrations. <i>Nutrients</i> , 2020, 12, 152.	4.1	19
45	Comparable Postprandial Amino Acid and Gastrointestinal Hormone Responses to Beef Steak Cooked Using Different Methods: A Randomised Crossover Trial. <i>Nutrients</i> , 2020, 12, 380.	4.1	14
46	High-intensity interval exercise increases humanin, a mitochondrial encoded peptide, in the plasma and muscle of men. <i>Journal of Applied Physiology</i> , 2020, 128, 1346-1354.	2.5	34
47	Analysis of Human Faecal Host Proteins: Responsiveness to 10-Week Dietary Intervention Modifying Dietary Protein Intake in Elderly Males. <i>Frontiers in Nutrition</i> , 2020, 7, 595905.	3.7	3
48	Assessment of atherogenic index, long-chain omega-3 fatty acid and phospholipid content of prime beef: a survey of commercially sourced New Zealand Wagyu and Angus beef cattle. <i>Animal Production Science</i> , 2020, , .	1.3	1
49	Increased expression of the mitochondrial derived peptide, MOTS-c, in skeletal muscle of healthy aging men is associated with myofiber composition. <i>Aging</i> , 2020, 12, 5244-5258.	3.1	33
50	Double-blind RCT of fish oil supplementation in pregnancy and lactation to improve the metabolic health in children of mothers with overweight or obesity during pregnancy: study protocol. <i>BMJ Open</i> , 2020, 10, e041015.	1.9	1
51	Maternal influences on the glucocorticoid concentrations of human milk: The STEPS study. <i>Clinical Nutrition</i> , 2019, 38, 1913-1920.	5.0	19
52	The Effect of Carbohydrate Ingestion Following Eccentric Resistance Exercise on AKT/mTOR and ERK Pathways: A Randomized, Double-Blinded, Crossover Study. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2019, 29, 664-670.	2.1	6
53	Validity of a Portable Breath Analyser (AIRE) for the Assessment of Lactose Malabsorption. <i>Nutrients</i> , 2019, 11, 1636.	4.1	11
54	Intramuscular inflammatory and resolving lipid profile responses to an acute bout of resistance exercise in men. <i>Physiological Reports</i> , 2019, 7, e14108.	1.7	41

#	ARTICLE	IF	CITATIONS
55	Riboflavin Bioavailability Varies with Milk Type and Is Altered in Self-Reported Dairy Intolerance States (P24-012-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz044.P24-012-19.	0.3	3
56	Protein Intake at Twice the RDA in Older Men Increases Circulatory Concentrations of the Microbiome Metabolite Trimethylamine-N-Oxide (TMAO). <i>Nutrients</i> , 2019, 11, 2207.	4.1	28
57	Differential Trajectories in Altered Insulin Sensitivity Following Weight Loss and Their Impact on Circulatory Amino Acids: Results from the PREVIEW: New Zealand Sub-study (OR27-07-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz046.OR27-07-19.	0.3	1
58	The Degree of Aminoacidemia after Dairy Protein Ingestion Does Not Modulate the Postexercise Anabolic Response in Young Men: A Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2019, 149, 1511-1522.	2.9	21
59	Whey Protein Supplementation Post Resistance Exercise in Elderly Men Induces Changes in Muscle miRNA's Compared to Resistance Exercise Alone. <i>Frontiers in Nutrition</i> , 2019, 6, 91.	3.7	11
60	Effect of a Tailored Dietary Intervention with High or Standard Protein Intake on B-Vitamin and One Carbon Metabolism Status in Healthy Older Males: A 10 Week Randomised Controlled Trial. <i>Proceedings (mdpi)</i> , 2019, 8, .	0.2	0
61	Evaluation of Milk and Lactose Sensitivity in Lactase Non-Persistence Genotypes. <i>Proceedings (mdpi)</i> , 2019, 8, 21.	0.2	0
62	Metabolic Disease Risk Alters Circulating Peripheral Blood Mononuclear Cell microRNAs in Response to A High Glycemic Meal. <i>Proceedings (mdpi)</i> , 2019, 8, 30.	0.2	0
63	Do Lactose Intolerant Individuals Efficiently Absorb Protein from Acute Milk Consumption?. <i>Proceedings (mdpi)</i> , 2019, 8, 39.	0.2	3
64	Comprehensive Profiling of the Circulatory miRNAome Response to a High Protein Diet in Elderly Men: A Potential Role in Inflammatory Response Modulation. <i>Molecular Nutrition and Food Research</i> , 2019, 63, 1800811.	3.3	9
65	Regulation of Amino Acid Transporters and Sensors in Response to a High protein Diet: A Randomized Controlled Trial in Elderly Men. <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 354-363.	3.3	5
66	Impact of Dairy Intolerance on Acute B-Vitamin Response Post Milk Ingestion. <i>Proceedings (mdpi)</i> , 2019, 8, .	0.2	0
67	Regular Consumption of Either Red Meat or Soy Protein Does Not Raise Cardiovascular Disease Risk Factors in Men at Heightened Risk. <i>Proceedings (mdpi)</i> , 2019, 37, .	0.2	0
68	Impact of 6-Month Nutritional Supplementation and Resistance Training on Chromosome and DNA Damage in Older Adults: Exploring the Role of One Carbon Metabolites. <i>Proceedings (mdpi)</i> , 2019, 37, .	0.2	0
69	Impact of a High Protein Intake on the Plasma Metabolome in Elderly Males: 10 Week Randomized Dietary Intervention. <i>Frontiers in Nutrition</i> , 2019, 6, 180.	3.7	7
70	Comparison of the Acute Postprandial Circulating B-Vitamin and Vitamer Responses to Single Breakfast Meals in Young and Older Individuals: Preliminary Secondary Outcomes of a Randomized Controlled Trial. <i>Nutrients</i> , 2019, 11, 2893.	4.1	10
71	Circulatory microRNAs are not effective biomarkers of muscle size and function in middle-aged men. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 316, C293-C298.	4.6	7
72	Peripheral blood mononuclear cells do not reflect skeletal muscle mitochondrial function or adaptation to high-intensity interval training in healthy young men. <i>Journal of Applied Physiology</i> , 2019, 126, 454-461.	2.5	41

#	ARTICLE	IF	CITATIONS
73	Delayed myonuclear addition, myofiber hypertrophy, and increases in strength with high-frequency low-load blood flow restricted training to volitional failure. <i>Journal of Applied Physiology</i> , 2019, 126, 578-592.	2.5	42
74	Type 1 Muscle Fiber Hypertrophy after Blood Flow‐restricted Training in Powerlifters. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 288-298.	0.4	72
75	Plasma elemental responses to red meat ingestion in healthy young males and the effect of cooking method. <i>European Journal of Nutrition</i> , 2019, 58, 1047-1054.	3.9	7
76	Distribution of fatty acids and phospholipids in different table cuts and co-products from New Zealand pasture-fed Wagyu-dairy cross beef cattle. <i>Meat Science</i> , 2018, 140, 26-37.	5.5	24
77	Dairy Protein Supplementation Modulates the Human Skeletal Muscle microRNA Response to Lower Limb Immobilization. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1701028.	3.3	15
78	The putative leucine sensor Sestrin2 is hyperphosphorylated by acute resistance exercise but not protein ingestion in human skeletal muscle. <i>European Journal of Applied Physiology</i> , 2018, 118, 1241-1253.	2.5	9
79	Impact of Preterm Birth on Glucocorticoid Variability in Human Milk. <i>Journal of Human Lactation</i> , 2018, 34, 130-136.	1.6	8
80	High dose of whey protein after resistance exercise promotes 45 S preribosomal RNA synthesis in older men. <i>Nutrition</i> , 2018, 50, 105-107.	2.4	6
81	Arachidonic acid supplementation modulates blood and skeletal muscle lipid profile with no effect on basal inflammation in resistance exercise trained men. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 128, 74-86.	2.2	29
82	Impact of dairy protein during limb immobilization and recovery on muscle size and protein synthesis; a randomized controlled trial. <i>Journal of Applied Physiology</i> , 2018, 124, 717-728.	2.5	35
83	PGC-1 α and PGC-1 β Increase Protein Synthesis via ERR α in C2C12 Myotubes. <i>Frontiers in Physiology</i> , 2018, 9, 1336.	2.8	21
84	Altered Dairy Protein Intake Does Not Alter Circulatory Branched Chain Amino Acids in Healthy Adults: A Randomized Controlled Trial. <i>Nutrients</i> , 2018, 10, 1510.	4.1	16
85	Digestive Responses to Fortified Cow or Goat Dairy Drinks: A Randomised Controlled Trial. <i>Nutrients</i> , 2018, 10, 1492.	4.1	14
86	Sex-Specific Human Milk Composition: The Role of Infant Sex in Determining Early Life Nutrition. <i>Nutrients</i> , 2018, 10, 1194.	4.1	75
87	Association of Insulin Resistance with Bone Strength and Bone Turnover in Menopausal Chinese-Singaporean Women without Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 889.	2.6	14
88	Sestrins are differentially expressed with age in the skeletal muscle of men: A cross-sectional analysis. <i>Experimental Gerontology</i> , 2018, 110, 23-34.	2.8	30
89	Arachidonic acid supplementation transiently augments the acute inflammatory response to resistance exercise in trained men. <i>Journal of Applied Physiology</i> , 2018, 125, 271-286.	2.5	14
90	Divergent effects of cold water immersion versus active recovery on skeletal muscle fiber type and angiogenesis in young men. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 314, R824-R833.	1.8	16

#	ARTICLE	IF	CITATIONS
91	Circulatory exosomal miRNA following intense exercise is unrelated to muscle and plasma miRNA abundances. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 315, E723-E733.	3.5	83
92	Identification of human skeletal muscle miRNA related to strength by high-throughput sequencing. <i>Physiological Genomics</i> , 2018, 50, 416-424.	2.3	27
93	Dietary Protein, Muscle and Physical Function in the Very Old. <i>Nutrients</i> , 2018, 10, 935.	4.1	50
94	Effect of dietary arachidonic acid supplementation on acute muscle adaptive responses to resistance exercise in trained men: a randomized controlled trial. <i>Journal of Applied Physiology</i> , 2018, 124, 1080-1091.	2.5	11
95	Association of Plasma Lipids and Polar Metabolites with Low Bone Mineral Density in Singaporean-Chinese Menopausal Women: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1045.	2.6	33
96	Exercise recovery increases skeletal muscle H ₂ O ₂ emission and mitochondrial respiratory capacity following two-weeks of limb immobilization. <i>Free Radical Biology and Medicine</i> , 2018, 124, 241-248.	2.9	8
97	Considerations on mTOR regulation at serine 2448: implications for muscle metabolism studies. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 2537-2545.	5.4	58
98	Variation of Human Milk Glucocorticoids over 24-hour Period. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2017, 22, 85-92.	2.7	54
99	Dietary supplementation with bovine-derived milk fat globule membrane lipids promotes neuromuscular development in growing rats. <i>Nutrition and Metabolism</i> , 2017, 14, 9.	3.0	12
100	Age and sex differences in human skeletal muscle fibrosis markers and transforming growth factor- β signaling. <i>European Journal of Applied Physiology</i> , 2017, 117, 1463-1472.	2.5	24
101	Short communication: Muscle protein synthetic response to microparticulated whey protein in middle-aged men. <i>Journal of Dairy Science</i> , 2017, 100, 4230-4234.	3.4	7
102	Minimal dose of milk protein concentrate to enhance the anabolic signalling response to a single bout of resistance exercise; a randomised controlled trial. <i>Journal of the International Society of Sports Nutrition</i> , 2017, 14, 17.	3.9	15
103	Linkages between changes in the 3D organization of the genome and transcription during myotube differentiation in vitro. <i>Skeletal Muscle</i> , 2017, 7, 5.	4.2	45
104	Reply to "Letter to the Editor: Determining the potential effects of oxidized fish oils in pregnant women requires a more systematic approach". <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R264-R264.	1.8	1
105	The effects of dietary protein intake on appendicular lean mass and muscle function in elderly men: a 10-wk randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 1375-1383.	4.7	106
106	The postprandial transcriptomic response of peripheral blood mononuclear cells in 40-60 yr old men with metabolic syndrome. <i>Journal of Nutrition & Intermediary Metabolism</i> , 2017, 8, 86.	1.7	0
107	Fish oil supplementation to rats fed high-fat diet during pregnancy prevents development of impaired insulin sensitivity in male adult offspring. <i>Scientific Reports</i> , 2017, 7, 5595.	3.3	26
108	The effects of cold water immersion and active recovery on inflammation and cell stress responses in human skeletal muscle after resistance exercise. <i>Journal of Physiology</i> , 2017, 595, 695-711.	2.9	81

#	ARTICLE	IF	CITATIONS
109	Acute resistance exercise induces Sestrin2 phosphorylation and p62 dephosphorylation in human skeletal muscle. <i>Physiological Reports</i> , 2017, 5, e13526.	1.7	30
110	MicroRNAs in Muscle: Characterizing the Powerlifter Phenotype. <i>Frontiers in Physiology</i> , 2017, 8, 383.	2.8	45
111	Concerns with the Study on Australian and New Zealand Fish Oil Products by Nichols et al. (<i>Nutrients</i>) Tj ETQq1 1 0,784314 rgBT /Ove	4.1	3
112	Comparisons of the Postprandial Inflammatory and Endotoxaemic Responses to Mixed Meals in Young and Older Individuals: A Randomised Trial. <i>Nutrients</i> , 2017, 9, 354.	4.1	25
113	Acute resistance exercise modulates microRNA expression profiles: Combined tissue and circulatory targeted analyses. <i>PLoS ONE</i> , 2017, 12, e0181594.	2.5	65
114	No Effect of a Whey Growth Factor Extract during Resistance Training on Strength, Body Composition, or Hypertrophic Gene Expression in Resistance-Trained Young Men. <i>Journal of Sports Science and Medicine</i> , 2017, 16, 230-238.	1.6	1
115	Biomarkers of Aging: From Function to Molecular Biology. <i>Nutrients</i> , 2016, 8, 338.	4.1	210
116	Ibuprofen Ingestion Does Not Affect Markers of Post-exercise Muscle Inflammation. <i>Frontiers in Physiology</i> , 2016, 7, 86.	2.8	15
117	Maternal High Fat Diet Alters Skeletal Muscle Mitochondrial Catalytic Activity in Adult Male Rat Offspring. <i>Frontiers in Physiology</i> , 2016, 7, 546.	2.8	34
118	Impaired Ribosome Biogenesis and Skeletal Muscle Growth in a Murine Model of Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 268-278.	1.9	15
119	Oxidized fish oil in rat pregnancy causes high newborn mortality and increases maternal insulin resistance. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R497-R504.	1.8	19
120	ZFAS1: a long noncoding RNA associated with ribosomes in breast cancer cells. <i>Biology Direct</i> , 2016, 11, 62.	4.6	71
121	Marine oils: Complex, confusing, confounded?. <i>Journal of Nutrition & Intermediary Metabolism</i> , 2016, 5, 3-10.	1.7	13
122	Older adults have an altered chylomicron response to a high-fat meal. <i>British Journal of Nutrition</i> , 2016, 115, 791-799.	2.3	15
123	Reply to N Hoem. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1558-1559.	4.7	1
124	Understanding the sensitivity of muscle protein synthesis to dairy protein in middle-aged men. <i>International Dairy Journal</i> , 2016, 63, 35-41.	3.0	13
125	Divergent shifts in lipid mediator profile following supplementation with α -docosapentaenoic acid and eicosapentaenoic acid. <i>FASEB Journal</i> , 2016, 30, 3714-3725.	0.5	74
126	Maternal conjugated linoleic acid supplementation reverses high-fat diet-induced skeletal muscle atrophy and inflammation in adult male rat offspring. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R432-R439.	1.8	16

#	ARTICLE	IF	CITATIONS
127	Impact of resistance exercise on ribosome biogenesis is acutely regulated by post-exercise recovery strategies. <i>Physiological Reports</i> , 2016, 4, e12670.	1.7	86
128	The level of FoxO1 and IL-15 in skeletal muscle, serum and synovial fluid in people with knee osteoarthritis: a case control study. <i>Osteoporosis International</i> , 2016, 27, 2137-2143.	3.1	7
129	Emerging roles of pro-resolving lipid mediators in immunological and adaptive responses to exercise-induced muscle injury. <i>Exercise Immunology Review</i> , 2016, 22, 110-34.	0.4	39
130	Fishing for answers: is oxidation of fish oil supplements a problem?. <i>Journal of Nutritional Science</i> , 2015, 4, e36.	1.9	20
131	Early myogenic responses to acute exercise before and after resistance training in young men. <i>Physiological Reports</i> , 2015, 3, e12511.	1.7	19
132	Post-exercise cold water immersion attenuates acute anabolic signalling and long-term adaptations in muscle to strength training. <i>Journal of Physiology</i> , 2015, 593, 4285-4301.	2.9	157
133	Postprandial Responses to Lipid and Carbohydrate Ingestion in Repeated Subcutaneous Adipose Tissue Biopsies in Healthy Adults. <i>Nutrients</i> , 2015, 7, 5347-5361.	4.1	9
134	Consumption of Milk Protein or Whey Protein Results in a Similar Increase in Muscle Protein Synthesis in Middle Aged Men. <i>Nutrients</i> , 2015, 7, 8685-8699.	4.1	66
135	Supplementation with a blend of krill and salmon oil is associated with increased metabolic risk in overweight men. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 49-57.	4.7	29
136	Last Word on Viewpoint: What is the relationship between the acute muscle protein synthetic response and changes in muscle mass?. <i>Journal of Applied Physiology</i> , 2015, 118, 503-503.	2.5	8
137	Soy protein ingestion results in less prolonged p70S6 kinase phosphorylation compared to whey protein after resistance exercise in older men. <i>Journal of the International Society of Sports Nutrition</i> , 2015, 12, 6.	3.9	32
138	Short communication: Bovine-derived proteins activate STAT3 in human skeletal muscle in vitro. <i>Journal of Dairy Science</i> , 2015, 98, 3016-3019.	3.4	1
139	Regular postexercise cooling enhances mitochondrial biogenesis through AMPK and p38 MAPK in human skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R286-R294.	1.8	53
140	The impact of beef steak thermal processing on lipid oxidation and postprandial inflammation related responses. <i>Food Chemistry</i> , 2015, 184, 57-64.	8.2	15
141	Ribosome biogenesis adaptation in resistance training-induced human skeletal muscle hypertrophy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 309, E72-E83.	3.5	111
142	Older adults have delayed amino acid absorption after a high protein mixed breakfast meal. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 839-845.	3.3	47
143	Digestion and Postprandial Metabolism in the Elderly. <i>Advances in Food and Nutrition Research</i> , 2015, 76, 79-124.	3.0	14
144	Fish oil supplements in New Zealand are highly oxidised and do not meet label content of n-3 PUFA. <i>Scientific Reports</i> , 2015, 5, 7928.	3.3	176

#	ARTICLE	IF	CITATIONS
145	Postprandial Plasma Phospholipids in Men Are Influenced by the Source of Dietary Fat. <i>Journal of Nutrition</i> , 2015, 145, 2012-2018.	2.9	54
146	What is the relationship between the acute muscle protein synthesis response and changes in muscle mass?. <i>Journal of Applied Physiology</i> , 2015, 118, 495-497.	2.5	48
147	Increased pyruvate dehydrogenase kinase expression in cultured myotubes from obese and diabetic individuals. <i>European Journal of Nutrition</i> , 2015, 54, 1033-1043.	3.9	21
148	Futsal and Continuous Exercise Induce Similar Changes in Specific Skeletal Muscle Signalling Proteins. <i>International Journal of Sports Medicine</i> , 2014, 35, 863-870.	1.7	5
149	Ibuprofen supplementation and its effects on NF- κ B activation in skeletal muscle following resistance exercise. <i>Physiological Reports</i> , 2014, 2, e12172.	1.7	11
150	Muscle p70S6K phosphorylation in response to soy and dairy rich meals in middle aged men with metabolic syndrome: a randomised crossover trial. <i>Nutrition and Metabolism</i> , 2014, 11, 46.	3.0	15
151	It is not just muscle mass: a review of muscle quality, composition and metabolism during ageing as determinants of muscle function and mobility in later life. <i>Longevity & Healthspan</i> , 2014, 3, 9.	6.7	338
152	Postexercise Muscle Cooling Enhances Gene Expression of PGC-1 β . <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1900-1907.	0.4	39
153	Effect of exercise training on skeletal muscle cytokine expression in the elderly. <i>Brain, Behavior, and Immunity</i> , 2014, 39, 80-86.	4.1	76
154	Time course-dependent changes in the transcriptome of human skeletal muscle during recovery from endurance exercise: from inflammation to adaptive remodeling. <i>Journal of Applied Physiology</i> , 2014, 116, 274-287.	2.5	64
155	Acute resistance exercise increases the expression of chemotactic factors within skeletal muscle. <i>European Journal of Applied Physiology</i> , 2014, 114, 2157-2167.	2.5	40
156	Dose-dependent increases in p70S6K phosphorylation and intramuscular branched-chain amino acids in older men following resistance exercise and protein intake. <i>Physiological Reports</i> , 2014, 2, e12112.	1.7	34
157	Metabolic and hormonal responses to isoenergetic high-intensity interval exercise and continuous moderate-intensity exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 307, E539-E552.	3.5	146
158	Ibuprofen treatment blunts early translational signaling responses in human skeletal muscle following resistance exercise. <i>Journal of Applied Physiology</i> , 2014, 117, 20-28.	2.5	42
159	Role of microRNAs in the age-related changes in skeletal muscle and diet or exercise interventions to promote healthy aging in humans. <i>Ageing Research Reviews</i> , 2014, 17, 25-33.	10.9	53
160	Higher omega-3 index is associated with increased insulin sensitivity and more favourable metabolic profile in middle-aged overweight men. <i>Scientific Reports</i> , 2014, 4, 6697.	3.3	79
161	Effects of Intermittent Training on Anaerobic Performance and MCT Transporters in Athletes. <i>PLoS ONE</i> , 2014, 9, e95092.	2.5	21
162	3T3-L1 Preadipocytes Exhibit Heightened Monocyte-Chemoattractant Protein-1 Response to Acute Fatty Acid Exposure. <i>PLoS ONE</i> , 2014, 9, e99382.	2.5	23

#	ARTICLE	IF	CITATIONS
163	A short-term n-3 DPA supplementation study in humans. <i>European Journal of Nutrition</i> , 2013, 52, 895-904.	3.9	65
164	Human inflammatory and resolving lipid mediator responses to resistance exercise and ibuprofen treatment. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 305, R1281-R1296.	1.8	136
165	Comparative actions of omega-3 fatty acids on in-vitro lipid droplet formation. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 359-366.	2.2	55
166	Is carbohydrate needed to further stimulate muscle protein synthesis/hypertrophy following resistance exercise?. <i>Journal of the International Society of Sports Nutrition</i> , 2013, 10, 42.	3.9	14
167	Lipidomic Profiling of Chylomicron Triacylglycerols in Response to High Fat Meals. <i>Lipids</i> , 2013, 48, 39-50.	1.7	28
168	Inflammatory markers in skeletal muscle of older adults. <i>European Journal of Applied Physiology</i> , 2013, 113, 509-517.	2.5	17
169	Postprandial metabolism of docosapentaenoic acid (DPA, 22:5n [~] 3) and eicosapentaenoic acid (EPA, Tj ETQq1 1 0,784314 rgBT /Ovstl 2.2 25	2.2	25
170	Increased Smad signaling and reduced MRF expression in skeletal muscle from obese subjects. <i>Obesity</i> , 2013, 21, 525-528.	3.0	41
171	Transcriptome analysis of neutrophils after endurance exercise reveals novel signaling mechanisms in the immune response to physiological stress. <i>Journal of Applied Physiology</i> , 2013, 114, 1677-1688.	2.5	52
172	The effects of osteoarthritis and age on skeletal muscle strength, Na ⁺ -K ⁺ -ATPase content, gene and isoform expression. <i>Journal of Applied Physiology</i> , 2013, 115, 1443-1449.	2.5	20
173	Skeletal muscle fat metabolism after exercise in humans: influence of fat availability. <i>Journal of Applied Physiology</i> , 2013, 114, 1577-1585.	2.5	10
174	Oxidation of Marine Omega-3 Supplements and Human Health. <i>BioMed Research International</i> , 2013, 1-8.	1.9	107
175	Arachidonic acid supplementation enhances in vitro skeletal muscle cell growth via a COX-2-dependent pathway. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 304, C56-C67.	4.6	63
176	Resistance exercise increases NF- κ B activity in human skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 302, R667-R673.	1.8	82
177	Repeated Sprints Alter Signaling Related to Mitochondrial Biogenesis in Humans. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 827-834.	0.4	37
178	Unchanged [³ H]ouabain binding site content but reduced Na ⁺ -K ⁺ -ATPase pump β -protein abundance in skeletal muscle in older adults. <i>Journal of Applied Physiology</i> , 2012, 113, 1505-1511.	2.5	12
179	Effect of Intake of Different Dietary Protein Sources on Plasma Amino Acid Profiles at Rest and after Exercise. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2012, 22, 452-462.	2.1	71
180	Early inflammatory and myogenic responses to resistance exercise in the elderly. <i>Muscle and Nerve</i> , 2012, 46, 407-412.	2.2	24

#	ARTICLE	IF	CITATIONS
181	Fructose containing sugars modulate mRNA of lipogenic genes ACC and FAS and protein levels of transcription factors ChREBP and SREBP1c with no effect on body weight or liver fat. Food and Function, 2012, 3, 141-149.	4.6	56
182	Activation of mTOR signalling in young and old human skeletal muscle in response to combined resistance exercise and whey protein ingestion. Applied Physiology, Nutrition and Metabolism, 2012, 37, 21-30.	1.9	66
183	Psyllium Supplementation in Adolescents Improves Fat Distribution & Lipid Profile: A Randomized, Participant-Blinded, Placebo-Controlled, Crossover Trial. PLoS ONE, 2012, 7, e41735.	2.5	38
184	Are trans fats a problem in Australia?. Medical Journal of Australia, 2012, 196, 666-667.	1.7	5
185	Brown adipocyte progenitor population is modified in obese and diabetic skeletal muscle. International Journal of Obesity, 2012, 36, 155-158.	3.4	15
186	Angiotensin-converting enzyme inhibition reverses diet-induced obesity, insulin resistance and inflammation in C57BL/6J mice. International Journal of Obesity, 2012, 36, 233-243.	3.4	46
187	Infusion with the antioxidant N-acetylcysteine attenuates early adaptive responses to exercise in human skeletal muscle. Acta Physiologica, 2012, 204, 382-392.	3.8	82
188	metabolism and in vivo fatty acid bioconversion. Aquaculture, 2011, 322-323, 99-108.	3.5	45
189	Impact of SOCS3 overexpression on human skeletal muscle development in vitro. Cytokine, 2011, 55, 104-109.	3.2	17
190	Docosapentaenoic acid (22:5n-3) down-regulates the expression of genes involved in fat synthesis in liver cells. Prostaglandins Leukotrienes and Essential Fatty Acids, 2011, 85, 155-161.	2.2	48
191	Docosapentaenoic acid (22:5n-3): A review of its biological effects. Progress in Lipid Research, 2011, 50, 28-34.	11.6	271
192	Inflammatory Mechanisms in Sarcopenia : The unknown benefits of exercise training. Japanese Journal of Physical Fitness and Sports Medicine, 2011, 60, 39-39.	0.0	0
193	Impact of fat type (dairy or soy) on postprandial plasma and chylomicron responses with special emphasis on molecular level differences during the postprandial state. Proceedings of the Nutrition Society, 2011, 70, .	1.0	0
194	The actions of exogenous leucine on mTOR signalling and amino acid transporters in human myotubes. BMC Physiology, 2011, 11, 10.	3.6	73
195	JAK/STAT signaling and human in vitro myogenesis. BMC Physiology, 2011, 11, 6.	3.6	29
196	Impact of resistance exercise training on interleukin-6 and JAK/STAT in young men. Muscle and Nerve, 2011, 43, 385-392.	2.2	40
197	Association between skeletal muscle inflammatory markers and walking pattern in people with knee osteoarthritis. Arthritis Care and Research, 2011, 63, 1715-1721.	3.4	15
198	Increased inflammatory cytokine expression in the vastus lateralis of patients with knee osteoarthritis. Arthritis and Rheumatism, 2011, 63, 1343-1348.	6.7	85

#	ARTICLE	IF	CITATIONS
199	Prostaglandin F ₂ stimulates PI3K/ERK/mTOR signaling and skeletal myotube hypertrophy. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 300, C671-C682.	4.6	45
200	Short-term docosapentaenoic acid (22:5n-3) supplementation increases tissue docosapentaenoic acid, DHA and EPA concentrations in rats. <i>British Journal of Nutrition</i> , 2010, 103, 32-37.	2.3	82
201	The characterization of Abelson helper integration site-1 in skeletal muscle and its links to the metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 1057-1064.	3.4	9
202	Alcohol, Athletic Performance and Recovery. <i>Nutrients</i> , 2010, 2, 781-789.	4.1	56
203	Cytokine Responses to Carbohydrate Ingestion During Recovery from Exercise-Induced Muscle Injury. <i>Journal of Interferon and Cytokine Research</i> , 2010, 30, 329-337.	1.2	16
204	Aging and its effects on inflammation in skeletal muscle at rest and following exercise-induced muscle injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 298, R1485-R1495.	1.8	150
205	Suppressive actions of eicosapentaenoic acid on lipid droplet formation in 3T3-L1 adipocytes. <i>Lipids in Health and Disease</i> , 2010, 9, 57.	3.0	73
206	Whey Protein Ingestion Activates mTOR-dependent Signalling after Resistance Exercise in Young Men: A Double-Blinded Randomized Controlled Trial. <i>Nutrients</i> , 2009, 1, 263-275.	4.1	29
207	The relationship between monocarboxylate transporters 1 and 4 expression in skeletal muscle and endurance performance in athletes. <i>European Journal of Applied Physiology</i> , 2009, 106, 465-471.	2.5	10
208	NDRG2, a novel regulator of myoblast proliferation, is regulated by anabolic and catabolic factors. <i>Journal of Physiology</i> , 2009, 587, 1619-1634.	2.9	50
209	Cross talk of signals between EGFR and IL-6R through JAK2/STAT3 mediate epithelial-mesenchymal transition in ovarian carcinomas. <i>British Journal of Cancer</i> , 2009, 100, 134-144.	6.4	272
210	Adiponectin decreases pyruvate dehydrogenase kinase 4 gene expression in obese and diabetic derived myotubes. <i>Diabetes, Obesity and Metabolism</i> , 2009, 11, 721-728.	4.4	14
211	The effect of the nitric oxide donor sodium nitroprusside on glucose uptake in human primary skeletal muscle cells. <i>Nitric Oxide - Biology and Chemistry</i> , 2009, 21, 126-131.	2.7	19
212	Green tea, black tea, and epigallocatechin modify body composition, improve glucose tolerance, and differentially alter metabolic gene expression in rats fed a high-fat diet. <i>Nutrition Research</i> , 2009, 29, 784-793.	2.9	185
213	Plasma amino acid response after ingestion of different whey protein fractions. <i>International Journal of Food Sciences and Nutrition</i> , 2009, 60, 476-486.	2.8	45
214	A Reservoir of Brown Adipocyte Progenitors in Human Skeletal Muscle. <i>Stem Cells</i> , 2008, 26, 2425-2433.	3.2	162
215	Undernutrition during suckling in rats elevates plasma adiponectin and its receptor in skeletal muscle regardless of diet composition: a protective effect?. <i>International Journal of Obesity</i> , 2008, 32, 1585-1594.	3.4	18
216	Antioxidant treatment with N-acetylcysteine regulates mammalian skeletal muscle Na ⁺ -K ⁺ -ATPase gene expression during repeated contractions. <i>Experimental Physiology</i> , 2008, 93, 1239-1248.	2.0	19

#	ARTICLE	IF	CITATIONS
217	Brain neuropeptide Y and CCK and peripheral adipokine receptors: temporal response in obesity induced by palatable diet. <i>International Journal of Obesity</i> , 2008, 32, 249-258.	3.4	43
218	Exercise-Induced Activation of STAT3 Signaling Is Increased with Age. <i>Rejuvenation Research</i> , 2008, 11, 717-724.	1.8	46
219	Mice lacking angiotensin-converting enzyme have increased energy expenditure, with reduced fat mass and improved glucose clearance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 6531-6536.	7.1	162
220	Resistance Exercise and Insulin Regulate AS160 and Interaction With 14-3-3 in Human Skeletal Muscle. <i>Diabetes</i> , 2007, 56, 1608-1614.	0.6	33
221	Impaired Expression of Notch Signaling Genes in Aged Human Skeletal Muscle. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 9-17.	3.6	79
222	STAT3 signaling is activated in human skeletal muscle following acute resistance exercise. <i>Journal of Applied Physiology</i> , 2007, 102, 1483-1489.	2.5	95
223	Muscle Na ⁺ -K ⁺ -ATPase activity and isoform adaptations to intense interval exercise and training in well-trained athletes. <i>Journal of Applied Physiology</i> , 2007, 103, 39-47.	2.5	48
224	Increased insulin-stimulated Akt pSer473 and cytosolic SHP2 protein abundance in human skeletal muscle following acute exercise and short-term training. <i>Journal of Applied Physiology</i> , 2007, 102, 1624-1631.	2.5	24
225	Influence of preexercise muscle glycogen content on transcriptional activity of metabolic and myogenic genes in well-trained humans. <i>Journal of Applied Physiology</i> , 2007, 102, 1604-1611.	2.5	67
226	Effects of cannabinoid receptors on skeletal muscle oxidative pathways. <i>Molecular and Cellular Endocrinology</i> , 2007, 267, 63-69.	3.2	120
227	Leptin stimulation of COXIV is impaired in obese skeletal muscle myotubes. <i>Obesity Research and Clinical Practice</i> , 2007, 1, 53-60.	1.8	10
228	Effects of endurance training status and sex differences on Na ⁺ ,K ⁺ -pump mRNA expression, content and maximal activity in human skeletal muscle. <i>Acta Physiologica</i> , 2007, 189, 259-269.	3.8	20
229	Reduced plasma free fatty acid availability during exercise: effect on gene expression. <i>European Journal of Applied Physiology</i> , 2007, 99, 485-493.	2.5	23
230	Actions of Short-Term Fasting on Human Skeletal Muscle Myogenic and Atrogenic Gene Expression. <i>Annals of Nutrition and Metabolism</i> , 2006, 50, 476-481.	1.9	27
231	Acute exercise and GLUT4 expression in human skeletal muscle: influence of exercise intensity. <i>Journal of Applied Physiology</i> , 2006, 101, 934-937.	2.5	91
232	Differential Regulation of Adiponectin Receptor Gene Expression by Adiponectin and Leptin in Myotubes Derived from Obese and Diabetic Individuals. <i>Obesity</i> , 2006, 14, 1898-1904.	3.0	35
233	The effects of short-term sprint training on MCT expression in moderately endurance-trained runners. <i>European Journal of Applied Physiology</i> , 2006, 96, 636-643.	2.5	64
234	Identification of novel genes expressed during rhabdomyosarcoma differentiation using cDNA microarrays. <i>Pathology International</i> , 2006, 56, 246-255.	1.3	16

#	ARTICLE	IF	CITATIONS
235	Interaction of contractile activity and training history on mRNA abundance in skeletal muscle from trained athletes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E849-E855.	3.5	118
236	The Suppressor of Cytokine Signaling 3 Inhibits Leptin Activation of AMP-Kinase in Cultured Skeletal Muscle of Obese Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3592-3597.	3.6	97
237	Increase in S6K1 phosphorylation in human skeletal muscle following resistance exercise occurs mainly in type II muscle fibers. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E1245-E1252.	3.5	154
238	Prolonged submaximal exercise induces isoform-specific Na ⁺ -K ⁺ -ATPase mRNA and protein responses in human skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 290, R414-R424.	1.8	27
239	Impaired Activation of AMP-Kinase and Fatty Acid Oxidation by Globular Adiponectin in Cultured Human Skeletal Muscle of Obese Type 2 Diabetics. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3665-3672.	3.6	173
240	Depressed Na ⁺ -K ⁺ -ATPase activity in skeletal muscle at fatigue is correlated with increased Na ⁺ -K ⁺ -ATPase mRNA expression following intense exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 289, R266-R274.	1.8	39
241	The effects of exercise and adipose tissue lipolysis on plasma adiponectin concentration and adiponectin receptor expression in human skeletal muscle. <i>European Journal of Endocrinology</i> , 2005, 152, 427-436.	3.7	90
242	Effect of elevated lipid concentrations on human skeletal muscle gene expression. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 952-959.	3.4	27
243	Regulation of metabolic genes in human skeletal muscle by short-term exercise and diet manipulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E25-E31.	3.5	69
244	Energy density of foods and beverages in the Australian food supply: influence of macronutrients and comparison to dietary intake. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 1485-1491.	2.9	32
245	Effect of short-term training on GLUT4 mRNA and protein expression in human skeletal muscle. <i>Experimental Physiology</i> , 2004, 89, 559-563.	2.0	59
246	Intense exercise up-regulates Na ⁺ ,K ⁺ -ATPase isoform mRNA, but not protein expression in human skeletal muscle. <i>Journal of Physiology</i> , 2004, 556, 507-519.	2.9	58
247	Effects of aerobic training on pyruvate dehydrogenase and pyruvate dehydrogenase kinase in human skeletal muscle. <i>Journal of Physiology</i> , 2004, 557, 559-570.	2.9	53
248	The effect of insulin and exercise on c-Cbl protein abundance and phosphorylation in insulin-resistant skeletal muscle in lean and obese Zucker rats. <i>Diabetologia</i> , 2004, 47, 412-419.	6.3	12
249	Real-time RT-PCR analysis of housekeeping genes in human skeletal muscle following acute exercise. <i>Physiological Genomics</i> , 2004, 18, 226-231.	2.3	183
250	Creatine supplementation increases glycogen storage but not GLUT-4 expression in human skeletal muscle. <i>Clinical Science</i> , 2004, 106, 99-106.	4.3	86
251	Pyruvate dehydrogenase activation and kinase expression in human skeletal muscle during fasting. <i>Journal of Applied Physiology</i> , 2004, 96, 2082-2087.	2.5	79
252	Title is missing!. <i>Molecular and Cellular Biochemistry</i> , 2003, 244, 151-157.	3.1	14

#	ARTICLE	IF	CITATIONS
253	Dietary Regulation of Fat Oxidative Gene Expression in Different Skeletal Muscle Fiber Types. <i>Obesity</i> , 2003, 11, 1471-1479.	4.0	37
254	Effects of creatine supplementation on housekeeping genes in human skeletal muscle using real-time RT-PCR. <i>Physiological Genomics</i> , 2003, 12, 163-174.	2.3	75
255	17beta-estradiol upregulates the expression of peroxisome proliferator-activated receptor alpha and lipid oxidative genes in skeletal muscle. <i>Journal of Molecular Endocrinology</i> , 2003, 31, 37-45.	2.5	76
256	Exercise Increases Nuclear AMPK α 2 in Human Skeletal Muscle. <i>Diabetes</i> , 2003, 52, 926-928.	0.6	135
257	A short-term, high-fat diet up-regulates lipid metabolism and gene expression in human skeletal muscle. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 313-318.	4.7	200
258	Exercise, diet, and skeletal muscle gene expression. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1505-1508.	0.4	30
259	Exercise training increases lipid metabolism gene expression in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 283, E66-E72.	3.5	227
260	Fasting activates the gene expression of UCP3 independent of genes necessary for lipid transport and oxidation in skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 301-308.	2.1	40
261	AMP-activated protein kinase activates transcription of the UCP3 and HKII genes in rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 283, E1239-E1248.	3.5	89
262	Behavior and beliefs related to dietary fat are influenced by weight-control status. <i>Journal of the American Dietetic Association</i> , 2002, 102, 88-90.	1.1	3
263	Interaction of exercise and diet on GLUT-4 protein and gene expression in Type I and Type II rat skeletal muscle. <i>Acta Physiologica Scandinavica</i> , 2002, 175, 37-44.	2.2	26
264	Nicotine treatment decreases food intake and body weight viaa leptin-independent pathway in <i>Psammomys obesus</i> . <i>Diabetes, Obesity and Metabolism</i> , 2002, 4, 346-350.	4.4	21
265	Exercise And Skeletal Muscle Gene Expression. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 209-213.	1.9	31
266	Creatine transporter protein content, localization, and gene expression in rat skeletal muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 280, C415-C422.	4.6	47
267	Differential effects of exercise on insulin-signaling gene expression in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2001, 90, 436-440.	2.5	47
268	The public's response to the obesity epidemic in Australia: weight concerns and weight control practices of men and women. <i>Public Health Nutrition</i> , 2000, 3, 417-424.	2.2	67
269	Physical activity beliefs and behaviours among adults attempting weight control. <i>International Journal of Obesity</i> , 2000, 24, 81-87.	3.4	27
270	Effects of exercise on GLUT-4 and glycogenin gene expression in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2000, 88, 794-796.	2.5	124

#	ARTICLE	IF	CITATIONS
271	Impact of obesity and leptin treatment on adipocyte gene expression in Psammomys obesus. Journal of Endocrinology, 2000, 164, 45-50.	2.6	8
272	The effectiveness of popular, non-prescription weight loss supplements. Medical Journal of Australia, 1999, 171, 604-608.	1.7	51
273	The actions of a novel lipoprotein lipase activator, NO-1886, in hypertriglyceridemic fructose-fed rats. Metabolism: Clinical and Experimental, 1998, 47, 149-153.	3.4	30
274	Factors regulating the rat insulin-like growth factor-binding protein-1 response to octreotide. Journal of Endocrinology, 1998, 158, 61-68.	2.6	2
275	The Role of Lipogenesis in the Development of Obesity and Diabetes in Israeli Sand Rats (Psammomys) Tj ETQq1 1 0.784314 jgBT /Over	2.9	16
276	Disproportionate Increase of Fatty Acid Binding Proteins in the Livers of Obese Diabetic Psammomys obesus. Annals of the New York Academy of Sciences, 1997, 827, 536-540.	3.8	2
277	Non-insulin dependent diabetes mellitus in Psammomys obesus is independent of changes in tissue fatty acid composition. Lipids, 1997, 32, 317-322.	1.7	7
278	The Effect of Inhibiting Fatty Acid Oxidation on Basal Glucose Metabolism. Hormone and Metabolic Research, 1996, 28, 165-170.	1.5	7
279	Basal glucose turnover in Psammomys obesus. Acta Diabetologica, 1995, 32, 187-192.	2.5	12
280	Reduction in Hyperglycemia by Mild Food Restriction in Streptozotocin Induced Diabetic Rats Improves Insulin Sensitivity. Hormone and Metabolic Research, 1994, 26, 316-321.	1.5	10
281	Effect of propionate on in vivo carbohydrate metabolism in streptozocin-induced diabetic rats. Metabolism: Clinical and Experimental, 1994, 43, 728-734.	3.4	18
282	Effect of soluble dietary fibre on the viscosity of gastrointestinal contents and the acute glycaemic response in the rat. British Journal of Nutrition, 1994, 71, 563-571.	2.3	65
283	Capsaicin and dihydrocapsaicin stimulate oxygen consumption in the perfused rat hindlimb. , 1990, 14, 259-70.		2