

Peng Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2464833/peng-huang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

401
citations

11
h-index

16
g-index

70
ext. papers

539
ext. citations

4.4
avg, IF

3.3
L-index

#	Paper	IF	Citations
65	Effectiveness of inactivated COVID-19 vaccines against severe illness in B.1.617.2 (Delta) variant-infected patients in Jiangsu, China.. <i>International Journal of Infectious Diseases</i> , 2022 ,	10.5	6
64	The Causal Effects of Primary Biliary Cholangitis on Thyroid Dysfunction: A Two-Sample Mendelian Randomization Study.. <i>Frontiers in Genetics</i> , 2021 , 12, 791778	4.5	0
63	Assessment of Non-invasive Markers for the Prediction of Esophageal Variceal Hemorrhage.. <i>Frontiers in Medicine</i> , 2021 , 8, 770836	4.9	0
62	The Causal Effects of Insomnia on Bipolar Disorder, Depression, and Schizophrenia: A Two-Sample Mendelian Randomization Study. <i>Frontiers in Genetics</i> , 2021 , 12, 763259	4.5	0
61	Leveraging Single-Cell RNA-seq Data to Uncover the Association Between Cell Type and Chronic Liver Diseases. <i>Frontiers in Genetics</i> , 2021 , 12, 637322	4.5	0
60	Polymorphisms of RIG-I-like receptor influence HBV clearance in Chinese Han population. <i>Journal of Medical Virology</i> , 2021 , 93, 4957-4965	19.7	2
59	Genetic Variants in Genes Are Associated With the Susceptibility to HCV Infection in a High-Risk Chinese Population. <i>Frontiers in Immunology</i> , 2021 , 12, 632353	8.4	1
58	The risk of hepatitis C virus recurrence in hepatitis C virus-infected patients treated with direct-acting antivirals after achieving a sustained virological response: A comprehensive analysis. <i>Liver International</i> , 2021 , 41, 2341-2357	7.9	0
57	High SVR12 With 8-Week Course of Direct-Acting Antivirals in Adolescents and Children With Chronic Hepatitis C: A Comprehensive Analysis. <i>Frontiers in Medicine</i> , 2021 , 8, 608760	4.9	0
56	Genetic Variation on and Genes is Associated with Outcomes of Hepatitis C Virus Infection. <i>Immunological Investigations</i> , 2021 , 50, 1-11	2.9	9
55	Study on Maternal SNPs of MTHFR Gene and HCY Level Related to Congenital Heart Diseases. <i>Pediatric Cardiology</i> , 2021 , 42, 42-46	2.1	0
54	Genetic variant of RXR involved in the vitamin D metabolic pathway was linked to HCV infection outcomes among a high-risk Chinese population. <i>Infection, Genetics and Evolution</i> , 2021 , 87, 104641	4.5	1
53	Genetic Variants in and Are Associated With the Risk of HCV Infection Among Chinese High-Risk Population. <i>Frontiers in Genetics</i> , 2021 , 12, 630310	4.5	0
52	Genetic Mutations in Were Associated With the Chronicity of Hepatitis C Among Chinese Han Population. <i>Frontiers in Medicine</i> , 2021 , 8, 743406	4.9	0
51	Construction and Clinical Translation of Causal Pan-Cancer Gene Score Across Cancer Types.. <i>Frontiers in Genetics</i> , 2021 , 12, 784775	4.5	0
50	Vitamin D receptor genetic polymorphisms are associated with oral lichen planus susceptibility in a Chinese Han population. <i>BMC Oral Health</i> , 2020 , 20, 26	3.7	5
49	CD40 polymorphisms were associated with HCV infection susceptibility among Chinese population. <i>BMC Infectious Diseases</i> , 2019 , 19, 840	4	4

48	Clinical results and surgery tactics of spinal osteotomy for ankylosing spondylitis kyphosis: experience of 428 patients. <i>Journal of Orthopaedic Surgery and Research</i> , 2019 , 14, 330	2.8	6
47	Association of rs2111485 and rs1990760 Polymorphisms of Interferon Induced with Helicase C Domain 1 Gene with Hepatitis C Virus Clearance in Chinese Han Population. <i>Viral Immunology</i> , 2019 , 32, 341-347	1.7	1
46	Impact of CYP2R1, CYP27A1 and CYP27B1 genetic polymorphisms controlling vitamin D metabolism on susceptibility to hepatitis C virus infection in a high-risk Chinese population. <i>Archives of Virology</i> , 2019 , 164, 2909-2918	2.6	3
45	Ultrasound guidance for transforaminal percutaneous endoscopic lumbar discectomy may prevent radiation exposure: A case report. <i>World Journal of Clinical Cases</i> , 2019 , 7, 1161-1168	1.6	3
44	Effectiveness of ombitasvir/paritaprevir/ritonavir, dasabuvir for HCV in HIV/HCV coinfecting subjects: a comprehensive analysis. <i>Virology Journal</i> , 2019 , 16, 11	6.1	
43	CYP24A1 genetic variants in the vitamin D metabolic pathway are involved in the outcomes of hepatitis C virus infection among high-risk Chinese population. <i>International Journal of Infectious Diseases</i> , 2019 , 84, 80-88	10.5	7
42	Ultrasound-guided transforaminal percutaneous endoscopic lumbar discectomy: a new guidance method that reduces radiation doses. <i>European Spine Journal</i> , 2019 , 28, 2543-2550	2.7	10
41	A Systematic Review of Unilateral Biportal Endoscopic Spinal Surgery: Preliminary Clinical Results and Complications. <i>World Neurosurgery</i> , 2019 , 125, 425-432	2.1	37
40	Evaluation of factors influencing the guide to read biomedical English literature course for Chinese new medical postgraduates-a multiple regression analysis. <i>BMC Medical Education</i> , 2019 , 19, 295	3.3	5
39	Genetic mutations in NF- κ B pathway genes were associated with the protection from hepatitis C virus infection among Chinese Han population. <i>Scientific Reports</i> , 2019 , 9, 10830	4.9	1
38	Genetic variants in RIG-I-like receptor influences HCV clearance in Chinese Han population. <i>Epidemiology and Infection</i> , 2019 , 147, e195	4.3	3
37	Efficacy and safety of direct-acting antivirals for treatment-naive patients with genotype 1 hepatitis C virus infection. <i>Personalized Medicine</i> , 2019 ,	2.2	3
36	Genetic variants in IFIH1 and DDX58 influence hepatitis C virus clearance in Chinese Han population. <i>Journal of Medical Virology</i> , 2019 , 91, 1097-1103	19.7	2
35	Association between polymorphisms and interferon/ribavirin treatment response in hepatitis C virus type 1 infection in Chinese population: a prospective study. <i>BMJ Open</i> , 2018 , 8, e019406	3	5
34	Influence of IL28B and MxA gene polymorphisms on HCV clearance in Han Chinese population. <i>Epidemiology and Infection</i> , 2018 , 146, 379-385	4.3	1
33	Genetic variations in NF- κ B were associated with the susceptibility to hepatitis C virus infection among Chinese high-risk population. <i>Scientific Reports</i> , 2018 , 8, 104	4.9	11
32	The association of CCL3 and CCL4 polymorphisms with HCV clearance in Chinese Han population. <i>Gene</i> , 2018 , 665, 35-40	3.8	
31	Genetic variants in chemokine CC subfamily genes influence hepatitis C virus viral clearance. <i>Journal of Human Genetics</i> , 2018 , 63, 831-839	4.3	

30	Genetic variation on the NFKB1 genes associates with the outcomes of HCV infection among Chinese Han population. <i>Infection, Genetics and Evolution</i> , 2018 , 65, 210-215	4.5	6
29	The development of hepatocellular carcinoma in HCV-infected patients treated with DAA: A comprehensive analysis. <i>Carcinogenesis</i> , 2018 , 39, 1497-1505	4.6	17
28	Association of CXCR2 genotype variations with HCV clearance in a Chinese population. <i>Archives of Virology</i> , 2018 , 163, 2711-2718	2.6	2
27	Efficacy and safety of sofosbuvir-containing regimens in chronic hepatitis C patients with genotype 2 and 3: a comprehensive analysis of 18 randomized controlled trials. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2018 , 27, 159-168	1.4	2
26	Shikonin sensitizes A549 cells to TRAIL-induced apoptosis through the JNK, STAT3 and AKT pathways. <i>BMC Cell Biology</i> , 2018 , 19, 29		19
25	Vitamin D binding protein polymorphisms influence susceptibility to hepatitis C virus infection in a high-risk Chinese population. <i>Gene</i> , 2018 , 679, 405-411	3.8	11
24	Optimized application of the secreted Nano-luciferase reporter system using an affinity purification strategy. <i>PLoS ONE</i> , 2018 , 13, e0196617	3.7	5
23	Polymorphism of PARP-1 indicates an increased risk and a worse initial severity of ischemic stroke. <i>Personalized Medicine</i> , 2018 , 15, 355-360	2.2	4
22	Genetic variants in interferon- λ influences HCV clearance in Chinese Han population. <i>Scientific Reports</i> , 2017 , 7, 42408	4.9	4
21	Polymorphisms of chemokine receptor genes and clearance of hepatitis C virus infection in Chinese population. <i>Gene</i> , 2017 , 624, 1-5	3.8	4
20	The relationship between human leukocyte antigen-DP/DQ gene polymorphisms and the outcomes of HCV infection in a Chinese population. <i>Virology Journal</i> , 2017 , 14, 235	6.1	5
19	The association of LMP7 and TAP2 gene polymorphisms with treatment response to interferon/ribavirin in patients with genotype 1 chronic hepatitis C. <i>International Journal of Molecular Medicine</i> , 2017 , 40, 1983-1990	4.4	1
18	Grazoprevir and Elbasvir in Patients with Genotype 1 Hepatitis C Virus Infection: A Comprehensive Efficacy and Safety Analysis. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2017 , 2017, 8186275	2.8	4
17	Genetic variations in vitamin D receptor were associated with the outcomes of hepatitis C virus infection among Chinese population. <i>Journal of Human Genetics</i> , 2016 , 61, 129-35	4.3	9
16	A novel polymorphism near HLA class II region is associated with spontaneous clearance of HCV and response to interferon treatment in Chinese patients. <i>Journal of Human Genetics</i> , 2016 , 61, 301-5	4.3	11
15	The Factors Related to CD4+ T-Cell Recovery and Viral Suppression in Patients Who Have Low CD4+ T Cell Counts at the Initiation of HAART: A Retrospective Study of the National HIV Treatment Sub-Database of Zhejiang Province, China, 2014. <i>PLoS ONE</i> , 2016 , 11, e0148915	3.7	10
14	Polymorphism of the XRCC1 Gene Is Associated with Susceptibility and Short-Term Recovery of Ischemic Stroke. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	7
13	Polymorphisms of HLA-DM on Treatment Response to Interferon/Ribavirin in Patients with Chronic Hepatitis C Virus Type 1 Infection. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	3

12	Vitamin D level and vitamin D receptor genetic variations contribute to HCV infection susceptibility and chronicity in a Chinese population. <i>Infection, Genetics and Evolution</i> , 2016 , 41, 146-152	4.5	22
11	Outcomes of antiretroviral treatment in HIV-infected adults: a dynamic and observational cohort study in Shenzhen, China, 2003-2014. <i>BMJ Open</i> , 2015 , 5, e007508	3	20
10	Unilateral versus bilateral percutaneous kyphoplasty for osteoporotic vertebral compression fractures: A systematic review and meta-analysis of RCTs. <i>Journal of Orthopaedic Research</i> , 2015 , 33, 1713-23	3.8	19
9	Seroepidemiology of hepatitis B virus infection and impact of vaccination. <i>World Journal of Gastroenterology</i> , 2015 , 21, 7842-50	5.6	16
8	Human Leukocyte Antigen Class II Alleles Are Associated with Hepatitis C Virus Natural Susceptibility in the Chinese Population. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 16792-805	6.3	7
7	Long-Term Effectiveness of Antiretroviral Therapy in China: An Observational Cohort Study from 2003-2014. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 8762-72	4.6	2
6	Association of polymorphisms in HLA antigen presentation-related genes with the outcomes of HCV infection. <i>PLoS ONE</i> , 2015 , 10, e0123513	3.7	13
5	Study on Environmental Causes and SNPs of MTHFR, MS and CBS Genes Related to Congenital Heart Disease. <i>PLoS ONE</i> , 2015 , 10, e0128646	3.7	20
4	Interferon- β -related genes and therapeutic response in Chinese hepatitis C patients. <i>World Journal of Gastroenterology</i> , 2015 , 21, 4006-13	5.6	2
3	HIV prevalence and associated factors among foreign brides from Burma in Yunnan Province, China. <i>PLoS ONE</i> , 2014 , 9, e115599	3.7	8
2	Genetic variants in antigen presentation-related genes influence susceptibility to hepatitis C virus and viral clearance: a case control study. <i>BMC Infectious Diseases</i> , 2014 , 14, 716	4	19
1	Host genetic variations are associated with virological response to interferon therapy of chronic HCV in Han Chinese patients. <i>Journal of Biomedical Research</i> , 2014 , 28, 476-83	1.5	3