

Shih-Sheng Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/246512/shih-sheng-sun-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

5,216
citations

40
h-index

69
g-index

123
ext. papers

5,490
ext. citations

5.9
avg, IF

5.62
L-index

#	Paper	IF	Citations
113	Highly Phosphorescent Bis-Cyclometalated Iridium Complexes Containing Benzoimidazole-Based Ligands. <i>Chemistry of Materials</i> , 2004 , 16, 2480-2488	9.6	272
112	Transition metal based supramolecular systems: synthesis, photophysics, photochemistry and their potential applications as luminescent anion chemosensors. <i>Coordination Chemistry Reviews</i> , 2002 , 230, 171-192	23.2	268
111	Self-Assembly Triangular and Square Rhenium(I) Tricarbonyl Complexes: A Comprehensive Study of Their Preparation, Electrochemistry, Photophysics, Photochemistry, and Host-Guest Properties. <i>Journal of the American Chemical Society</i> , 2000 , 122, 8956-8967	16.4	220
110	Anion recognition through hydrogen bonding: a simple, yet highly sensitive, luminescent metal-complex receptor. <i>Chemical Communications</i> , 2000 , 1687-1688	5.8	206
109	Directed assembly metallocyclic supramolecular systems for molecular recognition and chemical sensing. <i>Coordination Chemistry Reviews</i> , 2008 , 252, 922-939	23.2	200
108	Dipyrrole carboxamide derived selective ratiometric probes for cyanide ion. <i>Organic Letters</i> , 2006 , 8, 5053-6	6.2	193
107	Directed assembly of transition-metal-coordinated molecular loops and squares from salen-type components. Examples of metalation-controlled structural conversion. <i>Journal of the American Chemical Society</i> , 2004 , 126, 6314-26	16.4	185
106	Recent progress in organic sensitizers for dye-sensitized solar cells. <i>RSC Advances</i> , 2015 , 5, 23810-23825	3.7	181
105	Highly sensitive luminescent metal-complex receptors for anions through charge-assisted amide hydrogen bonding. <i>Inorganic Chemistry</i> , 2003 , 42, 3445-53	5.1	126
104	Self-assembly organometallic squares with terpyridyl metal complexes as bridging ligands. <i>Inorganic Chemistry</i> , 2001 , 40, 3154-60	5.1	118
103	White-light emission from an upconverted emission with an organic triplet sensitizer. <i>Chemical Communications</i> , 2009 , 4064-6	5.8	107
102	Synthesis, photophysical, and anion-sensing properties of quinoxalinebis(sulfonamide) functionalized receptors and their metal complexes. <i>Inorganic Chemistry</i> , 2007 , 46, 9201-12	5.1	107
101	Self-assembly of transition-metal-based macrocycles linked by photoisomerizable ligands: examples of photoinduced conversion of tetranuclear-dinuclear squares. <i>Inorganic Chemistry</i> , 2002 , 41, 1862-9	5.1	104
100	Photophysical and Energy-Transfer Properties of (Salen)zinc Complexes and Supramolecular Assemblies. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 2348-2351	2.3	95
99	Anion recognition and sensing by transition-metal complexes with polarized N-H recognition motifs. <i>Coordination Chemistry Reviews</i> , 2015 , 284, 111-123	23.2	90
98	Synthesis, Photophysical Properties, and Photoinduced Luminescence Switching of Trinuclear Diimine Rhenium(I) Tricarbonyl Complexes Linked by an Isomerizable Stilbene-like Ligand. <i>Organometallics</i> , 2002 , 21, 39-49	3.8	90
97	New Self-Assembly Luminescent Molecular Triangle and Square Rhenium(I) Complexes. <i>Inorganic Chemistry</i> , 1999 , 38, 4181-4182	5.1	84

96	Synthesis and Electrochemical, Photophysical, and Anion Binding Properties of Self-Assembly Heterometallic Cyclophanes. <i>Organometallics</i> , 2002 , 21, 685-693	3.8	83
95	Photophysical studies of anion-induced colorimetric response and amplified fluorescence quenching in dipyrrolylquinoxaline-containing conjugated polymers. <i>Chemistry - A European Journal</i> , 2006 , 12, 2263-9	4.8	81
94	Quinoxaline based DAD molecules: high contrast reversible solid-state mechano- and thermo-responsive fluorescent materials. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 5491	7.1	70
93	Syntheses and Reactivity of Ruthenium π -Pyridylacetylides. <i>Organometallics</i> , 1997 , 16, 2038-2048	3.8	67
92	Structurally simple dipolar organic dyes featuring 1,3-cyclohexadiene conjugated unit for dye-sensitized solar cells. <i>Organic Letters</i> , 2009 , 11, 377-80	6.2	64
91	Self-assembly molecular squares with metal complexes as bridging ligands. <i>Inorganic Chemistry</i> , 2000 , 39, 1344-5	5.1	63
90	Structural diversity of new solid-state luminophores based on quinoxaline- β -ketoiminate boron difluoride complexes with remarkable fluorescence switching properties. <i>Chemical Communications</i> , 2015 , 51, 2656-9	5.8	62
89	High-performance dipolar organic dyes with an electron-deficient diphenylquinoxaline moiety in the π -conjugation framework for dye-sensitized solar cells. <i>Chemistry - A European Journal</i> , 2012 , 18, 12085-95	4.8	61
88	Composite films of carbon black nanoparticles and sulfonated-polythiophene as flexible counter electrodes for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2016 , 302, 155-163	8.9	60
87	Highly Efficient Yellow Organic Light Emitting Diode with a Novel Wet- and Dry-Process Feasible Iridium Complex Emitter. <i>Advanced Functional Materials</i> , 2014 , 24, 555-562	15.6	60
86	New fluorescent amide-functionalized phenylethynylthiophene low molecular weight gelator. <i>Organic Letters</i> , 2006 , 8, 387-90	6.2	56
85	Synthesis, optical, and mesomorphic properties of self-assembled organogels featuring phenylethynyl framework with elaborated long-chain pyridine-2,6-dicarboxamides. <i>Langmuir</i> , 2009 , 25, 8714-22	4	55
84	Synthesis and Photophysical Properties of Dinuclear Organometallic Rhenium(II) Diimine Complexes Linked by Pyridine-Containing Macrocyclic Phenylacetylene Ligands. <i>Organometallics</i> , 2001 , 20, 2353-2358	3.8	54
83	Dinuclear Metal Carbonyls Bridged by Pyridyl Ligands Incorporating an Alkyne Entity. <i>Inorganic Chemistry</i> , 1995 , 34, 2323-2333	5.1	54
82	One-step self-assembly organometallic molecular cages from 11 components. <i>Chemical Communications</i> , 2001 , 103-104	5.8	53
81	Amorphous 2,3-Substituted Thiophenes: Potential Electroluminescent Materials. <i>Chemistry of Materials</i> , 2002 , 14, 1884-1890	9.6	49
80	New chromogenic and fluorescent probes for anion detection: formation of a [2 + 2] supramolecular complex on addition of fluoride with positive homotropic cooperativity. <i>Journal of Organic Chemistry</i> , 2008 , 73, 900-11	4.2	47
79	Efficient titanium nitride/titanium oxide composite photoanodes for dye-sensitized solar cells and water splitting. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 4695-4705	13	45

78	Recognition, encapsulation, and selective fluorescence sensing of nitrate anion by neutral C3-symmetric tripodal podands bearing amide functionality. <i>Journal of Organic Chemistry</i> , 2012 , 77, 1880-1890	4.3	45
77	Photophysics and Photochemistry of Organometallic Rhenium Diimine Complexes. <i>Topics in Organometallic Chemistry</i> , 2009 , 37-71	0.6	43
76	Self-Assembly Molecular Architectures Incorporating Fluorene- and Carbazole-Based Bichromic Oligopyridines. Novel Photoactive Materials. <i>Organometallics</i> , 2001 , 20, 2262-2269	3.8	43
75	Colorimetric and luminescent sensing of F ⁻ anion through strong anion- π interaction inside the π -acidic cavity of a pyridyl-triazine bridged trinuclear Re(I)-tricarbonyl diimine complex. <i>Chemical Communications</i> , 2009 , 1511-3	5.8	41
74	Photoswitchable trinuclear transition-metal complexes. Intramolecular triplet-triplet energy transfer from fac-(diimine)Re(CO) ₃ chromophores to a stilbene-like bridging ligand. <i>Chemical Communications</i> , 2000 , 201-202	5.8	41
73	Synthesis and photophysical properties of self-assembled metallo gels of platinum(II) acetylide complexes with elaborate long-chain pyridine-2,6-dicarboxamides. <i>Chemistry - A European Journal</i> , 2012 , 18, 1312-21	4.8	40
72	Photoswitching tetranuclear rhenium(I) tricarbonyl diimine complexes with a stilbene-like bridging ligand. <i>Chemical Communications</i> , 2011 , 47, 6030-2	5.8	40
71	Hole-Transporting Materials Based on Twisted Bimesitylenes for Stable Perovskite Solar Cells with High Efficiency. <i>ChemSusChem</i> , 2016 , 9, 274-9	8.3	39
70	A selective colorimetric Hg ²⁺ probe featuring a styryl dithiaazacrown containing platinum (II) terpyridine complex through modulation of the relative strength of ICT and MLCT transitions. <i>Inorganic Chemistry</i> , 2011 , 50, 2711-3	5.1	39
69	Supramolecular assemblies of amide-derived organogels featuring rigid π -conjugated phenylethynyl frameworks. <i>Langmuir</i> , 2013 , 29, 15146-58	4	37
68	High-Efficiency Wet- and Dry-Processed Green Organic Light Emitting Diodes with a Novel Iridium Complex-Based Emitter. <i>Advanced Optical Materials</i> , 2013 , 1, 657-667	8.1	36
67	Probing Receptor-Anion Interactions by Ratiometric Chemosensors Containing Pyrrolicarboxamide Interacting Sites. <i>European Journal of Organic Chemistry</i> , 2007 , 2007, 3999-4010	3.2	36
66	Energy harvesting star-shaped molecules for electroluminescence applications. <i>Chemical Communications</i> , 2004 , 2328-9	5.8	35
65	Photophysical studies of dipolar organic dyes that feature a 1,3-cyclohexadiene conjugated linkage: the implication of a twisted intramolecular charge-transfer state on the efficiency of dye-sensitized solar cells. <i>Chemistry - A European Journal</i> , 2010 , 16, 12873-82	4.8	34
64	Iodide-free ionic liquid with dual redox couples for dye-sensitized solar cells with high open-circuit voltage. <i>ChemSusChem</i> , 2015 , 8, 1244-53	8.3	33
63	Structurally simple thienodipyrandione-containing reversible fluorescent switching piezo- and acido-chromic materials. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6386	7.1	32
62	Structure-performance correlations of organic dyes with an electron-deficient diphenylquinoxaline moiety for dye-sensitized solar cells. <i>Chemistry - A European Journal</i> , 2014 , 20, 10052-64	4.8	30
61	Ionic liquid with a dual-redox couple for efficient dye-sensitized solar cells. <i>ChemSusChem</i> , 2014 , 7, 146-533	5.3	30

60	Dynamic self-assembly of molecular capsules via solvent polarity controlled reversible binding of nitrate anions with C3 symmetric tripodal receptors. <i>Chemical Communications</i> , 2011 , 47, 8563-5	5.8	30
59	Bifunctional maleimide dyes as selective anion sensors. <i>Tetrahedron</i> , 2009 , 65, 5216-5221	2.4	29
58	Rhenium carbonyls containing pyridyl ligands incorporating an alkyne entity. <i>Journal of Organometallic Chemistry</i> , 1996 , 517, 217-226	2.3	29
57	New Helicene-Type Hole-Transporting Molecules for High-Performance and Durable Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41439-41449	9.5	28
56	Narcissistic self-sorting of hydrogen-bonded dimeric capsules formed through self-assembly of flexible tripodal receptors in polar solvents. <i>Chemical Communications</i> , 2012 , 48, 7392-4	5.8	27
55	Quantitative Photochemistry and Mechanisms for a Series of Rhodium Dicarbonyl Derivatives. <i>Inorganic Chemistry</i> , 2000 , 39, 4442-4451	5.1	27
54	High-performance organic materials for dye-sensitized solar cells: triarylene-linked dyads with a 4-tert-butylphenylamine donor. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 572-81	4.5	26
53	Anion sensing by rhenium(I) carbonyls with polarized N π recognition motifs. <i>Inorganica Chimica Acta</i> , 2012 , 389, 16-28	2.7	26
52	Anthracene-induced turnover enhancement in the manganese porphyrin-catalyzed epoxidation of olefins. <i>Inorganic Chemistry</i> , 2005 , 44, 5523-9	5.1	26
51	Synthesis and characterization of para-pyridine linked NHC palladium complexes and their studies for the Heck-Mizoroki coupling reaction. <i>Dalton Transactions</i> , 2012 , 41, 7382-9	4.3	25
50	Synthesis of electron deficient acene derivatives via a bidirectional iterative elongation reaction. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 4507-17	3.9	25
49	Characterization and purification of supramolecular metal complexes using gel-permeation chromatography. <i>Inorganic Chemistry</i> , 2004 , 43, 2013-7	5.1	25
48	Photophysical and photochemical properties of W(0) and Re(I) carbonyl complexes incorporating ferrocenyl-substituted pyridine ligands. <i>Inorganic Chemistry</i> , 2002 , 41, 132-5	5.1	24
47	Kinetic study of the ferriin oxidation of malonic acid and its derivatives: implication in the Belousov-Zhabotinskii reaction. <i>The Journal of Physical Chemistry</i> , 1993 , 97, 8450-8457		23
46	Fluorescence Enhancement of Unconstrained GFP Chromophore Analogues Based on the Push-Pull Substituent Effect. <i>Journal of Organic Chemistry</i> , 2017 , 82, 8031-8039	4.2	21
45	Halide functionality dependent formation of molecular receptors and their ion recognition properties. <i>Organic Letters</i> , 2009 , 11, 1867-70	6.2	21
44	Donor-Acceptor-Donor Type Cyclopenta[2,1-b;3,4-b']dithiophene Derivatives as a New Class of Hole Transporting Materials for Highly Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2019 , 2, 7070-7082	6.1	20
43	Structural engineering of dipolar organic dyes with an electron-deficient diphenylquinoxaline moiety for efficient dye-sensitized solar cells. <i>Tetrahedron</i> , 2014 , 70, 6276-6284	2.4	20

42	Recyclable nitrate-templated photochemical [2+2] cycloaddition reaction promoted by a tripodal receptor. <i>Chemical Communications</i> , 2013 , 49, 10070-2	5.8	19
41	Thioamide, urea and thiourea bridged rhenium(I) complexes as luminescent anion receptors. <i>Inorganica Chimica Acta</i> , 2011 , 374, 558-565	2.7	19
40	Microemulsion-assisted Zinc Oxide Synthesis: Morphology Control and Its Applications in Photoanodes of Dye-Sensitized Solar Cells. <i>Electrochimica Acta</i> , 2016 , 210, 483-491	6.7	17
39	Low Dielectric Behavior of a Robust, Guest-Free Magnesium(II) Organic Framework: A Potential Application of an Alkaline-Earth Metal Compound. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 1669-1674	2.3	16
38	Synthesis, Photophysical Properties, and Field-Effect Characteristics of (Ethynylphenyl)benzimidazole-Decorated Anthracene and Perylene Bisimide Derivatives. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 2906-2915	3.2	16
37	Manipulating the nanostructure of organogels generated from molecules with a 3-dimensional truxene core. <i>Chemical Communications</i> , 2012 , 48, 3515-7	5.8	15
36	Kinetic study of the Ce(III)- or ferrioxalate-catalyzed Belousov-Zhabotinsky reaction with ethyl- or butyl-malonic acid. <i>International Journal of Chemical Kinetics</i> , 1996 , 28, 345-351	1.4	15
35	A phenothiazine/dimesitylborane hybrid material as a bipolar transport host of red phosphor. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 9499-9508	7.1	14
34	ZnO double layer film with a novel organic sensitizer as an efficient photoelectrode for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2016 , 325, 209-219	8.9	14
33	The Preparation of (8-Hydroxyquinolinato)Bis(2-Phenylpyridyl)Iridium Complexes and Their Photophysical Properties. <i>Journal of the Chinese Chemical Society</i> , 2008 , 55, 439-448	1.5	14
32	A naphthalene-based colorimetric and fluorometric dual-channel chemodosimeter for sensing cyanide in a wide pH range. <i>Dyes and Pigments</i> , 2020 , 183, 108724	4.6	14
31	Lipid-Wrapped Upconversion Nanoconstruct/Photosensitizer Complex for Near-Infrared Light-Mediated Photodynamic Therapy. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 84-95	9.5	14
30	Chiral amplification in one-dimensional helical nanostructures self-organized from phenylethynyl thiophene with elaborated long-chain dicarboxamides. <i>Journal of Organic Chemistry</i> , 2011 , 76, 5524-30	4.2	13
29	Photophysics and evidence of excimer formation, linear bipyridines in solution and solid films. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2001 , 140, 157-161	4.7	12
28	Reversible encapsulation of a nitrate guest via hydrogen-bonded self-assembled capsule formation by a flexible tripodal receptor in polar solvent through dynamic self-assembly. <i>RSC Advances</i> , 2012 , 2, 9502	3.7	11
27	Dinuclear gold diselenophosphate complexes: structures and photoluminescence. <i>Inorganic Chemistry</i> , 2010 , 49, 7641-3	5.1	10
26	Rational Design of Cyclopenta[2,1-b;3,4-b']dithiophene-bridged Hole Transporting Materials for Highly Efficient and Stable Perovskite Solar Cells. <i>Energy Technology</i> , 2019 , 7, 307-316	3.5	10
25	A General Strategy to Enhance the Performance of Dye-Sensitized Solar Cells by Incorporating a Light-Harvesting Dye with a Hydrophobic Polydiacetylene Electrolyte-Blocking Layer. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 690-697	4.5	9

24	Cross-Linked Fluorescent Supramolecular Nanoparticles as Finite Tattoo Pigments with Controllable Intradermal Retention Times. <i>ACS Nano</i> , 2017 , 11, 153-162	16.7	9
23	Transition-metal directed self-assembly of adamantoid-shaped supramolecules incorporating ferrocenyl moieties. <i>Inorganica Chimica Acta</i> , 2003 , 351, 363-368	2.7	9
22	The Mn(II)-Catalyzed Belousov-Zhabotinsky Reaction with Methyl-, Ethyl- or Butyl-Malonic Acid. <i>Journal of the Chinese Chemical Society</i> , 1994 , 41, 651-658	1.5	9
21	Molecularly Engineered Cyclopenta[2,1-b;3,4-b']dithiophene-Based Hole-Transporting Materials for High-Performance Perovskite Solar Cells with Efficiency over 19%. <i>ACS Applied Energy Materials</i> , 2021 , 4, 4719-4728	6.1	9
20	Hydrogen Bonding-Induced H-Aggregation for Fluorescence Turn-On of the GFP Chromophore: Supramolecular Structural Rigidity. <i>Chemistry - A European Journal</i> , 2020 , 26, 5942-5945	4.8	8
19	New 2,3-diphenylquinoxaline containing organic D-A- π dyes with nickel oxide photocathode prepared by surfactant-mediated synthesis for high performance p-type dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2019 , 163, 761-774	4.6	8
18	Synthesis, Electrochemical and Photophysical Properties of 2,4,6-Tripyridyl-1,3,5-Triazine-Bridged Trinuclear Diimine Rhenium(I) Tricarbonyl Complexes. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 5224-5237	2.3	7
17	Acetonitriletricarbonyl(2,9-dimethyl-4,7-diphenyl-1,10-phenanthroline)rhenium(I) hexafluorophosphate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001 , 57, m119-m121		7
16	Synthesis and physical properties of brominated hexacene and hole-transfer properties of thin-film transistors.. <i>RSC Advances</i> , 2018 , 8, 13259-13265	3.7	6
15	Structurally Flexible C ₂ Symmetric Receptors for Molecular Recognition and Their Self-Assembly Properties. <i>Chemical Record</i> , 2015 , 15, 1021-44	6.6	6
14	Heptacene: Synthesis and Its Hole-Transfer Property in Stable Thin Films. <i>Chemistry - A European Journal</i> , 2021 , 27, 10677-10684	4.8	5
13	Structural Engineering of Organic D-A- π Dyes Incorporated with a Dibutyl-Fluorene Moiety for High-Performance Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 23513-23522	9.5	5
12	Structural Tuning of Anion-Templated Motifs with External Stimuli through Crystal-to-Crystal Transformation. <i>Chemistry - A European Journal</i> , 2017 , 23, 762-766	4.8	4
11	Template-assisted in situ polymerization for forming blue organic light-emitting nanotubes. <i>Chemical Communications</i> , 2014 , 50, 8208-10	5.8	4
10	Thermally induced 1D to 2D polymer conversion accompanied by major packing changes in single-crystal-to-single-crystal transformation. <i>CrystEngComm</i> , 2018 , 20, 2346-2350	3.3	2
9	A dinuclear rhenium complex, {[C ₁₈ H ₂₄ N ₂ Re(CO) ₃] ₂ (C ₁₂ H ₁₂ N ₂)}(PF ₆) ₂ ·2CH ₂ Cl ₂ . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003 , 59, m134-m136		2
8	Pt/Pd- π -ethynyl Bond Containing Fluorescent Molecular Architectures as Sensors for Nitroaromatics 2012 , 275-316		2
7	Synthesis, Luminescence, and Structure of a Polymorphic Polyfluorinated Diiodoplatinum(II) Diimine Complex. <i>Inorganic Chemistry</i> , 2019 , 58, 10716-10724	5.1	1

6	Molecular Recognition and Chemical Sensing of Anions Utilizing Excited-State Hydrogen-Bonding Interaction 2010 , 805-814		1
5	An organic dye containing electron-rich cyclopentadithiophene for dye-sensitized solar cells with an efficiency over 28% at 6,000 lux. <i>Journal of the Chinese Chemical Society</i> , 2021 , 68, 952	1.5	1
4	Low-Cost Hole-Transporting Materials Based on Carbohelicene for High-Performance Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 20051-20059	9.5	1
3	Platinum(II)-directed Self-assembly Loop Complexes for Anion Recognition and Sensing. <i>Journal of the Chinese Chemical Society</i> , 2018 , 65, 141-148	1.5	1
2	Tailoring Photophysical Properties of Diketopyrrolopyrrole Small Molecules with Electron-Withdrawing Moieties for Efficient Solar Steam Generation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 38365-38374	9.5	1
1	The thermofluoric behavior of poly(fluorenetolyldiphenylamine)βxadiazole pair in a polymer matrix. <i>RSC Advances</i> , 2013 , 3, 20227	3.7	