

Guoliang Yuan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2465243/guoliang-yuan-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

2,772
citations

29
h-index

47
g-index

115
ext. papers

3,510
ext. citations

7.5
avg, IF

5.49
L-index

#	Paper	IF	Citations
113	Hierarchical heterostructures of Ag nanoparticles decorated MnO ₂ nanowires as promising electrodes for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1216-1221	13	160
112	Giant photostriction in organic-inorganic lead halide perovskites. <i>Nature Communications</i> , 2016 , 7, 11193	17.4	119
111	Highly Stretchable, Ultrasensitive, and Wearable Strain Sensors Based on Facilely Prepared Reduced Graphene Oxide Woven Fabrics in an Ethanol Flame. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 32054-32064	9.5	117
110	Piezo-catalysis for nondestructive tooth whitening. <i>Nature Communications</i> , 2020 , 11, 1328	17.4	100
109	Injectable polysaccharide hydrogel embedded with hydroxyapatite and calcium carbonate for drug delivery and bone tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2018 , 118, 1257-1266 ⁹²	7.9	92
108	Magnetic and self-healing chitosan-alginate hydrogel encapsulated gelatin microspheres via covalent cross-linking for drug delivery. <i>Materials Science and Engineering C</i> , 2019 , 101, 619-629	8.3	80
107	Facile synthesis of chain-like LiCoO ₂ nanowire arrays as three-dimensional cathode for microbatteries. <i>NPG Asia Materials</i> , 2014 , 6, e126-e126	10.3	76
106	Flexible, Semitransparent, and Inorganic Resistive Memory based on BaTi Co O Film. <i>Advanced Materials</i> , 2017 , 29, 1700425	24	74
105	Characterization and manipulation of mixed phase nanodomains in highly strained BiFeO ₃ thin films. <i>ACS Nano</i> , 2012 , 6, 5388-94	16.7	71
104	Flexible memristors as electronic synapses for neuro-inspired computation based on scotch tape-exfoliated mica substrates. <i>Nano Research</i> , 2018 , 11, 1183-1192	10	69
103	A review of flexible perovskite oxide ferroelectric films and their application. <i>Journal of Materiomics</i> , 2020 , 6, 1-16	6.7	69
102	Flexible PbZr _{0.52} Ti _{0.48} O ₃ Capacitors with Giant Piezoelectric Response and Dielectric Tunability. <i>Advanced Electronic Materials</i> , 2017 , 3, 1600542	6.4	66
101	Large Piezoelectricity in Ternary Lead-Free Single Crystals. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900949	4.9	58
100	Ultrathin Cs ₃ Bi ₂ I ₉ Nanosheets as an Electronic Memory Material for Flexible Memristors. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700131	4.6	57
99	Covalently polysaccharide-based alginate/chitosan hydrogel embedded alginate microspheres for BSA encapsulation and soft tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2019 , 127, 340-348	7.9	53
98	Upward ferroelectric self-polarization induced by compressive epitaxial strain in (001) BaTiO ₃ films. <i>Journal of Applied Physics</i> , 2013 , 113, 204105	2.5	45
97	In-Plane Ferroelectricity in Thin Flakes of Van der Waals Hybrid Perovskite. <i>Advanced Materials</i> , 2018 , 30, e1803249	24	45

96	Ferroelectric BiFeO as an Oxide Dye in Highly Tunable Mesoporous All-Oxide Photovoltaic Heterojunctions. <i>Small</i> , 2017 , 13, 1602355	11	44
95	Structure, ferroelectric and piezoelectric properties of multiferroic Bi _{0.875} Sm _{0.125} FeO ₃ ceramics. <i>Journal of Alloys and Compounds</i> , 2012 , 541, 173-176	5.7	44
94	Upward ferroelectric self-poling in (001) oriented PbZr _{0.2} Ti _{0.8} O ₃ epitaxial films with compressive strain. <i>AIP Advances</i> , 2013 , 3, 122101	1.5	41
93	Porous manganese oxide generated from lithiation/delithiation with improved electrochemical oxidation for supercapacitors. <i>Journal of Materials Chemistry</i> , 2011 , 21, 15521		40
92	Flexible organic ferroelectric films with a large piezoelectric response. <i>NPG Asia Materials</i> , 2015 , 7, e189-189	1.89	39
91	Emergence of Ferroelectricity in Halide Perovskites. <i>Small Methods</i> , 2020 , 4, 2000149	12.8	37
90	Magnetically Separable CdS/ZnFe ₂ O ₄ Composites with Highly Efficient Photocatalytic Activity and Photostability under Visible Light. <i>ACS Applied Nano Materials</i> , 2018 , 1, 831-838	5.6	37
89	Multifunctional Ag nanoparticles in heterostructured Ag ₂ MoO ₄ /Ag/AgBr cubes with boosted photocatalytic performances. <i>Solar Energy</i> , 2018 , 170, 124-131	6.8	37
88	Photon-Induced Reversible Phase Transition in CsPbBr ₃ Perovskite. <i>Advanced Functional Materials</i> , 2019 , 29, 1807922	15.6	37
87	Room Temperature Multiferroicity of Charge Transfer Crystals. <i>ACS Nano</i> , 2015 , 9, 9373-9	16.7	35
86	Coexistence of unipolar and bipolar resistive switching in BiFeO ₃ and Bi _{0.8} Ca _{0.2} FeO ₃ films. <i>Journal of Applied Physics</i> , 2012 , 111, 104103	2.5	35
85	Structure, ferroelectricity and piezoelectricity evolutions of Bi _{1-x} Sm _x FeO ₃ at various temperatures. <i>Solid State Communications</i> , 2012 , 152, 497-500	1.6	31
84	Construction of all-solid-state Z-scheme 2D BiVO ₄ /Ag/CdS composites with robust photoactivity and stability. <i>Applied Surface Science</i> , 2019 , 498, 143900	6.7	26
83	Flexible, Fatigue-Free, and Large-Scale BiLaTiO Ferroelectric Memories. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 21428-21433	9.5	26
82	Ferroelectric Polarization Switching Dynamics and Domain Growth of Triglycine Sulfate and Imidazolium Perchlorate. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600038	6.4	26
81	Electrical and mechanical switching of ferroelectric polarization in the 70 nm BiFeO ₃ film. <i>Scientific Reports</i> , 2016 , 6, 19092	4.9	25
80	The development of BiFeO ₃ -based ceramics. <i>Science Bulletin</i> , 2014 , 59, 5161-5169		24
79	Photoluminescence, thermoluminescence and reversible photoluminescence modulation of multifunctional optical materials Pr ³⁺ doped K _{1-x} Na _x NbO ₃ ferroelectric ceramics. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 3946-3955	6	24

78	Strong piezocatalysis in barium titanate/carbon hybrid nanocomposites for dye wastewater decomposition. <i>Journal of Colloid and Interface Science</i> , 2021 , 586, 758-765	9.3	24
77	Energy transduction ferroic materials. <i>Materials Today</i> , 2018 , 21, 771-784	21.8	23
76	Multiferroic properties of Bi _{1-x} Dy _x FeO ₃ (x=0.2) ceramics at various temperatures. <i>Materials Letters</i> , 2012 , 72, 160-163	3.3	23
75	Mechanism of polarization fatigue in BiFeO ₃ : The role of Schottky barrier. <i>Applied Physics Letters</i> , 2014 , 104, 012903	3.4	23
74	Polarization dependent ferroelectric photovoltaic effects in BFTO/CuO thin films. <i>Applied Physics Letters</i> , 2017 , 111, 032901	3.4	22
73	Temperature Gradient Introduced Ferroelectric Self-Poling in BiFeO ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 3788-3792	3.8	22
72	The enhanced photocurrent of epitaxial BiFeO ₃ film at 130 °C. <i>Journal of Applied Physics</i> , 2016 , 119, 044102	10.2	22
71	Transparent, Flexible, Fatigue-Free, Optical-Read, and Nonvolatile Ferroelectric Memories. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 35169-35176	9.5	21
70	Covalent Chitosan-Cellulose Hydrogels via Schiff-Base Reaction Containing Macromolecular Microgels for pH-Sensitive Drug Delivery and Wound Dressing. <i>Macromolecular Chemistry and Physics</i> , 2019 , 220, 1900399	2.6	20
69	Enhanced photocatalytic efficiency in degrading organic dyes by coupling CdS nanowires with ZnFe ₂ O ₄ nanoparticles. <i>Solar Energy</i> , 2020 , 195, 271-277	6.8	20
68	An All-Inorganic, Transparent, Flexible, and Nonvolatile Resistive Memory. <i>Advanced Electronic Materials</i> , 2018 , 4, 1800412	6.4	20
67	Photovoltaic, photo-impedance, and photo-capacitance effects of the flexible (111) BiFeO ₃ film. <i>Applied Physics Letters</i> , 2019 , 115, 112902	3.4	19
66	Nonvolatile Photoelectric Memory Induced by Interfacial Charge at a Ferroelectric PZT-Gated Black Phosphorus Transistor. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900458	6.4	19
65	Doubly crosslinked biodegradable hydrogels based on gellan gum and chitosan for drug delivery and wound dressing. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 2204-2214	7.9	19
64	Colossal X-Ray-Induced Persistent Photoconductivity in Current-Perpendicular-to-Plane Ferroelectric/Semiconductor Junctions. <i>Advanced Functional Materials</i> , 2018 , 28, 1704337	15.6	19
63	High-temperature piezoelectric properties of 0-3 type CaBi ₄ Ti ₄ O ₁₅ :xwt%BiFeO ₃ composites. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3522-3529	3.8	18
62	Unipolar resistive switching of ZnO-single-wire memristors. <i>Nanoscale Research Letters</i> , 2014 , 9, 381	5	18
61	All-polymeric control of nanoferronics. <i>Science Advances</i> , 2015 , 1, e1501264	14.3	18

60	Strong tribo-catalysis of zinc oxide nanorods via triboelectrically-harvesting friction energy. <i>Ceramics International</i> , 2020 , 46, 25293-25298	5.1	17
59	Light-induced dilation in nanosheets of charge-transfer complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 3776-3781	11.5	16
58	Chiral Molecular Ferroelectrics with Polarized Optical Effect and Electroresistive Switching. <i>ACS Nano</i> , 2017 , 11, 11739-11745	16.7	16
57	The integration of diverse fluorescence performances of Sr ₂ SnO ₄ :xSm ³⁺ ceramics with an infinite luminescence modulation ratio. <i>Chemical Engineering Journal</i> , 2021 , 410, 128287	14.7	14
56	Phase Transition in the Near-Surface Region of Ternary Pb(In _{1/2} Nb _{1/2})O ₃ Pb(Mg _{1/3} Nb _{2/3})O ₃ PbTiO ₃ Relaxor Ferroelectric Crystals. <i>Physical Review Applied</i> , 2017 , 8,	4.3	13
55	0B type Bi ₃ TaTiO ₉ :40wt%BiFeO ₃ composite with improved high-temperature piezoelectric properties. <i>Journal of Alloys and Compounds</i> , 2018 , 740, 1-6	5.7	13
54	Multifunctional Charge-Transfer Single Crystals through Supramolecular Assembly. <i>Advanced Materials</i> , 2016 , 28, 5322-9	24	13
53	External stimuli controlled multiferroic charge-transfer crystals. <i>Nano Research</i> , 2016 , 9, 925-932	10	13
52	Improved ferroelectricity of (1-x)Na _{0.5} Bi _{0.5} TiO ₃ -xBaTiO ₃ ceramics rapidly sintered at low temperature. <i>Ceramics International</i> , 2014 , 40, 11819-11824	5.1	13
51	The Origin of Enhanced Room Temperature Ferromagnetism in Ba Doped BiFeO ₃ . <i>Journal of Superconductivity and Novel Magnetism</i> , 2013 , 26, 3309-3313	1.5	13
50	Structural Evolving Sequence and Porous Ba ₆ Zr ₂ Nb ₈ O ₃₀ Ferroelectric Ceramics with Ultrahigh Breakdown Field and Zero Strain. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 555-560	3.8	13
49	CuO added Pb _{0.92} Sr _{0.06} Ba _{0.02} (Mg _{1/3} Nb _{2/3}) _{0.25} (Ti _{0.53} Zr _{0.47}) _{0.75} O ₃ ceramics sintered with Ag el. <i>Chinese Physics B</i> , 2017 , 26, 037702	1.2	12
48	Reversible and color controllable emissions in Er ³⁺ /Pr ³⁺ -codoped K _{0.5} Na _{0.5} NbO ₃ ceramics with splendid photochromic properties for anti-counterfeiting applications. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 1904-1916	6	12
47	Covalently injectable chitosan/chondroitin sulfate hydrogel integrated gelatin/heparin microspheres for soft tissue engineering. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2021 , 70, 149-157	3	12
46	Fragile morphotropic phase boundary and phase stability in the near-surface region of the relaxor ferroelectric (1-x)Pb(Zn _{1/3} Nb _{2/3})O ₃ -xPbTiO ₃ : [001] field-cooled phase diagrams. <i>Physical Review B</i> , 2016 , 94,	3.3	11
45	Structure and piezoelectric properties of BiFeO ₃ and Bi _{0.92} Dy _{0.08} FeO ₃ multiferroics at high temperature. <i>Solid State Communications</i> , 2012 , 152, 1194-1198	1.6	11
44	Structural and electrical properties of multiferroic (1-x)BiFeO ₃ -xBi _{0.5} K _{0.5} TiO ₃ ceramics. <i>Journal of Alloys and Compounds</i> , 2016 , 678, 228-233	5.7	11
43	Dual Functions of Performance Improvement and Lead Leakage Mitigation of Perovskite Solar Cells Enabled by Phenylbenzimidazole Sulfonic Acid.. <i>Small Methods</i> , 2021 , e2101257	12.8	11

42	High-temperature multilayer actuators based on CuO added BiScO ₃ PbTiO ₃ piezoceramics and Ag electrodes. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 5424-5431	3.8	10
41	Ferroic phase transitions and switching properties of modified BiFeO ₃ BrTiO ₃ multiferroic perovskites. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 12067-12073	2.1	10
40	Effect of physisorption and chemisorption of water on resonant modes of rolled-up tubular microcavities. <i>Nanoscale Research Letters</i> , 2013 , 8, 531	5	10
39	Enhancing photoelectrochemical performance of the BiMoO photoanode by ferroelectric polarization regulation. <i>Nanoscale</i> , 2020 , 12, 18446-18454	7.7	9
38	Highly Controllable and Silicon-Compatible Ferroelectric Photovoltaic Synapses for Neuromorphic Computing. <i>IScience</i> , 2020 , 23, 101874	6.1	9
37	Heterogeneous domain configurations in ferroelectric crystals during thermal depolarization. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1751-1759	3.8	8
36	Large field-induced-strain at high temperature in ternary ferroelectric crystals. <i>Scientific Reports</i> , 2016 , 6, 35120	4.9	8
35	Ferroelectric domain evolution with temperature in BaTiO ₃ film on (001) SrTiO ₃ substrate. <i>Applied Physics Letters</i> , 2013 , 103, 062903	3.4	8
34	Influence of the Strain on Dielectric and Ferroelectric Properties of 0.5BaZr _{0.2} Ti _{0.8} O ₃ 0.5Ba _{0.7} Ca _{0.3} TiO ₃ . <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2823-2828	3.8	8
33	Adhesive and high-sensitivity modified TiCT (MXene)-based organohydrogels with wide work temperature range for wearable sensors.. <i>Journal of Colloid and Interface Science</i> , 2022 , 613, 94-102	9.3	8
32	Enhancement of piezoelectric catalysis of Na _{0.5} Bi _{0.5} TiO ₃ with electric poling for dye decomposition. <i>Ceramics International</i> , 2021 ,	5.1	8
31	Encoding, training and retrieval in ferroelectric tunnel junctions. <i>Scientific Reports</i> , 2016 , 6, 27022	4.9	8
30	Ultrasensitive flexible magnetoelectric sensor. <i>APL Materials</i> , 2021 , 9, 021123	5.7	8
29	Structural origin of room temperature poling enhanced piezoelectricity in modified Pb(Mg _{1/3} Nb _{2/3})O ₃ -30%PbTiO ₃ crystals. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4938-4944	3.8	7
28	Enhanced Performance of Organic Field-Effect Transistor Memory by Hole-Barrier Modulation with an N-Type Organic Buffer Layer between Pentacene and Polymer Electret. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901184	6.4	7
27	Enhanced Photoelectrochemical Performance by Interface Engineering in Ternary g-C ₃ N ₄ /TiO ₂ /PbTiO ₃ Films. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000185	4.6	7
26	Self-Organized Ferroelectric Domains Controlled by a Constant Bias from the Atomic Force Microscopy Tip. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40911-40917	9.5	7
25	Effects of LiNbO ₃ doping on the microstructures and electrical properties of BiScO ₃ PbTiO ₃ piezoelectric system. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 18036-18044	2.1	7

24	Giant Electric Bias-Induced Tunability of Photoluminescence and Photoresistance in Hybrid Perovskite Films on Ferroelectric Substrates. <i>Advanced Optical Materials</i> , 2019 , 7, 1901092	8.1	6
23	Highly efficient piezo-catalysis of the heat-treated cellulose nanocrystal for dye decomposition driven by ultrasonic vibration. <i>Separation and Purification Technology</i> , 2022 , 286, 120450	8.3	6
22	Ferroelastic-Domain-Assisted Mechanical Switching of Ferroelectric Domains in Pb(Zr,Ti)O ₃ Thin Films. <i>Advanced Electronic Materials</i> , 2020 , 6, 2000300	6.4	5
21	Thickness dependence of domain size in 2D ferroelectric CuInP ₂ S ₆ nanoflakes. <i>AIP Advances</i> , 2019 , 9, 115211	1.5	5
20	Light-controlled molecular resistive switching ferroelectric heterojunction. <i>Materials Today</i> , 2020 , 34, 51-57	21.8	5
19	Piezoelectricity in Excess of 800 pC/N over 400 °C in BiScO-PbTiO-CaTiO Ceramics. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 33253-33261	9.5	5
18	Flexible and Ultrasensitive Piezoelectric Composites Based on Highly (00l)-Assembled BaTiO ₃ Microplatelets for Wearable Electronics Application. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900689	6.8	4
17	Modification of SnO ₂ with Phosphorus-Containing Lewis Acid for High-Performance Planar Perovskite Solar Cells with Negligible Hysteresis. <i>Solar Rrl</i> , 2022 , 6, 2100942	7.1	4
16	Constructing Asymmetrical Ni-Centered {NiNO} Octahedra in Layered Metal-Organic Structures for Near-Room-Temperature Single-Phase Magnetoelectricity. <i>Journal of the American Chemical Society</i> , 2020 , 142, 12841-12849	16.4	3
15	Stable piezoelectric response of 0-3 type CaBi ₂ Nb ₂ O ₉ :xwt%BiFeO ₃ composites for high-temperature piezoelectric applications. <i>Journal of Asian Ceramic Societies</i> , 2021 , 9, 312-322	2.4	3
14	Synergetic effect of piezoelectricity and Ag deposition on photocatalytic performance of barium titanate perovskite. <i>Solar Energy</i> , 2021 , 224, 455-461	6.8	3
13	Transition in temperature scaling behaviors and super temperature stable polarization in BiScO ₃ PbZrO ₃ PbTiO ₃ system. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 3691-3697	3.8	2
12	Anti-parallel polarization switching in a triglycine sulfate organic ferroelectric insulator: The role of surface charges. <i>Applied Physics Letters</i> , 2018 , 112, 162903	3.4	2
11	Enhanced high permittivity and lowed dielectric loss in cellulose fiber framework polymer microcomposites. <i>Polymer Composites</i> , 2019 , 40, 1526-1535	3	2
10	Development and Prospects of Halide Perovskite Single Crystal Films. <i>Advanced Electronic Materials</i> , 2020 , 6, 2100980	10.8	1
9	Enhanced ferroelectric and piezoelectric response by MnO ₂ added Bi _{0.5} (K _{0.2} Na _{0.8}) _{0.5} TiO ₃ ceramics. <i>Journal of Solid State Chemistry</i> , 2021 , 306, 122716	3.3	1
8	Composition-dependent microstructure and electrical property of (1-x)SBN-xBNBT solid solutions. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 6913-6921	3.8	1
7	Giant Bulk Photostriction and Accurate Photomechanical Actuation in Hybrid Perovskites. <i>Advanced Optical Materials</i> , 2021 , 9, 2100837	8.1	1

6	Coupled Current Jumps and Domain Wall Creeps in a Defect-Engineered Ferroelectric Resistive Memory. <i>Advanced Electronic Materials</i> ,2101059	6.4	1
5	Robust Flexo-Catalysis in Centrosymmetric Nanoparticles. <i>Advanced Materials Technologies</i> ,2101484	6.8	1
4	Giant Bulk Photostriction of Lead Halide Perovskite Single Crystals. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32263-32269	9.5	0
3	Thermally Stable Piezoelectric Performance of MnO ₂ Inserted Pseudo-tetragonal Phase Existent CaBi ₂ Nb ₂ O ₉ -based Ceramics. <i>Materials Technology</i> ,1-9	2.1	0
2	Charge-Transfer Magnets: Multiferroicity of Carbon-Based Charge-Transfer Magnets (Adv. Mater. 4/2015). <i>Advanced Materials</i> , 2015 , 27, 733-733	24	
1	Giant modulation of photoluminescence in CsPbBr ₃ films through polarization switching of PMN-PT. <i>Applied Physics Letters</i> , 2021 , 119, 252903	3-4	