

# Tiina Skoog

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2465377/tiina-skoog-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29  
papers

1,063  
citations

16  
h-index

32  
g-index

32  
ext. papers

1,241  
ext. citations

5.9  
avg, IF

3.23  
L-index

#	Paper	IF	Citations
29	A common functional polymorphism (C-->A substitution at position -863) in the promoter region of the tumour necrosis factor-alpha (TNF-alpha) gene associated with reduced circulating levels of TNF-alpha. <i>Human Molecular Genetics</i> , <b>1999</b> , 8, 1443-9	5.6	282
28	Plasma tumour necrosis factor-alpha and early carotid atherosclerosis in healthy middle-aged men. <i>European Heart Journal</i> , <b>2002</b> , 23, 376-83	9.5	187
27	Microbe-host interplay in atopic dermatitis and psoriasis. <i>Nature Communications</i> , <b>2019</b> , 10, 4703	17.4	90
26	The human GIMAP5 gene has a common polyadenylation polymorphism increasing risk to systemic lupus erythematosus. <i>Journal of Medical Genetics</i> , <b>2007</b> , 44, 314-21	5.8	58
25	NOD-like receptor signaling and inflammasome-related pathways are highlighted in psoriatic epidermis. <i>Scientific Reports</i> , <b>2016</b> , 6, 22745	4.9	51
24	Matrilysin-2 (matrix metalloproteinase-26) is upregulated in keratinocytes during wound repair and early skin carcinogenesis. <i>Journal of Investigative Dermatology</i> , <b>2005</b> , 124, 849-56	4.3	50
23	Increased expression of matrix metalloproteinases-21 and -26 and TIMP-4 in pancreatic adenocarcinoma. <i>Modern Pathology</i> , <b>2007</b> , 20, 1128-40	9.8	38
22	Cationic gold nanoparticles elicit mitochondrial dysfunction: a multi-omics study. <i>Scientific Reports</i> , <b>2019</b> , 9, 4366	4.9	31
21	CCHCR1 is up-regulated in skin cancer and associated with EGFR expression. <i>PLoS ONE</i> , <b>2009</b> , 4, e6030	3.7	25
20	MMP-21 is expressed by macrophages and fibroblasts in vivo and in culture. <i>Experimental Dermatology</i> , <b>2006</b> , 15, 775-83	4	25
19	Aberrant splicing of genes involved in haemoglobin synthesis and impaired terminal erythroid maturation in SF3B1 mutated refractory anaemia with ring sideroblasts. <i>British Journal of Haematology</i> , <b>2015</b> , 171, 478-90	4.5	23
18	Expression of MMP-10, MMP-21, MMP-26, and MMP-28 in Merkel cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2009</b> , 455, 495-503	5.1	20
17	MMP-10 (Stromelysin-2) and MMP-21 in human and murine squamous cell cancer. <i>Experimental Dermatology</i> , <b>2009</b> , 18, 1044-52	4	20
16	Allele-specific chromatin remodeling of the tumor necrosis factor-alpha promoter. <i>Biochemical and Biophysical Research Communications</i> , <b>2006</b> , 351, 777-83	3.4	19
15	Tumour necrosis factor-alpha (TNF-alpha) polymorphisms-857C/A and -863C/A are associated with TNF-alpha secretion from human adipose tissue. <i>Diabetologia</i> , <b>2001</b> , 44, 654-5	10.3	19
14	Gene expression analysis of skin grafts and cultured keratinocytes using synthetic RNA normalization reveals insights into differentiation and growth control. <i>BMC Genomics</i> , <b>2015</b> , 16, 476	4.5	18
13	The human long non-coding RNA gene RMRP has pleiotropic effects and regulates cell-cycle progression at G2. <i>Scientific Reports</i> , <b>2019</b> , 9, 13758	4.9	14

12	Fetal HLA-G mediated immune tolerance and interferon response in preeclampsia. <i>EBioMedicine</i> , <b>2020</b> , 59, 102872	8.8	14
11	Identification of MAMDC1 as a candidate susceptibility gene for systemic lupus erythematosus (SLE). <i>PLoS ONE</i> , <b>2009</b> , 4, e8037	3.7	12
10	Multiparametric Profiling of Engineered Nanomaterials: Unmasking the Surface Coating Effect. <i>Advanced Science</i> , <b>2020</b> , 7, 2002221	13.6	11
9	Investigation of rare and low-frequency variants using high-throughput sequencing with pooled DNA samples. <i>Scientific Reports</i> , <b>2016</b> , 6, 33256	4.9	10
8	Matrix metalloproteinase-21 expression is associated with keratinocyte differentiation and upregulated by retinoic acid in HaCaT cells. <i>Journal of Investigative Dermatology</i> , <b>2009</b> , 129, 119-30	4.3	10
7	Expression of allograft inflammatory factor-1 in inflammatory skin disorders. <i>Acta Dermato-Venereologica</i> , <b>2007</b> , 87, 223-7	2.2	7
6	Toxicogenomic Profiling of 28 Nanomaterials in Mouse Airways. <i>Advanced Science</i> , <b>2021</b> , 8, 2004588	13.6	7
5	Intracellular signalling pathways and cytoskeletal functions converge on the psoriasis candidate gene CCHCR1 expressed at P-bodies and centrosomes. <i>BMC Genomics</i> , <b>2018</b> , 19, 432	4.5	6
4	Guide for library design and bias correction for large-scale transcriptome studies using highly multiplexed RNAseq methods. <i>BMC Bioinformatics</i> , <b>2019</b> , 20, 418	3.6	6
3	Delineating the Healthy Human Skin UV Response and Early Induction of Interferon Pathway in Cutaneous Lupus Erythematosus. <i>Journal of Investigative Dermatology</i> , <b>2019</b> , 139, 2058-2061.e4	4.3	5
2	Sequence analysis of pooled bacterial samples enables identification of strain variation in group A streptococcus. <i>Scientific Reports</i> , <b>2017</b> , 7, 45771	4.9	3
1	Erythropoiesis In SF3B1 Mutated RARS Is Disrupted During Terminal Erythroid Maturation. <i>Blood</i> , <b>2013</b> , 122, 2408-2408	2.2	