

# Oscar Lorenzo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/246558/oscar-lorenzo-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71  
papers

4,748  
citations

37  
h-index

68  
g-index

79  
ext. papers

5,288  
ext. citations

5.7  
avg, IF

5.2  
L-index

#	Paper	IF	Citations
71	Impact of renal function on the prognostic value of mineral metabolism in patients with chronic ischaemic heart disease patients with chronic ischaemic heart disease. <i>Clínica E Investigación En Arteriosclerosis</i> , <b>2021</b> , 34, 1-1	1.4	
70	MCP-1 Predicts Recurrent Cardiovascular Events in Patients with Persistent Inflammation. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	5
69	Parathormone levels add prognostic ability to N-terminal pro-brain natriuretic peptide in stable coronary patients. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2713-2722	3.7	3
68	PCSK9 and HS-CRP Predict Progression of Aortic Stenosis in Patients with Stable Coronary Artery Disease. <i>Journal of Cardiovascular Translational Research</i> , <b>2021</b> , 14, 238-245	3.3	3
67	Visfatin/eNamp1 induces endothelial dysfunction in vivo: a role for Toll-Like Receptor 4 and NLRP3 inflammasome. <i>Scientific Reports</i> , <b>2020</b> , 10, 5386	4.9	30
66	Galectin-3 Is Associated with Cardiovascular Events in Post-Acute Coronary Syndrome Patients with Type-2 Diabetes. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	8
65	Monocyte Chemoattractant Protein-1 Is an Independent Predictor of Coronary Artery Ectasia in Patients with Acute Coronary Syndrome. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	4
64	Addition of Probiotics to Anti-Obesity Therapy by Percutaneous Electrical Stimulation of Dermatome T6. A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	6
63	Lipid Biomarkers as Predictors of Diastolic Dysfunction in Diabetes with Poor Glycemic Control. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	5
62	Cardiovascular Damage in COVID-19: Therapeutic Approaches Targeting the Renin-Angiotensin-Aldosterone System. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	12
61	DPP4 and ACE2 in Diabetes and COVID-19: Therapeutic Targets for Cardiovascular Complications?. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 1161	5.6	44
60	Linking LOXL2 to Cardiac Interstitial Fibrosis. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	3
59	Predictive and diagnostic biomarkers for gestational diabetes and its associated metabolic and cardiovascular diseases. <i>Cardiovascular Diabetology</i> , <b>2019</b> , 18, 140	8.7	52
58	Activation of bombesin receptor Subtype-3 by [D-Tyr,Ala,Phe,Nle]bombesin increased glucose uptake and lipogenesis in human and rat adipocytes. <i>Molecular and Cellular Endocrinology</i> , <b>2018</b> , 474, 10-19	4.4	2
57	Sitagliptin improved glucose assimilation in detriment of fatty-acid utilization in experimental type-II diabetes: role of GLP-1 isoforms in Glut4 receptor trafficking. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 12	8.7	26
56	Customized Dietary Intervention Avoids Unintentional Weight Loss and Modulates Circulating miRNAs Footprint in Huntington's Disease. <i>Molecular Nutrition and Food Research</i> , <b>2018</b> , 62, e1800619	5.9	13
55	Targeting inflammation in diabetic nephropathy: a tale of hope. <i>Expert Opinion on Investigational Drugs</i> , <b>2018</b> , 27, 917-930	5.9	84

54	Diagnostic approaches for diabetic cardiomyopathy. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 28	8.7	111
53	Regulation of visceral and epicardial adipose tissue for preventing cardiovascular injuries associated to obesity and diabetes. <i>Cardiovascular Diabetology</i> , <b>2017</b> , 16, 44	8.7	98
52	Sun exposure influences the prognostic power of components of mineral metabolism in patients with coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2017</b> , 27, 762-767	4.5	3
51	IL-1 $\beta$ inhibition in Cardiovascular Complications Associated to Diabetes Mellitus. <i>Frontiers in Pharmacology</i> , <b>2017</b> , 8, 363	5.6	60
50	Sitagliptin ameliorates oxidative stress in experimental diabetic nephropathy by diminishing the miR-200a/Keap-1/Nrf2 antioxidant pathway. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , <b>2017</b> , 10, 207-222	3.4	42
49	Use of Proton-Pump Inhibitors Predicts Heart Failure and Death in Patients with Coronary Artery Disease. <i>PLoS ONE</i> , <b>2017</b> , 12, e0169826	3.7	18
48	Comparison of 3 Predictive Clinical Risk Scores in 603 Patients with Stable Coronary Artery Disease. <i>Texas Heart Institute Journal</i> , <b>2017</b> , 44, 239-244	0.8	2
47	Proteomics and metabolomics in biomarker discovery for cardiovascular diseases: progress and potential. <i>Expert Review of Proteomics</i> , <b>2016</b> , 13, 857-71	4.2	9
46	Parathormone Levels Are Independently Associated with the Presence of Left Ventricular Hypertrophy in Patients with Coronary Artery Disease. <i>Journal of Nutrition, Health and Aging</i> , <b>2016</b> , 20, 659-64	5.2	8
45	Important abnormalities of bone mineral metabolism are present in patients with coronary artery disease with a mild decrease of the estimated glomerular filtration rate. <i>Journal of Bone and Mineral Metabolism</i> , <b>2016</b> , 34, 587-98	2.9	10
44	Plasma Levels of Monocyte Chemoattractant Protein-1, n-Terminal Fragment of Brain Natriuretic Peptide and Calcidiol Are Independently Associated with the Complexity of Coronary Artery Disease. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152816	3.7	8
43	Design and rationale of a multicentre, randomised, double-blind, placebo-controlled clinical trial to evaluate the effect of vitamin D on ventricular remodelling in patients with anterior myocardial infarction: the VITamin D in Acute Myocardial Infarction (VITDAMI) trial. <i>BMJ Open</i> , <b>2016</b> , 6, e011287	3	6
42	Circulating fibroblast growth factor-23 plasma levels predict adverse cardiovascular outcomes in patients with diabetes mellitus with coronary artery disease. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2016</b> , 32, 685-693	7.5	21
41	Differential profile in inflammatory and mineral metabolism biomarkers in patients with ischemic heart disease without classical coronary risk factors. <i>Journal of Cardiology</i> , <b>2015</b> , 66, 22-7	3	12
40	Targeting metabolic disturbance in the diabetic heart. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 17	8.7	37
39	Updating experimental models of diabetic cardiomyopathy. <i>Journal of Diabetes Research</i> , <b>2015</b> , 2015, 656795	3.9	49
38	The Prognostic Value of High-Sensitive Troponin I in Stable Coronary Artery Disease Depends on Age and Other Clinical Variables. <i>Cardiology</i> , <b>2015</b> , 132, 1-8	1.6	12
37	N-Terminal Pro-Brain Natriuretic Peptide Is Associated with a Future Diagnosis of Cancer in Patients with Coronary Artery Disease. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126741	3.7	6

36	Endogenous NAMPT dampens chemokine expression and apoptotic responses in stressed tubular cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2014</b> , 1842, 293-303	6.9	11
35	Usefulness of a combination of monocyte chemoattractant protein-1, galectin-3, and N-terminal pro-brain natriuretic peptide to predict cardiovascular events in patients with coronary artery disease. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 434-40	3	49
34	Activation of toll-like receptors and inflammasome complexes in the diabetic cardiomyopathy-associated inflammation. <i>International Journal of Endocrinology</i> , <b>2014</b> , 2014, 847827	2.7	66
33	Coexistence of low vitamin D and high fibroblast growth factor-23 plasma levels predicts an adverse outcome in patients with coronary artery disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e95402	3.7	37
32	Eplerenone attenuated cardiac steatosis, apoptosis and diastolic dysfunction in experimental type-II diabetes. <i>Cardiovascular Diabetology</i> , <b>2013</b> , 12, 172	8.7	48
31	Alteration of energy substrates and ROS production in diabetic cardiomyopathy. <i>Mediators of Inflammation</i> , <b>2013</b> , 2013, 461967	4.3	44
30	Sitagliptin reduces cardiac apoptosis, hypertrophy and fibrosis primarily by insulin-dependent mechanisms in experimental type-II diabetes. Potential roles of GLP-1 isoforms. <i>PLoS ONE</i> , <b>2013</b> , 8, e78330	3.7	64
29	Proteome changes in the myocardium of experimental chronic diabetes and hypertension: role of PPAR $\alpha$ in the associated hypertrophy. <i>Journal of Proteomics</i> , <b>2012</b> , 75, 1816-29	3.9	29
28	Proteómica cardiovascular: una nueva tecnología para resolver viejos problemas. <i>Clínica E Investigación En Arteriosclerosis</i> , <b>2011</b> , 23, 183-185	1.4	
27	Potential role of nuclear factor B in diabetic cardiomyopathy. <i>Mediators of Inflammation</i> , <b>2011</b> , 2011, 652097	4.3	109
26	Proteomic strategies in the search of new biomarkers in atherothrombosis. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 2009-16	15.1	37
25	The proteomic approach in the development of prognostic biomarkers in atherothrombosis. <i>Recent Patents on Cardiovascular Drug Discovery</i> , <b>2009</b> , 4, 25-30		5
24	Myocardial fibrosis and apoptosis, but not inflammation, are present in long-term experimental diabetes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2009</b> , 297, H2109-19	5.2	79
23	Cardiovascular risk and antiangiogenic therapy for age-related macular degeneration. <i>Survey of Ophthalmology</i> , <b>2009</b> , 54, 339-48	6.1	46
22	Nuevos mediadores implicados en la génesis de la aterosclerosis. <i>Clínica E Investigación En Arteriosclerosis</i> , <b>2009</b> , 21, 25-33	1.4	1
21	Differential redox regulation within the PTP superfamily. <i>Cellular Signalling</i> , <b>2007</b> , 19, 1521-30	4.9	83
20	Activation of the endosome-associated ubiquitin isopeptidase AMSH by STAM, a component of the multivesicular body-sorting machinery. <i>Current Biology</i> , <b>2006</b> , 16, 160-5	6.3	172
19	Systematic analysis of myotubularins: heteromeric interactions, subcellular localisation and endosome related functions. <i>Journal of Cell Science</i> , <b>2006</b> , 119, 2953-9	5.3	68

18	The myotubularin family of lipid phosphatases. <i>Traffic</i> , <b>2005</b> , 6, 1063-9	5.7	80
17	Analysis of phosphoinositide binding domain properties within the myotubularin-related protein MTMR3. <i>Journal of Cell Science</i> , <b>2005</b> , 118, 2005-12	5.3	61
16	Angiotensin IV activates the nuclear transcription factor-kappaB and related proinflammatory genes in vascular smooth muscle cells. <i>Circulation Research</i> , <b>2005</b> , 96, 965-73	15.7	86
15	Angiotensin II, via AT1 and AT2 receptors and NF-kappaB pathway, regulates the inflammatory response in unilateral ureteral obstruction. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2004</b> , 15, 1514-29	12.7	197
14	Connective tissue growth factor is a mediator of angiotensin II-induced fibrosis. <i>Circulation</i> , <b>2003</b> , 108, 1499-505	16.7	214
13	Phosphatidylinositol-5-phosphate activation and conserved substrate specificity of the myotubularin phosphatidylinositol 3-phosphatases. <i>Current Biology</i> , <b>2003</b> , 13, 504-9	6.3	189
12	Angiotensin II increases connective tissue growth factor in the kidney. <i>American Journal of Pathology</i> , <b>2003</b> , 163, 1937-47	5.8	88
11	Inflammation and angiotensin II. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2003</b> , 35, 881-900	5.6	524
10	Angiotensin II regulates the synthesis of proinflammatory cytokines and chemokines in the kidney. <i>Kidney International</i> , <b>2002</b> , S12-22	9.9	280
9	Angiotensin II increases parathyroid hormone-related protein (PTHrP) and the type 1 PTH/PTHrP receptor in the kidney. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 1595-607	12.7	49
8	Angiotensin III activates nuclear transcription factor-kappaB in cultured mesangial cells mainly via AT(2) receptors: studies with AT(1) receptor-knockout mice. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 1162-1171	12.7	30
7	Angiotensin II activates nuclear transcription factor-kappaB in aorta of normal rats and in vascular smooth muscle cells of AT1 knockout mice. <i>Nephrology Dialysis Transplantation</i> , <b>2001</b> , 16 Suppl 1, 27-33	4.3	64
6	Role of the renin-angiotensin system in vascular diseases: expanding the field. <i>Hypertension</i> , <b>2001</b> , 38, 1382-7	8.5	234
5	Systemic infusion of angiotensin II into normal rats activates nuclear factor-kappaB and AP-1 in the kidney: role of AT(1) and AT(2) receptors. <i>American Journal of Pathology</i> , <b>2001</b> , 158, 1743-56	5.8	157
4	Proinflammatory actions of angiotensins. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2001</b> , 10, 321-35	9.5	290
3	Angiotensin III increases MCP-1 and activates NF-kappaB and AP-1 in cultured mesangial and mononuclear cells. <i>Kidney International</i> , <b>2000</b> , 57, 2285-98	9.9	97
2	Angiotensin II activates nuclear transcription factor kappaB through AT(1) and AT(2) in vascular smooth muscle cells: molecular mechanisms. <i>Circulation Research</i> , <b>2000</b> , 86, 1266-72	15.7	276
1	Angiotensin III up-regulates genes involved in kidney damage in mesangial cells and renal interstitial fibroblasts. <i>Kidney International</i> , <b>1998</b> , 68, S41-5	9.9	35

