

# Xiao Dong Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2466317/publications.pdf>

Version: 2024-02-01

660  
papers

20,740  
citations

13098

68  
h-index

30920

102  
g-index

680  
all docs

680  
docs citations

680  
times ranked

15485  
citing authors

#	ARTICLE	IF	CITATIONS
1	A reference-component coordinate system approach to model the mass transfer of a droplet with binary volatiles. <i>Drying Technology</i> , 2023, 41, 202-221.	3.1	3
2	Characterization of moisture transfer during intermittent drying process for broccoli from LF-NMR experiments. <i>Drying Technology</i> , 2022, 40, 127-139.	3.1	4
3	Vacuum drying of food materials modeled and explored using the reaction engineering approach (REA) framework. <i>Drying Technology</i> , 2022, 40, 2519-2527.	3.1	6
4	Alteration in rheology and microstructure of O/W emulsions using controlled soy protein isolate-polysaccharide aggregation in aqueous phases. <i>Journal of Food Engineering</i> , 2022, 317, 110872.	5.2	9
5	Digestion of curcumin-fortified yogurt in short/long gastric residence times using a near-real dynamic in vitro human stomach. <i>Food Chemistry</i> , 2022, 372, 131327.	8.2	10
6	In vitro gastric digestion and emptying of cooked white and brown rice using a dynamic human stomach system. <i>Food Structure</i> , 2022, 31, 100245.	4.5	16
7	The extent and mechanism of the effect of protectant material in the production of active lactic acid bacteria powder using spray drying: a review. <i>Current Opinion in Food Science</i> , 2022, 44, 100807.	8.0	13
8	A simulation study on expansion of a small intestine model reactor. <i>Chemical Engineering Research and Design</i> , 2022, 178, 369-381.	5.6	2
9	Corrigendum to “Investigation of gastric disintegration of carrot during digestion in vitro by a low-field nuclear magnetic resonance device” [J. Food Eng. 292 (2021) 110307]. <i>Journal of Food Engineering</i> , 2022, 324, 110980.	5.2	0
10	Understanding the formation of ultrafine maltodextrin particles under simultaneous convective drying and antisolvent vapour precipitation. <i>Advanced Powder Technology</i> , 2022, 33, 103440.	4.1	2
11	The surface mechanics of cooked rice as influenced by gastric fluids measured using a micro texture analyzer. <i>Journal of Texture Studies</i> , 2022, 53, 465-477.	2.5	1
12	Impact of amylose from maize starch on the microstructure, rheology and lipolysis of W/O emulsions during simulated semi-dynamic gastrointestinal digestion. <i>International Journal of Food Science and Technology</i> , 2022, 57, 3578-3588.	2.7	3
13	Understanding the impact of convective ethanol humidity on the precipitation behaviour of dissolved lactose in a water droplet. <i>Chemical Engineering Science</i> , 2022, 254, 117616.	3.8	0
14	Modulation of viscosity, microstructure and lipolysis of W/O emulsions by cellulose ethers during in vitro digestion in the dynamic and semi-dynamic gastrointestinal models. <i>Food Hydrocolloids</i> , 2022, 128, 107584.	10.7	13
15	In vitro gastric digestion and emptying of tsampa under simulated elderly and young adult digestive conditions using a dynamic stomach system. <i>Journal of Food Engineering</i> , 2022, 327, 111054.	5.2	6
16	Mechanistic insights into the influence of flavonoids from dandelion on physicochemical properties and in vitro digestibility of cooked potato starch. <i>Food Hydrocolloids</i> , 2022, 130, 107714.	10.7	22
17	Mixing intensification with soft-elastic baffle (SEB) in a soft-elastic reactor (SER). <i>Chemical Engineering and Processing: Process Intensification</i> , 2022, 180, 108764.	3.6	3
18	A soft tubular model reactor based on the bionics of a small intestine: anti particulate fouling by peristalsis. <i>Brazilian Journal of Chemical Engineering</i> , 2022, 39, 123-136.	1.3	1

#	ARTICLE	IF	CITATIONS
19	Deep neural network for generalizing and forecasting on-demand drying kinetics of droplet solutions. Powder Technology, 2022, 403, 117392.	4.2	4
20	Quantitative visualization study on the physical movement and gastric emptying of diced carrot particle in a transparent rat stomach-duodenum model. International Journal of Food Engineering, 2022, .	1.5	1
21	Exploring the integrity of cellular membrane and resistance to digestive juices of dehydrated lactic acid bacteria as influenced by drying kinetics. Food Research International, 2022, 157, 111395.	6.2	5
22	Soft elastic tubular reactor: An unconventional bioreactor for high-solids operations. Biochemical Engineering Journal, 2022, 184, 108472.	3.6	3
23	Fe-Mn Bimetallic Oxide-Enabled Facile Cleaning of Microfiltration Ceramic Membranes for Effluent Organic Matter Fouling Mitigation via Activation of Oxone. ACS ES&T Water, 2022, 2, 1234-1246.	4.6	19
24	Mechanistic study on in vitro disintegration and proteolysis of whey protein isolate gels: Effect of the strength of sodium ions. Food Hydrocolloids, 2022, 132, 107862.	10.7	7
25	Spray Dried Levodopa-Doped Powder Potentially for Intranasal Delivery. Pharmaceutics, 2022, 14, 1384.	4.5	1
26	The swallowing threshold and starch hydrolysis of cooked rice with different moisture contents for human mastication. Food Research International, 2022, 160, 111677.	6.2	2
27	Effect of calcium on the reversible and irreversible thermal denaturation pathway of $\beta$ -lactoglobulin. Food Hydrocolloids, 2022, 133, 107943.	10.7	4
28	Effect of casein/whey ratio on the thermal denaturation of whey proteins and subsequent fouling in a plate heat exchanger. Journal of Food Engineering, 2021, 289, 110175.	5.2	10
29	Effect of culturing lactic acid bacteria with varying skim milk concentration on bacteria survival during heat treatment. Journal of Food Engineering, 2021, 294, 110396.	5.2	10
30	Protein microspheres as structuring agents in lipids: potential for reduction of total and saturated fat in food products. Journal of the Science of Food and Agriculture, 2021, 101, 820-830.	3.5	5
31	Amylose content modulates maize starch hydrolysis, rheology, and microstructure during simulated gastrointestinal digestion. Food Hydrocolloids, 2021, 110, 106171.	10.7	50
32	The role of circular folds in mixing intensification in the small intestine: A numerical study. Chemical Engineering Science, 2021, 229, 116079.	3.8	19
33	Investigation of gastric disintegration of carrot during digestion in vitro by a Low-Field Nuclear Magnetic Resonance device. Journal of Food Engineering, 2021, 292, 110307.	5.2	3
34	Highly dispersed titania-supported iron oxide catalysts for efficient heterogeneous photo-Fenton oxidation: Influencing factors, synergistic effects and mechanism insight. Journal of Colloid and Interface Science, 2021, 587, 467-478.	9.4	19
35	Mechanistic study on inhibition of porcine pancreatic $\alpha$ -amylase using the flavonoids from dandelion. Food Chemistry, 2021, 344, 128610.	8.2	30
36	Combination of spray drying encapsulation and steaming transformation toward robust hierarchical zeolite microspheres: Synthesis, formation mechanism and acid catalysis. Chemical Engineering Science, 2021, 229, 116080.	3.8	9

#	ARTICLE	IF	CITATIONS
37	Dye-protein interactions between Rhodamine B and whey proteins that affect the photoproperties of the dye. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 408, 113092.	3.9	5
38	Comparison of the effects of edge functionalized graphene oxide membranes on monovalent cation selectivity. <i>Journal of Membrane Science</i> , 2021, 620, 118892.	8.2	11
39	Microfluidic spray dried and spray freeze dried uniform microparticles potentially for intranasal drug delivery and controlled release. <i>Powder Technology</i> , 2021, 379, 144-153.	4.2	21
40	Thermotolerance, Survival, and Stability of Lactic Acid Bacteria After Spray Drying as Affected by the Increase of Growth Temperature. <i>Food and Bioprocess Technology</i> , 2021, 14, 120-132.	4.7	25
41	Achieving realistic gastric emptying curve in an advanced dynamic <i>in vitro</i> human digestion system: experiences with cheese—a difficult to empty material. <i>Food and Function</i> , 2021, 12, 3965-3977.	4.6	16
42	Exploring the interactions between <i>Lactobacillus rhamnosus</i> GG and whey protein isolate for preservation of the viability of bacteria through spray drying. <i>Food and Function</i> , 2021, 12, 2995-3008.	4.6	8
43	Maillard conjugates of whey protein isolate–xylooligosaccharides for the microencapsulation of <i>Lactobacillus rhamnosus</i> : protective effects and stability during spray drying, storage and gastrointestinal digestion. <i>Food and Function</i> , 2021, 12, 4034-4045.	4.6	24
44	Reaction Engineering Approach to Turbulence Modelling—Universal Law of the Wall, Pipe Flow, and Planar Jet Flow. <i>Journal of Chemical Engineering of Japan</i> , 2021, 54, 1-11.	0.6	0
45	Extending Porous Silicone Capacitive Pressure Sensor Applications into Athletic and Physiological Monitoring. <i>Sensors</i> , 2021, 21, 1119.	3.8	9
46	A Practical Perspective for a Conservative Estimate of Blood Glucose Level during Restaurant Dining and Supermarket Shopping. <i>Foods</i> , 2021, 10, 444.	4.3	1
47	Mixing and emptying of gastric contents in human-stomach: A numerical study. <i>Journal of Biomechanics</i> , 2021, 118, 110293.	2.1	13
48	Recent initiatives in effective modeling of spray drying. <i>Drying Technology</i> , 2021, 39, 1614-1647.	3.1	12
49	Modulating the rheological properties of oil-in-water emulsions using controlled WPI-polysaccharide aggregation in aqueous phases. <i>Journal of Food Engineering</i> , 2021, 297, 110488.	5.2	18
50	Study on the Stability, Evolution of Physicochemical Properties, and Postsynthesis of Metal–Organic Frameworks in Bubbled Aqueous Ozone Solution. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 26264-26277.	8.0	16
51	On improving bioaccessibility and targeted release of curcumin-whey protein complex microparticles in food. <i>Food Chemistry</i> , 2021, 346, 128900.	8.2	24
52	Validation of <i>in vitro</i> bioaccessibility assays—a key aspect in the rational design of functional foods towards tailored bioavailability. <i>Current Opinion in Food Science</i> , 2021, 39, 160-170.	8.0	20
53	Analyzing industrial CVD reactors using a porous media approach. <i>Chemical Engineering Journal</i> , 2021, 415, 129038.	12.7	9
54	Skin layer stratification in drying droplets of dairy colloids. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 620, 126560.	4.7	16

#	ARTICLE	IF	CITATIONS
55	Evolutions of rheology, microstructure and digestibility of parboiled rice during simulated semi-dynamic gastrointestinal digestion. LWT - Food Science and Technology, 2021, 148, 111700.	5.2	10
56	Evolutions of rheology, microstructure and starch hydrolysis of pumpkin-enriched bread during simulated gastrointestinal digestion. International Journal of Food Science and Technology, 2021, 56, 6000-6010.	2.7	8
57	Stress relaxation of particulate whey protein hydrogels. Food Hydrocolloids, 2021, 118, 106786.	10.7	2
58	Convective drying of highly shrinkable vegetables: New method on obtaining the parameters of the reaction engineering approach (REA) framework. Journal of Food Engineering, 2021, 305, 110613.	5.2	9
59	Uniform lactose microspheres with high crystallinity fabricated by micro-fluidic spray drying technology combined with post-treatment process. Powder Technology, 2021, 392, 690-702.	4.2	9
60	In vitro digestion using dynamic rat stomach-duodenum model as an alternative means to assess bioaccessibility of glucosinolates in dietary fiber powder from cabbage. LWT - Food Science and Technology, 2021, 151, 112243.	5.2	1
61	Simulation based investigation of 2D soft-elastic reactors for better mixing performance. Engineering Applications of Computational Fluid Mechanics, 2021, 15, 1229-1242.	3.1	2
62	The final fate of food: On the establishment of in vitro colon models. Food Research International, 2021, 150, 110743.	6.2	4
63	Carrier-free nanoparticles of camptothecin prodrug for chemo-photothermal therapy: the making, in vitro and in vivo testing. Journal of Nanobiotechnology, 2021, 19, 350.	9.1	25
64	Effects of particle formation behavior on the properties of fish oil microcapsules fabricated using a micro-fluidic jet spray dryer. International Journal of Food Engineering, 2021, 17, 27-36.	1.5	3
65	Imaging-guided synergistic targeting-promoted photo-chemotherapy against cancers by methotrexate-conjugated hyaluronic acid nanoparticles. Chemical Engineering Journal, 2020, 380, 122426.	12.7	31
66	Multi-Peptide Adsorption on Uncharged Solid Surfaces: A Coarse-Grained Simulation Study. Engineering, 2020, 6, 186-195.	6.7	5
67	The impact of self-sustained oscillations on particle residence time in a commercial scale spray dryer. Powder Technology, 2020, 360, 1177-1191.	4.2	17
68	Microencapsulation of fermented noni juice via micro-fluidic-jet spray drying: Evaluation of powder properties and functionalities. Powder Technology, 2020, 361, 995-1005.	4.2	29
69	Evolution of important glucosinolates in three common Brassica vegetables during their processing into vegetable powder and in vitro gastric digestion. Food and Function, 2020, 11, 211-220.	4.6	4
70	Relationship between Desalination Performance of Graphene Oxide Membranes and Edge Functional Groups. ACS Applied Materials & Interfaces, 2020, 12, 4769-4776.	8.0	19
71	On designing biomimic in vitro human and animal digestion track models: ideas, current and future devices. Current Opinion in Food Science, 2020, 35, 10-19.	8.0	32
72	Current in vitro digestion systems for understanding food digestion in human upper gastrointestinal tract. Trends in Food Science and Technology, 2020, 96, 114-126.	15.1	136

#	ARTICLE	IF	CITATIONS
73	Controlling the rheological properties of W1/O/W2 multiple emulsions using osmotic swelling: Impact of WPI-pectin gelation in the internal and external aqueous phases. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 185, 110629.	5.0	24
74	How motility can enhance mass transfer and absorption in the duodenum: Taking the structure of the villi into account. <i>Chemical Engineering Science</i> , 2020, 213, 115406.	3.8	20
75	Effects of different pretreatment methods on the drying characteristics and quality of potatoes. <i>Food Science and Nutrition</i> , 2020, 8, 5767-5775.	3.4	16
76	Storage stability and in vitro digestion of microencapsulated powder containing fermented noni juice and probiotics. <i>Food Bioscience</i> , 2020, 37, 100740.	4.4	16
77	Mechanistic exploration of glycemic lowering by soluble dietary fiber ingestion: Predictive modeling and simulation. <i>Chemical Engineering Science</i> , 2020, 228, 115965.	3.8	10
78	Further comments on “A comparison of different physical stomach models and an analysis of shear stresses and strains in these system” by Zhong and Langrish (2020). <i>Food Research International</i> , 2020, 136, 109542.	6.2	0
79	Textile-Only Capacitive Sensors with a Lockstitch Structure for Facile Integration in Any Areas of a Fabric. <i>ACS Sensors</i> , 2020, 5, 1535-1540.	7.8	27
80	Comments on “A comparison of different physical stomach models and an analysis of shear stresses and strains in these system” by Zhong and Langrish (2020). <i>Food Research International</i> , 2020, 137, 109429.	6.2	1
81	Interplaying Effects of Wall and Core Materials on the Property and Functionality of Microparticles for Co-Encapsulation of Vitamin E with Coenzyme Q10. <i>Food and Bioprocess Technology</i> , 2020, 13, 705-721.	4.7	25
82	Reaction engineering approach modeling of intensified drying of fruits and vegetables using microwave, ultrasonic and infrared-heating. <i>Drying Technology</i> , 2020, 38, 747-757.	3.1	17
83	Numerical simulation of the mixing process in a soft elastic reactor with bionic contractions. <i>Chemical Engineering Science</i> , 2020, 220, 115623.	3.8	14
84	Degradation of emerging pharmaceutical micropollutants in municipal secondary effluents by low-pressure UVC-activated HSO <sub>5</sub> <sup>•</sup> and S <sub>2</sub> O <sub>8</sub> <sup>2•</sup> AOPs. <i>Chemical Engineering Journal</i> , 2020, 393, 124712.	12.7	18
85	Predicting the Mixing Time of Soft Elastic Reactors: Physical Models and Empirical Correlations. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 6258-6268.	3.7	9
86	Computationally inexpensive simulation of agglomeration in spray drying while preserving structure related information using CFD. <i>Powder Technology</i> , 2020, 372, 372-393.	4.2	8
87	A Bimetallic Fe-Mn Oxide-Activated Oxone for In Situ Chemical Oxidation (ISCO) of Trichloroethylene in Groundwater: Efficiency, Sustained Activity, and Mechanism Investigation. <i>Environmental Science &amp; Technology</i> , 2020, 54, 3714-3724.	10.0	72
88	Vaporization and particle formation during drying of multisolvent droplet without and with antisolvent-vapor infusion. <i>Chemical Engineering Science</i> , 2020, 219, 115617.	3.8	3
89	Enhanced thermal stability of lactic acid bacteria during spray drying by intracellular accumulation of calcium. <i>Journal of Food Engineering</i> , 2020, 279, 109975.	5.2	20
90	Scalable Synthesis of Uniform Mesoporous Aluminosilicate Microspheres with Controllable Size and Morphology and High Hydrothermal Stability for Efficient Acid Catalysis. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 21922-21935.	8.0	17

#	ARTICLE	IF	CITATIONS
91	Numerical Simulation of the Burning Process in a King-Size Cigarette Based on Experimentally Derived Reaction Kinetics. Beitrage Zur Tabakforschung International/ Contributions To Tobacco Research, 2020, 29, 156-179.	0.3	0
92	A differential shrinkage approach for evaluating particle formation behavior during drying of sucrose, lactose, mannitol, skim milk, and other solid-containing droplets. Drying Technology, 2019, 37, 941-949.	3.1	5
93	Textile-Only Capacitive Sensors for Facile Fabric Integration without Compromise of Wearability. Advanced Materials Technologies, 2019, 4, 1900485.	5.8	57
94	Numerical simulation of mono-disperse droplet spray dryer under the influence of nozzle motion. Powder Technology, 2019, 355, 93-105.	4.2	10
95	Efficient degradation of pharmaceutical micropollutants in water and wastewater by FeIII-NTA-catalyzed neutral photo-Fenton process. Science of the Total Environment, 2019, 688, 513-520.	8.0	47
96	Practical and Durable Flexible Strain Sensors Based on Conductive Carbon Black and Silicone Blends for Large Scale Motion Monitoring Applications. Sensors, 2019, 19, 4553.	3.8	15
97	A low-cost and highly integrated sensing insole for plantar pressure measurement. Sensing and Bio-Sensing Research, 2019, 26, 100298.	4.2	33
98	Effects of Fluorolink® S10 surface coating on WPC fouling of stainless steel surfaces and subsequent cleaning. Food and Bioproducts Processing, 2019, 118, 130-138.	3.6	6
99	Spray-drying water-based assembly of hierarchical and ordered mesoporous silica microparticles with enhanced pore accessibility for efficient bio-adsorption. Journal of Colloid and Interface Science, 2019, 556, 529-540.	9.4	20
100	Propionic fermentation by the probiotic Propionibacterium freudenreichii to functionalize whey. Journal of Functional Foods, 2019, 52, 620-628.	3.4	11
101	Effects of Edge Functional Groups on Water Transport in Graphene Oxide Membranes. ACS Applied Materials & Interfaces, 2019, 11, 8483-8491.	8.0	36
102	Mechanical Properties of Hulless Barley Stem with Different Moisture Contents. International Journal of Food Engineering, 2019, 15, .	1.5	6
103	Numerical simulation of milk fouling: Taking fouling layer domain and localized surface reaction kinetics into account. Chemical Engineering Science, 2019, 197, 306-316.	3.8	12
104	Controlling the rheological properties of oil phases using controlled protein-polysaccharide aggregation and heteroaggregation in water-in-oil emulsions. Food Hydrocolloids, 2019, 96, 278-287.	10.7	32
105	An advanced near real dynamic<i>in vitro</i> human stomach system to study gastric digestion and emptying of beef stew and cooked rice. Food and Function, 2019, 10, 2914-2925.	4.6	70
106	Structuring of water-in-oil emulsions using controlled aggregation of polysaccharide in aqueous phases. Journal of Food Engineering, 2019, 258, 34-44.	5.2	30
107	Numerical probing of suspended lactose droplet drying experiment. Journal of Food Engineering, 2019, 254, 51-63.	5.2	2
108	A facile dopamine-assisted method for the preparation of antibacterial surfaces based on Ag/TiO2 nanoparticles. Applied Surface Science, 2019, 481, 1270-1276.	6.1	19



#	ARTICLE	IF	CITATIONS
109	Laminar-to-Turbulence Transition Revealed Through a Reynolds Number Equivalence. Engineering, 2019, 5, 576-579.	6.7	14
110	Single- and Dual-Stream Foam Fractionation of Protein “ Exploring a Simple and Effective System to Improve Fundamental Understanding. International Journal of Food Engineering, 2019, 15, .	1.5	3
111	Chemical Crosslinking Assembly of ZSM-5 Nanozeolites into Uniform and Hierarchically Porous Microparticles for High-Performance Acid Catalysis. ACS Applied Materials & Interfaces, 2019, 11, 16693-16703.	8.0	28
112	Arabinoxylans-enriched fractions: From dry fractionation of wheat bran to the investigation on bread baking performance. Journal of Cereal Science, 2019, 87, 1-8.	3.7	28
113	Hydroxyl and sulfate radicals formation in UVA/FeIII-NTA/S2O8 <sup>2-</sup> system: Mechanism and effectiveness in carbamazepine degradation at initial neutral pH. Chemical Engineering Journal, 2019, 368, 541-552.	12.7	35
114	Identification of regions in a spray dryer susceptible to forced agglomeration by CFD simulations. Powder Technology, 2019, 346, 23-37.	4.2	19
115	Enhanced emerging pharmaceuticals removal in wastewater after biotreatment by a low-pressure UVA/FeIII-EDDS/H2O2 process under neutral pH conditions. Chemical Engineering Journal, 2019, 366, 539-549.	12.7	20
116	Numerical simulation of mono-disperse droplet spray dryer: Coupling distinctively different sized chambers. Chemical Engineering Science, 2019, 200, 12-26.	3.8	8
117	Self-floating monodisperse microparticles with a nano-engineered surface composition and structure for highly efficient solar-driven water evaporation. Journal of Materials Chemistry A, 2019, 7, 6963-6971.	10.3	39
118	How eyelashes can protect the eye through inhibiting ocular water evaporation: a chemical engineering perspective. Journal of the Royal Society Interface, 2019, 16, 20190425.	3.4	3
119	Editorial: SI: Functional bioparticles. Powder Technology, 2019, 358, 1-2.	4.2	0
120	Micron-size lactose manufactured under high shear and its dispersion efficiency as carrier for Salbutamol Sulphate. Powder Technology, 2019, 358, 39-45.	4.2	5
121	Exploring the drying behaviors of microencapsulated noni juice using reaction engineering approach (REA) mathematical modelling. Journal of Food Engineering, 2019, 248, 53-61.	5.2	15
122	Co-encapsulation of coenzyme Q10 and vitamin E: A study of microcapsule formation and its relation to structure and functionalities using single droplet drying and micro-fluidic-jet spray drying. Journal of Food Engineering, 2019, 247, 45-55.	5.2	32
123	On the nature of the optimum cleaning concentration for dairy fouling: High NaOH concentrations inhibit the cleavage of non-covalent interactions in whey protein aggregates. LWT - Food Science and Technology, 2019, 101, 519-525.	5.2	11
124	On the effect of turbulence models on CFD simulations of a counter-current spray drying process. Chemical Engineering Research and Design, 2019, 141, 592-607.	5.6	23
125	Quantifying food drying rates from NMR/MRI experiments: Development of an online calibration system. Drying Technology, 2019, 37, 2047-2058.	3.1	8
126	Kinetic study of the thermal inactivation of <i>Lactobacillus plantarum</i> during bread baking. Drying Technology, 2019, 37, 1277-1289.	3.1	8



#	ARTICLE	IF	CITATIONS
127	The role of non-covalent interactions in the alkaline dissolution of heat-set whey protein hydrogels made at gelation pH 11. Food Hydrocolloids, 2019, 89, 100-110.	10.7	22
128	Spray drying of Lactobacillus rhamnosus GG with calcium-containing protectant for enhanced viability. Powder Technology, 2019, 358, 87-94.	4.2	37
129	A study on the structure formation and properties of noni juice microencapsulated with maltodextrin and gum acacia using single droplet drying. Food Hydrocolloids, 2019, 88, 199-209.	10.7	23
130	Mixing in a soft-elastic reactor (SER): A simulation study. Canadian Journal of Chemical Engineering, 2019, 97, 676-686.	1.7	19
131	Drying in Biotechnology. , 2019, , 820-833.		2
132	Fabrication of uniform enzyme-immobilized carbohydrate microparticles with high enzymatic activity and stability via spray drying and spray freeze drying. Powder Technology, 2018, 330, 40-49.	4.2	31
133	Microwave pretreatment enhances the formation of cabbage sulforaphane and its bioaccessibility as shown by a novel dynamic soft rat stomach model. Journal of Functional Foods, 2018, 43, 186-195.	3.4	20
134	Quantification of the Local Protein Content in Hydrogels Undergoing Swelling and Dissolution at Alkaline pH Using Fluorescence Microscopy. Food and Bioprocess Technology, 2018, 11, 572-584.	4.7	14
135	A successful comparison between a non-invasive measurement of local profiles during drying of a highly shrinkable food material (eggplant) and the spatial reaction engineering approach. Journal of Food Engineering, 2018, 235, 23-31.	5.2	4
136	Investigation of the effects of mechanical treatments on cellular structure integrity and vitamin C extractability of broccoli ( <i>Brassica oleracea</i> L. var. <i>italica</i> ) by LF-NMR. Food and Function, 2018, 9, 2942-2950.	4.6	13
137	Mixing in a soft-elastic reactor (SER) characterized using an RGB based image analysis method. Chemical Engineering Science, 2018, 181, 272-285.	3.8	25
138	A Soft-elastic Reactor Inspired by the Animal Upper Digestion Tract. Chemical Engineering and Technology, 2018, 41, 1051-1056.	1.5	22
139	Scalable synthesis of wrinkled mesoporous titania microspheres with uniform large micron sizes for efficient removal of Cr(VI). Journal of Materials Chemistry A, 2018, 6, 3954-3966.	10.3	45
140	Study on Mechanical Properties for Shearing Breakage of Oat Kernel. International Journal of Food Engineering, 2018, 14, .	1.5	2
141	Upper bound analysis of a shape-dependent criterion for closing central rectangular defects during hot rolling. Applied Mathematical Modelling, 2018, 55, 674-684.	4.2	8
142	An accurate account of mass loss during cheese ripening described using the reaction engineering approach (REA)-based model. International Journal of Food Science and Technology, 2018, 53, 1397-1404.	2.7	4
143	Chemical imaging of protein hydrogels undergoing alkaline dissolution by CARS microscopy. Food Chemistry, 2018, 252, 16-21.	8.2	6
144	Degradation of ibuprofen in water by FeII-NTA complex-activated persulfate with hydroxylamine at neutral pH. Chemical Engineering Journal, 2018, 337, 152-160.	12.7	68

#	ARTICLE	IF	CITATIONS
145	Synthesis of Carboxymethyl Flaxseed Gum and Study of Nonlinear Rheological Properties of Its Solutions. <i>International Journal of Food Engineering</i> , 2018, 14, .	1.5	8
146	Effects of the gastric juice injection pattern and contraction frequency on the digestibility of casein powder suspensions in an in vitro dynamic rat stomach made with a 3D printed model. <i>Food Research International</i> , 2018, 106, 495-502.	6.2	23
147	Survival of encapsulated <i>Lactobacillus plantarum</i> during isothermal heating and bread baking. <i>LWT - Food Science and Technology</i> , 2018, 93, 396-404.	5.2	25
148	As(V) and Sb(V) co-adsorption onto ferrihydrite: synergistic effect of Sb(V) on As(V) under competitive conditions. <i>Environmental Science and Pollution Research</i> , 2018, 25, 14585-14594.	5.3	48
149	Design of micron-sized salt particles by ethanol vapour drying. <i>Powder Technology</i> , 2018, 323, 558-562.	4.2	4
150	Drying kinetics study of irregular fibril materials in a "differential" laboratory rotary dryer: Case study for cut tobacco. <i>Drying Technology</i> , 2018, 36, 523-536.	3.1	6
151	On the importance of droplet shrinkage in CFD-modeling of spray drying. <i>Drying Technology</i> , 2018, 36, 1785-1801.	3.1	25
152	Effect of baking conditions and storage on the viability of <i>Lactobacillus plantarum</i> supplemented to bread. <i>LWT - Food Science and Technology</i> , 2018, 87, 318-325.	5.2	34
153	Numerical investigation of droplet pre-dispersion in a monodisperse droplet spray dryer. <i>Particuology</i> , 2018, 38, 44-60.	3.6	10
154	Effect of calcium on the fouling of whey protein isolate on stainless steel using QCM-D. <i>Chemical Engineering Science</i> , 2018, 177, 501-508.	3.8	25
155	TCE degradation in groundwater by chelators-assisted Fenton-like reaction of magnetite: Sand columns demonstration. <i>Journal of Hazardous Materials</i> , 2018, 346, 124-132.	12.4	38
156	Microstructure and its relationship with release behavior of different vehicles. , 2018, , 83-96.		1
157	Dissolution of bovine serum albumin hydrogels in alkali. <i>Food Hydrocolloids</i> , 2018, 77, 598-606.	10.7	4
158	Growth in Hyper-Concentrated Sweet Whey Triggers Multi Stress Tolerance and Spray Drying Survival in <i>Lactobacillus casei</i> BL23: From the Molecular Basis to New Perspectives for Sustainable Probiotic Production. <i>Frontiers in Microbiology</i> , 2018, 9, 2548.	3.5	30
159	In situ crystallization kinetics and behavior of mannitol during droplet drying. <i>Chemical Engineering Journal</i> , 2018, 354, 314-326.	12.7	8
160	Controllable Synthesis of Ordered Mesoporous Mo <sub>2</sub> C@Graphitic Carbon Core"Shell Nanowire Arrays for Efficient Electrocatalytic Hydrogen Evolution. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 18761-18770.	8.0	46
161	The 30th anniversary of Prof. Arun S. Mujumdar's editorship of <i>Drying Technology</i> . <i>Drying Technology</i> , 2018, 36, 1783-1784.	3.1	1
162	Drying colloidal systems: Laboratory models for a wide range of applications. <i>European Physical Journal E</i> , 2018, 41, 94.	1.6	43

#	ARTICLE	IF	CITATIONS
163	Homogenization of liquids inside a new soft elastic reactor: Revealing mixing behavior through dimensional analysis. Chemical Engineering Science, 2018, 192, 1071-1080.	3.8	15
164	A Comparative Study on Fouling and Cleaning Characteristics of Soy Protein Isolate (SPI). International Journal of Food Engineering, 2018, 14, .	1.5	1
165	Heat stability of Lactobacillus rhamnosus GG and its cellular membrane during droplet drying and heat treatment. Food Research International, 2018, 112, 56-65.	6.2	25
166	Producing Powders Containing Active Dry Probiotics With the Aid of Spray Drying. Advances in Food and Nutrition Research, 2018, 85, 211-262.	3.0	33
167	Application of the reaction engineering approach (REA) for modeling of the convective drying of onion. Drying Technology, 2017, 35, 500-508.	3.1	21
168	Mg <sup>2+</sup> improves the thermotolerance of probiotic <i>Lactobacillus rhamnosus</i> GG, <i>Lactobacillus casei</i> Zhang and <i>Lactobacillus plantarum</i> P-8. Letters in Applied Microbiology, 2017, 64, 283-288.	2.2	19
169	Further understanding of the biased diffusion for peptide adsorption on uncharged solid surfaces that strongly interact with water molecules. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 518, 197-207.	4.7	4
170	The Stress-Relaxation Behavior of Rice as a Function of Time, Moisture and Temperature. International Journal of Food Engineering, 2017, 13, .	1.5	10
171	Thermal inactivation kinetics of $\beta$ -galactosidase during bread baking. Food Chemistry, 2017, 225, 107-113.	8.2	13
172	Effect of Trypsin on Antioxidant Activity and Gel-Rheology of Flaxseed Protein. International Journal of Food Engineering, 2017, 13, .	1.5	2
173	In vitro digestion of pectin- and mango-enriched diets using a dynamic rat stomach-duodenum model. Journal of Food Engineering, 2017, 202, 65-78.	5.2	58
174	A continuum approach modeling of surface composition and ternary component distribution inside low fat milk emulsions during single droplet drying. AIChE Journal, 2017, 63, 2535-2545.	3.6	5
175	Detailed numerical analysis of evaporation of a micrometer water droplet suspended on a glass filament. Chemical Engineering Science, 2017, 165, 33-47.	3.8	28
176	Effect of Drying Methods on the Rheological Properties of Sugar Beet Pulp Pectin. International Journal of Food Engineering, 2017, 13, .	1.5	4
177	A new model to predict diffusive self-heating during composting incorporating the reaction engineering approach (REA) framework. Bioresource Technology, 2017, 232, 211-221.	9.6	16
178	Non-linear Rheological Properties of Soy Protein Isolate Dispersions and Acid-Induced Gels. International Journal of Food Engineering, 2017, 13, .	1.5	4
179	Spray drying of probiotics and other food-grade bacteria: A review. Trends in Food Science and Technology, 2017, 63, 1-17.	15.1	254
180	Spray drying of mixed amino acids: The effect of crystallization inhibition and humidity treatment on the particle formation. Chemical Engineering Science, 2017, 167, 161-171.	3.8	7

#	ARTICLE	IF	CITATIONS
181	PEGâ€“lipidâ€“PLGA hybrid nanoparticles loaded with berberineâ€“phospholipid complex to facilitate the oral delivery efficiency. <i>Drug Delivery</i> , 2017, 24, 825-833.	5.7	91
182	A systematic investigation of the fouling induction phenomena with artificial crystal structures and distributions. <i>Chemical Engineering Science</i> , 2017, 168, 137-155.	3.8	4
183	Enhancement of Digestibility of Casein Powder and Raw Rice Particles in an Improved Dynamic Rat Stomach Model Through an Additional Rolling Mechanism. <i>Journal of Food Science</i> , 2017, 82, 1387-1394.	3.1	23
184	In vitro gastric digestion of cooked white and brown rice using a dynamic rat stomach model. <i>Food Chemistry</i> , 2017, 237, 1065-1072.	8.2	63
185	Digestion of isolated legume cells in a stomach-duodenum model: three mechanisms limit starch and protein hydrolysis. <i>Food and Function</i> , 2017, 8, 2573-2582.	4.6	111
186	Experimental determination and mathematical modeling of the drying kinetics of a single droplet of colloidal silica. <i>Drying Technology</i> , 2017, 35, 1337-1346.	3.1	4
187	Effects of prewash on the pyrolysis kinetics of cut tobacco. <i>Drying Technology</i> , 2017, 35, 1368-1378.	3.1	6
188	Directly anchoring Fe <sub>3</sub> C nanoclusters and FeN <sub>x</sub> sites in ordered mesoporous nitrogen-doped graphitic carbons to boost electrocatalytic oxygen reduction. <i>Carbon</i> , 2017, 121, 143-153.	10.3	71
189	Elastic modulus and equilibrium swelling of stranded and particulate protein hydrogels at acid pH. <i>Food Hydrocolloids</i> , 2017, 71, 168-175.	10.7	8
190	Using micro-patterned surfaces to inhibit settlement and biofilm formation by <i>Bacillus subtilis</i> . <i>Canadian Journal of Microbiology</i> , 2017, 63, 608-620.	1.7	5
191	Unraveling the droplet drying characteristics of crystallizationâ€“prone mannitol â€“ experiments and modeling. <i>AIChE Journal</i> , 2017, 63, 1839-1852.	3.6	14
192	Investigation on water status and distribution in broccoli and the effects of drying on water status using NMR and MRI methods. <i>Food Research International</i> , 2017, 96, 191-197.	6.2	168
193	Formation process of coreâ€“shell microparticles by solute migration during drying of homogenous composite droplets. <i>AIChE Journal</i> , 2017, 63, 3297-3310.	3.6	14
194	On spray drying of oxidized corn starch cross-linked gelatin microcapsules for drug release. <i>Materials Science and Engineering C</i> , 2017, 74, 493-500.	7.3	37
195	Numerical Simulation of Crystallization Fouling: Taking into Account Fouling Layer Structures. <i>Heat Transfer Engineering</i> , 2017, 38, 775-785.	1.9	9
196	Fluorescence lifetime of Rhodamine B in aqueous solutions of polysaccharides and proteins as a function of viscosity and temperature. <i>Photochemical and Photobiological Sciences</i> , 2017, 16, 1727-1734.	2.9	25
197	Analysis the formation of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone in tobacco smoke generated from pyrolysis under inert and oxidative conditions respectively. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 127, 75-81.	5.5	3
198	Conformal Coating of Co/Nâ€“Doped Carbon Layers into Mesoporous Silica for Highly Efficient Catalytic Dehydrogenationâ€“Hydrogenation Tandem Reactions. <i>Small</i> , 2017, 13, 1702243.	10.0	45

#	ARTICLE	IF	CITATIONS
199	Microwave-Driven Sugar Beet Pulp Liquefaction in Polyhydric Alcohols. International Journal of Food Engineering, 2017, 13, .	1.5	5
200	Effect of Addition of Antioxidant Flaxseed Polypeptide on the Rheological Properties of Native Maize Starch. International Journal of Food Engineering, 2017, 13, .	1.5	1
201	Physical and Viscoelastic Properties of Different Moisture Content Highland Barley Kernels. International Journal of Food Engineering, 2017, 13, .	1.5	11
202	Surface-coating synthesis of nitrogen-doped inverse opal carbon materials with ultrathin micro/mesoporous graphene-like walls for oxygen reduction and supercapacitors. Journal of Materials Chemistry A, 2017, 5, 25237-25248.	10.3	32
203	Investigation on the relationship between the integrity of food matrix and nutrient extraction yield of broccoli. LWT - Food Science and Technology, 2017, 85, 170-174.	5.2	8
204	Spray-drying-assisted reassembly of uniform and large micro-sized MIL-101 microparticles with controllable morphologies for benzene adsorption. Journal of Colloid and Interface Science, 2017, 506, 1-9.	9.4	28
205	Magnetic resonance imaging (MRI) to quantify the swelling and drying of whey protein hydrogels. Journal of Food Engineering, 2017, 214, 97-103.	5.2	13
206	Poroviscoelasticity of whey protein hydrogels at different length and time scales. Food Hydrocolloids, 2017, 72, 237-246.	10.7	10
207	Spatial quantification of hydrogels swelling using wide-field fluorescence microscopy. Chemical Engineering Science, 2017, 158, 349-358.	3.8	14
208	Preparation and characteristic of gelatine/oxidized corn starch and gelatin/corn starch blend microspheres. International Journal of Biological Macromolecules, 2017, 94, 326-334.	7.5	18
209	Double use of concentrated sweet whey for growth and spray drying of probiotics: Towards maximal viability in pilot scale spray dryer. Journal of Food Engineering, 2017, 196, 11-17.	5.2	55
210	Micromechanical Characterization of Hydrogels Undergoing Swelling and Dissolution at Alkaline pH. Gels, 2017, 3, 44.	4.5	6
211	Aerosol-Assisted Fast Formulating Uniform Pharmaceutical Polymer Microparticles with Variable Properties toward pH-Sensitive Controlled Drug Release. Polymers, 2016, 8, 195.	4.5	8
212	Effect of N-Ethylmaleimide as a Blocker of Disulfide Crosslinks Formation on the Alkali-Cold Gelation of Whey Proteins. PLoS ONE, 2016, 11, e0164496.	2.5	5
213	A soft tubular model reactor based on the bionics of a small intestine “ Starch hydrolysis. Chemical Engineering Research and Design, 2016, 112, 146-154.	5.6	18
214	Drying of a system of multiple solvents: Modeling by the reaction engineering approach. AIChE Journal, 2016, 62, 2144-2153.	3.6	14
215	Mechanical and Thermal Properties of Polyurethane Foams from Liquefied Sugar Beet Pulp. International Journal of Food Engineering, 2016, 12, 911-919.	1.5	6
216	Monodisperse microparticles loaded with the self-assembled berberine-phospholipid complex-based phytosomes for improving oral bioavailability and enhancing hypoglycemic efficiency. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 103, 136-148.	4.3	71

#	ARTICLE	IF	CITATIONS
217	Microwave drying at various conditions modeled using the reaction engineering approach. <i>Drying Technology</i> , 2016, 34, 1654-1663.	3.1	19
218	Temperature-Oriented Pyrolysis on the Decomposition Characteristics of <i>Chlorella pyrenoidosa</i> . <i>International Journal of Food Engineering</i> , 2016, 12, 295-301.	1.5	4
219	Analysis of broadside rolling for heavy plate by weighted velocity field and mean yield criterion. <i>Meccanica</i> , 2016, 51, 1189-1199.	2.0	4
220	Double use of highly concentrated sweet whey to improve the biomass production and viability of spray-dried probiotic bacteria. <i>Journal of Functional Foods</i> , 2016, 23, 453-463.	3.4	66
221	Gastric emptying and morphology of a "near real" in vitro human stomach model (RD-IV-HSM). <i>Journal of Food Engineering</i> , 2016, 183, 1-8.	5.2	60
222	Rheological and microstructural properties of porcine gastric digesta and diets containing pectin or mango powder. <i>Carbohydrate Polymers</i> , 2016, 148, 216-226.	10.2	39
223	Adsorption of heterocyclic sulfur and nitrogen compounds in liquid hydrocarbons on activated carbons modified by oxidation: capacity, selectivity and mechanism. <i>RSC Advances</i> , 2016, 6, 41982-41990.	3.6	23
224	Miniature bread baking as a timesaving research approach and mathematical modeling of browning kinetics. <i>Food and Bioproducts Processing</i> , 2016, 100, 401-411.	3.6	12
225	Understanding the alkali cold gelation of whey proteins with NaCl and SDS. <i>Rheologica Acta</i> , 2016, 55, 909-920.	2.4	3
226	Recent advances in spray drying relevant to the dairy industry: A comprehensive critical review. <i>Drying Technology</i> , 2016, 34, 1773-1790.	3.1	87
227	Thermal Aggregation of Calcium-Fortified Skim Milk Enhances Probiotic Protection during Convective Droplet Drying. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6003-6010.	5.2	18
228	Direct Heating Amino Acids with Silica: A Universal Solvent-Free Assembly Approach to Highly Nitrogen-Doped Mesoporous Carbon Materials. <i>Advanced Functional Materials</i> , 2016, 26, 6649-6661.	14.9	67
229	Determination of ultra-low milk fat content using dual-wavelength ultraviolet spectroscopy. <i>Journal of Dairy Science</i> , 2016, 99, 9652-9658.	3.4	16
230	Exploring the protective effects of calcium-containing carrier against drying-induced cellular injuries of probiotics using single droplet drying technique. <i>Food Research International</i> , 2016, 90, 226-234.	6.2	32
231	Understanding hydrotropism: A chemical engineering perspective. <i>AIChE Journal</i> , 2016, 62, 1331-1346.	3.6	2
232	In situ observation on particle formation process via single droplet drying apparatus: Effects of precursor composition on particle morphology. <i>Drying Technology</i> , 2016, 34, 1700-1708.	3.1	13
233	Hyperconcentrated Sweet Whey, a New Culture Medium That Enhances <i>Propionibacterium freudenreichii</i> Stress Tolerance. <i>Applied and Environmental Microbiology</i> , 2016, 82, 4641-4651.	3.1	63
234	On Spray Drying of Uniform Mesoporous Silica Microparticles. <i>Materials Today: Proceedings</i> , 2016, 3, 646-651.	1.8	6

#	ARTICLE	IF	CITATIONS
235	A dynamic closure criterion for central defects in heavy plate during hot rolling. <i>Meccanica</i> , 2016, 51, 2365-2375.	2.0	6
236	Dissolution and swelling of soy protein isolate hydrogels in alkali. <i>Food Hydrocolloids</i> , 2016, 56, 285-291.	10.7	14
237	Characterization of Adhesion Surface of Cellulosic Fibers Extracted from Agro Wastes. <i>Journal of Natural Fibers</i> , 2016, 13, 103-124.	3.1	6
238	Swelling of whey and egg white protein hydrogels with stranded and particulate microstructures. <i>International Journal of Biological Macromolecules</i> , 2016, 83, 152-159.	7.5	34
239	Upper bound analysis of wire drawing through a twin parabolic die. <i>Meccanica</i> , 2016, 51, 2099-2110.	2.0	9
240	Average apothem yield criterion and its application to strip forging. <i>Journal of Manufacturing Processes</i> , 2016, 21, 190-195.	5.9	1
241	The Relative Activation Energy of Food Materials: Important Parameters to Describe Drying Kinetics. <i>International Journal of Food Properties</i> , 2016, 19, 1726-1737.	3.0	12
242	Micro-encapsulation and stabilization of DHA containing fish oil in protein-based emulsion through mono-disperse droplet spray dryer. <i>Journal of Food Engineering</i> , 2016, 175, 74-84.	5.2	82
243	Modeling and Simulation of a Co-current Rotary Dryer. <i>International Journal of Food Engineering</i> , 2016, 12, 189-194.	1.5	2
244	Multiscale modeling for nanoscale surface composition of spray-dried powders: The effect of initial droplet size. <i>Drying Technology</i> , 2016, 34, 1063-1072.	3.1	8
245	On enhancing the solubility of curcumin by microencapsulation in whey protein isolate via spray drying. <i>Journal of Food Engineering</i> , 2016, 169, 189-195.	5.2	138
246	Poroelastic relaxation indentation of whey protein hydrogels. <i>Food Hydrocolloids</i> , 2016, 54, 221-226.	10.7	8
247	Scoping biology-inspired chemical engineering. <i>Chinese Journal of Chemical Engineering</i> , 2016, 24, 1-8.	3.5	24
248	Harvesting of Microalgal Biomass. <i>Green Energy and Technology</i> , 2016, , 77-89.	0.6	12
249	An effective rate approach to modeling single-stage spray drying. <i>AIChE Journal</i> , 2015, 61, 4140-4151.	3.6	12
250	S-REA (spatial reaction engineering approach): An effective approach to model drying, baking and water vapor sorption processes. <i>Chemical Engineering Research and Design</i> , 2015, 101, 135-145.	5.6	19
251	Characteristic transport lengths (CTLs) in porous medium evaluated with classic diffusion solutions under infinite Biot number condition. <i>Journal of Food Engineering</i> , 2015, 166, 104-110.	5.2	0
252	Mapping the Shrinkage Behavior of Skim Milk Droplets During Convective Drying. <i>Drying Technology</i> , 2015, 33, 1101-1113.	3.1	9



#	ARTICLE	IF	CITATIONS
253	Characterization of Pyrolysis Products Obtained from <i>Desmodium</i> sp. Cultivated in Anaerobic Digested Effluents (DADE). International Journal of Food Engineering, 2015, 11, 825-832.	1.5	5
254	On the formation of coral-like spherical $\alpha$ -glycine crystalline particles. Powder Technology, 2015, 279, 310-316.	4.2	10
255	Cleaning beyond whey protein gels: Egg white. Food and Bioproducts Processing, 2015, 93, 249-255.	3.6	10
256	Grafting of ionic liquids on stainless steel surface for antibacterial application. Colloids and Surfaces B: Biointerfaces, 2015, 126, 162-168.	5.0	43
257	An Improved Calculation Procedure on Surface Composition of Spray-Dried Protein-Sugar Two-Component Systems. Drying Technology, 2015, 33, 817-821.	3.1	8
258	Unveiling the mechanism of antisolvent vapour precipitation in producing ultrafine spherical particles. Powder Technology, 2015, 275, 152-160.	4.2	4
259	Bread baking and its color kinetics modeled by the spatial reaction engineering approach (S-REA). Food Research International, 2015, 71, 58-67.	6.2	16
260	On the improvement of pore accessibility through post-synthesis hydrothermal treatments of spray dried SBA-15 microspheres. Chemical Engineering Science, 2015, 127, 276-284.	3.8	12
261	Agent selection and protective effects during single droplet drying of bacteria. Food Chemistry, 2015, 166, 206-214.	8.2	47
262	Towards predictive modeling of crystallization fouling: A pseudo-dynamic approach. Food and Bioproducts Processing, 2015, 93, 188-196.	3.6	23
263	Three-Dimensional Numerical Investigation of a Mono-Disperse Droplet Spray Dryer: Validation Aspects and Multi-Physics Exploration. Drying Technology, 2015, 33, 742-756.	3.1	15
264	Heat transfer coefficient of flowing wood pulp fibre suspensions to monitor fibre and paper quality. Applied Thermal Engineering, 2015, 78, 172-184.	6.0	11
265	Enteric-coated capsules filled with mono-disperse micro-particles containing PLGA-lipid-PEG nanoparticles for oral delivery of insulin. International Journal of Pharmaceutics, 2015, 484, 181-191.	5.2	66
266	The compositional effects of high solids model emulsions on drying behaviour and particle formation processes. Journal of Food Engineering, 2015, 157, 33-40.	5.2	16
267	On the spray drying of uniform functional microparticles. Particuology, 2015, 22, 1-12.	3.6	58
268	Modeling the Total Residence Time in a Rotary Dryer. International Journal of Food Engineering, 2015, 11, 405-410.	1.5	7
269	An analytical relationship of concentration-dependent interfacial solute distribution coefficient for aqueous layer freeze concentration. AIChE Journal, 2015, 61, 1334-1344.	3.6	11
270	Modeling of burst pressure for internal pressurized pipe elbow considering the effect of yield to tensile strength ratio. Meccanica, 2015, 50, 2123-2133.	2.0	12

#	ARTICLE	IF	CITATIONS
271	The effect of pre-adsorption of OVA or WPC on subsequent OVA or WPC fouling on heated stainless steel surface. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 129, 154-160.	5.0	7
272	Reaction Engineering Approach (REA) to Modeling Drying Problems: Recent Development and Implementations. <i>Drying Technology</i> , 2015, 33, 1899-1910.	3.1	17
273	Adsorption of quinoline from liquid hydrocarbons on graphite oxide and activated carbons. <i>RSC Advances</i> , 2015, 5, 74684-74691.	3.6	31
274	The mechanisms of the protective effects of reconstituted skim milk during convective droplet drying of lactic acid bacteria. <i>Food Research International</i> , 2015, 76, 478-488.	6.2	38
275	Surface formation phenomena of DHA-containing emulsion during convective droplet drying. <i>Journal of Food Engineering</i> , 2015, 150, 50-61.	5.2	8
276	An assessment on modeling drying processes: Equilibrium multiphase model and the spatial reaction engineering approach (S-REA). <i>Chemical Engineering Research and Design</i> , 2015, 94, 660-672.	5.6	12
277	Lactose microparticle formation from finely atomised droplets. <i>Chemical Engineering Science</i> , 2015, 122, 395-402.	3.8	5
278	Rice Dreg Protein as an Alternative to Soy Protein Isolate: Comparison of Nutritional Properties. <i>International Journal of Food Properties</i> , 2014, 17, 1791-1804.	3.0	24
279	Exploring the drying behaviour and particle formation of high solids milk protein concentrate. <i>Journal of Food Engineering</i> , 2014, 143, 186-194.	5.2	22
280	Multiscale modeling for surface composition of spray-dried two-component powders. <i>AIChE Journal</i> , 2014, 60, 2416-2427.	3.6	20
281	Examining the Suitability of the Reaction Engineering Approach (REA) to Modeling Local Evaporation/Condensation Rates of Materials with Various Thicknesses. <i>Drying Technology</i> , 2014, 32, 208-221.	3.1	6
282	Heat Transfer during Steaming of Bread. <i>International Journal of Food Engineering</i> , 2014, 10, 613-623.	1.5	6
283	Investigation on a Soft Tubular Model Reactor Based on Bionics of Small Intestine "Residence Time Distribution. <i>International Journal of Food Engineering</i> , 2014, 10, 645-655.	1.5	11
284	Isolation and Characterization of Corn cob Cellulose Fibers using Microwave-Assisted Chemical Treatments. <i>International Journal of Food Engineering</i> , 2014, 10, 427-436.	1.5	24
285	Comments on "A new solution approach for simultaneous heat and mass transfer during convective drying of mango" by E. Barati, J.A. Esfahani, <i>Journal of Food Engineering</i> 102 (2011) 302-309; "A novel approach to evaluate the temperature during drying of food products with negligible external resistance to mass transfer" by E. Barati, J.A. Esfahani, <i>Journal of Food Engineering</i> 114 (2013) 39-46. <i>Journal of Food Engineering</i> , 2014, 123, 193-194.	5.2	0
286	Formation of monodisperse mesoporous silica microparticles via spray-drying. <i>Journal of Colloid and Interface Science</i> , 2014, 418, 225-233.	9.4	35
287	Modeling of water vapor sorption process by employing the reaction engineering approach (REA). <i>Separation and Purification Technology</i> , 2014, 122, 456-461.	7.9	5
288	Towards spray drying of high solids dairy liquid: Effects of feed solid content on particle structure and functionality. <i>Journal of Food Engineering</i> , 2014, 123, 130-135.	5.2	55

#	ARTICLE	IF	CITATIONS
289	A study on Bifidobacterium lactis Bb12 viability in bread during baking. Journal of Food Engineering, 2014, 122, 33-37.	5.2	33
290	Calcium-Aggregated Milk: a Potential New Option for Improving the Viability of Lactic Acid Bacteria Under Heat Stress. Food and Bioprocess Technology, 2014, 7, 3147-3155.	4.7	20
291	Droplet drying behaviour of docosahexaenoic acid (DHA)-containing emulsion. Chemical Engineering Science, 2014, 106, 181-189.	3.8	21
292	Falling film evaporation characteristics of microalgae suspension for biofuel production. Applied Thermal Engineering, 2014, 62, 341-350.	6.0	9
293	Squeezing out ultrafine hydrophobic and poor water-soluble drug particles with water vapour. Advanced Powder Technology, 2014, 25, 1190-1194.	4.1	4
294	Effects of ionic and nonionic surfactants on milk shell wettability during co-spray-drying of whole milk particles. Journal of Dairy Science, 2014, 97, 5303-5314.	3.4	21
295	Digestive behaviours of large raw rice particles in vivo and in vitro rat stomach systems. Journal of Food Engineering, 2014, 142, 170-178.	5.2	34
296	A Simple and Effective Model for Modeling of Convective Drying of Sewage Sludge: The Reaction Engineering Approach (REA). Procedia Chemistry, 2014, 9, 77-87.	0.7	28
297	Study of the effect of entrance length on heat transfer to fibre suspensions in annular flow heat exchangers. International Journal of Heat and Mass Transfer, 2014, 78, 548-556.	4.8	1
298	Formation of uniform large SBA-15 microspheres via spray drying. Journal of Materials Chemistry A, 2014, 2, 19500-19508.	10.3	36
299	Antisolvent vapor precipitation: the future of pulmonary drug delivery particle production?. Expert Opinion on Drug Delivery, 2014, 11, 307-311.	5.0	8
300	Effects of Co-spray Drying of Surfactants with High Solids Milk on Milk Powder Wettability. Food and Bioprocess Technology, 2014, 7, 3121-3135.	4.7	22
301	Physical Properties of Naked Oat Seeds ( <i>Avena nuda</i> L.). International Journal of Food Engineering, 2014, 10, 339-345.	1.5	5
302	Dairy Milk Particles Made with a Mono-Disperse Droplet Spray Dryer (MDDSD) Investigated for the Effect of Fat. Drying Technology, 2014, 32, 528-542.	3.1	15
303	Antiretrogradation in Cooked Starch-Based Product Application of Tea Polyphenols. Journal of Food Science, 2014, 79, E1984-90.	3.1	16
304	Study on the Effect of Cut Tobacco Drying on the Pyrolysis and Combustion Properties. Drying Technology, 2014, 32, 130-134.	3.1	18
305	Design and Fabrication of a Silicone Rubber-based Mediatorless Bioelectrode for Oxygen Reduction. Chemistry Letters, 2014, 43, 1081-1083.	1.3	0
306	Comparative physicochemical analysis of suspended and immobilized cultivation of <i>Chlorella</i> sp.. Journal of Chemical Technology and Biotechnology, 2013, 88, 247-254.	3.2	18

#	ARTICLE	IF	CITATIONS
307	Characterization of sodium cellulose sulphate/polydimethylallyl ammonium chloride biological capsules for immobilized cultivation of microalgae. <i>Journal of Chemical Technology and Biotechnology</i> , 2013, 88, 599-605.	3.2	12
308	Spatial reaction engineering approach as an alternative for nonequilibrium multiphase mass transfer model for drying of food and biological materials. <i>AIChE Journal</i> , 2013, 59, 55-67.	3.6	33
309	Venturing into In Vitro Physiological Upper GI System Focusing on the Motility Effect Provided by a Mechanised Rat Stomach Model. <i>Food Digestion</i> , 2013, 4, 36-48.	0.9	27
310	Capturing the effect of initial concentrations on the drying kinetics of high solids milk using reaction engineering approach. <i>Dairy Science and Technology</i> , 2013, 93, 415-430.	2.2	11
311	Effects of Spray Drying and Freeze Drying on the Properties of Protein Isolate from Rice Dreg Protein. <i>Food and Bioprocess Technology</i> , 2013, 6, 1759-1769.	4.7	108
312	Inactivation of <i>Lactococcus lactis</i> ssp. <i>cremoris</i> cells in a droplet during convective drying. <i>Biochemical Engineering Journal</i> , 2013, 79, 46-56.	3.6	24
313	Solubility properties and diffusional extraction behavior of natamycin from <i>Streptomyces gilvosporeus</i> biomass. <i>Biotechnology Progress</i> , 2013, 29, 109-115.	2.6	9
314	On designing particulate carriers for encapsulation and controlled release applications. <i>Powder Technology</i> , 2013, 236, 188-196.	4.2	15
315	Controlling the Size of Taurine Crystals in the Cooling Crystallization Process. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 13449-13458.	3.7	13
316	Comparison between the digestive behaviors of a new in vitro rat soft stomach model with that of the in vivo experimentation on living rats – Motility and morphological influences. <i>Journal of Food Engineering</i> , 2013, 117, 183-192.	5.2	45
317	Design of polymeric microparticles for pH-responsive and time-sustained drug release. <i>Biochemical Engineering Journal</i> , 2013, 81, 177-186.	3.6	18
318	Nafion coated stainless steel for anti-biofilm application. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 111, 252-256.	5.0	24
319	An Investigation in Microencapsulating Astaxanthin Using a Monodisperse Droplet Spray Dryer. <i>Drying Technology</i> , 2013, 31, 1562-1569.	3.1	8
320	A linear relationship between dimensionless crossing-point-temperature and Frank-Kamenetskii reactivity parameter in self-heating test at infinite Biot number for slab geometry. <i>Fire Safety Journal</i> , 2013, 61, 138-143.	3.1	6
321	A General “Surface-Locking” Approach toward Fast Assembly and Processing of Large-Sized, Ordered, Mesoporous Carbon Microspheres. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 13764-13768.	13.8	79
322	Fabrication of flexible and disposable enzymatic biofuel cells. <i>Electrochimica Acta</i> , 2013, 98, 20-24.	5.2	38
323	The Survival of <i>Lactococcus lactis</i> in a Convective-Air-Drying Environment: The Role of Protectant Solids, Oxygen Injury, and Mechanism of Protection. <i>Drying Technology</i> , 2013, 31, 1661-1674.	3.1	13
324	In Situ Observation of Taurine Crystallization via Single Droplet Drying. <i>Drying Technology</i> , 2013, 31, 1553-1561.	3.1	6

#	ARTICLE	IF	CITATIONS
325	Respirable liquid marble for the cultivation of microorganisms. Colloids and Surfaces B: Biointerfaces, 2013, 106, 187-190.	5.0	86
326	On the formation of uniform alginate-silica microcomposites with ordered hierarchical structures. Journal of Food Engineering, 2013, 119, 299-307.	5.2	9
327	Multiphase modeling of intermittent drying using the spatial reaction engineering approach (S-REA). Chemical Engineering and Processing: Process Intensification, 2013, 70, 169-183.	3.6	22
328	Antisolvent vapour precipitation of droplets with multi-components: Non-soluble encapsulation and simultaneous precipitation of soluble materials. Chemical Engineering Research and Design, 2013, 91, 1705-1714.	5.6	7
329	Experimental investigation of egg ovalbumin scaling on heated stainless steel surface and scale-removal compared with that of whey protein. Colloids and Surfaces B: Biointerfaces, 2013, 107, 198-204.	5.0	11
330	Shrinkage behaviour of skim milk droplets during air drying. Journal of Food Engineering, 2013, 116, 37-44.	5.2	42
331	Significant effect of $Ca^{2+}$ on improving the heat resistance of lactic acid bacteria. FEMS Microbiology Letters, 2013, 344, 31-38.	1.8	32
332	Precipitating smooth amorphous or pollen structured lactose microparticles. Chemical Engineering Journal, 2013, 226, 312-318.	12.7	14
333	Pool boiling characteristics of microalgae suspension for biofuels production. Applied Thermal Engineering, 2013, 50, 1369-1375.	6.0	12
334	Fouling mitigation of heat exchangers with natural fibres. Applied Thermal Engineering, 2013, 50, 1142-1148.	6.0	17
335	Study on the dissolution of heat-induced ovalbumin gel in alkaline solutions relevant to the removal of fouling deposits. Journal of Food Engineering, 2013, 114, 550-557.	5.2	12
336	Spatial Reaction Engineering Approach (S-REA) as a Multiphase Drying Approach to Model the Heat Treatment of Wood under a Constant Heating Rate. Industrial & Engineering Chemistry Research, 2013, 52, 6242-6252.	3.7	6
337	On the Addition of Protein (Casein) to Aqueous Lactose as a Drying Aid in Spray Drying—Theoretical Surface Composition. Drying Technology, 2013, 31, 1504-1512.	3.1	8
338	Making Uniform Whey, Lactose, and Composite Lactose—Whey Particles from the Dehydration of Single Droplets with Antisolvent Vapor. Drying Technology, 2013, 31, 1570-1577.	3.1	9
339	Improving the physical properties crunchiness of potato crisps by pretreatment techniques and vacuum frying. , 2013, , .		2
340	Effects of Defatted Flaxseed Addition on Rheological Properties of Wheat Flour Slurry. International Journal of Food Engineering, 2013, 9, 457-466.	1.5	2
341	Guest Editorial: Special Issue for the 18th International Drying Symposium (IDS2012). Drying Technology, 2013, 31, 1735-1735.	3.1	0
342	A Critical Review of Basic Crystallography to Salt Crystallization Fouling in Heat Exchangers. Heat Transfer Engineering, 2013, 34, 719-732.	1.9	56

#	ARTICLE	IF	CITATIONS
343	Studies on the Microstructure and Thermal Properties of Pulsed Electric Fields (PEF)-Treated Maize Starch. International Journal of Food Engineering, 2012, 8, .	1.5	28
344	The Digestibility and Thermal Properties of Fermented Flaxseed Protein. International Journal of Food Engineering, 2012, 8, .	1.5	1
345	Interaction effects of silica dioxide particles and calcium ions on the evolution of biofouling in plate heat exchangers relevant to a heat pump heat recovery system from treated sewage. International Journal of Materials and Product Technology, 2012, 44, 67.	0.2	0
346	The Effect of Dryer Inlet and Outlet Air Temperatures and Protectant Solids on the Survival of <i>Lactococcus lactis</i> during Spray Drying. Drying Technology, 2012, 30, 1649-1657.	3.1	52
347	Modeling Intermittent Drying of Wood under Rapidly Varying Temperature and Humidity Conditions with the Lumped Reaction Engineering Approach (L-REA). Drying Technology, 2012, 30, 1658-1665.	3.1	10
348	Single Droplet Drying Technique to Study Drying Kinetics Measurement and Particle Functionality: A Review. Drying Technology, 2012, 30, 1771-1785.	3.1	91
349	Enhancing the oxidative stability of food emulsions with rice dreg protein hydrolysate. Food Research International, 2012, 48, 876-884.	6.2	46
350	Convective Drying Kinetics of Single Droplets of Aqueous Glucose. Drying Technology, 2012, 30, 1029-1036.	3.1	15
351	ACID CLEANING OF GYPSUM DEPOSITS FROM A HEAT TRANSFER SURFACE. Chemical Engineering Communications, 2012, 199, 1263-1278.	2.6	1
352	Unveiling the Mechanism of in situ Crystallization in the Spray Drying of Sugars. Industrial & Engineering Chemistry Research, 2012, 51, 11791-11802.	3.7	12
353	Uniform Amorphous Lactose Microspheres Formed in Simultaneous Convective and Dehydration Antisolvent Precipitation under Atmospheric Conditions. Langmuir, 2012, 28, 13772-13776.	3.5	11
354	Effect of shear rate and oxygen stresses on the survival of <i>Lactococcus lactis</i> during the atomization and drying stages of spray drying: A laboratory and pilot scale study. Journal of Food Engineering, 2012, 113, 194-200.	5.2	71
355	Effects of pulsed electric field treatments on some properties of tapioca starch. Carbohydrate Polymers, 2012, 89, 1012-1017.	10.2	104
356	Roasting of Barley and Coffee Modeled Using the Lumped-Reaction Engineering Approach (L-REA). Drying Technology, 2012, 30, 475-483.	3.1	16
357	Spray drying of monodispersed microencapsulates: implications of formulation and process parameters on microstructural properties and controlled release functionality. Journal of Microencapsulation, 2012, 29, 677-684.	2.8	14
358	Comparison of functional and structural properties of native and industrial process-modified proteins from long-grain indica rice. Journal of Cereal Science, 2012, 56, 568-575.	3.7	73
359	Thermal Properties of Polyurethane Films Prepared from Mixed Cellulose, Hemicelluloses and Lignin. International Journal of Food Engineering, 2012, 8, .	1.5	10
360	A CFD-CPBM-CPMLM integrated model for the gas-solid flow fields in fluidized bed polymerization reactors. AIChE Journal, 2012, 58, 1717-1732.	3.6	68



#	ARTICLE	IF	CITATIONS
361	Autotrophic cultivation of <i>Spirulina platensis</i> for CO <sub>2</sub> fixation and phycocyanin production. <i>Chemical Engineering Journal</i> , 2012, 183, 192-197.	12.7	97
362	NaCSâ€“PDMDAAC immobilized autotrophic cultivation of <i>Chlorella</i> sp. for wastewater nitrogen and phosphate removal. <i>Chemical Engineering Journal</i> , 2012, 187, 185-192.	12.7	42
363	Effect of silica dioxide particles on the evolution of biofouling by <i>Bacillus subtilis</i> in plate heat exchangers relevant to a heat pump system used with treated sewage. <i>Chemical Engineering Journal</i> , 2012, 188, 47-56.	12.7	15
364	A monodisperse spray dryer for milk powder: Modelling the formation of insoluble material. <i>Chemical Engineering Science</i> , 2012, 71, 75-84.	3.8	41
365	Assembly of magnetic microcomposites from low pH precursors using a novel micro-fluidic-jet-spray-dryer. <i>Chemical Engineering Research and Design</i> , 2012, 90, 150-157.	5.6	7
366	Microcrystallization of lactose during droplet drying and its effect on the property of the dried particle. <i>Chemical Engineering Research and Design</i> , 2012, 90, 138-149.	5.6	23
367	Highly swirling transient flows in spray dryers and consequent effect on modeling of particle deposition. <i>Chemical Engineering Research and Design</i> , 2012, 90, 336-345.	5.6	14
368	Validation of heat transfer data for fibre suspensions in coaxial pipe heat exchangers. <i>Experimental Thermal and Fluid Science</i> , 2012, 38, 210-222.	2.7	12
369	Enzymatic hydrolysis of rice dreg protein: Effects of enzyme type on the functional properties and antioxidant activities of recovered proteins. <i>Food Chemistry</i> , 2012, 134, 1360-1367.	8.2	180
370	Effect of calcium ions on the evolution of biofouling by <i>Bacillus subtilis</i> in plate heat exchangers simulating the heat pump system used with treated sewage in the 2008 Olympic Village. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 94, 309-316.	5.0	28
371	Fouling and fouling mitigation on heated metal surfaces. <i>Desalination</i> , 2012, 288, 126-134.	8.2	47
372	Functionality of milk protein concentrate: Effect of spray drying temperature. <i>Biochemical Engineering Journal</i> , 2012, 62, 101-105.	3.6	94
373	Particle shrinkage and morphology of milk powder made with a monodisperse spray dryer. <i>Biochemical Engineering Journal</i> , 2012, 62, 92-100.	3.6	60
374	Particle drying and crystallization characteristics in a low velocity concurrent pilot scale spray drying tower. <i>Powder Technology</i> , 2012, 223, 39-45.	4.2	18
375	Formation of novel mesoporous TiC microspheres through a solâ€“gel and carbothermal reduction process. <i>Journal of the European Ceramic Society</i> , 2012, 32, 3407-3414.	5.7	34
376	Drying kinetics of skim milk with 50wt.% initial solids. <i>Journal of Food Engineering</i> , 2012, 109, 701-711.	5.2	33
377	Drying kinetics and survival studies of dairy fermentation bacteria in convective air drying environment using single droplet drying. <i>Journal of Food Engineering</i> , 2012, 110, 405-417.	5.2	48
378	A single step assembly of uniform microparticles for controlled release applications. <i>Soft Matter</i> , 2011, 7, 3323.	2.7	41



#	ARTICLE	IF	CITATIONS
379	On spray drying of uniform silica-based microencapsulates for controlled release. <i>Soft Matter</i> , 2011, 7, 11416.	2.7	29
380	MODELING MOISTURE TRANSPORT ACROSS PORCINE SKIN USING REACTION ENGINEERING APPROACH AND EXAMINATION OF FEASIBILITY OF THE TWO-PHASE APPROACH. <i>Chemical Engineering Communications</i> , 2011, 198, 847-885.	2.6	19
381	Intermittent Drying of Mango Tissues: Implementation of the Reaction Engineering Approach. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 1089-1098.	3.7	47
382	Facile Spray-Drying Assembly of Uniform Microencapsulates with Tunable Core-Shell Structures and Controlled Release Properties. <i>Langmuir</i> , 2011, 27, 12910-12915.	3.5	60
383	Towards a maximal cell survival in convective thermal drying processes. <i>Food Research International</i> , 2011, 44, 1127-1149.	6.2	251
384	Heat transfer and pressure drop characteristics of suspensions of synthetic and wood pulp fibres in annular flow. <i>Applied Thermal Engineering</i> , 2011, 31, 2971-2980.	6.0	12
385	On quantifying the dissolution behaviour of milk protein concentrate. <i>Food Hydrocolloids</i> , 2011, 25, 503-510.	10.7	71
386	Microfluidic spray drying as a versatile assembly route of functional particles. <i>Chemical Engineering Science</i> , 2011, 66, 5531-5531.	3.8	16
387	Theoretical probing of the phenomenon of the formation of the outermost surface layer of a multi-component particle, and the surface chemical composition after the rapid removal of water in spray drying. <i>Chemical Engineering Science</i> , 2011, 66, 6375-6384.	3.8	44
388	Modeling of baking of thin layer of cake using the lumped reaction engineering approach (L-REA). <i>Journal of Food Engineering</i> , 2011, 105, 306-311.	5.2	24
389	Entropy production during the drying process of milk droplets in an industrial spray dryer. <i>International Journal of Thermal Sciences</i> , 2011, 50, 615-625.	4.9	35
390	Monodisperse droplet formation through a continuous jet break-up using glass nozzles operated with piezoelectric pulsation. <i>AIChE Journal</i> , 2011, 57, 1386-1392.	3.6	70
391	Assembly of uniform photoluminescent microcomposites using a novel microfluidic jet-spray dryer. <i>AIChE Journal</i> , 2011, 57, 2726-2737.	3.6	64
392	CSTR-based modelling for the continuous carbonation of sodium aluminate solution. <i>Canadian Journal of Chemical Engineering</i> , 2011, 89, 617-624.	1.7	4
393	Numerical probing of a low velocity concurrent pilot scale spray drying tower for mono-disperse particle production – Unusual characteristics and possible improvements. <i>Chemical Engineering and Processing: Process Intensification</i> , 2011, 50, 417-427.	3.6	19
394	Reaction Engineering Approach (REA) to model the drying kinetics of droplets with different initial sizes – experiments and analyses. <i>Chemical Engineering Science</i> , 2011, 66, 1738-1747.	3.8	78
395	Application of the reaction engineering approach (REA) for modeling intermittent drying under time-varying humidity and temperature. <i>Chemical Engineering Science</i> , 2011, 66, 2149-2156.	3.8	55
396	Modeling of high-temperature treatment of wood using the reaction engineering approach (REA). <i>Bioresource Technology</i> , 2011, 102, 6214-6220.	9.6	17

#	ARTICLE	IF	CITATIONS
397	Colloidal transport phenomena of milk components during convective droplet drying. Colloids and Surfaces B: Biointerfaces, 2011, 87, 255-266.	5.0	44
398	Production of monodisperse epigallocatechin gallate (EGCG) microparticles by spray drying for high antioxidant activity retention. International Journal of Pharmaceutics, 2011, 413, 155-166.	5.2	67
399	Effect of whey protein concentration on the fouling and cleaning of a heat transfer surface. Journal of Food Engineering, 2011, 104, 323-331.	5.2	46
400	Mathematical modeling of intermittent and convective drying of rice and coffee using the reaction engineering approach (REA). Journal of Food Engineering, 2011, 105, 638-646.	5.2	39
401	Microalgae bioengineering: From CO <sub>2</sub> fixation to biofuel production. Renewable and Sustainable Energy Reviews, 2011, 15, 3252-3260.	16.4	222
402	Modeling of Drying of Food Materials with Thickness of Several Centimeters by the Reaction Engineering Approach (REA). Drying Technology, 2011, 29, 961-973.	3.1	38
403	Evaporation of Pure Droplets in the Convective Regime Under High Mass Flux. Drying Technology, 2011, 29, 1628-1637.	3.1	8
404	Simple, Accurate and Robust Modeling of Various Systems of Drying of Foods and Biomaterials: A Demonstration of the Feasibility of the Reaction Engineering Approach (REA). Drying Technology, 2011, 29, 1519-1528.	3.1	24
405	Simulating Industrial Spray-Drying Operations Using a Reaction Engineering Approach and a Modified Desorption Method. Drying Technology, 2011, 29, 419-428.	3.1	20
406	Uniform Chitosan Microparticles Prepared by a Novel Spray-Drying Technique. International Journal of Chemical Engineering, 2011, 2011, 1-7.	2.4	39
407	Hydrolysis Reactions: Enzyme Immobilisation Process. , 2010, , 839-843.		0
408	Characterization of milk protein concentrate solubility using focused beam reflectance measurement. Dairy Science and Technology, 2010, 90, 253-270.	2.2	28
409	One-dimensional simulation of co-current, dairy spray drying systems “pros and cons. Dairy Science and Technology, 2010, 90, 181-210.	2.2	36
410	An overview of the recent advances in spray-drying. Dairy Science and Technology, 2010, 90, 211-224.	2.2	37
411	Mineral scale formation and mitigation on metals and a polymeric heat exchanger surface. Applied Thermal Engineering, 2010, 30, 2236-2242.	6.0	74
412	Infrared and convective drying of thin layer of polyvinyl alcohol (PVA)/glycerol/water mixture “The reaction engineering approach (REA). Chemical Engineering and Processing: Process Intensification, 2010, 49, 348-357.	3.6	42
413	Application of the reaction engineering approach (REA) to model cyclic drying of thin layers of polyvinyl alcohol (PVA)/glycerol/water mixture. Chemical Engineering Science, 2010, 65, 5193-5203.	3.8	24
414	Moisture transport across porcine skin: experiments and implementation of diffusion-based models. International Journal of Healthcare Technology and Management, 2010, 11, 474.	0.1	25

#	ARTICLE	IF	CITATIONS
415	Microbiological and Chemical Changes During the Production of Acidic Whey, A Traditional Chinese Tofu-Coagulant. <i>International Journal of Food Properties</i> , 2010, 13, 90-104.	3.0	22
416	A Fundamental Model of Particle Deposition Incorporated in CFD Simulations of an Industrial Milk Spray Dryer. <i>Drying Technology</i> , 2010, 28, 960-971.	3.1	39
417	Drying operations to produce high-quality food products in large scales: managing productâ€“process interactions. <i>Food Manufacturing Efficiency</i> , 2010, 3, 1-6.	0.2	2
418	Numerical Study of the Drying Process of Different Sized Particles in an Industrial-Scale Spray Dryer. <i>Drying Technology</i> , 2009, 27, 371-381.	3.1	76
419	Thermomechanical Property of Rice Kernels Studied by DMA. <i>International Journal of Food Engineering</i> , 2009, 5, .	1.5	7
420	2D Computer Simulations of Ohmic Heating of Milk Solutions in Laminar Annular Flow. <i>Chemical Product and Process Modeling</i> , 2009, 4, .	0.9	0
421	A Simple Nongravimetric Technique for Measurement of Convective Drying Kinetics of Single Droplets. <i>Drying Technology</i> , 2009, 28, 73-77.	3.1	13
422	Study on Creep Properties of Japonica Cooked Rice and Its Relationship with Rice Chemical Compositions and Sensory Evaluation. <i>International Journal of Food Engineering</i> , 2009, 5, .	1.5	4
423	Effects of encapsulation process parameters of calcium alginate beads on Vitamin B12drug release kinetics. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2009, 5, n/a-n/a.	1.5	5
424	Starch pastes thinning during high-pressure homogenization. <i>Carbohydrate Polymers</i> , 2009, 75, 32-38.	10.2	51
425	Surface composition of industrial spray-dried milk powders. 1. Development of surface composition during manufacture. <i>Journal of Food Engineering</i> , 2009, 94, 163-168.	5.2	98
426	Freezing on subcooled surfaces, phenomena, modeling and applications. <i>International Journal of Heat and Mass Transfer</i> , 2009, 52, 1245-1253.	4.8	25
427	Fabrication of starch-based microparticles by an emulsification-crosslinking method. <i>Journal of Food Engineering</i> , 2009, 92, 250-254.	5.2	51
428	Effects of potato starch addition and cooling rate on rheological characteristics of flaxseed protein concentrate. <i>Journal of Food Engineering</i> , 2009, 91, 392-401.	5.2	12
429	Physical properties and loading capacity of starch-based microparticles crosslinked with trisodium trimetaphosphate. <i>Journal of Food Engineering</i> , 2009, 92, 255-260.	5.2	72
430	Surface composition of industrial spray-dried milk powders. 2. Effects of spray drying conditions on the surface composition. <i>Journal of Food Engineering</i> , 2009, 94, 169-181.	5.2	202
431	Surface composition of industrial spray-dried milk powders. 3. Changes in the surface composition during long-term storage. <i>Journal of Food Engineering</i> , 2009, 94, 182-191.	5.2	70
432	Effect of water content on thermal behaviors of common buckwheat flour and starch. <i>Journal of Food Engineering</i> , 2009, 93, 242-248.	5.2	20

#	ARTICLE	IF	CITATIONS
433	Food powder technology. Journal of Food Engineering, 2009, 94, 129.	5.2	1
434	On a relationship proposed for thin layer drying of porous materials. Chemical Engineering and Processing: Process Intensification, 2009, 48, 1583-1584.	3.6	2
435	The impact of various drying kinetics models on the prediction of sample temperatureâ€‘time and moisture contentâ€‘time profiles during moisture removal from stratum corneum. Chemical Engineering Research and Design, 2009, 87, 739-755.	5.6	18
436	Effect of sucrose on dynamic mechanical characteristics of maize and potato starch films. Carbohydrate Polymers, 2009, 76, 239-243.	10.2	26
437	A fundamental analysis of continuous flow bioreactor and membrane reactor models with noncompetitive product inhibition. Asia-Pacific Journal of Chemical Engineering, 2009, 4, 107-117.	1.5	9
438	Engineering Data of Diameter Change during Air Drying of Milk Droplets with 40Âwt% Initial Solids Content. Drying Technology, 2009, 27, 1028-1032.	3.1	15
439	A Three-Dimensional Numerical Study of the Gas/Particle Interactions in an Industrial-Scale Spray Dryer for Milk Powder Production. Drying Technology, 2009, 27, 1018-1027.	3.1	44
440	Inactivation Kinetics of Yeast Cells during Infrared Drying. Drying Technology, 2009, 27, 1060-1068.	3.1	20
441	Effects of pulsed electric fields (PEF) treatment on physicochemical properties of potato starch. Innovative Food Science and Emerging Technologies, 2009, 10, 481-485.	5.6	127
442	Effects of Incubation Temperature, Starter Culture Level and Total Solids Content on the Rheological Properties of Yogurt. International Journal of Food Engineering, 2009, 5, .	1.5	29
443	Effects of Drying Methods on the Release Kinetics of Vitamin B <sub>12</sub> in Calcium Alginate Beads. Drying Technology, 2009, 27, 1258-1265.	3.1	20
444	Experimental and thermal analysis of washing the packed ice bed in wash columns. AIChE Journal, 2009, 55, 2835-2847.	3.6	11
445	Effect of high-pressure homogenization on the structure and thermal properties of maize starch. Journal of Food Engineering, 2008, 87, 436-444.	5.2	96
446	Glucose oxidase: natural occurrence, function, properties and industrial applications. Applied Microbiology and Biotechnology, 2008, 78, 927-938.	3.6	417
447	Extrusion detoxification technique on flaxseed by uniform design optimization. Separation and Purification Technology, 2008, 61, 51-59.	7.9	47
448	Ultrasound-assisted extraction of oil from flaxseed. Separation and Purification Technology, 2008, 62, 192-198.	7.9	314
449	Optimization of extrusion of flaxseeds for in vitro protein digestibility analysis using response surface methodology. Journal of Food Engineering, 2008, 85, 59-64.	5.2	37
450	Effect of flaxseed gum addition on rheological properties of native maize starch. Journal of Food Engineering, 2008, 89, 87-92.	5.2	72

#	ARTICLE	IF	CITATIONS
451	Influence of alfalfa powder concentration and granularity on rheological properties of alfalfa-wheat dough. Journal of Food Engineering, 2008, 89, 137-141.	5.2	19
452	Experimental study of wash columns used for separating ice from ice-slurry. Desalination, 2008, 218, 223-228.	8.2	15
453	Fouling and cleaning of whey protein concentrate fouled ultrafiltration membranes. Desalination, 2008, 218, 313-322.	8.2	63
454	Preparation of crosslinked starch microspheres and their drug loading and releasing properties. Carbohydrate Polymers, 2008, 74, 379-384.	10.2	91
455	Rheological properties of dilute aqueous solutions of cassava starch. Carbohydrate Polymers, 2008, 74, 385-389.	10.2	50
456	Analysis of "classical" deposition rate law for crystallisation fouling. Chemical Engineering and Processing: Process Intensification, 2008, 47, 1201-1210.	3.6	92
457	Diffusion of NaOH into a protein gel. Chemical Engineering Science, 2008, 63, 2763-2772.	3.8	33
458	Effects of CS/EC ratio on structure and properties of polyurethane foams prepared from untreated liquefied corn stover with PAPI. Chemical Engineering Research and Design, 2008, 86, 416-421.	5.6	22
459	Effect of steam explosion on biodegradation of lignin in wheat straw. Bioresource Technology, 2008, 99, 8512-8515.	9.6	93
460	In vitro and in vivo studies on the antioxidant activities of the aqueous extracts of Douchi (a) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 162	8.2	162
461	Drying of aqueous lactose solutions in a single stream dryer. Food and Bioproducts Processing, 2008, 86, 185-197.	3.6	19
462	The effects of AC electric field on wine maturation. Innovative Food Science and Emerging Technologies, 2008, 9, 463-468.	5.6	68
463	Optimization of Supercritical Carbon Dioxide Extraction of Flaxseed Oil Using Response Surface Methodology. International Journal of Food Engineering, 2008, 4, .	1.5	15
464	Manufacturing Better Quality Food Powders from Spray Drying and Subsequent Treatments. Drying Technology, 2008, 26, 1313-1318.	3.1	63
465	The Basics of a Reaction Engineering Approach to Modeling Air-Drying of Small Droplets or Thin-Layer Materials. Drying Technology, 2008, 26, 627-639.	3.1	112
466	Sensitivity Analysis of the Reaction Engineering Approach to Modeling Spray Drying of Whey Proteins Concentrate. Drying Technology, 2008, 26, 1334-1343.	3.1	16
467	The Combined Effects of Heat Transfer Coefficient and Thermal Diffusivity on Heating Rates of Solid Materials - A Simple Analysis. International Journal of Food Engineering, 2008, 4, .	1.5	4
468	Composition Analysis of Litchi Juice and Litchi Wine. International Journal of Food Engineering, 2008, 4, .	1.5	16

#	ARTICLE	IF	CITATIONS
469	Characteristics of Milk Powders Produced by Spray Freeze Drying. <i>Drying Technology</i> , 2008, 26, 404-412.	3.1	53
470	Ohmic Heating Behavior of Certain Selected Liquid Food Materials. <i>International Journal of Food Engineering</i> , 2008, 4, .	1.5	16
471	A fundamental analysis of continuous flow bioreactor and membrane reactor models with death and maintenance included. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2008, 3, 70-80.	1.5	19
472	Mathematical Modelling of the Self-Heating Process in Compost Piles. <i>Chemical Product and Process Modeling</i> , 2007, 2, .	0.9	7
473	Freezing melting process and desalination: review of present status and future prospects. <i>International Journal of Nuclear Desalination</i> , 2007, 2, 253.	0.2	45
474	Dynamic Viscoelastic Properties of Rice Kernels Studied by Dynamic Mechanical Analyzer. <i>International Journal of Food Engineering</i> , 2007, 3, .	1.5	5
475	Effect of Moisture Content on the Physical Properties of Fibered Flaxseed. <i>International Journal of Food Engineering</i> , 2007, 3, .	1.5	30
476	Antioxidative Activity of Douchi (A Chinese Traditional Salt-Fermented Soybean Food) Extracts During Its Processing. <i>International Journal of Food Properties</i> , 2007, 10, 385-396.	3.0	50
477	Survey of experimental work on the self-heating and spontaneous combustion of coal. , 2007, , .		33
478	Microstructure Analysis of Rice Kernel. <i>International Journal of Food Properties</i> , 2007, 10, 85-91.	3.0	17
479	On Measurement of Food Powder Reconstitution Properties. <i>Drying Technology</i> , 2007, 26, 3-14.	3.1	95
480	Effect of High-Pressure Homogenization on the Structure of Cassava Starch. <i>International Journal of Food Properties</i> , 2007, 10, 911-922.	3.0	59
481	Stickiness, Functionality, and Microstructure of Food Powders. <i>Drying Technology</i> , 2007, 25, 959-969.	3.1	41
482	Micronization and Hydrophobic Modification of Cassava Starch. <i>International Journal of Food Properties</i> , 2007, 10, 527-536.	3.0	58
483	Monodisperse Droplet Generators as Potential Atomizers for Spray Drying Technology. <i>Drying Technology</i> , 2007, 25, 1907-1916.	3.1	66
484	Moisture Diffusivity in Food and Biological Materials. <i>Drying Technology</i> , 2007, 25, 1203-1213.	3.1	93
485	Papers nominated for The John A Brodie Medal at Chemeca 2006, held in Auckland, New Zealand. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2007, 2, 345-346.	1.5	0
486	The shaft torque change in a laboratory scraped surface heat exchanger used for making ice slurries. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2007, 2, 618-630.	1.5	7

#	ARTICLE	IF	CITATIONS
487	Production of spherical and uniform-sized particles using a laboratory inkjet spray dryer. Asia-Pacific Journal of Chemical Engineering, 2007, 2, 415-430.	1.5	32
488	Special issue contributions from the Department of Chemical and Materials Engineering, The University of Auckland. Asia-Pacific Journal of Chemical Engineering, 2007, 2, 413-414.	1.5	0
489	Pilot-scale lactose hydrolysis using $\beta$ -galactosidase immobilized on cotton fabric. Chemical Engineering and Processing: Process Intensification, 2007, 46, 497-500.	3.6	34
490	Modelling of anhydrous milkfat fractionation in an ultrafiltration membrane process. Chemical Engineering and Processing: Process Intensification, 2007, 46, 393-397.	3.6	0
491	Application of two-stage ohmic heating to tofu processing. Chemical Engineering and Processing: Process Intensification, 2007, 46, 486-490.	3.6	41
492	Advances in the application of chemical engineering principles in food industry. Chemical Engineering and Processing: Process Intensification, 2007, 46, 367-368.	3.6	0
493	Self-heating in compost piles due to biological effects. Chemical Engineering Science, 2007, 62, 4612-4619.	3.8	29
494	The reaction engineering approach to modelling the cream and whey protein concentrate droplet drying. Chemical Engineering and Processing: Process Intensification, 2007, 46, 437-443.	3.6	80
495	Conformability of the kinetics of cohesion/stickiness development in amorphous sugar particles to the classical Arrhenius law. Journal of Food Engineering, 2007, 79, 675-680.	5.2	10
496	Dissolving heat-induced protein gel cubes in alkaline solutions under natural and forced convection conditions. Journal of Food Engineering, 2007, 79, 1315-1321.	5.2	15
497	Reducing oil content of fried potato crisps considerably using a "sweet" pre-treatment technique. Journal of Food Engineering, 2007, 80, 719-726.	5.2	36
498	Optimization of ethanol-water extraction of lignans from flaxseed. Separation and Purification Technology, 2007, 57, 17-24.	7.9	177
499	A Laboratory Investigation of Milk Fouling Under the Influence of Ultrasound. Food and Bioprocess Technology, 2007, 85, 57-62.	3.6	13
500	A Mechanistic Insight of Convective Heat Transfer in Turbulent Flow in Smooth Round Pipe with a Turbulent "Scoops" Concept. Chemical Engineering Research and Design, 2007, 85, 465-472.	5.6	1
501	Direct-Contact Heat Transfer Coefficient for Condensing Vapour Bubble in Stagnant Liquid Pool. Chemical Engineering Research and Design, 2007, 85, 320-328.	5.6	11
502	Fundamentals of the spray freezing of foods' microstructure of frozen droplets. Journal of Food Engineering, 2007, 78, 136-150.	5.2	48
503	Micro-organism inactivation during drying of small droplets or thin-layer slabs - A critical review of existing kinetics models and an appraisal of the drying rate dependent model. Journal of Food Engineering, 2007, 82, 1-10.	5.2	47
504	MAKING QUALITY FOOD PARTICLES FROM SPRAY DRYING AND SUBSEQUENT TREATMENTS. , 2007, , .		1



#	ARTICLE	IF	CITATIONS
505	SENSITIVITY ANALYSIS OF THE REACTION ENGINEERING APPROACH TO MODELING SPRAY DRYING OF WHEY PROTEINS CONCENTRATE. , 2007, , .		1
506	A Model for Drying of an Aqueous Lactose Droplet Using the Reaction Engineering Approach. Drying Technology, 2006, 24, 1329-1334.	3.1	82
507	The Potential Use of Polymer-Clay Nanocomposites in Food Packaging. International Journal of Food Engineering, 2006, 2, .	1.5	124
508	Freezingâ€”Melting Process and Desalination: I. Review of the Stateâ€”ofâ€”theâ€”Art. Separation and Purification Reviews, 2006, 35, 59-96.	5.5	90
509	Inactivation Kinetics of Probiotic Bacteria during the Drying of Single Milk Droplets. Drying Technology, 2006, 24, 695-701.	3.1	48
510	Separation and purification in the food industry. Separation and Purification Technology, 2006, 48, 93.	7.9	2
511	Lewis number in the context of air-drying of hygroscopic materials. Separation and Purification Technology, 2006, 48, 121-132.	7.9	12
512	Heat transfer and power consumption in a scraped-surface heat exchanger while freezing aqueous solutions. Separation and Purification Technology, 2006, 48, 150-158.	7.9	41
513	The influence of milk composition on the growth of Bacillus stearothermophilus. Journal of Food Engineering, 2006, 77, 96-102.	5.2	13
514	A Critical Review of Milk Fouling in Heat Exchangers. Comprehensive Reviews in Food Science and Food Safety, 2006, 5, 27-33.	11.7	212
515	Effect of Temperature and Power Frequency on Milk Fouling in an Ohmic Heater. Food and Bioproducts Processing, 2006, 84, 286-291.	3.6	40
516	A Study of the Effects of Surface Chemistry on the Initial Deposition Mechanisms of Dairy Fouling. Food and Bioproducts Processing, 2006, 84, 265-273.	3.6	14
517	In Situ ESEM Examination of Microstructural Changes of an Apple Tissue Sample Undergoing Low-Pressure Air-Drying Followed by Wetting. Drying Technology, 2006, 24, 965-972.	3.1	14
518	Experimental Results Contributed to Early Detection of Smouldering Milk Powder as an Integrated Part of Maintaining Spray Drying Plant Safety. Drying Technology, 2006, 24, 783-789.	3.1	2
519	GIT Physicochemical Modeling - A Critical Review. International Journal of Food Engineering, 2006, 2, .	1.5	53
520	Influences of Microemulsion Cross-linking Reaction and Ball-milling on Particle Size Characteristics of Potato and Maize Starches. International Journal of Food Engineering, 2006, 2, .	1.5	14
521	Food Engineering as an Advancing Branch of Chemical Engineering. International Journal of Food Engineering, 2006, 2, .	1.5	9
522	Microencapsulation Based on Emulsification for Producing Pharmaceutical Products: A Literature Review. Asia-Pacific Journal of Chemical Engineering, 2006, 14, 515-544.	0.0	39

#	ARTICLE	IF	CITATIONS
523	Optimization of Fed-batch Culture of Hybridoma Cells using Genetic Algorithms. , 2006, , 17-27.		0
524	On-line Identification and Optimization of Feed Rate Profiles for Fed-batch Culture of Hybridoma Cells. , 2006, , 29-40.		0
525	On-line Softsensor Development for Biomass Measurements using Dynamic Neural Networks. , 2006, , 41-56.		0
526	Optimization of Fed-batch Fermentation Processes using Genetic Algorithms based on Cascade Dynamic Neural Network Models. , 2006, , 57-70.		0
527	Experimental Validation of Cascade Recurrent Neural Network Models. , 2006, , 71-89.		0
528	Designing and Implementing Optimal Control of Fed-batch Fermentation Processes. , 2006, , 91-108.		0
529	The Assessment of the Temperature Uniformity in Processing Small Food Objects. International Journal of Food Engineering, 2005, 1, .	1.5	2
530	An effective laboratory air humidity generator for drying research. Journal of Food Engineering, 2005, 68, 125-131.	5.2	5
531	Desorption isotherm of milk powders at elevated temperatures and over a wide range of relative humidity. Journal of Food Engineering, 2005, 68, 257-264.	5.2	43
532	Measuring dendritic growth in undercooled sucrose solution droplets. Journal of Crystal Growth, 2005, 285, 236-248.	1.5	24
533	Transport of lithium through a supported liquid membrane of LIX54 and TOPO in kerosene. Chemical Engineering and Processing: Process Intensification, 2005, 44, 1327-1336.	3.6	39
534	Melting characteristics of fat present on the surface of industrial spray-dried dairy powders. Colloids and Surfaces B: Biointerfaces, 2005, 42, 1-8.	5.0	88
535	Solid-state characterization of spray-dried ice cream mixes. Colloids and Surfaces B: Biointerfaces, 2005, 45, 66-75.	5.0	34
536	Effect of surface composition on the flowability of industrial spray-dried dairy powders. Colloids and Surfaces B: Biointerfaces, 2005, 46, 182-187.	5.0	175
537	PREDICTION OF SPRAY-DRIED PRODUCT QUALITY USING TWO SIMPLE DRYING KINETICS MODELS. Journal of Food Process Engineering, 2005, 28, 567-594.	2.9	44
538	NMR verification of single droplet freezing models. AIChE Journal, 2005, 51, 2640-2648.	3.6	18
539	A Discussion on a Generalized Correlation for Drying Rate Modeling. Drying Technology, 2005, 23, 415-426.	3.1	14
540	The Temperature Uniformity During Air Drying of a Colloidal Liquid Droplet. Drying Technology, 2005, 23, 2337-2367.	3.1	23

#	ARTICLE	IF	CITATIONS
541	Prediction of Air-Drying of Milk Droplet Under Relatively High Humidity Using the Reaction Engineering Approach. <i>Drying Technology</i> , 2005, 23, 1395-1406.	3.1	36
542	Lower Bound Estimates of the Mass Transfer Coefficient from an Evaporating Liquid Droplet—The Effect of High Interfacial Vapor Velocity. <i>Drying Technology</i> , 2005, 23, 59-69.	3.1	16
543	Modified Biot Number in the Context of Air Drying of Small Moist Porous Objects. <i>Drying Technology</i> , 2005, 23, 83-103.	3.1	89
544	Air Drying of Food and Biological Materials—Modified Biot and Lewis Number Analysis. <i>Drying Technology</i> , 2005, 23, 2239-2248.	3.1	18
545	Growth kinetics of ice films spreading on a subcooled solid surface. <i>Separation and Purification Technology</i> , 2004, 39, 109-121.	7.9	20
546	Changes in Milk Droplet Diameter During Drying Under Constant Drying Conditions Investigated Using The Glass-Filament Method. <i>Food and Bioproducts Processing</i> , 2004, 82, 213-218.	3.6	48
547	Soft sensors for on-line biomass measurements. <i>Bioprocess and Biosystems Engineering</i> , 2004, 26, 191-195.	3.4	37
548	Imaging droplet freezing using MRI. <i>Chemical Engineering Science</i> , 2004, 59, 2113-2122.	3.8	34
549	A third-order approximate solution of the reaction—diffusion process in an immobilized biocatalyst particle. <i>Biochemical Engineering Journal</i> , 2004, 17, 65-69.	3.6	15
550	On-line fouling/cleaning detection by measuring electric resistance—equipment development and application to milk fouling detection and chemical cleaning monitoring. <i>Journal of Food Engineering</i> , 2004, 61, 181-189.	5.2	53
551	Adsorption of Paraquat dichloride from aqueous solution by activated carbon derived from used tires. <i>Journal of Hazardous Materials</i> , 2004, 112, 133-141.	12.4	149
552	Experimental and numerical analysis of the temperature transition of a freezing food solution droplet. <i>Chemical Engineering Science</i> , 2004, 59, 2503-2515.	3.8	41
553	Modelling and optimization of fed-batch fermentation processes using dynamic neural networks and genetic algorithms. <i>Biochemical Engineering Journal</i> , 2004, 22, 51-61.	3.6	94
554	Two-stage aqueous two-phase extractions: selection of system composition using a genetic algorithm. <i>Biochemical Engineering Journal</i> , 2004, 21, 199-205.	3.6	5
555	Combined Influences of Humidity and Temperature upon the Inter-Particle Stickiness of a Whole Milk Powder. <i>International Journal of Food Properties</i> , 2004, 7, 499-509.	3.0	5
556	Heat-Mass Transfer and Structure Formation During Drying of Single Food Droplets. <i>Drying Technology</i> , 2004, 22, 179-190.	3.1	47
557	A Semenov Model of Self-Heating in Compost Piles. <i>Chemical Engineering Research and Design</i> , 2003, 81, 375-383.	5.6	15
558	Heat transfer at the subcooled-scraped surface with/without phase change. <i>AIChE Journal</i> , 2003, 49, 1947-1955.	3.6	22

#	ARTICLE	IF	CITATIONS
559	Kinetics of lactose hydrolysis by $\beta$ -galactosidase of <i>Kluyveromyces lactis</i> immobilized on cotton fabric. <i>Biotechnology and Bioengineering</i> , 2003, 81, 127-133.	3.3	55
560	Experimental and numerical analysis of the temperature transition of a suspended freezing water droplet. <i>International Journal of Heat and Mass Transfer</i> , 2003, 46, 1199-1213.	4.8	190
561	Simulation and experiment of the unsteady heat transport in the onset time of nucleation and crystallization of ice from the subcooled solution. <i>International Journal of Heat and Mass Transfer</i> , 2003, 46, 3221-3231.	4.8	23
562	Shear rate dependent thermal conductivity measurement of two fruit juice concentrates. <i>Journal of Food Engineering</i> , 2003, 57, 217-224.	5.2	19
563	Effects of time, temperature, and pressure on the cake formation of milk powders. <i>Journal of Food Engineering</i> , 2003, 58, 355-361.	5.2	33
564	Ice fouling on a subcooled metal surface examined by thermo-response and electrical conductivity. <i>Journal of Food Engineering</i> , 2003, 59, 421-429.	5.2	22
565	Membrane fouling during filtration of milk—a microstructural study. <i>Journal of Food Engineering</i> , 2003, 60, 431-437.	5.2	99
566	Use of non-crystallising particles to mitigate crystallisation fouling. <i>International Communications in Heat and Mass Transfer</i> , 2003, 30, 695-706.	5.6	15
567	A class of simple models of time-dependent plasmid stability in a continuous fermentation process. <i>Biochemical Engineering Journal</i> , 2003, 13, 63-67.	3.6	3
568	On the Mechanisms of Surface Formation and the Surface Compositions of Industrial Milk Powders. <i>Drying Technology</i> , 2003, 21, 265-278.	3.1	171
569	The theoretical basis of heat flux sensor pen. <i>Journal of Applied Mathematics and Decision Sciences</i> , 2003, 7, 1-10.	0.4	7
570	Robust stabilization of binary distillation columns with input constraints. <i>International Journal of Systems Science</i> , 2002, 33, 759-765.	5.5	0
571	Fiber-modified scaling in heat transfer fouling mitigation. <i>Chemical Engineering Communications</i> , 2002, 189, 742-758.	2.6	17
572	Cleaning Rate in the Uniform Cleaning Stage for Whey Protein Gel Deposits. <i>Food and Bioproducts Processing</i> , 2002, 80, 240-246.	3.6	27
573	An emission pattern of a thermophilic bacteria attached to or imbedded in porous supports. <i>International Journal of Food Microbiology</i> , 2002, 73, 11-21.	4.7	10
574	Theoretical and experimental investigation of the thermal destruction of Vitamin C in food pouches. <i>Computers and Electronics in Agriculture</i> , 2002, 34, 129-143.	7.7	29
575	A simple and effective model for cross-flow microfiltration and ultrafiltration. <i>Canadian Journal of Chemical Engineering</i> , 2002, 80, 28-36.	1.7	18
576	Surface characterization of four industrial spray-dried dairy powders in relation to chemical composition, structure and wetting property. <i>Colloids and Surfaces B: Biointerfaces</i> , 2002, 26, 197-212.	5.0	313

#	ARTICLE	IF	CITATIONS
577	Numerical simulation of transient temperature and velocity profiles in a horizontal can during sterilization using computational fluid dynamics. Journal of Food Engineering, 2002, 51, 77-83.	5.2	79
578	Theoretical and experimental investigation of the thermal inactivation of <i>Bacillus stearothermophilus</i> in food pouches. Journal of Food Engineering, 2002, 51, 221-228.	5.2	45
579	An experimental study of an NaClO generator for anti-microbial applications in the food industry. Journal of Food Engineering, 2002, 54, 111-118.	5.2	25
580	Characterization of stickiness and cake formation in whole and skim milk powders. Journal of Food Engineering, 2002, 55, 293-303.	5.2	85
581	Application of a Depth Sensing Indentation Hardness Test to Evaluate the Mechanical Properties of Food Materials. Journal of Food Science, 2002, 67, 1814-1820.	3.1	58
582	Whey Protein-Based Gel as a Model Material for Studying Initial Cleaning Mechanisms of Milk Fouling. Journal of Food Science, 2002, 67, 2702-2711.	3.1	51
583	On the ratio of heat to mass transfer coefficient for water evaporation and its impact upon drying modeling. International Journal of Heat and Mass Transfer, 2002, 45, 4369-4372.	4.8	20
584	Improving the Glass-Filament Method for Accurate Measurement of Drying Kinetics of Liquid Droplets. Chemical Engineering Research and Design, 2002, 80, 401-410.	5.6	105
585	On the Characteristic Drying Rate Approach to Correlating Experimental Results of the Drying of Moist Porous Materials. Canadian Journal of Chemical Engineering, 2002, 80, 984-990.	1.7	7
586	Control of continuous fermenters under input constraints. International Journal of Systems Science, 2001, 32, 313-320.	5.5	0
587	Characterization of the Effect of Corrugation Angles on Hydrodynamic and Heat Transfer Performance of Four-Start Spiral Tubes. Journal of Heat Transfer, 2001, 123, 1149-1158.	2.1	27
588	The reaction engineering approach to modelling drying of thin layer of pulped Kiwifruit flesh under conditions of small Biot numbers. Chemical Engineering and Processing: Process Intensification, 2001, 40, 311-320.	3.6	72
589	Immobilization of $\beta$ -galactosidase on graphite surface by glutaraldehyde. Journal of Food Engineering, 2001, 48, 69-74.	5.2	96
590	Thermal sterilization of canned food in a 3-D pouch using computational fluid dynamics. Journal of Food Engineering, 2001, 48, 147-156.	5.2	88
591	Effects of temperature and pH on the catalytic activity of the immobilized $\beta$ -galactosidase from <i>Kluyveromyces lactis</i> . Biochemical Engineering Journal, 2001, 9, 33-40.	3.6	151
592	Hard control of free-radical polymerisation reactors. ISA Transactions, 2001, 40, 73-84.	5.7	0
593	Optimisation of fed-batch culture of hybridoma cells using genetic algorithms. ISA Transactions, 2001, 40, 381-389.	5.7	21
594	Assembly and Mixing of Two-Stage Aqueous Two-Phase Protein Extractions. Biotechnology Progress, 2001, 17, 697-702.	2.6	1

#	ARTICLE	IF	CITATIONS
595	Self-heating behaviour of low moisture content particlesâ€™ modelling the basket-heating of solid particles and some aspects of the cross over behaviour using milk powder as an example. ANZIAM Journal, 2001, 43, 165-181.	0.2	7
596	Comparison of Crystallization Fouling in Plate and Double-Pipe Heat Exchangers. Heat Transfer Engineering, 2001, 22, 13-25.	1.9	25
597	A generalized correlation of solute inclusion in ice formed from aqueous solutions and food liquids on sub-cooled surface. Canadian Journal of Chemical Engineering, 2000, 78, 312-319.	1.7	25
598	Experimental results of the time to the onset of ice formation at metal surface and a correlation based on a sub-layer reactor model. International Journal of Heat and Mass Transfer, 2000, 43, 643-652.	4.8	6
599	Performance of plate heat exchangers during calcium sulphate fouling â€™ investigation with an in-line filter. Chemical Engineering and Processing: Process Intensification, 2000, 39, 507-519.	3.6	42
600	EFFECT OF INSOLUBLE PARTICLES UPON SOLID INCLUSION LEVELS IN ICE FORMED ON A SUBCOOLED STAINLESS STEEL SURFACE. Journal of Food Process Engineering, 2000, 23, 145-161.	2.9	0
601	Determining Internal Oil Uptake and Water Content of Fried Thin Potato Crisps. Food and Bioproducts Processing, 2000, 78, 119-125.	3.6	32
602	Heterogeneously catalysed combustion in a continuously stirred tank reactorâ€™ low-temperature reactions. Combustion Theory and Modelling, 2000, 4, 1-27.	1.9	5
603	Lithium Extraction from a Multicomponent Mixture Using Supported Liquid Membranes. Separation Science and Technology, 2000, 35, 2513-2533.	2.5	51
604	Heat transfer in the drag reducing regime of wood pulp fibre suspensions. Chemical Engineering Journal, 1999, 73, 247-253.	12.7	40
605	An experimental study on the spatial uniformity of solute inclusion in ice formed from falling film flows on a sub-cooled surface. Journal of Food Engineering, 1999, 39, 101-105.	5.2	38
606	Effect of ageing and composition on the ignition tendency of dairy powders. Journal of Food Engineering, 1999, 39, 269-276.	5.2	11
607	A study of the cohesion of dairy powders. Journal of Food Engineering, 1999, 39, 277-284.	5.2	93
608	Numerical simulation of natural convection heating of canned food by computational fluid dynamics. Journal of Food Engineering, 1999, 41, 55-64.	5.2	144
609	An investigation of deactivation of bacteria in a canned liquid food during sterilization using computational fluid dynamics (CFD). Journal of Food Engineering, 1999, 42, 207-214.	5.2	76
610	A mathematical model of the self-heating of spray-dried food powders containing fat, protein, sugar and moisture. Chemical Engineering Science, 1999, 54, 4165-4178.	3.8	44
611	Low-temperature oxidation of coal studied using wire-mesh reactors with both steady-state and transient methods. Combustion and Flame, 1999, 117, 646-651.	5.2	51
612	On Basket Heating Methods for Obtaining Exothermic Reactivity of Solid Materials. Chemical Engineering Research and Design, 1999, 77, 187-192.	5.6	25

#	ARTICLE	IF	CITATIONS
613	Diffusion of Sodium Chloride Through Chicken Eggshell in Relation to an Ancient Method of Egg Preservation. Food and Bioproducts Processing, 1999, 77, 40-46.	3.6	10
614	Microfiltration and Ultrafiltration of Milk. Food and Bioproducts Processing, 1999, 77, 107-113.	3.6	48
615	Application of headspace solid-phase microextraction to volatile flavour profile development during storage and ripening of kiwifruit. Food Research International, 1999, 32, 175-183.	6.2	65
616	Several Important Issues Related to the Crossing-Point Temperature (CPT) Method for Measuring Self-Ignition Kinetics of Combustible Solids. Chemical Engineering Research and Design, 1998, 76, 90-93.	5.6	22
617	On the fundamentals of diffusive self-heating in water containing combustible materials. Chemical Engineering and Processing: Process Intensification, 1998, 37, 367-378.	3.6	25
618	Adhesion characteristics of whole milk powder to a stainless steel surface. Powder Technology, 1998, 97, 191-199.	4.2	18
619	Recursive least squares scheme for operating a class of continuous fermentation processes at optimal steady state productivity. Journal of Chemical Technology and Biotechnology, 1998, 73, 227-232.	3.2	0
620	High frequency multi-input periodic operation of continuous fermentation process. Journal of Chemical Technology and Biotechnology, 1998, 73, 233-236.	3.2	3
621	Simple procedure for operating a class of continuous fermentation processes at the optimal steady state productivity. Biochemical Engineering Journal, 1998, 1, 131-136.	3.6	7
622	Exploring the reaction kinetics of whey protein denaturation/aggregation by assuming the denaturation step is reversible. Biochemical Engineering Journal, 1998, 2, 63-69.	3.6	25
623	Microwave heating of an infinite solid slab and its thermal stability analysis using steady state bifurcation theory. Journal of Food Engineering, 1998, 35, 339-349.	5.2	5
624	A temperature dependence function of equilibrium sorption isotherms established by a reaction engineering approach. Journal of Food Engineering, 1998, 37, 259-269.	5.2	12
625	Solute inclusion in ice formed from sucrose solutions on a sub-cooled surface—an experimental study. Journal of Food Engineering, 1998, 38, 1-13.	5.2	43
626	Headspace sampling of whey protein concentrate solutions using solid-phase microextraction. Food Research International, 1998, 31, 371-379.	6.2	34
627	Thermal diffusivity of kiwifruit skin, flesh and core measured by a modified Fitch method. International Journal of Food Properties, 1998, 1, 113-119.	3.0	3
628	Wall Resistance in Graphite-Block Heat Exchangers. Heat Transfer Engineering, 1997, 18, 39-50.	1.9	8
629	A new water sorption equilibrium isotherm model. Food Research International, 1997, 30, 755-759.	6.2	10
630	Simple Substrate Feeding Rate Control Mechanism for Optimizing the Steady State Productivity of a Class of Continuous Fermentation Processes. Biotechnology Progress, 1997, 13, 200-204.	2.6	3



#	ARTICLE	IF	CITATIONS
631	Fingerprints of the Drying Behaviour of Particulate or Thin Layer Food Materials Established Using a Reaction Engineering Model. Food and Bioproducts Processing, 1997, 75, 213-222.	3.6	105
632	Safer estimates of time-to-ignition of reactive porous solid of regular shapes. Chemical Engineering and Processing: Process Intensification, 1997, 36, 195-200.	3.6	3
633	An improved thermal conductivity prediction model for fruits and vegetables as a function of temperature, water content and porosity. Journal of Food Engineering, 1997, 31, 163-170.	5.2	49
634	A note on the two models of ice growth velocity in aqueous solutions derived from an irreversible thermodynamics analysis and the conventional heat and mass transfer theory. Journal of Food Engineering, 1997, 31, 395-402.	5.2	9
635	Effects of an oscillating interface on heat transfer. Chemical Engineering Science, 1997, 52, 3265-3275.	3.8	19
636	Oxidation rates of coals as measured from one-dimensional spontaneous heating. Combustion and Flame, 1997, 109, 578-586.	5.2	24
637	Self-ignition of solids with diminishing reaction rates. Exact comparison between the results predicted using time-dependent and surface-oxygen absorption-dependent reaction rate. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 2977.	1.7	2
638	Modern analyses and binding studies of flavour volatiles with particular reference to dairy protein products. Food Research International, 1996, 29, 265-290.	6.2	33
639	Freezing of aqueous solution in a simple apparatus designed for measuring freezing point. Food Research International, 1996, 29, 723-729.	6.2	29
640	Revisiting spontaneous ignition of solids with diminishing reaction rates. AIChE Journal, 1996, 42, 2388-2391.	3.6	3
641	The rate of temperature rise of a subbituminous coal during spontaneous combustion in an adiabatic device: The effect of moisture content and drying methods. Combustion and Flame, 1996, 106, 261-270.	5.2	59
642	Measurement and data interpretation of the freezing point depression of milks. Journal of Food Engineering, 1996, 30, 239-253.	5.2	35
643	Glass transition and caking of spray-dried lactose. International Journal of Food Science and Technology, 1996, 31, 305-311.	2.7	107
644	Comparison of Several Periodic Operations of a Continuous Fermentation Process. Biotechnology Progress, 1996, 12, 286-288.	2.6	36
645	Thermal ignition kinetics of wood sawdust measured by a newly devised experimental technique. Process Safety Progress, 1995, 14, 266-270.	1.0	23
646	On gas recycling as a means of improving the operation of cyclones. Chemical Engineering and Processing: Process Intensification, 1995, 34, 379-383.	3.6	2
647	A General Form of Thermal Conductivity Equation for an Apple Sample During Drying: Variation with Moisture Content and Temperature. Drying Technology, 1995, 13, 2153-2165.	3.1	12
648	Mathematical analysis of powder discharge through longitudinal slits in a slowly rotating drum: Objective measurements of powder flowability. Journal of Food Engineering, 1994, 21, 421-437.	5.2	10

#	ARTICLE	IF	CITATIONS
649	TOWARDS A COMPREHENSIVE MODEL BASED CONTROL OF MILK DRYING PROCESSES. Drying Technology, 1994, 12, 1105-1130.	3.1	29
650	Some aspects of measuring the size and rate of dispersion of milk powder agglomerates using the Malvern Particle Sizer 2600c. Journal of Dairy Research, 1994, 61, 201-208.	1.4	12
651	The effect of moisture content on the oxidation rate of coal during near-equilibrium drying and wetting at 50 Â°C. Fuel, 1993, 72, 787-792.	6.4	69
652	Slip and no-slip squeezing flow of liquid food in a wedge. Rheologica Acta, 1993, 32, 477-482.	2.4	14
653	On the mathematical modeling of the transient process of spontaneous heating in a moist coal stockpile. Combustion and Flame, 1992, 90, 114-120.	5.2	42
654	Phase Diagram of Aqueous Two-Phase System (ATPS) Composed of Polyethylene Glycol (PEG) and Gelatin. Advanced Materials Research, 0, 554-556, 286-294.	0.3	5
655	Reaction engineering approach I. , 0, , 34-120.		1
656	Reaction engineering approach II. , 0, , 121-168.		0
657	Comparisons of the REA with Fickian-type drying theories, Luikov's and Whitaker's approaches. , 0, , 169-211.		0
658	Laboratory suspension freeze concentration (Lab SFC) followed by a simple centrifugal procedure for separation. Drying Technology, 0, , 1-12.	3.1	2
659	Obtaining Model Parameters of Drying Kinetics for Highly Shrinkable Materials without Knowing the Surface Area <i>a priori</i>. AIChE Journal, 0, , .	3.6	0
660	Combined infrared and hot air drying (IR-HAD) of sweet potato explored using a multiphase model: application of reaction engineering approach. Drying Technology, 0, , 1-10.	3.1	2