

# Martyn J Pavier

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2467318/martyn-j-pavier-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

2,836  
citations

27  
h-index

51  
g-index

108  
ext. papers

3,207  
ext. citations

3.4  
avg, IF

5.07  
L-index

#	Paper	IF	Citations
101	Experimental study on fatigue crack propagation of octet-truss lattice. <i>Procedia Structural Integrity</i> , <b>2022</b> , 37, 41-48	1	0
100	Fracture behaviour of octet-truss lattices in different orientations. <i>Procedia Structural Integrity</i> , <b>2022</b> , 37, 49-56	1	0
99	In-situ measurements of stress during thermal shock in clad pressure vessel steel using synchrotron X-ray diffraction. <i>International Journal of Mechanical Sciences</i> , <b>2021</b> , 192, 106136	5.5	2
98	Mixed-mode brittle fracture test of polymethylmethacrylate with a new specimen. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , <b>2021</b> , 44, 1027-1040	3	1
97	Measurement of manufacture assembly stresses in thick composite components using a modified DHD method. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2020</b> , 135, 105922	8.4	1
96	Comparison of measured and modelled residual stresses in a welded P91 steel pipe undergoing post weld heat treatment. <i>International Journal of Pressure Vessels and Piping</i> , <b>2020</b> , 181, 104076	2.4	11
95	A new specimen for mixed mode I/II fracture of brittle and quasi-brittle materials. <i>Procedia Structural Integrity</i> , <b>2020</b> , 28, 1140-1147	1	0
94	Fatigue properties of aluminium triangular lattice plates. <i>Procedia Structural Integrity</i> , <b>2020</b> , 28, 1148-1159	1.5	2
93	Optimisation and thermo-mechanical analysis of a coated steam dual pipe system for use in advanced ultra-supercritical power plant. <i>International Journal of Pressure Vessels and Piping</i> , <b>2020</b> , 186, 104157	2.4	3
92	Compressive behaviours of octet-truss lattices. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , <b>2020</b> , 234, 3257-3269	1.3	5
91	Brittle fracture of three-dimensional lattice structure. <i>Engineering Fracture Mechanics</i> , <b>2019</b> , 219, 106598	4.2	9
90	Reducing steam transport pipe temperatures in power plants. <i>Energy</i> , <b>2019</b> , 183, 127-141	7.9	4
89	The effect of residual stress on a centre-cracked plate under uniaxial loading. <i>International Journal of Fracture</i> , <b>2019</b> , 219, 101-121	2.3	0
88	Thermal and stress analyses of a novel coated steam dual pipe system for use in advanced ultra-supercritical power plant. <i>International Journal of Pressure Vessels and Piping</i> , <b>2019</b> , 176, 103933	2.4	5
87	Fracture of three-dimensional lattices manufactured by selective laser melting. <i>International Journal of Solids and Structures</i> , <b>2019</b> , 180-181, 147-159	3.1	15
86	Residual stress in laser clad rail. <i>Tribology International</i> , <b>2019</b> , 140, 105844	4.9	14
85	Fatigue of thin periodic triangular lattice plates. <i>MATEC Web of Conferences</i> , <b>2019</b> , 300, 03002	0.3	1

84	Redistribution of residual stress by thermal shock in reactor pressure vessel steel clad with nickel alloy. <i>International Journal of Pressure Vessels and Piping</i> , <b>2019</b> , 169, 37-47	2.4	7
83	Measurement of assembly stress in composite structures using the deep-hole drilling technique. <i>Composite Structures</i> , <b>2018</b> , 202, 119-126	5.3	10
82	Measurement of Partial Slip at the Interface of a Shrink Fit Assembly under Axial Load. <i>Experimental Mechanics</i> , <b>2018</b> , 58, 407-415	2.6	2
81	Measurements of Stress During Thermal Shock in Clad Reactor Pressure Vessel Material Using Time-Resolved In-Situ Synchrotron X-Ray Diffraction <b>2018</b> ,		1
80	Investigation of non-uniform gelation effects on residual stresses of thick laminates based on tailed FBG sensor. <i>Composite Structures</i> , <b>2018</b> , 202, 1361-1372	5.3	11
79	Experimental study of modulus, strength and toughness of 2D triangular lattices. <i>International Journal of Solids and Structures</i> , <b>2018</b> , 152-153, 207-216	3.1	26
78	Closed-form solutions of hole distortion for use in deep-hole drilling measurements of residual stress in orthotropic plates. <i>Journal of Strain Analysis for Engineering Design</i> , <b>2017</b> , 52, 77-82	1.3	6
77	Residual stresses created during curing of a polymer matrix composite using a viscoelastic model. <i>Composites Science and Technology</i> , <b>2016</b> , 130, 20-27	8.6	40
76	On stability of a new side cut destructive method for measuring non-uniform residual stress in thin plates. <i>International Journal of Solids and Structures</i> , <b>2016</b> , 100-101, 223-233	3.1	3
75	Measurement of Highly Non-Uniform Residual Stress Fields with Reduced Plastic Error. <i>Experimental Mechanics</i> , <b>2015</b> , 55, 1211-1224	2.6	7
74	Rock interface strength influences fluid-filled fracture propagation pathways in the crust. <i>Journal of Structural Geology</i> , <b>2014</b> , 63, 68-75	3	22
73	Residual stress measurements in a P92 steel-In625 superalloy metal weldment in the as-welded and after post weld heat treated conditions. <i>International Journal of Pressure Vessels and Piping</i> , <b>2014</b> , 123-124, 10-18	2.4	10
72	Effects of Load and Displacement Controlled Bending on Plastic Collapse of Pressurized Pipes <b>2014</b> , 3, 1204-1209		2
71	Residual stresses in environmental and thermal barrier coatings on curved superalloy substrates: Experimental measurements and modelling. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2014</b> , 606, 117-126	5.3	7
70	Plasticity and Stress Heterogeneity Influence on Mechanical Stress Relaxation Residual Stress Measurements. <i>Advanced Materials Research</i> , <b>2014</b> , 996, 249-255	0.5	1
69	Failure Modes of a Platinum Aluminide Environmental Coating <b>2014</b> , 3, 1729-1735		
68	Size-dependent fracture behavior of Guiting limestone under mixed mode loading. <i>International Journal of Rock Mechanics and Minings Sciences</i> , <b>2014</b> , 71, 369-380	6	109
67	In situ neutron diffraction measurement of residual stress relaxation in a welded steel pipe during heat treatment. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2014</b> , 590, 374-383	5.3	20

66	A Procedure to Measure Biaxial Near Yield Residual Stresses Using the Deep Hole Drilling Technique. <i>Experimental Mechanics</i> , <b>2013</b> , 53, 1223-1231	2.6	5
65	The influence of long-range residual stress on plastic collapse of pressurised pipes with and without flaws. <i>International Journal of Pressure Vessels and Piping</i> , <b>2013</b> , 111-112, 54-62	2.4	
64	Residual stress measurements in a ferritic steel/In625 superalloy dissimilar metal weldment using neutron diffraction and deep-hole drilling. <i>International Journal of Pressure Vessels and Piping</i> , <b>2013</b> , 101, 143-153	2.4	19
63	Evolution of residual stress distribution and microstructure in a platinum-aluminide coating. <i>Materials Science and Technology</i> , <b>2013</b> , 29, 797-803	1.5	1
62	ENGIN-X Instrument for materials science and engineering research. <i>Neutron News</i> , <b>2013</b> , 24, 22-26	0.4	9
61	Geometry effects and statistical analysis of mode I fracture in gitting limestone. <i>International Journal of Rock Mechanics and Minings Sciences</i> , <b>2012</b> , 51, 128-135	6	109
60	A micromechanical fracture criterion accounting for in-plane and out-of-plane constraint. <i>Computational Materials Science</i> , <b>2011</b> , 50, 2759-2770	3.2	19
59	The effect of plasticity on the ability of the deep hole drilling technique to measure axisymmetric residual stress. <i>International Journal of Mechanical Sciences</i> , <b>2011</b> , 53, 978-988	5.5	20
58	Fracture of aluminium alloy 2024 under biaxial and triaxial loading. <i>Engineering Fracture Mechanics</i> , <b>2011</b> , 78, 1705-1716	4.2	46
57	Reduction of measured toughness due to out-of-plane constraint in ductile fracture of aluminium alloy specimens. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , <b>2010</b> , 33, no-no	3	7
56	A Comparison Between Measured and Modeled Residual Stresses in a Circumferentially Butt-Welded P91 Steel Pipe. <i>Journal of Pressure Vessel Technology, Transactions of the ASME</i> , <b>2010</b> , 132,	1.2	47
55	Geometry and size effects on fracture trajectory in a limestone rock under mixed mode loading. <i>Engineering Fracture Mechanics</i> , <b>2010</b> , 77, 2200-2212	4.2	229
54	Measuring and modelling residual stresses in a butt-welded P91 steel pipe <b>2009</b> ,		2
53	Residual stress measurement by deep hole drilling and trepanning analysis with distributed dislocations. <i>Journal of Strain Analysis for Engineering Design</i> , <b>2009</b> , 44, 45-54	1.3	9
52	Measuring and modelling residual stresses in butt welded P91 steel pipe including effects of phase transformations. <i>Energy Materials</i> , <b>2009</b> , 4, 124-132		1
51	Application of the Modified Deep Hole Drilling Technique (iDHD) for Measuring Near Yield Non-Axisymmetric Residual Stresses <b>2009</b> ,		5
50	Spatial variation of residual stresses in a welded pipe for high temperature applications. <i>International Journal of Pressure Vessels and Piping</i> , <b>2009</b> , 86, 748-756	2.4	15
49	A New Procedure to Measure Near Yield Residual Stresses Using the Deep Hole Drilling Technique. <i>Experimental Mechanics</i> , <b>2009</b> , 49, 595-604	2.6	83

48	Quantification of constraint effects in fracture mechanism transition for cracked structures under mixed mode loading. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , <b>2009</b> , 32, 5-17	3	11
47	Edge impact to composite laminates: experiments and simulations. <i>Journal of Materials Science</i> , <b>2008</b> , 43, 6661-6667	4.3	20
46	The effect of specimen dimensions on mixed mode ductile fracture. <i>Engineering Fracture Mechanics</i> , <b>2008</b> , 75, 4394-4409	4.2	16
45	A comparison of two and three-dimensional analyses of fatigue crack closure. <i>International Journal of Fatigue</i> , <b>2007</b> , 29, 222-231	5	52
44	Prediction of fatigue crack growth rates using crack closure finite element analysis. <i>International Journal of Fatigue</i> , <b>2007</b> , 29, 1711-1715	5	14
43	On the consequences of T-stress in elastic brittle fracture. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , <b>2006</b> , 462, 2415-2437	2.4	64
42	Three dimensional finite element prediction of crack closure and fatigue crack growth rate for a corner crack. <i>International Journal of Fatigue</i> , <b>2006</b> , 28, 335-345	5	22
41	Impact damage to thick carbon fibre reinforced plastic composite laminates. <i>Journal of Materials Science</i> , <b>2006</b> , 41, 6718-6724	4.3	18
40	Fatigue crack closure of a corner crack: A comparison of experimental results with finite element predictions. <i>International Journal of Fatigue</i> , <b>2005</b> , 27, 914-919	5	10
39	Compressive failure of composite laminates containing multiple delaminations. <i>Composites Science and Technology</i> , <b>2005</b> , 65, 191-200	8.6	29
38	Measurement of residual stress in thick section composite laminates using the deep-hole method. <i>International Journal of Mechanical Sciences</i> , <b>2005</b> , 47, 1718-1739	5.5	31
37	Effect of Constraint on the Initiation of Ductile Fracture in Shear Loading. <i>Key Engineering Materials</i> , <b>2004</b> , 261-263, 183-188	0.4	4
36	Residual Stress Creep Relaxation Around Cold Expanded Holes in an Aluminium Alloy. <i>AIAA Journal</i> , <b>2004</b> , 42, 1444-1449	2.1	4
35	Prediction of the growth rate for fatigue cracks emanating from cold expanded holes. <i>International Journal of Fatigue</i> , <b>2004</b> , 26, 585-595	5	27
34	Delaminations in flat and curved composite laminates subjected to compressive load. <i>Composite Structures</i> , <b>2002</b> , 58, 249-258	5.3	26
33	Crack-tip constraint in mode II deformation. <i>International Journal of Fracture</i> , <b>2002</b> , 113, 153-173	2.3	30
32	Mode I cracks subjected to large T-stresses. <i>International Journal of Fracture</i> , <b>2002</b> , 117, 159-174	2.3	75
31	Post-impact compressive strength of curved GFRP laminates. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2002</b> , 33, 1487-1495	8.4	22

30	The effect of delamination geometry on the compressive failure of composite laminates. <i>Composites Science and Technology</i> , <b>2001</b> , 61, 2075-2086	8.6	71
29	The role of T-stress in brittle fracture for linear elastic materials under mixed-mode loading. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , <b>2001</b> , 24, 137-150	3	391
28	The effect of cold expansion on fatigue crack growth from open holes at room and high temperature. <i>International Journal of Fatigue</i> , <b>2001</b> , 23, 161-170	5	47
27	A new procedure based on Sachs boring for measuring non-axisymmetric residual stresses: experimental application. <i>International Journal of Mechanical Sciences</i> , <b>2001</b> , 43, 2753-2768	5.5	13
26	Micro-mechanics of off-axis loading of metal matrix composites using finite element analysis. <i>International Journal of Solids and Structures</i> , <b>2001</b> , 38, 3905-3925	3.1	52
25	Creep Relaxation of Residual Stresses Around Cold Expanded Holes. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , <b>2001</b> , 123, 125-131	1.8	24
24	Asymmetric behaviour of fibrous metal matrix composites. <i>Materials Science and Technology</i> , <b>2001</b> , 17, 1153-1157	1.5	7
23	A new procedure based on Sachs boring for measuring non-axisymmetric residual stresses. <i>International Journal of Mechanical Sciences</i> , <b>2000</b> , 42, 1027-1047	5.5	38
22	Fatigue crack growth from plain and cold expanded holes in aluminium alloys. <i>International Journal of Fatigue</i> , <b>2000</b> , 22, 189-203	5	59
21	Finite element micromechanical modelling of yield and collapse behaviour of metal matrix composites. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2000</b> , 48, 499-528	5	88
20	Micromechanical modelling of layered systems containing titanium alloy and titanium MMC subjected to bending. <i>Materials Science and Technology</i> , <b>2000</b> , 16, 848-852	1.5	3
19	Analysis for Determining Non-Axisymmetric Residual Stresses. <i>Materials Science Forum</i> , <b>2000</b> , 347-349, 119-124	0.4	1
18	Experimental Measurements of Non-Axisymmetric Residual Stresses. <i>Materials Science Forum</i> , <b>2000</b> , 347-349, 125-130	0.4	1
17	Effect of residual stress around cold worked holes on fracture under superimposed mechanical load. <i>Engineering Fracture Mechanics</i> , <b>1999</b> , 63, 751-773	4.2	63
16	Experimental and theoretical simulations of climbing falls. <i>Sports Engineering</i> , <b>1999</b> , 1, 79-91	1.4	27
15	Determination of T-stress from finite element analysis for mode I and mixed mode I/II loading. <i>International Journal of Fracture</i> , <b>1998</b> , 91, 283-298	2.3	128
14	An assessment of the Sachs method for measuring residual stresses in cold worked fastener holes. <i>Journal of Strain Analysis for Engineering Design</i> , <b>1998</b> , 33, 263-274	1.3	25
13	Finite element modelling of the interaction of residual stress with mechanical load for a crack emanating from a cold worked fastener hole. <i>Journal of Strain Analysis for Engineering Design</i> , <b>1998</b> , 33, 275-289	1.3	24

12	A Finite Element Simulation of the Cold Working process for Fastener Holes. <i>Journal of Strain Analysis for Engineering Design</i> , <b>1997</b> , 32, 287-300	1.3	59
11	Collapse of a Factory Chimney: An Example Problem for a Course in Dynamics. <i>International Journal of Mechanical Engineering Education</i> , <b>1996</b> , 24, 153-163	0.6	
10	A specialized composite plate element for problems of delamination buckling and growth. <i>Composite Structures</i> , <b>1996</b> , 34, 43-53	5.3	17
9	Finite element prediction of the post-impact compressive strength of fibre composites. <i>Composite Structures</i> , <b>1996</b> , 36, 141-153	5.3	21
8	On mixed mode loading of a single edge notched specimen. <i>International Journal of Fracture</i> , <b>1996</b> , 82, R61-R66	2.3	10
7	An assessment of residual-stress measurements around cold-worked holes. <i>Experimental Mechanics</i> , <b>1995</b> , 35, 361-366	2.6	48
6	Analytical and finite element predictions of residual stresses in cold worked fastener holes. <i>Journal of Strain Analysis for Engineering Design</i> , <b>1995</b> , 30, 291-304	1.3	50
5	Experimental techniques for the investigation of the effects of impact damage on carbon-fibre composites. <i>Composites Science and Technology</i> , <b>1995</b> , 55, 157-169	8.6	68
4	Artificial damage techniques for low velocity impact in carbon fibre composites. <i>Composite Structures</i> , <b>1993</b> , 25, 113-120	5.3	14
3	A use of linear programming for the analysis of plane strain rigid-plastic flow. <i>International Journal for Numerical Methods in Engineering</i> , <b>1990</b> , 30, 1-12	2.4	1
2	Compression failure of carbon fibre-reinforced coupons containing central delaminations. <i>Composites</i> , <b>1990</b> , 21, 23-31		27
1	Compressive fatigue characteristics of octet-truss lattices in different orientations. <i>Mechanics of Advanced Materials and Structures</i> , 1-13	1.8	0