

Hiroyuki Hioki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2467699/publications.pdf>

Version: 2024-02-01

106
papers

7,726
citations

87888

38
h-index

54911

84
g-index

129
all docs

129
docs citations

129
times ranked

10352
citing authors

#	ARTICLE	IF	CITATIONS
1	Local Connections of Pyramidal Neurons to Parvalbumin-Producing Interneurons in Motor-Associated Cortical Areas of Mice. <i>ENeuro</i> , 2022, 9, ENEURO.0567-20.2021.	1.9	5
2	Multi-scale light microscopy/electron microscopy neuronal imaging from brain to synapse with a tissue clearing method, <i>ScaleSF</i> . <i>IScience</i> , 2022, 25, 103601.	4.1	11
3	Uts2b is a microbiota-regulated gene expressed in vagal afferent neurons connected to enteroendocrine cells producing cholecystokinin. <i>Biochemical and Biophysical Research Communications</i> , 2022, 608, 66-72.	2.1	4
4	Structural basis for noradrenergic regulation of neural circuits in the mouse olfactory bulb. <i>Journal of Comparative Neurology</i> , 2021, 529, 2189-2208.	1.6	2
5	Efficient Labeling of Neurons and Identification of Postsynaptic Sites Using Adeno-Associated Virus Vector. <i>Neuromethods</i> , 2021, , 323-341.	0.3	8
6	Application of a Method for the Analysis of Dopaminergic. <i>Methods in Molecular Biology</i> , 2021, 2322, 141-150.	0.9	0
7	Application of Virus Vectors for Anterograde Tract-Tracing and Single-Neuron Labeling Studies. <i>Neuromethods</i> , 2021, , 303-322.	0.3	0
8	Tb ³⁺ -doped fluorescent glass for biology. <i>Science Advances</i> , 2021, 7, .	10.3	9
9	Exclusive labeling of direct and indirect pathway neurons in the mouse neostriatum by an adeno-associated virus vector with <i>Cre/lox</i> system. <i>STAR Protocols</i> , 2021, 2, 100230.	1.2	12
10	High-fat diet-induced activation of SGK1 promotes Alzheimer's disease-associated tau pathology. <i>Human Molecular Genetics</i> , 2021, 30, 1693-1710.	2.9	23
11	Fast, cell-resolution, contiguous-wide two-photon imaging to reveal functional network architectures across multi-modal cortical areas. <i>Neuron</i> , 2021, 109, 1810-1824.e9.	8.1	60
12	Ras-like Gem GTPase induced by <i>Npas4</i> promotes activity-dependent neuronal tolerance for ischemic stroke. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	7
13	Susceptibility of subregions of prefrontal cortex and corpus callosum to damage by high-dose oxytocin-induced labor in male neonatal mice. <i>PLoS ONE</i> , 2021, 16, e0256693.	2.5	2
14	Kv4.2-Positive Domains on Dendrites in the Mouse Medial Geniculate Body Receive Ascending Excitatory and Inhibitory Inputs Preferentially From the Inferior Colliculus. <i>Frontiers in Neuroscience</i> , 2021, 15, 740378.	2.8	3
15	Analysis of Synaptic Connections at the Electron Microscopic Level Using Sindbis Virus Vectors. <i>Neuromethods</i> , 2021, , 343-352.	0.3	0
16	Generation of a MOR-CreER knock-in mouse line to study cells and neural circuits involved in mu opioid receptor signaling. <i>Genesis</i> , 2020, 58, e23341.	1.6	15
17	A hypothalamic novelty signal modulates hippocampal memory. <i>Nature</i> , 2020, 586, 270-274.	27.8	121
18	Overlapping Projections of Neighboring Direct and Indirect Pathway Neostriatal Neurons to Globus Pallidus External Segment. <i>IScience</i> , 2020, 23, 101409.	4.1	15

#	ARTICLE	IF	CITATIONS
19	Visualizing and Modulating Mitophagy for Therapeutic Studies of Neurodegeneration. <i>Cell</i> , 2020, 181, 1176-1187.e16.	28.9	89
20	Reduction of Freezing Behavior by Acupuncture Stimulation at HT7 in Contextual Fear-Conditioned Mice. <i>Juntendo Medical Journal</i> , 2019, 65, 554-560.	0.1	0
21	Single-cell bioluminescence imaging of deep tissue in freely moving animals. <i>Science</i> , 2018, 359, 935-939.	12.6	319
22	Hippocampal ripples down-regulate synapses. <i>Science</i> , 2018, 359, 1524-1527.	12.6	172
23	Parvalbumin-producing striatal interneurons receive excitatory inputs onto proximal dendrites from the motor thalamus in male mice. <i>Journal of Neuroscience Research</i> , 2018, 96, 1186-1207.	2.9	12
24	Shaping somatosensory responses in awake rats: cortical modulation of thalamic neurons. <i>Brain Structure and Function</i> , 2018, 223, 851-872.	2.3	8
25	Preferential inputs from cholecystokinin-positive neurons to the somatic compartment of parvalbumin-expressing neurons in the mouse primary somatosensory cortex. <i>Brain Research</i> , 2018, 1695, 18-30.	2.2	18
26	Intrinsic Projections of Layer Vb Neurons to Layers Va, III, and II in the Lateral and Medial Entorhinal Cortex of the Rat. <i>Cell Reports</i> , 2018, 24, 107-116.	6.4	58
27	GABAergic malfunction in the anterior cingulate cortex underlying maternal immune activation-induced social deficits. <i>Journal of Neuroimmunology</i> , 2018, 321, 92-96.	2.3	17
28	Projection Patterns of Corticofugal Neurons Associated with Vibrissa Movement. <i>ENeuro</i> , 2018, 5, ENeuro.0190-18.2018.	1.9	9
29	Individual mediodorsal thalamic neurons project to multiple areas of the rat prefrontal cortex: A single neuron-tracing study using virus vectors. <i>Journal of Comparative Neurology</i> , 2017, 525, 166-185.	1.6	85
30	Parvalbumin-expressing interneurons can act solo while somatostatin-expressing interneurons act in chorus in most cases on cortical pyramidal cells. <i>Scientific Reports</i> , 2017, 7, 12764.	3.3	30
31	Dorsal and Ventral Parts of Thalamic Nucleus Submedius Project to Different Areas of Rat Orbitofrontal Cortex: A Single Neuron-Tracing Study Using Virus Vectors. <i>Journal of Comparative Neurology</i> , 2017, 525, 3821.	1.6	0
32	Dorsal and ventral parts of thalamic nucleus submedius project to different areas of rat orbitofrontal cortex: A single neuron-tracing study using virus vectors. <i>Journal of Comparative Neurology</i> , 2017, 525, 3821-3839.	1.6	20
33	Structural basis for cholinergic regulation of neural circuits in the mouse olfactory bulb. <i>Journal of Comparative Neurology</i> , 2017, 525, 574-591.	1.6	35
34	A Single Vector Platform for High-Level Gene Transduction of Central Neurons: Adeno-Associated Virus Vector Equipped with the Tet-Off System. <i>PLoS ONE</i> , 2017, 12, e0169611.	2.5	41
35	Differential Inputs to the Perisomatic and Distal-Dendritic Compartments of VIP-Positive Neurons in Layer 2/3 of the Mouse Barrel Cortex. <i>Frontiers in Neuroanatomy</i> , 2016, 10, 124.	1.7	29
36	Morphological analysis of the early development of telencephalic and diencephalic gonadotropin-releasing hormone neuronal systems in enhanced green fluorescent protein-expressing transgenic medaka lines. <i>Journal of Comparative Neurology</i> , 2016, 524, 896-913.	1.6	21

#	ARTICLE	IF	CITATIONS
37	Analysis of Synaptic Connections at the Electron Microscopic Level Using Viral Vectors. <i>Neuromethods</i> , 2016, , 267-275.	0.3	0
38	Application of Virus Vectors for Anterograde Tract-Tracing and Single-Neuron Labeling Studies. <i>Neuromethods</i> , 2016, , 247-266.	0.3	0
39	Convergence of lemniscal and local excitatory inputs on large GABAergic tectothalamic neurons. <i>Journal of Comparative Neurology</i> , 2015, 523, 2277-2296.	1.6	20
40	Sequence of Molecular Events during the Maturation of the Developing Mouse Prefrontal Cortex. <i>Molecular Neuropsychiatry</i> , 2015, 1, 94-104.	2.9	15
41	Efficient and graded gene expression in glia and neurons of primary cerebellar cultures transduced by lentiviral vectors. <i>Histochemistry and Cell Biology</i> , 2015, 143, 109-121.	1.7	3
42	Compartmental organization of synaptic inputs to parvalbumin-expressing GABAergic neurons in mouse primary somatosensory cortex. <i>Anatomical Science International</i> , 2015, 90, 7-21.	1.0	10
43	Different cortical projections from three subdivisions of the rat lateral posterior thalamic nucleus: a single-neuron tracing study with viral vectors. <i>European Journal of Neuroscience</i> , 2015, 41, 1294-1310.	2.6	63
44	Dorsal Horn Circuits for Persistent Mechanical Pain. <i>Neuron</i> , 2015, 87, 797-812.	8.1	259
45	ScaleS: an optical clearing palette for biological imaging. <i>Nature Neuroscience</i> , 2015, 18, 1518-1529.	14.8	511
46	Ventral Medial Nucleus Neurons Send Thalamocortical Afferents More Widely and More Preferentially to Layer 1 than Neurons of the Ventral Anterior/Ventral Lateral Nuclear Complex in the Rat. <i>Cerebral Cortex</i> , 2015, 25, 221-235.	2.9	121
47	Structural basis for serotonergic regulation of neural circuits in the mouse olfactory bulb. <i>Journal of Comparative Neurology</i> , 2015, 523, 262-280.	1.6	38
48	3D Clustering of GABAergic Neurons Enhances Inhibitory Actions on Excitatory Neurons in the Mouse Visual Cortex. <i>Cell Reports</i> , 2014, 9, 1896-1907.	6.4	16
49	Preprodynorphin-expressing neurons constitute a large subgroup of somatostatin-expressing GABAergic interneurons in the mouse neocortex. <i>Journal of Comparative Neurology</i> , 2014, 522, 1506-1526.	1.6	34
50	Differential expression of VGLUT1 or VGLUT2 in the trigeminothalamic or trigeminocerebellar projection neurons in the rat. <i>Brain Structure and Function</i> , 2014, 219, 211-229.	2.3	25
51	Unbalanced excitability underlies offline reactivation of behaviorally activated neurons. <i>Nature Neuroscience</i> , 2014, 17, 503-505.	14.8	64
52	Psychological Stress Activates a Dorsomedial Hypothalamus-Medullary Raphe Circuit Driving Brown Adipose Tissue Thermogenesis and Hyperthermia. <i>Cell Metabolism</i> , 2014, 20, 346-358.	16.2	204
53	Cell Type-Specific Inhibitory Inputs to Dendritic and Somatic Compartments of Parvalbumin-Expressing Neocortical Interneuron. <i>Journal of Neuroscience</i> , 2013, 33, 544-555.	3.6	74
54	Modeling Alzheimer's Disease with iPSCs Reveals Stress Phenotypes Associated with Intracellular $\text{A}\beta^2$ and Differential Drug Responsiveness. <i>Cell Stem Cell</i> , 2013, 12, 487-496.	11.1	652

#	ARTICLE	IF	CITATIONS
55	Response to Comment on "Drug Screening for ALS Using Patient-Specific Induced Pluripotent Stem Cells". <i>Science Translational Medicine</i> , 2013, 5, 188r2.	12.4	5
56	EphA4-dependent axon retraction and midline localization of <i>EphrinB3</i> are disrupted in the spinal cord of mice lacking <i>mDia1</i> and <i>mDia3</i> in combination. <i>Genes To Cells</i> , 2013, 18, 873-885.	1.2	9
57	Optogenetic stimulation of preoptic neurons inhibits brown adipose tissue sympathetic nerve activity. <i>FASEB Journal</i> , 2013, 27, 926.3.	0.5	0
58	Direct projection from the dorsomedial hypothalamus to the rostral medullary raphe drives brown adipose tissue thermogenesis. <i>FASEB Journal</i> , 2013, 27, 932.7.	0.5	0
59	A Morphological Analysis of Thalamocortical Axon Fibers of Rat Posterior Thalamic Nuclei: A Single Neuron Tracing Study with Viral Vectors. <i>Cerebral Cortex</i> , 2012, 22, 2840-2857.	2.9	159
60	Parvalbumin-producing cortical interneurons receive inhibitory inputs on proximal portions and cortical excitatory inputs on distal dendrites. <i>European Journal of Neuroscience</i> , 2012, 35, 838-854.	2.6	47
61	Drug Screening for ALS Using Patient-Specific Induced Pluripotent Stem Cells. <i>Science Translational Medicine</i> , 2012, 4, 145ra104.	12.4	465
62	Distribution of Gephyrin Immunoreactivity in the Trigeminal Motor Nucleus: An Immunohistochemical Study in Rats. <i>Anatomical Record</i> , 2012, 295, 641-651.	1.4	5
63	Visualization of Cortical Projection Neurons with Retrograde TET-Off Lentiviral Vector. <i>PLoS ONE</i> , 2012, 7, e46157.	2.5	17
64	Single-neuron tracing study of thalamocortical projections arising from the rat ventral medial nucleus by using viral vectors. <i>Neuroscience Research</i> , 2011, 71, e89.	1.9	0
65	Anti-A β Drug Screening Platform Using Human iPS Cell-Derived Neurons for the Treatment of Alzheimer's Disease. <i>PLoS ONE</i> , 2011, 6, e25788.	2.5	156
66	Complementary distribution of glutamatergic cerebellar and GABAergic basal ganglia afferents to the rat motor thalamic nuclei. <i>European Journal of Neuroscience</i> , 2011, 33, 95-109.	2.6	106
67	Expression of Gap Junction Protein Connexin36 in Multiple Subtypes of GABAergic Neurons in Adult Rat Somatosensory Cortex. <i>Cerebral Cortex</i> , 2011, 21, 2639-2649.	2.9	35
68	Local Connections of Excitatory Neurons to Corticothalamic Neurons in the Rat Barrel Cortex. <i>Journal of Neuroscience</i> , 2011, 31, 18223-18236.	3.6	25
69	Vesicular glutamate transporter 3-expressing nonserotonergic projection neurons constitute a subregion in the rat midbrain raphe nuclei. <i>Journal of Comparative Neurology</i> , 2010, 518, 668-686.	1.6	194
70	Coexpression of VGLUT1 and VGLUT2 in trigeminothalamic projection neurons in the principal sensory trigeminal nucleus of the rat. <i>Journal of Comparative Neurology</i> , 2010, 518, 3149-3168.	1.6	30
71	Ischemia-induced neurogenesis of neocortical layer 1 progenitor cells. <i>Nature Neuroscience</i> , 2010, 13, 173-179.	14.8	198
72	Single-neuron tracing study of thalamocortical projections arising from the rat ventral medial nucleus by using viral vectors. <i>Neuroscience Research</i> , 2010, 68, e262.	1.9	0

#	ARTICLE	IF	CITATIONS
73	A single-neuron analysis of rat subthalamic nucleus: Complete visualization with a viral vector. <i>Neuroscience Research</i> , 2010, 68, e261-e262.	1.9	0
74	Roles of mDia isoforms, a Rho effector, in neural development. <i>Neuroscience Research</i> , 2010, 68, e138.	1.9	0
75	Classification of neocortical inhibitory inputs into the PV-expressing neurons with BAC transgenic mice. <i>Neuroscience Research</i> , 2010, 68, e156.	1.9	0
76	TET-OFF lentiviral vectors drive high-level transgene expression in marmoset brains. <i>Neuroscience Research</i> , 2010, 68, e218-e219.	1.9	0
77	Golgi-like labeling of layer Va pyramidal cells in the neocortex of the BAC transgenic animals. <i>Neuroscience Research</i> , 2010, 68, e219.	1.9	0
78	Single Nigrostriatal Dopaminergic Neurons Form Widely Spread and Highly Dense Axonal Arborizations in the Neostriatum. <i>Journal of Neuroscience</i> , 2009, 29, 444-453.	3.6	670
79	Two Types of Thalamocortical Projections from the Motor Thalamic Nuclei of the Rat: A Single Neuron-Tracing Study Using Viral Vectors. <i>Cerebral Cortex</i> , 2009, 19, 2065-2077.	2.9	250
80	Inhibitory and excitatory subtypes of cochlear nucleus neurons are defined by distinct bHLH transcription factors, Ptf1a and Atoh1. <i>Development (Cambridge)</i> , 2009, 136, 2049-2058.	2.5	106
81	High-level transgene expression in neurons by lentivirus with Tet-Off system. <i>Neuroscience Research</i> , 2009, 63, 149-154.	1.9	63
82	Efficient visualization of central neurons with lentiviral vectors expressing Red Fluorescent Proteins (RFP). <i>Neuroscience Research</i> , 2009, 65, S132.	1.9	0
83	Search for molecular markers of layer VI corticothalamic neurons in the rat neocortex. <i>Neuroscience Research</i> , 2009, 65, S177-S178.	1.9	0
84	Afferent islands are larger than $\hat{1}/4$ -opioid receptor patch in striatum of rat pups. <i>NeuroReport</i> , 2009, 20, 584-588.	1.2	10
85	Transiently increased colocalization of vesicular glutamate transporters 1 and 2 at single axon terminals during postnatal development of mouse neocortex: a quantitative analysis with correlation coefficient. <i>European Journal of Neuroscience</i> , 2008, 28, 1032-1046.	2.6	6
86	Paucity of enkephalin production in neostriatal striosomal neurons: analysis with preproenkephalin \hat{a} “green fluorescent protein transgenic mice. <i>European Journal of Neuroscience</i> , 2008, 28, 2053-2064.	2.6	30
87	Some $\hat{1}^3$ -motoneurons contain $\hat{1}^3$ -aminobutyric acid in the rat cervical spinal cord. <i>Brain Research</i> , 2008, 1201, 78-87.	2.2	8
88	Targeting green fluorescent protein to dendritic membrane in central neurons. <i>Neuroscience Research</i> , 2008, 61, 79-91.	1.9	45
89	Sound-Intensity-Dependent Compensation for the Small Interaural Time Difference Cue for Sound Source Localization. <i>Journal of Neuroscience</i> , 2008, 28, 7153-7164.	3.6	75
90	Development of dendritic membrane-targeting signals using lentiviral vectors. <i>Neuroscience Research</i> , 2007, 58, S69.	1.9	0

#	ARTICLE	IF	CITATIONS
91	Metabotropic glutamate receptor 4-immunopositive terminals of medium-sized spiny neurons selectively form synapses with cholinergic interneurons in the rat neostriatum. <i>Journal of Comparative Neurology</i> , 2007, 500, 908-922.	1.6	12
92	β -Aminobutyric acid-containing sympathetic preganglionic neurons in rat thoracic spinal cord send their axons to the superior cervical ganglion. <i>Journal of Comparative Neurology</i> , 2007, 502, 113-125.	1.6	66
93	Efficient gene transduction of neurons by lentivirus with enhanced neuron-specific promoters. <i>Gene Therapy</i> , 2007, 14, 872-882.	4.5	134
94	Transiently increased colocalization of vesicular glutamate transporters 1 and 2 at single axon terminals during postnatal development of mouse neocortex: a quantitative analysis with correlation coefficient. <i>European Journal of Neuroscience</i> , 2007, 26, 3054-3067.	2.6	90
95	Expression of D1 but not D2 dopamine receptors in striatal neurons producing neurokinin B in rats. <i>European Journal of Neuroscience</i> , 2007, 26, 3093-3103.	2.6	16
96	Vesicular glutamate transporter 3 (VGLUT3) identifies spatially segregated excitatory terminals in the rat substantia nigra. <i>European Journal of Neuroscience</i> , 2006, 23, 1063-1070.	2.6	17
97	Postnatal changes of vesicular glutamate transporter (VGLUT)1 and VGLUT2 immunoreactivities and their colocalization in the mouse forebrain. <i>Journal of Comparative Neurology</i> , 2005, 492, 263-288.	1.6	139
98	Chemically Specific Circuit Composed of Vesicular Glutamate Transporter 3- and Preprotachykinin B-producing Interneurons in the Rat Neocortex. <i>Cerebral Cortex</i> , 2004, 14, 1266-1275.	2.9	68
99	Presynaptic localization of an AMPA-type glutamate receptor in corticostriatal and thalamostriatal axon terminals. <i>European Journal of Neuroscience</i> , 2004, 20, 3322-3330.	2.6	86
100	Vesicular glutamate transporter immunoreactivity in the central and peripheral endings of muscle-spindle afferents. <i>Brain Research</i> , 2004, 1011, 247-251.	2.2	62
101	Identification of Sympathetic Premotor Neurons in Medullary Raphe Regions Mediating Fever and Other Thermoregulatory Functions. <i>Journal of Neuroscience</i> , 2004, 24, 5370-5380.	3.6	259
102	Independent inputs by VGLUT2- and VGLUT3-positive glutamatergic terminals onto rat sympathetic preganglionic neurons. <i>NeuroReport</i> , 2004, 15, 431-436.	1.2	37
103	Changes of immunocytochemical localization of vesicular glutamate transporters in the rat visual system after the retinofugal denervation. <i>Journal of Comparative Neurology</i> , 2003, 465, 234-249.	1.6	79
104	Differential distribution of vesicular glutamate transporters in the rat cerebellar cortex. <i>Neuroscience</i> , 2003, 117, 1-6.	2.3	194
105	Immunohistochemical localization of candidates for vesicular glutamate transporters in the rat brain. <i>Journal of Comparative Neurology</i> , 2002, 444, 39-62.	1.6	368
106	Deep Imaging of Cleared Brain by Confocal Laser-Scanning Microscopy. <i>Protocol Exchange</i> , 0, , .	0.3	10