

Thomas Skogh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2468249/publications.pdf>

Version: 2024-02-01

153
papers

4,638
citations

76322

40
h-index

128286

60
g-index

154
all docs

154
docs citations

154
times ranked

4554
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Autoantibodies are major predictors of arthritis development in patients with anti-citrullinated protein antibodies and musculoskeletal pain. Scandinavian Journal of Rheumatology, 2021, 50, 189-197. | 1.1 | 12 |
| 2 | Bone Erosions Detected by Ultrasound Are Prognostic for Clinical Arthritis Development in Patients With ACPA and Musculoskeletal Pain. Frontiers in Medicine, 2021, 8, 653994. | 2.6 | 4 |
| 3 | Secretory anti-citrullinated protein antibodies in serum associate with lung involvement in early rheumatoid arthritis. Rheumatology, 2020, 59, 852-859. | 1.9 | 12 |
| 4 | Elevated free secretory component in early rheumatoid arthritis and prior to arthritis development in patients at increased risk. Rheumatology, 2020, 59, 979-987. | 1.9 | 4 |
| 5 | Longitudinal anti-nuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of Swedish cases with recent-onset disease. Clinical and Experimental Immunology, 2020, 199, 245-254. | 2.6 | 29 |
| 6 | P23â€¦Longitudinal antinuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of swedish cases with recent-onset disease. , 2020, , . | | 0 |
| 7 | Anti-cyclic citrullinated peptide antibodies are associated with radiographic damage but not disease activity in early rheumatoid arthritis diagnosed in 2006â€“2011. Scandinavian Journal of Rheumatology, 2020, 49, 434-442. | 1.1 | 12 |
| 8 | Structural Basis of Crossâ€¦Reactivity of Antiâ€¦Citrullinated Protein Antibodies. Arthritis and Rheumatology, 2019, 71, 210-221. | 5.6 | 64 |
| 9 | Osteopontin and Disease Activity in Patients with Recent-onset Systemic Lupus Erythematosus: Results from the SLICC Inception Cohort. Journal of Rheumatology, 2019, 46, 492-500. | 2.0 | 15 |
| 10 | OP0116â€¦JOINT EROSIONS VISIBLE ON ULTRASOUND PREDICT ARTHRITIS DEVELOPMENT IN PATIENTS WITH ACPA AND MUSCULOSKELETAL PAIN BUT NO SWOLLEN JOINTS. , 2019, , . | | 0 |
| 11 | Orofacial pain in juvenile idiopathic arthritis is associated with stress as well as psychosocial and functional limitations. Pediatric Rheumatology, 2019, 17, 83. | 2.1 | 13 |
| 12 | PS4:71â€¦Iga anti-phospholipid antibodies in swedish cases with systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. , 2018, , . | | 0 |
| 13 | Immunoglobulin A anti-phospholipid antibodies in Swedish cases of systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. Clinical and Experimental Immunology, 2018, 194, 27-38. | 2.6 | 16 |
| 14 | Changes in anti-citrullinated protein antibody isotype levels in relation to disease activity and response to treatment in early rheumatoid arthritis. Clinical and Experimental Immunology, 2018, 194, 391-399. | 2.6 | 17 |
| 15 | AB0110â€¦Serum and salivary iga1 and iga2 acpa subclasses in established rheumatoid arthritis and associations to smoking. , 2018, , . | | 0 |
| 16 | Circulating cartilage oligomeric matrix protein in juvenile idiopathic arthritis. Scandinavian Journal of Rheumatology, 2017, 46, 194-197. | 1.1 | 6 |
| 17 | Interferon-Î± coincides with suppressed levels of pentraxin-3 (PTX3) in systemic lupus erythematosus and regulates leucocyte PTX3 <i>in vitro</i>. Clinical and Experimental Immunology, 2017, 189, 83-91. | 2.6 | 17 |
| 18 | Immunoglobulin (Ig)G1 and IgG4 anti-cyclic citrullinated peptide (CCP) associate with shared epitope, whereas IgG2 anti-CCP associates with smoking in patients with recent-onset rheumatoid arthritis (the Swedish TIRA project). Clinical and Experimental Immunology, 2017, 188, 53-62. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Osteopontin is associated with disease severity and antiphospholipid syndrome in well characterised Swedish cases of SLE. <i>Lupus Science and Medicine</i> , 2017, 4, e000225. | 2.7 | 18 |
| 20 | Decrease in bone mineral density during three months after diagnosis of early rheumatoid arthritis measured by digital X-ray radiogrammetry predicts radiographic joint damage after one year. <i>Arthritis Research and Therapy</i> , 2017, 19, 195. | 3.5 | 18 |
| 21 | Anti-citrullinated protein antibodies cause arthritis by cross-reactivity to joint cartilage. <i>JCI Insight</i> , 2017, 2, . | 5.0 | 51 |
| 22 | IgA- and IgG anti-PR3 antibodies in serum versus organ involvement and disease activity in PR3-ANCA-associated vasculitis. <i>Clinical and Experimental Immunology</i> , 2016, 184, 208-215. | 2.6 | 13 |
| 23 | THU0345â€¦Presence of Immunoglobulin (IG) A Antibodies against Cardiolipin and Î²2-Glycoprotein-I in The Absence of ICG and ICM in Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 312.1-312. | 0.9 | 0 |
| 24 | Antibodies against carbamylated proteins and cyclic citrullinated peptides in systemic lupus erythematosus: results from two well-defined European cohorts. <i>Arthritis Research and Therapy</i> , 2016, 18, 289. | 3.5 | 43 |
| 25 | Circulating secretory IgA antibodies against cyclic citrullinated peptides in early rheumatoid arthritis associate with inflammatory activity and smoking. <i>Arthritis Research and Therapy</i> , 2016, 18, 119. | 3.5 | 37 |
| 26 | Dynamic Response Genes in CD4+ T Cells Reveal a Network of Interactive Proteins that Classifies Disease Activity in Multiple Sclerosis. <i>Cell Reports</i> , 2016, 16, 2928-2939. | 6.4 | 38 |
| 27 | Associations With Smoking and Shared Epitope Differ Between IgA and IgG Class Antibodies to Cyclic Citrullinated Peptides in Early Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2032-2037. | 5.6 | 48 |
| 28 | Physician Preferences and Variations in Prescription of Biologic Drugs for Rheumatoid Arthritis: A Register-Based Study of 4,010 Patients in Sweden. <i>Arthritis Care and Research</i> , 2015, 67, 1679-1685. | 3.4 | 17 |
| 29 | Changes in sociodemographic characteristics at baseline in two Swedish cohorts of patients with early rheumatoid arthritis diagnosed 1996â€“98 and 2006â€“09. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 100-105. | 1.1 | 5 |
| 30 | Antibodies against High Mobility Group Box protein-1 (HMGB1) versus other anti-nuclear antibody fine-specificities and disease activity in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2015, 17, 338. | 3.5 | 27 |
| 31 | Four Anti-dsDNA Antibody Assays in Relation to Systemic Lupus Erythematosus Disease Specificity and Activity. <i>Journal of Rheumatology</i> , 2015, 42, 817-825. | 2.0 | 57 |
| 32 | Application of the 2012 Systemic Lupus International Collaborating Clinics classification criteria to patients in a regional Swedish systemic lupus erythematosus register. <i>Arthritis Research and Therapy</i> , 2015, 17, 3. | 3.5 | 84 |
| 33 | Early rheumatoid arthritis 6 years after diagnosis is still associated with high direct costs and increasing loss of productivity: the Swedish TIRA project. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 177-183. | 1.1 | 16 |
| 34 | Association of Serum C-reactive Protein Levels With Lupus Disease Activity in the Absence of Measurable Interferon-Î± and a C-reactive Protein Gene Variant. <i>Arthritis and Rheumatology</i> , 2014, 66, 1568-1573. | 5.6 | 30 |
| 35 | THU0042â€¦Autoantibodies against High Mobility Group Box Protein-1 in Systemic Lupus Erythematosus: Association with Disease Activity and Other Antinuclear Antibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 191.1-191. | 0.9 | 0 |
| 36 | Salivary IgA antibodies to cyclic citrullinated peptides (CCP) in rheumatoid arthritis. <i>Immunobiology</i> , 2013, 218, 232-237. | 1.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Soluble urokinase plasminogen activator receptor levels reflect organ damage in systemic lupus erythematosus. <i>Translational Research</i> , 2013, 162, 287-296. | 5.0 | 43 |
| 38 | C-reactive protein, immunoglobulin G and complement co-localize in renal immune deposits of proliferative lupus nephritis. <i>Autoimmunity</i> , 2013, 46, 205-214. | 2.6 | 35 |
| 39 | Associations between antinuclear antibody staining patterns and clinical features of systemic lupus erythematosus: analysis of a regional Swedish register. <i>BMJ Open</i> , 2013, 3, e003608. | 1.9 | 44 |
| 40 | THU0068â€¦Circulating Secretory IGA Antibodies to Citrullinated Proteins Occur in Rheumatoid Arthritis Patients, and Associate with Disease Activity. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A186.2-A186. | 0.9 | 0 |
| 41 | THU0528â€¦Socioeconomic and Demographic Characteristics Among Two Cohorts of Patients with Early Rheumatoid Arthritis in Sweden, Enrolled 1996-98 and 2006-09. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A342.3-A343. | 0.9 | 0 |
| 42 | AB1326â€¦Rheumatoid arthritis 6 years after diagnosis â€œ still associated with high direct costs and increasing loss of productivity (the swedish TIRA project). <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 713.13-713. | 0.9 | 0 |
| 43 | Development of heart block in children of SSA/SSB-autoantibody-positive women is associated with maternal age and displays a season-of-birth pattern. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 334-340. | 0.9 | 60 |
| 44 | A disease-modifying role for mucosal IgA antibodies to citrullinated antigens?. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A38.2-A39. | 0.9 | 0 |
| 45 | Disease activity and disability in women and men with early rheumatoid arthritis: An 8-year follow-up of the Swedish TIRA project. <i>Arthritis Care and Research</i> , 2012, 64, n/a-n/a. | 3.4 | 29 |
| 46 | IgG Rheumatoid Factors Against the Four Human Fcâ€¦gamma Subclasses in Early Rheumatoid Arthritis (The Swedish TIRA Project). <i>Scandinavian Journal of Immunology</i> , 2012, 75, 115-119. | 2.7 | 3 |
| 47 | A Comparison Between IgG- and IgA-class Antibodies to Cyclic Citrullinated Peptides and to Modified Citrullinated Vimentin in Early Rheumatoid Arthritis and Very Early Arthritis. <i>Journal of Rheumatology</i> , 2011, 38, 1265-1272. | 2.0 | 35 |
| 48 | A Populationâ€¦based Investigation of the Autoantibody Profile in Mothers of Children with Atrioventricular Block. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 511-517. | 2.7 | 42 |
| 49 | 28-joint count disease activity score at 3 months after diagnosis of early rheumatoid arthritis is strongly associated with direct and indirect costs over the following 4 years: the Swedish TIRA project. <i>Rheumatology</i> , 2011, 50, 1259-1267. | 1.9 | 18 |
| 50 | Beware of Antibodies to Dietary Proteins in â€œAntigen-specificâ€¦Immunoassays! Falsely Positive Anticytokine Antibody Tests Due to Reactivity with Bovine Serum Albumin in Rheumatoid Arthritis (The Tj ETQq0 02orgBT / Overlock 10 | 2.0 | 0 |
| 51 | Development of heart block in SSA/SSB autoantibody-positive pregnancies is associated with maternal age and display a season-of-birth pattern. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A87-A88. | 0.9 | 2 |
| 52 | Comment on: Clinical utility of ANA measured by ELISA compared with ANA measured by immunofluorescence. <i>Rheumatology</i> , 2010, 49, 396-397. | 1.9 | 2 |
| 53 | Designed Surface with Tunable IgG Density as an in Vitro Model for Immune Complex Mediated Stimulation of Leukocytes. <i>Langmuir</i> , 2010, 26, 3493-3497. | 3.5 | 2 |
| 54 | Deficiency of Activating FcÎ³-Receptors Reduces Hepatic Clearance and Deposition of IC and Increases CIC Levels in Mercury-Induced Autoimmunity. <i>PLoS ONE</i> , 2010, 5, e13413. | 2.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Dr. Skogh, <i>et al,</i> reply. Journal of Rheumatology, 2009, 36, 1834-1834. | 2.0 | 0 |
| 56 | Humoral immune phenomena in systemic lupus erythematosus with central nervous system dysfunction. Acta Neurologica Scandinavica, 2009, 69, 347-348. | 2.1 | 0 |
| 57 | Interferon α mediates suppression of C-reactive protein: Explanation for muted C-reactive protein response in lupus flares?. Arthritis and Rheumatism, 2009, 60, 3755-3760. | 6.7 | 78 |
| 58 | Improved outcome in Wegener's granulomatosis and microscopic polyangiitis? A retrospective analysis of 95 cases in two cohorts. Journal of Internal Medicine, 2009, 265, 496-506. | 6.0 | 59 |
| 59 | Serum levels of autoantibodies against C-reactive protein correlate with renal disease activity and response to therapy in lupus nephritis. Arthritis Research and Therapy, 2009, 11, R188. | 3.5 | 39 |
| 60 | C-reactive protein and C1q regulate platelet adhesion and activation on adsorbed immunoglobulin G and albumin. Immunology and Cell Biology, 2008, 86, 466-474. | 2.3 | 20 |
| 61 | Presence and utility of IgA-class antibodies to cyclic citrullinated peptides in early rheumatoid arthritis: the Swedish TIRA project. Arthritis Research and Therapy, 2008, 10, R75. | 3.5 | 43 |
| 62 | Abnormal antinuclear antibody titers are less common than generally assumed in established cases of systemic lupus erythematosus. Journal of Rheumatology, 2008, 35, 1994-2000. | 2.0 | 37 |
| 63 | Genetic variation in proteins of the cryopyrin inflammasome influences susceptibility and severity of rheumatoid arthritis (The Swedish TIRA project). Rheumatology, 2007, 47, 415-417. | 1.9 | 116 |
| 64 | Solid-phase classical complement activation by C-reactive protein (CRP) is inhibited by fluid-phase CRP-C1q interaction. Biochemical and Biophysical Research Communications, 2007, 352, 251-258. | 2.1 | 35 |
| 65 | Fc γ receptor type IIIA genotype and response to tumor necrosis factor α -blocking agents in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2007, 56, 448-452. | 6.7 | 60 |
| 66 | Leucocyte activation by anti-lactoferrin antibodies bound to vascular endothelium. Clinical and Experimental Immunology, 2007, 103, 403-407. | 2.6 | 23 |
| 67 | Cytokine induction by circulating immune complexes and signs of in-vivo complement activation in systemic lupus erythematosus are associated with the occurrence of anti-Sjögren's syndrome A antibodies. Clinical and Experimental Immunology, 2007, 147, 513-520. | 2.6 | 38 |
| 68 | Hand function and activity limitation according to health assessment questionnaire in patients with rheumatoid arthritis and healthy referents: 5-year followup of predictors of activity limitation (The Tj ETQq0 0 0 rg21q Overlost 10 Tf 50 | | |
| 69 | Hand function in women and men with early rheumatoid arthritis. A prospective study over three years (the Swedish TIRA project). Scandinavian Journal of Rheumatology, 2006, 35, 15-19. | 1.1 | 32 |
| 70 | Tu-P10:452 C-reactive protein inhibit complement-mediated platelet activation suggesting a protective role in atherogenesis. Atherosclerosis Supplements, 2006, 7, 284. | 1.2 | 0 |
| 71 | Antinuclear antibodies in the oldest-old women and men. Journal of Autoimmunity, 2006, 27, 281-288. | 6.5 | 61 |
| 72 | Designing a Decision Support System for Existing Clinical Organizational Structures: Considerations From a Rheumatology Clinic. Journal of Medical Systems, 2006, 30, 325-331. | 3.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Costs and course of disease and function in early rheumatoid arthritis: a 3-year follow-up (the Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 1.9 | 46 |
| 74 | Anti-CRP Autoantibody Levels Correlate with Disease Activity in Systemic Lupus Erythematosus. Seminars in Arthritis and Rheumatism, 2005, 35, 65-66. | 3.4 | 6 |
| 75 | Activity limitation in rheumatoid arthritis correlates with reduced grip force regardless of sex: The Swedish TIRA project. Arthritis and Rheumatism, 2005, 53, 886-896. | 6.7 | 57 |
| 76 | The 158V polymorphism of Fc gamma receptor type IIIA in early rheumatoid arthritis: increased susceptibility and severity in male patients (the Swedish TIRA**TIRA is a Swedish acronym for "early Tj ETQq0 0 0 rgBT /Overlock 10 T | 1.9 | 42 |
| 77 | CRP and Anti-CRP Autoantibodies in Systemic Lupus Erythematosus. Current Rheumatology Reviews, 2005, 1, 81-89. | 0.8 | 7 |
| 78 | The B cells are back!. Drug Discovery Today Disease Mechanisms, 2005, 2, 351-357. | 0.8 | 1 |
| 79 | Does a positive anti-CCP test identify a distinct arthritis entity?. Arthritis Research and Therapy, 2005, 7, 230. | 3.5 | 23 |
| 80 | Rheumatoid arthritis is already expensive during the first year of the disease (the Swedish TIRA) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 | 2.3 | 52 |
| 81 | Anti-CCP antibody test predicts the disease course during 3 years in early rheumatoid arthritis (the Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 0.9 | 310 |
| 82 | Occupations and exposures in the work environment as determinants for rheumatoid arthritis. Occupational and Environmental Medicine, 2004, 61, 233-238. | 2.8 | 91 |
| 83 | Recent-onset rheumatoid arthritis: a 1-year observational study of correlations between health-related quality of life and clinical/laboratory data. Journal of Rehabilitation Medicine, 2004, -1, 1-1. | 1.1 | 20 |
| 84 | Relationship between serum levels of IL-18 and IgG1 in patients with primary Sjogren's syndrome, rheumatoid arthritis and healthy controls. Clinical and Experimental Immunology, 2004, 137, 617-620. | 2.6 | 32 |
| 85 | Survey of the use and effect of assistive devices in patients with early rheumatoid arthritis: A two-year followup of women and men. Arthritis and Rheumatism, 2004, 51, 413-421. | 6.7 | 34 |
| 86 | Antibodies against cyclic citrullinated peptide (CCP) and levels of cartilage oligomeric matrix protein (COMP) in very early arthritis: relation to diagnosis and disease activity. Scandinavian Journal of Rheumatology, 2004, 33, 185-188. | 1.1 | 50 |
| 87 | Aetiological factors of importance for the development of rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2004, 33, 300-306. | 1.1 | 31 |
| 88 | Serum levels of autoantibodies against monomeric C-reactive protein are correlated with disease activity in systemic lupus erythematosus. Arthritis Research, 2004, 6, R87. | 2.0 | 82 |
| 89 | Methods of choice for diagnostic antinuclear antibody (ANA) screening. Journal of Autoimmunity, 2004, 22, 241-248. | 6.5 | 49 |
| 90 | Reduced anti-TNFÎ± autoantibody levels coincide with flare in systemic lupus erythematosus. Journal of Autoimmunity, 2004, 22, 315-323. | 6.5 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Sjögren's syndrome with myalgia is associated with subnormal secretion of cytokines by peripheral blood mononuclear cells. <i>Journal of Rheumatology</i> , 2004, 31, 729-35. | 2.0 | 17 |
| 92 | Allergic manifestations in patients with rheumatoid arthritis. <i>Apmis</i> , 2003, 111, 940-944. | 2.0 | 20 |
| 93 | Inducible nitric oxide synthase (NOS II) is constitutive in human neutrophils. <i>Apmis</i> , 2003, 111, 963-968. | 2.0 | 44 |
| 94 | Collagenous colitis and rheumatoid arthritis: is there a connection?. <i>Arthritis Research</i> , 2003, 5, 114. | 2.0 | 0 |
| 95 | The costs of early inflammatory joint disease: a population-based study in southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2003, 32, 216-224. | 1.1 | 19 |
| 96 | Comparison between women and men with recent onset rheumatoid arthritis of disease activity and functional ability over two years (the TIRA project). <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 667-670. | 0.9 | 53 |
| 97 | Twenty eight joint count disease activity score in recent onset rheumatoid arthritis using C reactive protein instead of erythrocyte sedimentation rate. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 681-682. | 0.9 | 27 |
| 98 | Evaluation of Anti-hsp70 Antibody Screening in Sudden Deafness. <i>Ear and Hearing</i> , 2003, 24, 233-235. | 2.1 | 13 |
| 99 | Annual incidence of inflammatory joint diseases in a population based study in southern Sweden. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 911-915. | 0.9 | 157 |
| 100 | alpha1 Antitrypsin deficiency in a patient with systemic vasculitis and primary Sjogren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 945-946. | 0.9 | 4 |
| 101 | Autoantibodies to C-reactive Protein is a Common Finding in SLE, but not in Primary Sjögren's Syndrome, Rheumatoid Arthritis or Inflammatory Bowel Disease. <i>Journal of Autoimmunity</i> , 2002, 19, 155-160. | 6.5 | 58 |
| 102 | Fucosylation of α 1-acid glycoprotein (orosomucoid) compared with traditional biochemical markers of inflammation in recent onset rheumatoid arthritis. <i>Clinica Chimica Acta</i> , 2002, 317, 221-229. | 1.1 | 42 |
| 103 | Inducible nitric oxide synthase is expressed in synovial fluid granulocytes. <i>Clinical and Experimental Immunology</i> , 2002, 130, 150-155. | 2.6 | 19 |
| 104 | High prevalence rates of adult silent coeliac disease, as seen in Sweden, must be expected in Denmark. <i>Apmis</i> , 2001, 109, 745-750. | 2.0 | 41 |
| 105 | Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 934-939. | 0.9 | 107 |
| 106 | Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 898-903. | 0.9 | 24 |
| 107 | IgG Immune Complex Binding to and Activation of Liver Cells. <i>International Archives of Allergy and Immunology</i> , 2000, 121, 329-336. | 2.1 | 12 |
| 108 | Occupational determinants for rheumatoid arthritis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 243-249. | 3.4 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Anti-lactoferrin antibodies and other types of anti-neutrophil cytoplasmic antibodies (ANCA) in reactive arthritis and ankylosing spondylitis. <i>Clinical and Experimental Immunology</i> , 1999, 117, 568-573. | 2.6 | 25 |
| 110 | A prospective study on the occurrence of autoantibodies in low-risk pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 83, 21-26. | 1.1 | 19 |
| 111 | Hepatic and extrahepatic clearance of circulating human lactoferrin: an experimental study in rat. <i>European Journal of Haematology</i> , 1998, 61, 151-159. | 2.2 | 23 |
| 112 | Autoantibodies and Primary Sjögren's Syndrome in a Hypocitraturic Stone Population. <i>Scandinavian Journal of Urology and Nephrology</i> , 1997, 31, 73-80. | 1.4 | 2 |
| 113 | Is small bowel biopsy necessary in adults with suspected celiac disease and IgA anti-endomysium antibodies?. <i>Digestive Diseases and Sciences</i> , 1996, 41, 83-87. | 2.3 | 117 |
| 114 | Screening Danish blood donors for antigliadin and antiendomysium antibodies. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 46-46. | 1.5 | 23 |
| 115 | Urolithiasis and distal renal tubular acidosis preceding primary Sjogren's syndrome: a retrospective study 5-53 years after the presentation of urolithiasis. <i>Journal of Internal Medicine</i> , 1996, 239, 483-488. | 6.0 | 32 |
| 116 | Liver cell uptake and degradation of soluble immunoglobulin G immune complexes in vivo and in vitro in rats. <i>Hepatology</i> , 1996, 24, 169-175. | 7.3 | 50 |
| 117 | Treatment of psoriatic arthritis with extracorporeal photochemotherapy and conventional psoralen-ultraviolet A irradiation. <i>Arthritis and Rheumatism</i> , 1996, 39, 1519-1523. | 6.7 | 46 |
| 118 | Distribution of lactoferrin and 60/65 kDa heat shock protein in normal and inflamed human intestine and liver. <i>Gut</i> , 1996, 38, 135-140. | 12.1 | 18 |
| 119 | Anti-endomysium and anti-gliadin antibodies as serological markers for coeliac disease in childhood: a clinical study to develop a practical routine. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1995, 84, 294-298. | 1.5 | 87 |
| 120 | Lymphocyte Subsets and Autoantibodies in Pregnancies Complicated by Placental Disorders. <i>American Journal of Reproductive Immunology</i> , 1995, 33, 31-39. | 1.2 | 40 |
| 121 | Antineutrophil cytoplasmic antibodies in reactive arthritis. <i>Journal of Rheumatology</i> , 1995, 22, 2304-6. | 2.0 | 8 |
| 122 | Long Term Follow-Up of Fibromyalgia Patients. <i>Journal of Musculoskeletal Pain</i> , 1994, 2, 67-80. | 0.3 | 59 |
| 123 | IgG Subclasses of Anti-SS-A/Ro in Patients with Primary Sjögren's Syndrome. <i>Clinical Immunology and Immunopathology</i> , 1994, 73, 358-361. | 2.0 | 9 |
| 124 | IgA antiendomysium antibodies have a high positive predictive value for celiac disease in asymptomatic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1994, 49, 593-597. | 5.7 | 71 |
| 125 | Different Elimination of Circulating IgA Immune Complexes in Rat and Guinea Pig. <i>International Archives of Allergy and Immunology</i> , 1994, 103, 36-43. | 2.1 | 4 |
| 126 | Soluble interleukin-2 receptor levels in serum of patients with demyelinating polyneuropathy associated with monoclonal gammopathy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1993, 56, 721-722. | 1.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Anti-lactoferrin antibodies and other types of ANCA in ulcerative colitis, primary sclerosing cholangitis, and Crohn's disease.. Gut, 1993, 34, 56-62. | 12.1 | 125 |
| 128 | Lactoferrin, Anti-Lactoferrin Antibodies and Inflammatory Disease. Advances in Experimental Medicine and Biology, 1993, 336, 533-538. | 1.6 | 12 |
| 129 | Autoantibodies versus clinical symptoms in blood donors. Journal of Rheumatology, 1992, 19, 1919-21. | 2.0 | 16 |
| 130 | Antibodies to peripheral nerve myelin may occur without clinical neuropathy in healthy persons. Journal of Neuroimmunology, 1991, 32, 219-222. | 2.3 | 23 |
| 131 | Anti-Granulocyte Antibodies (C-ANCA, P-ANCA, GS-ANA) Studied by Confocal Scanning Laser Fluorescence Microscopy, ELISA, and Chemiluminescence Techniques. Scandinavian Journal of Immunology, 1991, 34, 137-145. | 2.7 | 16 |
| 132 | Anti-granulocyte antibodies in Crohn's disease. Apmis, 1990, 98, 34-34. | 2.0 | 1 |
| 133 | Endocytosis via the scavenger- and the mannose-receptor in rainbow trout (Salmo gairdneri) pronephros is carried out by nonphagocytic cells. Fish Physiology and Biochemistry, 1990, 8, 229-238. | 2.3 | 24 |
| 134 | Hepatic immune complex elimination studied with FITC-labelled antigen. Journal of Immunological Methods, 1990, 128, 1-7. | 1.4 | 9 |
| 135 | Immunoglobulins within the central nervous system in primary Sjögren's syndrome. Journal of the Neurological Sciences, 1990, 100, 186-192. | 0.6 | 26 |
| 136 | Circulating and tissue immune complexes in mercury-treated mice. Journal of Clinical & Laboratory Immunology, 1989, 29, 175-83. | 0.1 | 7 |
| 137 | The Effect of Trauma to the Leg on the First-pass Uptake of Bacteria by the Lung. Journal of Trauma, 1988, 28, S217-S219. | 2.3 | 1 |
| 138 | Elimination kinetics of circulating antigens and immune complexes. II. Hepatic and extrahepatic elimination of chemically modified albumin preparations in relation to their non-specific physicochemical properties. Journal of Clinical & Laboratory Immunology, 1988, 27, 13-7. | 0.1 | 3 |
| 139 | Elimination kinetics of circulating antigens and immune complexes. III. Elimination of intravenously injected model antigens and soluble IgG immune complexes in mice. Journal of Clinical & Laboratory Immunology, 1988, 27, 19-23. | 0.1 | 2 |
| 140 | Anti-brush border antibodies (ABBA) in sera from patients with ulcerative proctocolitis and in sera with antibodies against Yersinia enterocolitica O:3. Journal of Clinical & Laboratory Immunology, 1986, 19, 117-8. | 0.1 | 4 |
| 141 | The Role of Negative Charge in the Complement-Dependent Dissociation of IgG-Mediated Aggregation. Scandinavian Journal of Immunology, 1985, 21, 43-47. | 2.7 | 6 |
| 142 | Cerebrospinal fluid immunoglobulin abnormalities in systemic lupus erythematosus.. Journal of Neurology, Neurosurgery and Psychiatry, 1985, 48, 807-813. | 1.9 | 39 |
| 143 | NON-SPECIFIC AND SPECIFIC RECOGNITION MECHANISMS OF BACTERIAL AND MAMMALIAN CELL MEMBRANES. Journal of Dispersion Science and Technology, 1985, 6, 69-89. | 2.4 | 15 |
| 144 | Hepatic uptake of circulating IgG immune complexes. Immunology, 1985, 55, 585-94. | 4.4 | 72 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Hydrophobic interaction between DNP-HSA and different tissue structures in vivo assessed by indirect immunofluorescence microscopy. Journal of Immunological Methods, 1983, 61, 385-390. | 1.4 | 9 |
| 146 | Physicochemical Properties and Blood Clearance of Human Serum Albumin Conjugated to Different Extents with Dinitrophenyl Groups. International Archives of Allergy and Immunology, 1983, 70, 238-244. | 2.1 | 27 |
| 147 | Complement-mediated delay in immune complex clearance from the blood owing to reduced deposition outside the reticuloendothelial system. Immunology, 1983, 49, 53-9. | 4.4 | 17 |
| 148 | Gastrointestinal uptake and blood clearance of antigen in the presence of IgA antibodies. Immunology, 1983, 50, 175-80. | 4.4 | 10 |
| 149 | Overestimate of 125I-protein uptake from the adult mouse gut.. Gut, 1982, 23, 1077-1080. | 12.1 | 24 |
| 150 | Complement-Mediated Inhibition of Non-Specific Aggregation of Highly-Dinitrophenyl-Conjugated Human Serum Albumin. Immunological Investigations, 1982, 11, 337-344. | 0.8 | 5 |
| 151 | Tissue Distribution of Intravenously Injected Dinitrophenylated Human Serum Albumin.. Scandinavian Journal of Immunology, 1982, 16, 465-475. | 2.7 | 30 |
| 152 | Anti-brush border antibodies (ABBA) in Crohn's disease. Journal of Clinical & Laboratory Immunology, 1982, 9, 147-50. | 0.1 | 15 |
| 153 | The Effect of DNP-coupling and IgA Binding to Salmonella typhimurium 395 MS on Physicochemical Surface Properties and Interaction with Phagocytes.. Acta Chemica Scandinavica, 1981, 35b, 221-222. | 0.7 | 2 |