

Thomas Skogh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2468249/publications.pdf>

Version: 2024-02-01

153
papers

4,638
citations

87401

40
h-index

150775

59
g-index

154
all docs

154
docs citations

154
times ranked

4852
citing authors

#	ARTICLE	IF	CITATIONS
1	Autoantibodies are major predictors of arthritis development in patients with anti-citrullinated protein antibodies and musculoskeletal pain. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 189-197.	0.6	12
2	Bone Erosions Detected by Ultrasound Are Prognostic for Clinical Arthritis Development in Patients With ACPA and Musculoskeletal Pain. <i>Frontiers in Medicine</i> , 2021, 8, 653994.	1.2	4
3	Secretory anti-citrullinated protein antibodies in serum associate with lung involvement in early rheumatoid arthritis. <i>Rheumatology</i> , 2020, 59, 852-859.	0.9	12
4	Elevated free secretory component in early rheumatoid arthritis and prior to arthritis development in patients at increased risk. <i>Rheumatology</i> , 2020, 59, 979-987.	0.9	4
5	Longitudinal anti-nuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of Swedish cases with recent-onset disease. <i>Clinical and Experimental Immunology</i> , 2020, 199, 245-254.	1.1	29
6	P23...Longitudinal antinuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of swedish cases with recent-onset disease. , 2020, , .		0
7	Anti-cyclic citrullinated peptide antibodies are associated with radiographic damage but not disease activity in early rheumatoid arthritis diagnosed in 2006-2011. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 434-442.	0.6	12
8	Structural Basis of Cross-Reactivity of Anti-Citrullinated Protein Antibodies. <i>Arthritis and Rheumatology</i> , 2019, 71, 210-221.	2.9	64
9	Osteopontin and Disease Activity in Patients with Recent-onset Systemic Lupus Erythematosus: Results from the SLICC Inception Cohort. <i>Journal of Rheumatology</i> , 2019, 46, 492-500.	1.0	15
10	OP0116...JOINT EROSIONS VISIBLE ON ULTRASOUND PREDICT ARTHRITIS DEVELOPMENT IN PATIENTS WITH ACPA AND MUSCULOSKELETAL PAIN BUT NO SWOLLEN JOINTS. , 2019, , .		0
11	Orofacial pain in juvenile idiopathic arthritis is associated with stress as well as psychosocial and functional limitations. <i>Pediatric Rheumatology</i> , 2019, 17, 83.	0.9	13
12	PS4:71...Iga anti-phospholipid antibodies in swedish cases with systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. , 2018, , .		0
13	Immunoglobulin A anti-phospholipid antibodies in Swedish cases of systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. <i>Clinical and Experimental Immunology</i> , 2018, 194, 27-38.	1.1	16
14	Changes in anti-citrullinated protein antibody isotype levels in relation to disease activity and response to treatment in early rheumatoid arthritis. <i>Clinical and Experimental Immunology</i> , 2018, 194, 391-399.	1.1	17
15	AB0110...Serum and salivary iga1 and iga2 acpa subclasses in established rheumatoid arthritis and associations to smoking. , 2018, , .		0
16	Circulating cartilage oligomeric matrix protein in juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 194-197.	0.6	6
17	Interferon- γ coincides with suppressed levels of pentraxin-3 (PTX3) in systemic lupus erythematosus and regulates leucocyte PTX3 <i>in vitro</i> . <i>Clinical and Experimental Immunology</i> , 2017, 189, 83-91.	1.1	17
18	Immunoglobulin (Ig)G1 and IgG4 anti-cyclic citrullinated peptide (CCP) associate with shared epitope, whereas IgG2 anti-CCP associates with smoking in patients with recent-onset rheumatoid arthritis (the Swedish TIRA project). <i>Clinical and Experimental Immunology</i> , 2017, 188, 53-62.	1.1	10

#	ARTICLE	IF	CITATIONS
19	Osteopontin is associated with disease severity and antiphospholipid syndrome in well characterised Swedish cases of SLE. <i>Lupus Science and Medicine</i> , 2017, 4, e000225.	1.1	18
20	Decrease in bone mineral density during three months after diagnosis of early rheumatoid arthritis measured by digital X-ray radiogrammetry predicts radiographic joint damage after one year. <i>Arthritis Research and Therapy</i> , 2017, 19, 195.	1.6	18
21	Anti-citrullinated protein antibodies cause arthritis by cross-reactivity to joint cartilage. <i>JCI Insight</i> , 2017, 2, .	2.3	51
22	IgA- and IgG anti-PR3 antibodies in serum versus organ involvement and disease activity in PR3-ANCA-associated vasculitis. <i>Clinical and Experimental Immunology</i> , 2016, 184, 208-215.	1.1	13
23	THU0345...Presence of Immunoglobulin (IG) A Antibodies against Cardiolipin and Î²2-Glycoprotein-I in The Absence of ICG and IGM in Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 312.1-312.	0.5	0
24	Antibodies against carbamylated proteins and cyclic citrullinated peptides in systemic lupus erythematosus: results from two well-defined European cohorts. <i>Arthritis Research and Therapy</i> , 2016, 18, 289.	1.6	43
25	Circulating secretory IgA antibodies against cyclic citrullinated peptides in early rheumatoid arthritis associate with inflammatory activity and smoking. <i>Arthritis Research and Therapy</i> , 2016, 18, 119.	1.6	37
26	Dynamic Response Genes in CD4+ T Cells Reveal a Network of Interactive Proteins that Classifies Disease Activity in Multiple Sclerosis. <i>Cell Reports</i> , 2016, 16, 2928-2939.	2.9	38
27	Associations With Smoking and Shared Epitope Differ Between IgA and IgG Class Antibodies to Cyclic Citrullinated Peptides in Early Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2032-2037.	2.9	48
28	Physician Preferences and Variations in Prescription of Biologic Drugs for Rheumatoid Arthritis: A Register-Based Study of 4,010 Patients in Sweden. <i>Arthritis Care and Research</i> , 2015, 67, 1679-1685.	1.5	17
29	Changes in sociodemographic characteristics at baseline in two Swedish cohorts of patients with early rheumatoid arthritis diagnosed 1996-98 and 2006-09. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 100-105.	0.6	5
30	Antibodies against High Mobility Group Box protein-1 (HMGB1) versus other anti-nuclear antibody fine-specificities and disease activity in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2015, 17, 338.	1.6	27
31	Four Anti-dsDNA Antibody Assays in Relation to Systemic Lupus Erythematosus Disease Specificity and Activity. <i>Journal of Rheumatology</i> , 2015, 42, 817-825.	1.0	57
32	Application of the 2012 Systemic Lupus International Collaborating Clinics classification criteria to patients in a regional Swedish systemic lupus erythematosus register. <i>Arthritis Research and Therapy</i> , 2015, 17, 3.	1.6	84
33	Early rheumatoid arthritis 6 years after diagnosis is still associated with high direct costs and increasing loss of productivity: the Swedish TIRA project. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 177-183.	0.6	16
34	Association of Serum C-reactive Protein Levels With Lupus Disease Activity in the Absence of Measurable Interferon-Î± and a C-reactive Protein Gene Variant. <i>Arthritis and Rheumatology</i> , 2014, 66, 1568-1573.	2.9	30
35	THU0042...Autoantibodies against High Mobility Group Box Protein-1 in Systemic Lupus Erythematosus: Association with Disease Activity and Other Antinuclear Antibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 191.1-191.	0.5	0
36	Salivary IgA antibodies to cyclic citrullinated peptides (CCP) in rheumatoid arthritis. <i>Immunobiology</i> , 2013, 218, 232-237.	0.8	25

#	ARTICLE	IF	CITATIONS
37	Soluble urokinase plasminogen activator receptor levels reflect organ damage in systemic lupus erythematosus. <i>Translational Research</i> , 2013, 162, 287-296.	2.2	43
38	C-reactive protein, immunoglobulin G and complement co-localize in renal immune deposits of proliferative lupus nephritis. <i>Autoimmunity</i> , 2013, 46, 205-214.	1.2	35
39	Associations between antinuclear antibody staining patterns and clinical features of systemic lupus erythematosus: analysis of a regional Swedish register. <i>BMJ Open</i> , 2013, 3, e003608.	0.8	44
40	THU0068â€¦Circulating Secretory IGA Antibodies to Citrullinated Proteins Occur in Rheumatoid Arthritis Patients, and Associate with Disease Activity. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A186.2-A186.	0.5	0
41	THU0528â€¦Socioeconomic and Demographic Characteristics Among Two Cohorts of Patients with Early Rheumatoid Arthritis in Sweden, Enrolled 1996-98 and 2006-09. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A342.3-A343.	0.5	0
42	AB1326â€¦Rheumatoid arthritis 6 years after diagnosis â€œ still associated with high direct costs and increasing loss of productivity (the swedish TIRA project). <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 713.13-713.	0.5	0
43	Development of heart block in children of SSA/SSB-autoantibody-positive women is associated with maternal age and displays a season-of-birth pattern. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 334-340.	0.5	60
44	A disease-modifying role for mucosal IgA antibodies to citrullinated antigens?. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A38.2-A39.	0.5	0
45	Disease activity and disability in women and men with early rheumatoid arthritis: An 8-year follow-up of the Swedish TIRA project. <i>Arthritis Care and Research</i> , 2012, 64, n/a-n/a.	1.5	29
46	IgG Rheumatoid Factors Against the Four Human Fcâ€šgamma Subclasses in Early Rheumatoid Arthritis (The Swedish TIRA Project). <i>Scandinavian Journal of Immunology</i> , 2012, 75, 115-119.	1.3	3
47	A Comparison Between IgG- and IgA-class Antibodies to Cyclic Citrullinated Peptides and to Modified Citrullinated Vimentin in Early Rheumatoid Arthritis and Very Early Arthritis. <i>Journal of Rheumatology</i> , 2011, 38, 1265-1272.	1.0	35
48	A Populationâ€šbased Investigation of the Autoantibody Profile in Mothers of Children with Atrioventricular Block. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 511-517.	1.3	42
49	28-joint count disease activity score at 3 months after diagnosis of early rheumatoid arthritis is strongly associated with direct and indirect costs over the following 4 years: the Swedish TIRA project. <i>Rheumatology</i> , 2011, 50, 1259-1267.	0.9	18
50	Beware of Antibodies to Dietary Proteins in â€œAntigen-specificâ€š Immunoassays! Falsely Positive Anticytokine Antibody Tests Due to Reactivity with Bovine Serum Albumin in Rheumatoid Arthritis (The Tj ETQq0 010rgBT /Overlock 10		
51	Development of heart block in SSA/SSB autoantibody-positive pregnancies is associated with maternal age and display a season-of-birth pattern. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A87-A88.	0.5	2
52	Comment on: Clinical utility of ANA measured by ELISA compared with ANA measured by immunofluorescence. <i>Rheumatology</i> , 2010, 49, 396-397.	0.9	2
53	Designed Surface with Tunable IgG Density as an in Vitro Model for Immune Complex Mediated Stimulation of Leukocytes. <i>Langmuir</i> , 2010, 26, 3493-3497.	1.6	2
54	Deficiency of Activating Fcâ€š3-Receptors Reduces Hepatic Clearance and Deposition of IC and Increases CIC Levels in Mercury-Induced Autoimmunity. <i>PLoS ONE</i> , 2010, 5, e13413.	1.1	8

#	ARTICLE	IF	CITATIONS
55	Dr. Skogh, <i>et al,</i> reply. Journal of Rheumatology, 2009, 36, 1834-1834.	1.0	0
56	Humoral immune phenomena in systemic lupus erythematosus with central nervous system dysfunction. Acta Neurologica Scandinavica, 2009, 69, 347-348.	1.0	0
57	Interferon γ mediates suppression of C-reactive protein: Explanation for muted C-reactive protein response in lupus flares?. Arthritis and Rheumatism, 2009, 60, 3755-3760.	6.7	78
58	Improved outcome in Wegener's granulomatosis and microscopic polyangiitis? A retrospective analysis of 95 cases in two cohorts. Journal of Internal Medicine, 2009, 265, 496-506.	2.7	59
59	Serum levels of autoantibodies against C-reactive protein correlate with renal disease activity and response to therapy in lupus nephritis. Arthritis Research and Therapy, 2009, 11, R188.	1.6	39
60	C-reactive protein and C1q regulate platelet adhesion and activation on adsorbed immunoglobulin G and albumin. Immunology and Cell Biology, 2008, 86, 466-474.	1.0	20
61	Presence and utility of IgA-class antibodies to cyclic citrullinated peptides in early rheumatoid arthritis: the Swedish TIRA project. Arthritis Research and Therapy, 2008, 10, R75.	1.6	43
62	Abnormal antinuclear antibody titers are less common than generally assumed in established cases of systemic lupus erythematosus. Journal of Rheumatology, 2008, 35, 1994-2000.	1.0	37
63	Genetic variation in proteins of the cryopyrin inflammasome influences susceptibility and severity of rheumatoid arthritis (The Swedish TIRA project). Rheumatology, 2007, 47, 415-417.	0.9	116
64	Solid-phase classical complement activation by C-reactive protein (CRP) is inhibited by fluid-phase CRP-C1q interaction. Biochemical and Biophysical Research Communications, 2007, 352, 251-258.	1.0	35
65	Fc γ 3 receptor type IIIA genotype and response to tumor necrosis factor α blocking agents in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2007, 56, 448-452.	6.7	60
66	Leucocyte activation by anti-lactoferrin antibodies bound to vascular endothelium. Clinical and Experimental Immunology, 2007, 103, 403-407.	1.1	23
67	Cytokine induction by circulating immune complexes and signs of in-vivo complement activation in systemic lupus erythematosus are associated with the occurrence of anti-Sjögren's syndrome A antibodies. Clinical and Experimental Immunology, 2007, 147, 513-520.	1.1	38
68	Hand function and activity limitation according to health assessment questionnaire in patients with rheumatoid arthritis and healthy referents: 5-year followup of predictors of activity limitation (The Tj ETQq0 0 0 rg10/Overlost 10 Tf 50		
69	Hand function in women and men with early rheumatoid arthritis. A prospective study over three years (the Swedish TIRA project). Scandinavian Journal of Rheumatology, 2006, 35, 15-19.	0.6	32
70	Tu-P10:452 C-reactive protein inhibit complement-mediated platelet activation suggesting a protective role in atherogenesis. Atherosclerosis Supplements, 2006, 7, 284.	1.2	0
71	Antinuclear antibodies in the oldest-old women and men. Journal of Autoimmunity, 2006, 27, 281-288.	3.0	61
72	Designing a Decision Support System for Existing Clinical Organizational Structures: Considerations From a Rheumatology Clinic. Journal of Medical Systems, 2006, 30, 325-331.	2.2	4

#	ARTICLE	IF	CITATIONS
73	Costs and course of disease and function in early rheumatoid arthritis: a 3-year follow-up (the Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.9	46
74	Anti-CRP Autoantibody Levels Correlate with Disease Activity in Systemic Lupus Erythematosus. Seminars in Arthritis and Rheumatism, 2005, 35, 65-66.	1.6	6
75	Activity limitation in rheumatoid arthritis correlates with reduced grip force regardless of sex: The Swedish TIRA project. Arthritis and Rheumatism, 2005, 53, 886-896.	6.7	57
76	The 158V polymorphism of Fc gamma receptor type IIIA in early rheumatoid arthritis: increased susceptibility and severity in male patients (the Swedish TIRA**TIRA is a Swedish acronym for "early) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.9	42
77	CRP and Anti-CRP Autoantibodies in Systemic Lupus Erythematosus. Current Rheumatology Reviews, 2005, 1, 81-89.	0.4	7
78	The B cells are back!. Drug Discovery Today Disease Mechanisms, 2005, 2, 351-357.	0.8	1
79	Does a positive anti-CCP test identify a distinct arthritis entity?. Arthritis Research and Therapy, 2005, 7, 230.	1.6	23
80	Rheumatoid arthritis is already expensive during the first year of the disease (the Swedish TIRA) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	2.5	52
81	Anti-CCP antibody test predicts the disease course during 3 years in early rheumatoid arthritis (the) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 46	0.5	310
82	Occupations and exposures in the work environment as determinants for rheumatoid arthritis. Occupational and Environmental Medicine, 2004, 61, 233-238.	1.3	91
83	Recent-onset rheumatoid arthritis: a 1-year observational study of correlations between health-related quality of life and clinical/laboratory data. Journal of Rehabilitation Medicine, 2004, -1, 1-1.	0.8	20
84	Relationship between serum levels of IL-18 and IgG1 in patients with primary Sjogren's syndrome, rheumatoid arthritis and healthy controls. Clinical and Experimental Immunology, 2004, 137, 617-620.	1.1	32
85	Survey of the use and effect of assistive devices in patients with early rheumatoid arthritis: A two-year followup of women and men. Arthritis and Rheumatism, 2004, 51, 413-421.	6.7	34
86	Antibodies against cyclic citrullinated peptide (CCP) and levels of cartilage oligomeric matrix protein (COMP) in very early arthritis: relation to diagnosis and disease activity. Scandinavian Journal of Rheumatology, 2004, 33, 185-188.	0.6	50
87	Aetiological factors of importance for the development of rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2004, 33, 300-306.	0.6	31
88	Serum levels of autoantibodies against monomeric C-reactive protein are correlated with disease activity in systemic lupus erythematosus. Arthritis Research, 2004, 6, R87.	2.0	82
89	Methods of choice for diagnostic antinuclear antibody (ANA) screening. Journal of Autoimmunity, 2004, 22, 241-248.	3.0	49
90	Reduced anti-TNF± autoantibody levels coincide with flare in systemic lupus erythematosus. Journal of Autoimmunity, 2004, 22, 315-323.	3.0	39

#	ARTICLE	IF	CITATIONS
91	Sjögren's syndrome with myalgia is associated with subnormal secretion of cytokines by peripheral blood mononuclear cells. <i>Journal of Rheumatology</i> , 2004, 31, 729-35.	1.0	17
92	Allergic manifestations in patients with rheumatoid arthritis. <i>Apmis</i> , 2003, 111, 940-944.	0.9	20
93	Inducible nitric oxide synthase (NOS II) is constitutive in human neutrophils. <i>Apmis</i> , 2003, 111, 963-968.	0.9	44
94	Collagenous colitis and rheumatoid arthritis: is there a connection?. <i>Arthritis Research</i> , 2003, 5, 114.	2.0	0
95	The costs of early inflammatory joint disease: a population-based study in southern Sweden. <i>Scandinavian Journal of Rheumatology</i> , 2003, 32, 216-224.	0.6	19
96	Comparison between women and men with recent onset rheumatoid arthritis of disease activity and functional ability over two years (the TIRA project). <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 667-670.	0.5	53
97	Twenty eight joint count disease activity score in recent onset rheumatoid arthritis using C reactive protein instead of erythrocyte sedimentation rate. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 681-682.	0.5	27
98	Evaluation of Anti-hsp70 Antibody Screening in Sudden Deafness. <i>Ear and Hearing</i> , 2003, 24, 233-235.	1.0	13
99	Annual incidence of inflammatory joint diseases in a population based study in southern Sweden. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 911-915.	0.5	157
100	alpha1 Antitrypsin deficiency in a patient with systemic vasculitis and primary Sjogren's syndrome. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 945-946.	0.5	4
101	Autoantibodies to C-reactive Protein is a Common Finding in SLE, but not in Primary Sjögren's Syndrome, Rheumatoid Arthritis or Inflammatory Bowel Disease. <i>Journal of Autoimmunity</i> , 2002, 19, 155-160.	3.0	58
102	Fucosylation of Î±1-acid glycoprotein (orosomucoid) compared with traditional biochemical markers of inflammation in recent onset rheumatoid arthritis. <i>Clinica Chimica Acta</i> , 2002, 317, 221-229.	0.5	42
103	Inducible nitric oxide synthase is expressed in synovial fluid granulocytes. <i>Clinical and Experimental Immunology</i> , 2002, 130, 150-155.	1.1	19
104	High prevalence rates of adult silent coeliac disease, as seen in Sweden, must be expected in Denmark. <i>Apmis</i> , 2001, 109, 745-750.	0.9	41
105	Comorbidity and lifestyle, reproductive factors, and environmental exposures associated with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 934-939.	0.5	107
106	Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 898-903.	0.5	24
107	IgG Immune Complex Binding to and Activation of Liver Cells. <i>International Archives of Allergy and Immunology</i> , 2000, 121, 329-336.	0.9	12
108	Occupational determinants for rheumatoid arthritis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 243-249.	1.7	48

#	ARTICLE	IF	CITATIONS
109	Anti-lactoferrin antibodies and other types of anti-neutrophil cytoplasmic antibodies (ANCA) in reactive arthritis and ankylosing spondylitis. <i>Clinical and Experimental Immunology</i> , 1999, 117, 568-573.	1.1	25
110	A prospective study on the occurrence of autoantibodies in low-risk pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 83, 21-26.	0.5	19
111	Hepatic and extrahepatic clearance of circulating human lactoferrin: an experimental study in rat. <i>European Journal of Haematology</i> , 1998, 61, 151-159.	1.1	23
112	Autoantibodies and Primary Sjögren's Syndrome in a Hypocitraturic Stone Population. <i>Scandinavian Journal of Urology and Nephrology</i> , 1997, 31, 73-80.	1.4	2
113	Is small bowel biopsy necessary in adults with suspected celiac disease and IgA anti-endomysium antibodies?. <i>Digestive Diseases and Sciences</i> , 1996, 41, 83-87.	1.1	117
114	Screening Danish blood donors for antigliadin and antiendomysium antibodies. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 46-46.	0.7	23
115	Urolithiasis and distal renal tubular acidosis preceding primary Sjogren's syndrome: a retrospective study 5-53 years after the presentation of urolithiasis. <i>Journal of Internal Medicine</i> , 1996, 239, 483-488.	2.7	32
116	Liver cell uptake and degradation of soluble immunoglobulin G immune complexes in vivo and in vitro in rats. <i>Hepatology</i> , 1996, 24, 169-175.	3.6	50
117	Treatment of psoriatic arthritis with extracorporeal photochemotherapy and conventional psoralen-ultraviolet A irradiation. <i>Arthritis and Rheumatism</i> , 1996, 39, 1519-1523.	6.7	46
118	Distribution of lactoferrin and 60/65 kDa heat shock protein in normal and inflamed human intestine and liver. <i>Gut</i> , 1996, 38, 135-140.	6.1	18
119	Anti-endomysium and anti-gliadin antibodies as serological markers for coeliac disease in childhood: a clinical study to develop a practical routine. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1995, 84, 294-298.	0.7	87
120	Lymphocyte Subsets and Autoantibodies in Pregnancies Complicated by Placental Disorders. <i>American Journal of Reproductive Immunology</i> , 1995, 33, 31-39.	1.2	40
121	Antineutrophil cytoplasmic antibodies in reactive arthritis. <i>Journal of Rheumatology</i> , 1995, 22, 2304-6.	1.0	8
122	Long Term Follow-Up of Fibromyalgia Patients. <i>Journal of Musculoskeletal Pain</i> , 1994, 2, 67-80.	0.3	59
123	IgG Subclasses of Anti-SS-A/Ro in Patients with Primary Sjögren's Syndrome. <i>Clinical Immunology and Immunopathology</i> , 1994, 73, 358-361.	2.1	9
124	IgA antiendomysium antibodies have a high positive predictive value for celiac disease in asymptomatic patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1994, 49, 593-597.	2.7	71
125	Different Elimination of Circulating IgA Immune Complexes in Rat and Guinea Pig. <i>International Archives of Allergy and Immunology</i> , 1994, 103, 36-43.	0.9	4
126	Soluble interleukin-2 receptor levels in serum of patients with demyelinating polyneuropathy associated with monoclonal gammopathy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1993, 56, 721-722.	0.9	9

#	ARTICLE	IF	CITATIONS
127	Anti-lactoferrin antibodies and other types of ANCA in ulcerative colitis, primary sclerosing cholangitis, and Crohn's disease.. Gut, 1993, 34, 56-62.	6.1	125
128	Lactoferrin, Anti-Lactoferrin Antibodies and Inflammatory Disease. Advances in Experimental Medicine and Biology, 1993, 336, 533-538.	0.8	12
129	Autoantibodies versus clinical symptoms in blood donors. Journal of Rheumatology, 1992, 19, 1919-21.	1.0	16
130	Antibodies to peripheral nerve myelin may occur without clinical neuropathy in healthy persons. Journal of Neuroimmunology, 1991, 32, 219-222.	1.1	23
131	Anti-Granulocyte Antibodies (C-ANCA, P-ANCA, GS-ANA) Studied by Confocal Scanning Laser Fluorescence Microscopy, ELISA, and Chemiluminescence Techniques. Scandinavian Journal of Immunology, 1991, 34, 137-145.	1.3	16
132	Anti-granulocyte antibodies in Crohn's disease. Apmis, 1990, 98, 34-34.	0.9	1
133	Endocytosis via the scavenger- and the mannose-receptor in rainbow trout (Salmo gairdneri) pronephros is carried out by nonphagocytic cells. Fish Physiology and Biochemistry, 1990, 8, 229-238.	0.9	24
134	Hepatic immune complex elimination studied with FITC-labelled antigen. Journal of Immunological Methods, 1990, 128, 1-7.	0.6	9
135	Immunoglobulins within the central nervous system in primary Sjögren's syndrome. Journal of the Neurological Sciences, 1990, 100, 186-192.	0.3	26
136	Circulating and tissue immune complexes in mercury-treated mice. Journal of Clinical & Laboratory Immunology, 1989, 29, 175-83.	0.1	7
137	The Effect of Trauma to the Leg on the First-pass Uptake of Bacteria by the Lung. Journal of Trauma, 1988, 28, S217-S219.	2.3	1
138	Elimination kinetics of circulating antigens and immune complexes. II. Hepatic and extrahepatic elimination of chemically modified albumin preparations in relation to their non-specific physicochemical properties. Journal of Clinical & Laboratory Immunology, 1988, 27, 13-7.	0.1	3
139	Elimination kinetics of circulating antigens and immune complexes. III. Elimination of intravenously injected model antigens and soluble IgG immune complexes in mice. Journal of Clinical & Laboratory Immunology, 1988, 27, 19-23.	0.1	2
140	Anti-brush border antibodies (ABBA) in sera from patients with ulcerative proctocolitis and in sera with antibodies against Yersinia enterocolitica O:3. Journal of Clinical & Laboratory Immunology, 1986, 19, 117-8.	0.1	4
141	The Role of Negative Charge in the Complement-Dependent Dissociation of IgG-Mediated Aggregation. Scandinavian Journal of Immunology, 1985, 21, 43-47.	1.3	6
142	Cerebrospinal fluid immunoglobulin abnormalities in systemic lupus erythematosus.. Journal of Neurology, Neurosurgery and Psychiatry, 1985, 48, 807-813.	0.9	39
143	NON-SPECIFIC AND SPECIFIC RECOGNITION MECHANISMS OF BACTERIAL AND MAMMALIAN CELL MEMBRANES. Journal of Dispersion Science and Technology, 1985, 6, 69-89.	1.3	15
144	Hepatic uptake of circulating IgG immune complexes. Immunology, 1985, 55, 585-94.	2.0	72

#	ARTICLE	IF	CITATIONS
145	Hydrophobic interaction between DNP-HSA and different tissue structures in vivo assessed by indirect immunofluorescence microscopy. <i>Journal of Immunological Methods</i> , 1983, 61, 385-390.	0.6	9
146	Physicochemical Properties and Blood Clearance of Human Serum Albumin Conjugated to Different Extents with Dinitrophenyl Groups. <i>International Archives of Allergy and Immunology</i> , 1983, 70, 238-244.	0.9	27
147	Complement-mediated delay in immune complex clearance from the blood owing to reduced deposition outside the reticuloendothelial system. <i>Immunology</i> , 1983, 49, 53-9.	2.0	17
148	Gastrointestinal uptake and blood clearance of antigen in the presence of IgA antibodies. <i>Immunology</i> , 1983, 50, 175-80.	2.0	10
149	Overestimate of ¹²⁵ I-protein uptake from the adult mouse gut.. <i>Gut</i> , 1982, 23, 1077-1080.	6.1	24
150	Complement-Mediated Inhibition of Non-Specific Aggregation of Highly-Dinitrophenyl-Conjugated Human Serum Albumin. <i>Immunological Investigations</i> , 1982, 11, 337-344.	0.9	5
151	Tissue Distribution of Intravenously Injected Dinitrophenylated Human Serum Albumin.. <i>Scandinavian Journal of Immunology</i> , 1982, 16, 465-475.	1.3	30
152	Anti-brush border antibodies (ABBA) in Crohn's disease. <i>Journal of Clinical & Laboratory Immunology</i> , 1982, 9, 147-50.	0.1	15
153	The Effect of DNP-coupling and IgA Binding to <i>Salmonella typhimurium</i> 395 MS on Physicochemical Surface Properties and Interaction with Phagocytes.. <i>Acta Chemica Scandinavica</i> , 1981, 35b, 221-222.	0.7	2