

Cunjiang Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2468779/publications.pdf>

Version: 2024-02-01

79
papers

6,937
citations

117625

34
h-index

85541

71
g-index

80
all docs

80
docs citations

80
times ranked

9360
citing authors

#	ARTICLE	IF	CITATIONS
1	Fully rubbery synaptic transistors made out of all-organic materials for elastic neurological electronic skin. <i>Nano Research</i> , 2022, 15, 758-764.	10.4	26
2	Interfacial assembly of metallic nanomembranes for highly stretchable conductors. <i>Matter</i> , 2022, 5, 15-17.	10.0	6
3	High-resolution patterning of organic semiconductors toward industrialization of flexible organic electronics. <i>Matter</i> , 2022, 5, 23-25.	10.0	5
4	A Skin-Mountable Hyperthermia Patch Based on Metal Nanofiber Network with High Transparency and Low Resistivity toward Subcutaneous Tumor Treatment. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	27
5	Drawn-Skin Sensors from Fully Biocompatible Inks toward High-Quality Electrophysiology. <i>Small</i> , 2022, 18, .	10.0	12
6	A flexible, multifunctional, optoelectronic anticounterfeiting device from high-performance organic light-emitting paper. <i>Light: Science and Applications</i> , 2022, 11, 59.	16.6	31
7	All-Polymer Based Stretchable Rubbery Electronics and Sensors. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	14
8	A Skin-Mountable Hyperthermia Patch Based on Metal Nanofiber Network with High Transparency and Low Resistivity toward Subcutaneous Tumor Treatment (<i>Adv. Funct. Mater.</i> 21/2022). <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	3
9	Flexible and Stretchable Organic Biosensors. , 2022, , 285-309.		0
10	Artificial neuromorphic cognitive skins based on distributed biaxially stretchable elastomeric synaptic transistors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	25
11	Highly Sensitive $\text{CuInS}_2/\text{ZnS}$ Core-Shell Quantum Dot Photodetectors. <i>ACS Applied Electronic Materials</i> , 2021, 3, 1236-1243.	4.3	14
12	Flexible organic solar cells for biomedical devices. <i>Nano Research</i> , 2021, 14, 2891-2903.	10.4	19
13	Recent Advances of Energy Solutions for Implantable Bioelectronics. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100199.	7.6	65
14	Curvy, shape-adaptive imagers based on printed optoelectronic pixels with a kirigami design. <i>Nature Electronics</i> , 2021, 4, 513-521.	26.0	87
15	Recent advances in power supply strategies for untethered neural implants. <i>Journal of Micromechanics and Microengineering</i> , 2021, 31, 104003.	2.6	4
16	Wearable and Implantable Devices for Healthcare. <i>Advanced Healthcare Materials</i> , 2021, 10, e2101548.	7.6	15
17	A thin, deformable, high-performance supercapacitor implant that can be biodegraded and bioabsorbed within an animal body. <i>Science Advances</i> , 2021, 7, .	10.3	89
18	Rubbery Electronics Fully Made of Stretchable Elastomeric Electronic Materials. <i>Advanced Materials</i> , 2020, 32, e1902417.	21.0	95

#	ARTICLE	IF	CITATIONS
19	Flexible low-voltage paper transistors harnessing ion gel/cellulose fiber composites. <i>Journal of Materials Research</i> , 2020, 35, 940-948.	2.6	10
20	Mechanically flexible microfluidics for microparticle dispensing based on traveling wave dielectrophoresis. <i>Journal of Micromechanics and Microengineering</i> , 2020, 30, 024001.	2.6	5
21	Ultra-conformal drawn-on-skin electronics for multifunctional motion artifact-free sensing and point-of-care treatment. <i>Nature Communications</i> , 2020, 11, 3823.	12.8	196
22	An epicardial bioelectronic patch made from soft rubbery materials and capable of spatiotemporal mapping of electrophysiological activity. <i>Nature Electronics</i> , 2020, 3, 775-784.	26.0	126
23	Air/water interfacial assembled rubbery semiconducting nanofilm for fully rubbery integrated electronics. <i>Science Advances</i> , 2020, 6, .	10.3	54
24	Flexible and stretchable metal oxide nanofiber networks for multimodal and monolithically integrated wearable electronics. <i>Nature Communications</i> , 2020, 11, 2405.	12.8	174
25	Laser direct writing of carbonaceous sensors on cardboard for human health and indoor environment monitoring. <i>RSC Advances</i> , 2020, 10, 18694-18703.	3.6	12
26	Soft Electronics for the Skin: From Health Monitors to Human-Machine Interfaces. <i>Advanced Materials Technologies</i> , 2020, 5, .	5.8	80
27	Recent advances in materials and device technologies for soft active matrix electronics. <i>Journal of Materials Chemistry C</i> , 2020, 8, 10719-10731.	5.5	9
28	Stretchable Electronics: Rubbery Electronics Fully Made of Stretchable Elastomeric Electronic Materials (<i>Adv. Mater.</i> 15/2020). <i>Advanced Materials</i> , 2020, 32, 2070119.	21.0	1
29	Metal oxide semiconductor nanomembrane-based soft unnoticeable multifunctional electronics for wearable human-machine interfaces. <i>Science Advances</i> , 2019, 5, eaav9653.	10.3	213
30	Stretchable elastic synaptic transistors for neurologically integrated soft engineering systems. <i>Science Advances</i> , 2019, 5, eaax4961.	10.3	191
31	Fully rubbery integrated electronics from high effective mobility intrinsically stretchable semiconductors. <i>Science Advances</i> , 2019, 5, eaav5749.	10.3	117
32	Stretchable Electronics: Biaxially Stretchable Ultrathin Si Enabled by Serpentine Structures on Prestrained Elastomers (<i>Adv. Mater. Technol.</i> 1/2019). <i>Advanced Materials Technologies</i> , 2019, 4, 1970003.	5.8	0
33	Wearable Devices for Single-Cell Sensing and Transfection. <i>Trends in Biotechnology</i> , 2019, 37, 1175-1188.	9.3	23
34	Transient thermo-mechanical analysis for bimorph soft robot based on thermally responsive liquid crystal elastomers. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2019, 40, 943-952.	3.6	12
35	Stretchable Electronics: Nylon Fabric Enabled Tough and Flaw Insensitive Stretchable Electronics (<i>Adv. Mater. Technol.</i> 4/2019). <i>Advanced Materials Technologies</i> , 2019, 4, 1970024.	5.8	0
36	Three-dimensional curvy electronics created using conformal additive stamp printing. <i>Nature Electronics</i> , 2019, 2, 471-479.	26.0	131

#	ARTICLE	IF	CITATIONS
37	Invited Article: Emerging soft bioelectronics for cardiac health diagnosis and treatment. <i>APL Materials</i> , 2019, 7, 031301.	5.1	37
38	Biaxially Stretchable Ultrathin Si Enabled by Serpentine Structures on Prestrained Elastomers. <i>Advanced Materials Technologies</i> , 2019, 4, 1800489.	5.8	27
39	Nylon Fabric Enabled Tough and Flaw Insensitive Stretchable Electronics. <i>Advanced Materials Technologies</i> , 2019, 4, 1800466.	5.8	4
40	Fully rubbery stretchable electronics, sensors, and smart skins. , 2019, , .		0
41	A simple analytical thermo-mechanical model for liquid crystal elastomer bilayer structures. <i>AIP Advances</i> , 2018, 8, .	1.3	19
42	Curvy surface conformal ultra-thin transfer printed Si optoelectronic penetrating microprobe arrays. <i>Npj Flexible Electronics</i> , 2018, 2, .	10.7	23
43	Biaxially Stretchable Fully Elastic Transistors Based on Rubbery Semiconductor Nanocomposites. <i>Advanced Materials Technologies</i> , 2018, 3, 1800043.	5.8	39
44	Soft Ultrathin Silicon Electronics for Soft Neural Interfaces: A Review of Recent Advances of Soft Neural Interfaces Based on Ultrathin Silicon. <i>IEEE Nanotechnology Magazine</i> , 2018, 12, 21-34.	1.3	16
45	Soft Ultrathin Electronics Innervated Adaptive Fully Soft Robots. <i>Advanced Materials</i> , 2018, 30, e1706695.	21.0	301
46	Highly Sensitive and Very Stretchable Strain Sensor Based on a Rubbery Semiconductor. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 5000-5006.	8.0	103
47	Soft and transient magnesium plasmonics for environmental and biomedical sensing. <i>Nano Research</i> , 2018, 11, 4390-4400.	10.4	21
48	Three-dimensional bioprinting of gelatin methacryloyl (GelMA). <i>Bio-Design and Manufacturing</i> , 2018, 1, 215-224.	7.7	143
49	Transistors: Biaxially Stretchable Fully Elastic Transistors Based on Rubbery Semiconductor Nanocomposites (<i>Adv. Mater. Technol.</i> 6/2018). <i>Advanced Materials Technologies</i> , 2018, 3, 1870022.	5.8	0
50	Stretchable Electronics: In-plane Deformation Mechanics for Highly Stretchable Electronics (<i>Adv. Mater.</i> 2018, 30, 1800022). <i>Advanced Materials Technologies</i> , 2018, 3, 1870022.	21.0	5
51	Electrochemical-mechanically triggered transient electronics. , 2017, , .		1
52	Thermally Triggered Mechanically Destructive Electronics Based On Electrospun Poly(μ -caprolactone) Nanofibrous Polymer Films. <i>Scientific Reports</i> , 2017, 7, 947.	3.3	24
53	In-plane Deformation Mechanics for Highly Stretchable Electronics. <i>Advanced Materials</i> , 2017, 29, 1604989.	21.0	141
54	Engineering of carbon nanotube/polydimethylsiloxane nanocomposites with enhanced sensitivity for wearable motion sensors. <i>Journal of Materials Chemistry C</i> , 2017, 5, 11092-11099.	5.5	112

#	ARTICLE	IF	CITATIONS
55	Rubbery electronics and sensors from intrinsically stretchable elastomeric composites of semiconductors and conductors. <i>Science Advances</i> , 2017, 3, e1701114.	10.3	229
56	Moisture-triggered physically transient electronics. <i>Science Advances</i> , 2017, 3, e1701222.	10.3	122
57	Towards engineering integrated cardiac organoids: beating recorded. <i>Journal of Thoracic Disease</i> , 2016, 8, E1683-E1687.	1.4	6
58	Synthetic adaptive optoelectronic color camouflage skins. , 2016, , .		0
59	Stretchable Hydrogel Electronics and Devices. <i>Advanced Materials</i> , 2016, 28, 4497-4505.	21.0	550
60	High Fidelity Tape Transfer Printing Based On Chemically Induced Adhesive Strength Modulation. <i>Scientific Reports</i> , 2015, 5, 16133.	3.3	34
61	Crack-Insensitive Wearable Electronics Enabled Through High-Strength Kevlar Fabrics. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2015, 5, 1230-1236.	2.5	9
62	Oxygen reduction reaction induced pH-responsive chemo-mechanical hydrogel actuators. <i>Soft Matter</i> , 2015, 11, 7953-7959.	2.7	31
63	Photodetectors: Silicon-Based Visible-Blind Ultraviolet Detection and Imaging Using Down-Shifting Luminophores (<i>Advanced Optical Materials</i> 4/2014). <i>Advanced Optical Materials</i> , 2014, 2, 313-313.	7.3	1
64	All-Elastomeric, Strain-Responsive Thermochromic Color Indicators. <i>Small</i> , 2014, 10, 1266-1271.	10.0	56
65	Silicon-Based Visible-Blind Ultraviolet Detection and Imaging Using Down-Shifting Luminophores. <i>Advanced Optical Materials</i> , 2014, 2, 314-319.	7.3	55
66	Adaptive optoelectronic camouflage systems with designs inspired by cephalopod skins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 12998-13003.	7.1	197
67	Epidermal photonic devices for quantitative imaging of temperature and thermal transport characteristics of the skin. <i>Nature Communications</i> , 2014, 5, 4938.	12.8	227
68	Deformable, Programmable, and Shape-Memorizing Micro-Optics. <i>Advanced Functional Materials</i> , 2013, 23, 3299-3306.	14.9	199
69	Electronically Programmable, Reversible Shape Change in Two- and Three-Dimensional Hydrogel Structures (<i>Adv. Mater.</i> 11/2013). <i>Advanced Materials</i> , 2013, 25, 1540-1540.	21.0	0
70	Electronically Programmable, Reversible Shape Change in Two- and Three-Dimensional Hydrogel Structures. <i>Advanced Materials</i> , 2013, 25, 1541-1546.	21.0	169
71	Stretchable batteries with self-similar serpentine interconnects and integrated wireless recharging systems. <i>Nature Communications</i> , 2013, 4, 1543.	12.8	1,169
72	Shape-Memory Polymers: Deformable, Programmable, and Shape-Memorizing Micro-Optics (<i>Adv. Funct. Mater.</i>)	14.9	8

#	ARTICLE	IF	CITATIONS
73	Reactive nanolayers for physiologically compatible microsystem packaging. Journal of Materials Science: Materials in Electronics, 2010, 21, 562-566.	2.2	5
74	Forming wrinkled stiff films on polymeric substrates at room temperature for stretchable interconnects applications. Thin Solid Films, 2010, 519, 818-822.	1.8	79
75	Tunable optical gratings based on buckled nanoscale thin films on transparent elastomeric substrates. Applied Physics Letters, 2010, 96, .	3.3	107
76	Film Bulk Acoustic-Wave Resonator based radiation sensor. , 2010, , .		2
77	Laser dynamic forming of functional materials laminated composites on patterned three-dimensional surfaces with applications on flexible microelectromechanical systems. Applied Physics Letters, 2009, 95, 091108.	3.3	27
78	A stretchable temperature sensor based on elastically buckled thin film devices on elastomeric substrates. Applied Physics Letters, 2009, 95, .	3.3	111
79	Stretchable Supercapacitors Based on Buckled Single-Walled Carbon-Nanotube Macrofilms. Advanced Materials, 2009, 21, 4793-4797.	21.0	627