

Christian Roth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2469210/publications.pdf>

Version: 2024-02-01

12
papers

114
citations

1478505

6
h-index

1281871

11
g-index

12
all docs

12
docs citations

12
times ranked

259
citing authors

#	ARTICLE	IF	CITATIONS
1	Liver function predicts survival in patients undergoing extracorporeal membrane oxygenation following cardiovascular surgery. <i>Critical Care</i> , 2016, 20, 57.	5.8	46
2	Lipoprotein(a) plasma levels are not associated with survival after acute coronary syndromes: An observational cohort study. <i>PLoS ONE</i> , 2020, 15, e0227054.	2.5	15
3	Mechanical properties of the everolimus-eluting bioresorbable vascular scaffold compared to the metallic everolimus-eluting stent. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 104.	1.7	11
4	The role of the socio-economic environment on medical outcomes after ST-segment elevation myocardial infarction. <i>BMC Public Health</i> , 2019, 19, 630.	2.9	9
5	Outcome after Elective Percutaneous Coronary Intervention Depends on Age in Patients with Stable Coronary Artery Disease – An Analysis of Relative Survival in a Multicenter Cohort and an OCT Substudy. <i>PLoS ONE</i> , 2016, 11, e0154025.	2.5	8
6	Impact of treatment strategies on long-term outcome of CTO patients. <i>European Journal of Internal Medicine</i> , 2020, 77, 97-104.	2.2	7
7	High N-Terminal proB-Type Natriuretic Peptide Indicates Elevated Risk of Death after Percutaneous Coronary Intervention Compared to Coronary Artery Bypass Surgery in Patients with Left Ventricular Dysfunction. <i>Journal of Clinical Medicine</i> , 2019, 8, 898.	2.4	6
8	Comparison of magnetic wire navigation with the conventional wire technique for percutaneous coronary intervention of chronic total occlusions: a randomised, controlled study. <i>Heart and Vessels</i> , 2016, 31, 1266-1276.	1.2	5
9	Incidence of late-acquired stent malapposition of drug eluting stents with second generation permanent and biodegradable polymer coatings – A prospective, randomized comparison using optical coherence tomography. <i>Journal of Interventional Cardiology</i> , 2018, 31, 780-791.	1.2	3
10	Predicting the presence of coronary artery disease by transesophageal echocardiography. <i>Wiener Klinische Wochenschrift</i> , 2020, 132, 708-715.	1.9	2
11	Coronary angiography in patients after cardiac arrest without ST-elevation myocardial infarction. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 762-769.	1.9	2
12	Death is associated to the type of drug-eluting stent in patients with left ventricular dysfunction and elevated natriuretic peptide levels. <i>Scientific Reports</i> , 2021, 11, 2443.	3.3	0