

Cláudia M L Bevilaqua

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2470921/publications.pdf>

Version: 2024-02-01

63
papers

1,625
citations

270111

25
h-index

371746

37
g-index

65
all docs

65
docs citations

65
times ranked

2131
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenotypic and genotypic approaches for detection of anthelmintic resistant sheep gastrointestinal nematodes from Brazilian northeast. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e005021.	0.2	2
2	Carvacryl acetate nanoencapsulated with chitosan/chichã gum exhibits reduced toxicity in mice and decreases the fecal egg count of sheep infected with gastrointestinal nematodes. <i>Parasitology</i> , 2021, , 1-21.	0.7	1
3	Anthelmintic activity of nanoencapsulated carvacryl acetate against gastrointestinal nematodes of sheep and its toxicity in rodents. <i>Brazilian Journal of Veterinary Parasitology</i> , 2020, 29, e013119.	0.2	6
4	Chemical constituents of <i>Calotropis procera</i> latex and ultrastructural effects on <i>Haemonchus contortus</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2020, 29, .	0.2	10
5	Quantitative molecular diagnosis of levamisole resistance in populations of <i>Haemonchus contortus</i> . <i>Experimental Parasitology</i> , 2019, 205, 107734.	0.5	13
6	Differences in protein expression associated with ivermectin resistance in <i>Caenorhabditis elegans</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 105-112.	0.2	1
7	Anthelmintic effect of <i>Cymbopogon citratus</i> essential oil and its nanoemulsion on sheep gastrointestinal nematodes. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 522-527.	0.2	17
8	Anthelmintic activity of <i>Eucalyptus citriodora</i> essential oil and its major component, citronellal, on sheep gastrointestinal nematodes. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 644-651.	0.2	12
9	Essential Oils and Their Bioactive Compounds in the Control of Gastrointestinal Nematodes of Small Ruminants. <i>Acta Scientiae Veterinariae</i> , 2018, 46, 14.	0.2	6
10	Effects of <i>Eucalyptus citriodora</i> essential oil and its major component, citronellal, on <i>Haemonchus contortus</i> isolates susceptible and resistant to synthetic anthelmintics. <i>Industrial Crops and Products</i> , 2018, 124, 294-299.	2.5	27
11	A new whole mitochondrial genome qPCR (WMG-qPCR) with SYBR Green® to identify phlebotomine sand fly blood meals. <i>Veterinary Parasitology</i> , 2017, 238, 17-23.	0.7	8
12	Effects of <i>Spigelia anthelmia</i> decoction on sheep gastrointestinal nematodes. <i>Small Ruminant Research</i> , 2017, 153, 146-152.	0.6	14
13	Attempt to control <i>Haemonchus contortus</i> in dairy goats with Barbervax Â®, a vaccine derived from the nematode gut membrane glycoproteins. <i>Small Ruminant Research</i> , 2017, 151, 1-4.	0.6	21
14	High levels of benzimidazole resistance and Î²-tubulin isotype 1 SNP F167Y in <i>Haemonchus contortus</i> populations from CearÃ State, Brazil. <i>Small Ruminant Research</i> , 2017, 146, 48-52.	0.6	12
15	Anthelmintic effect of thymol and thymol acetate on sheep gastrointestinal nematodes and their toxicity in mice. <i>Brazilian Journal of Veterinary Parasitology</i> , 2017, 26, 323-330.	0.2	48
16	The use of <i>Eucalyptus staigeriana</i> nanoemulsion for control of sheep haemonchosis. <i>Pesquisa Veterinaria Brasileira</i> , 2017, 37, 221-226.	0.5	7
17	Epidemiologia da leishmaniose visceral no municÃpio de Fortaleza, CearÃ. <i>Pesquisa Veterinaria Brasileira</i> , 2017, 37, 1119-1124.	0.5	10
18	<i>Haemonchus contortus</i> Î²-tubulin isotype 1 gene F200Y and F167Y SNPs are both selected by ivermectin and oxfendazole treatments with differing impacts on anthelmintic resistance. <i>Veterinary Parasitology</i> , 2017, 248, 90-95.	0.7	9

#	ARTICLE	IF	CITATIONS
19	Chemical composition and in vitro activity of <i>Calotropis procera</i> (Ait.) latex on <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2016, 226, 22-25.	0.7	26
20	Comparative efficacy and toxic effects of carvacryl acetate and carvacrol on sheep gastrointestinal nematodes and mice. <i>Veterinary Parasitology</i> , 2016, 218, 52-58.	0.7	86
21	Molecular identification of <i>Lutzomyia migonei</i> (Diptera: Psychodidae) as a potential vector for <i>Leishmania infantum</i> (Kinetoplastida: Trypanosomatidae). <i>Veterinary Parasitology</i> , 2016, 220, 28-32.	0.7	21
22	Anthelmintic activity of <i>Cymbopogon citratus</i> against <i>Haemonchus contortus</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 268-275.	0.2	29
23	In vitro effects of <i>Eucalyptus staigeriana</i> nanoemulsion on <i>Haemonchus contortus</i> and toxicity in rodents. <i>Veterinary Parasitology</i> , 2015, 212, 444-447.	0.7	29
24	Epidemiological survey of <i>Lutzomyia longipalpis</i> infected by <i>Leishmania infantum</i> in an endemic area of Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 55-62.	0.2	11
25	Ecology of <i>Lutzomyia longipalpis</i> and <i>Lutzomyia migonei</i> in an endemic area for visceral leishmaniasis. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 320-327.	0.2	18
26	Identification and quantification of benzimidazole resistance polymorphisms in <i>Haemonchus contortus</i> isolated in Northeastern Brazil. <i>Veterinary Parasitology</i> , 2014, 199, 160-164.	0.7	40
27	Thymol and eugenol derivatives as potential antileishmanial agents. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6250-6255.	1.4	90
28	Efficacy of free and nanoencapsulated <i>Eucalyptus citriodora</i> essential oils on sheep gastrointestinal nematodes and toxicity for mice. <i>Veterinary Parasitology</i> , 2014, 204, 243-248.	0.7	59
29	Anthelmintic activity of <i>Eucalyptus staigeriana</i> encapsulated oil on sheep gastrointestinal nematodes. <i>Parasitology Research</i> , 2013, 112, 3161-3165.	0.6	27
30	Effects of <i>Mimosa tenuiflora</i> on larval establishment of <i>Haemonchus contortus</i> in sheep. <i>Veterinary Parasitology</i> , 2013, 196, 341-346.	0.7	9
31	Activity of chitosan-encapsulated <i>Eucalyptus staigeriana</i> essential oil on <i>Haemonchus contortus</i> . <i>Experimental Parasitology</i> , 2013, 135, 24-29.	0.5	58
32	In vitro effects of <i>Coriandrum sativum</i> , <i>Tagetes minuta</i> , <i>Alpinia zerumbet</i> and <i>Lantana camara</i> essential oils on <i>Haemonchus contortus</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 463-469.	0.2	20
33	In vitro activity of <i>Lantana camara</i> , <i>Alpinia zerumbet</i> , <i>Mentha villosa</i> and <i>Tagetes minuta</i> decoctions on <i>Haemonchus contortus</i> eggs and larvae. <i>Veterinary Parasitology</i> , 2012, 190, 504-509.	0.7	23
34	In vitro efficacy of <i>Coriandrum sativum</i> , <i>Lippia sidoides</i> and <i>Copaifera reticulata</i> against <i>Leishmania chagasi</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 185-191.	0.2	32
35	Leishmanicidal and cholinesterase inhibiting activities of phenolic compounds of <i>Dimorphandra gardneriana</i> and <i>Platymiscium floribundum</i> , native plants from Caatinga biome. <i>Pesquisa Veterinaria Brasileira</i> , 2012, 32, 1164-1168.	0.5	35
36	Action of sisal (<i>Agave sisalana</i> , Perrine) extract in the in vitro development of sheep and goat gastrointestinal nematodes. <i>Experimental Parasitology</i> , 2012, 131, 162-168.	0.5	21

#	ARTICLE	IF	CITATIONS
37	Leishmanicidal activity in vitro of <i>Musa paradisiaca</i> L. and <i>Spondias mombin</i> L. fractions. <i>Veterinary Parasitology</i> , 2012, 187, 79-84.	0.7	33
38	Effects of <i>Myracrodruon urundeuva</i> extracts on egg hatching and larval exsheathment of <i>Haemonchus contortus</i> . <i>Parasitology Research</i> , 2011, 109, 893-898.	0.6	21
39	Ethnoveterinary knowledge of the inhabitants of Marajó ³ Island, Eastern Amazonia, Brazil. <i>Acta Amazonica</i> , 2011, 41, 233-242.	0.3	43
40	Effect of six tropical tanniferous plant extracts on larval exsheathment of <i>Haemonchus contortus</i> . <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 155-160.	0.2	25
41	Evaluation of <i>Eucalyptus citriodora</i> essential oil on goat gastrointestinal nematodes. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 223-227.	0.2	22
42	Anthelmintic activity of <i>Jatropha curcas</i> L. seeds on <i>Haemonchus contortus</i> . <i>Veterinary Parasitology</i> , 2011, 182, 259-263.	0.7	28
43	Real-time PCR to assess the <i>Leishmania</i> load in <i>Lutzomyia longipalpis</i> sand flies: Screening of target genes and assessment of quantitative methods. <i>Experimental Parasitology</i> , 2011, 129, 234-239.	0.5	39
44	In vitro effect of <i>Aloe vera</i> , <i>Coriandrum sativum</i> and <i>Ricinus communis</i> fractions on <i>Leishmania infantum</i> and on murine monocytic cells. <i>Veterinary Parasitology</i> , 2011, 178, 235-240.	0.7	33
45	Leishmanicidal activity and cytotoxicity of compounds from two <i>Annonacea</i> species cultivated in Northeastern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2011, 44, 567-571.	0.4	39
46	Plantas taniníferas e o controle de nematoides gastrintestinais de pequenos ruminantes. <i>Ciencia Rural</i> , 2011, 41, 1967-1974.	0.3	9
47	Anthelmintic effect of <i>Eucalyptus staigeriana</i> essential oil against goat gastrointestinal nematodes. <i>Veterinary Parasitology</i> , 2010, 173, 93-98.	0.7	95
48	Metazoan parasites of cetaceans off the northeastern coast of Brazil. <i>Veterinary Parasitology</i> , 2010, 173, 116-122.	0.7	45
49	Sandflies (Psychodidae: Phlebotominae) survey in an urban transmission area of visceral leishmaniasis, Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 233-237.	0.2	10
50	Monitoring of <i>Lutzomyia longipalpis</i> Lutz & Neiva, 1912 in an area of intense transmission of visceral leishmaniasis in Rio Grande do Norte, Northeast Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 39-43.	0.2	9
51	First record of <i>Xenobalanus globicipitis</i> (Cirripedia: Coronulidae) on <i>Stenella coeruleoalba</i> (Cetacea): Tj ETQq1 1 0.784314 rgBT /Overbo 1.2		
52	Anthelmintic activity of <i>Cocos nucifera</i> L. on intestinal nematodes of mice. <i>Research in Veterinary Science</i> , 2010, 88, 101-103.	0.9	29
53	The effects of the fungus <i>Metarhizium anisopliae</i> var. <i>acidum</i> on different stages of <i>Lutzomyia longipalpis</i> (Diptera: Psychodidae). <i>Acta Tropica</i> , 2010, 113, 214-220.	0.9	15
54	Control of phlebotomine (Diptera: Psychodidae) leishmaniasis vectors. <i>Neotropical Entomology</i> , 2009, 38, 303-310.	0.5	31

#	ARTICLE	IF	CITATIONS
55	Evaluation of the fungus <i>Beauveria bassiana</i> (Deuteromycotina: Hyphomycetes), a potential biological control agent of <i>Lutzomyia longipalpis</i> (Diptera, Psychodidae). <i>Biological Control</i> , 2009, 50, 329-335.	1.4	23
56	In vitro ovicidal and larvicidal activity of <i>Azadirachta indica</i> extracts on <i>Haemonchus contortus</i> . <i>Small Ruminant Research</i> , 2008, 74, 284-287.	0.6	43
57	Anthelmintic acetogenin from <i>Annona squamosa</i> L. Seeds. <i>Anais Da Academia Brasileira De Ciencias</i> , 2008, 80, 271-277.	0.3	30
58	Ciatostomíneos (Strongylidae-Cyathostominae) parasitas de cavalos: Ecologia experimental dos estágios pré-parasíticos em grama tifton 85 (<i>Cynodon spp. cv. Tifton 85</i>) na baixada Fluminense, RJ, Brasil. <i>Parasitologia Latinoamericana</i> , 2007, 62, .	0.2	6
59	Neuromuscular effects and acute toxicity of an ethyl acetate extract of <i>Spigelia anthelmia</i> Linn.. <i>Journal of Ethnopharmacology</i> , 2004, 92, 257-261.	2.0	12
60	Atividade predatória do fungo <i>Monacrosporium thaumasium</i> contra o nematídeo <i>Haemonchus contortus</i> , após a passagem pelo trato gastrointestinal de caprinos. <i>Ciencia Rural</i> , 2003, 33, 169-171.	0.3	14
61	Nematídeos resistentes a anti-helmíntico em rebanhos de ovinos e caprinos do estado do Ceará, Brasil. <i>Ciencia Rural</i> , 2003, 33, 339-344.	0.3	48
62	Chemical investigation of <i>Spigelia anthelmia</i> Linn. used in Brazilian folk medicine as anthelmintic. <i>Revista Brasileira De Farmacognosia</i> , 0, 12, 81-82.	0.6	9
63	Chitosan Nanoparticles Loaded with Carvacrol and Carvacryl Acetate for Improved Anthelmintic Activity. <i>Journal of the Brazilian Chemical Society</i> , 0, , .	0.6	4