
Yuichiro Tada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2471128/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Phase II Trial of Trastuzumab and Docetaxel in Patients With Human Epidermal Growth Factor Receptor 2–Positive Salivary Duct Carcinoma. Journal of Clinical Oncology, 2019, 37, 125-134. | 0.8 | 157 |
| 2 | A prospective phase II study of combined androgen blockade in patients with androgen receptor-positive metastatic or locally advanced unresectable salivary gland carcinoma. Annals of Oncology, 2018, 29, 979-984. | 0.6 | 146 |
| 3 | Clinicopathological significance of androgen receptor, HER2, Ki-67 and EGFR expressions in salivary duct carcinoma. International Journal of Clinical Oncology, 2015, 20, 35-44. | 1.0 | 94 |
| 4 | Clinical Outcomes and Prognostic Factors for Salivary Duct Carcinoma: A Multi-Institutional Analysis of 141 Patients. Annals of Surgical Oncology, 2016, 23, 2038-2045. | 0.7 | 80 |
| 5 | Biomarker immunoprofile in salivary duct carcinomas: clinicopathological and prognostic implications with evaluation of the revised classification. Oncotarget, 2017, 8, 59023-59035. | 0.8 | 79 |
| 6 | Diagnostic Significance of HRAS Mutations in Epithelial-Myoepithelial Carcinomas Exhibiting a Broad Histopathologic Spectrum. American Journal of Surgical Pathology, 2019, 43, 984-994. | 2.1 | 63 |
| 7 | Salivary duct carcinoma: Updates in histology, cytology, molecular biology, and treatment. Cancer Cytopathology, 2020, 128, 693-703. | 1.4 | 63 |
| 8 | Facial Nerve Enhancement in Gd-MRI in Patients with Bell's palsy. Acta Oto-Laryngologica, 1994, 114, 165-169. | 0.3 | 45 |
| 9 | Histopathological evaluation of minor salivary gland papillary–cystic tumours: focus on genetic alterations in sialadenoma papilliferum and intraductal papillary mucinous neoplasm. Histopathology, 2020, 76, 411-422. | 1.6 | 39 |
| 10 | Prognostic and histogenetic roles of gene alteration and the expression of key potentially actionable targets in salivary duct carcinomas. Oncotarget, 2018, 9, 1852-1867. | 0.8 | 39 |
| 11 | Multicentre, retrospective study of the efficacy and safety of nivolumab for recurrent and metastatic salivary gland carcinoma. Scientific Reports, 2020, 10, 16988. | 1.6 | 32 |
| 12 | Systemic therapy in the management of recurrent or metastatic salivary duct carcinoma: A systematic review. Cancer Treatment Reviews, 2020, 89, 102069. | 3.4 | 32 |
| 13 | Gd-DTPA Enhanced MRI in Ramsay Hunt Syndrome. Acta Oto-Laryngologica, 1994, 114, 170-174. | 0.3 | 28 |
| 14 | Hematological predictive markers for recurrent or metastatic squamous cell carcinomas of the head and neck treated with nivolumab: A multicenter study of 88 patients. Cancer Medicine, 2020, 9, 5015-5024. | 1.3 | 28 |
| 15 | Evolutionary analysis of influenza C virus M genes. Virus Genes, 1997, 15, 53-59. | 0.7 | 27 |
| 16 | Salvage Chemotherapy After Nivolumab for Recurrent or Metastatic Head and Neck Carcinoma. Anticancer Research, 2020, 40, 5277-5283. | 0.5 | 24 |
| 17 | Classification of tumors by imaging diagnosis and preoperative fineâ€needle aspiration cytology in 120 patients with tumors in the parapharyngeal space. Head and Neck, 2019, 41, 1277-1281. | 0.9 | 23 |
| 18 | Impact of hematological inflammatory markers on clinical outcome in patients with salivary duct carcinoma: a multi-institutional study in Japan. Oncotarget, 2017, 8, 1083-1091. | 0.8 | 23 |

Yuichiro Tada

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Diagnostic Utility of RAS Q61R Mutation-specific Immunohistochemistry in Epithelial-Myoepithelial Carcinoma. American Journal of Surgical Pathology, 2021, 45, 885-894. | 2.1 | 21 |
| 20 | Prognostic impact of CRTC1/3â€MAML2 fusions in salivary gland mucoepidermoid carcinoma: A multiinstitutional retrospective study. Cancer Science, 2020, 111, 4195-4204. | 1.7 | 20 |
| 21 | Carboplatin and Docetaxel in Patients With Salivary Gland Carcinoma: A Retrospective Study. In Vivo, 2019, 33, 843-853. | 0.6 | 19 |
| 22 | The impact of clinicopathological factors on clinical outcomes in patients with salivary gland adenoid cystic carcinoma: a multi-institutional analysis in Japan. International Journal of Clinical Oncology, 2020, 25, 1774-1785. | 1.0 | 19 |
| 23 | Pathological evaluation of tumor grade for salivary adenoid cystic carcinoma: A proposal of an objective grading system. Cancer Science, 2021, 112, 1184-1195. | 1.7 | 19 |
| 24 | Mutation analysis of the EGFR pathway genes, <i>EGFR, RAS, PIK3CA, BRAF,</i> and <i>AKT1</i> , in salivary gland adenoid cystic carcinoma. Oncotarget, 2018, 9, 17043-17055. | 0.8 | 17 |
| 25 | Real-World, Long-Term Outcomes of Nivolumab Therapy for Recurrent or Metastatic Squamous Cell Carcinoma of the Head and Neck and Impact of the Magnitude of Best Overall Response: A Retrospective Multicenter Study of 88 Patients. Cancers, 2020, 12, 3427. | 1.7 | 17 |
| 26 | Phosphorylation of influenza C virus CM2 protein. Virus Research, 1998, 58, 65-72. | 1.1 | 15 |
| 27 | A multiâ€institutional study of salivary gland cytopathology: Application of the Milan System for Reporting Salivary Gland Cytopathology in Japan. Cancer Cytopathology, 2022, 130, 30-40. | 1.4 | 14 |
| 28 | Salivary mucoepidermoid carcinoma: histological variants, grading systems, <i>CRTC1/3â€MAML2</i> fusions, and clinicopathological features. Histopathology, 2022, 80, 729-735. | 1.6 | 14 |
| 29 | Clinicopathological significance of <i>EGFR</i> pathway gene mutations and <i>CRTC1/3–MAML2</i> fusions in salivary gland mucoepidermoid carcinoma. Histopathology, 2020, 76, 1013-1022. | 1.6 | 11 |
| 30 | Central pathology review of salivary gland adenoid cystic carcinoma. Head and Neck, 2020, 42, 1721-1727. | 0.9 | 11 |
| 31 | Sebaceous Carcinoma of the Parotid Gland. Clinical Nuclear Medicine, 2010, 35, 260-262. | 0.7 | 10 |
| 32 | Prognostic Implication of Histopathologic Indicators in Salivary Duct Carcinoma. American Journal of Surgical Pathology, 2020, 44, 526-535. | 2.1 | 10 |
| 33 | Predictive and Prognostic Biomarker Identification in a Large Cohort of Androgen Receptor-Positive Salivary Duct Carcinoma Patients Scheduled for Combined Androgen Blockade. Cancers, 2021, 13, 3527. | 1.7 | 10 |
| 34 | The high expression of <scp>FOXA</scp> 1 is correlated with a favourable prognosis in salivary duct carcinomas: a study of 142 cases. Histopathology, 2018, 73, 943-952. | 1.6 | 9 |
| 35 | Sialadenoma Papilliferum of the Bronchus. American Journal of Surgical Pathology, 2021, 45, 662-671. | 2.1 | 9 |
| 36 | Postoperative radiotherapy for T1/2N0M0 mucoepidermoid carcinoma positive for CRTC1/3â€MAML2 fusions. Head and Neck, 2018, 40, 2565-2573. | 0.9 | 8 |

YUICHIRO TADA

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Weekly Cetuximab and Paclitaxel for Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma. In Vivo, 2020, 34, 2653-2657. | 0.6 | 7 |
| 38 | The clinicopathological significance of the adipophilin and fatty acid synthase expression in salivary duct carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 291-299. | 1.4 | 7 |
| 39 | The Role of the EZH2 and H3K27me3 Expression as a Predictor of Clinical Outcomes in Salivary Duct Carcinoma Patients: A Large-Series Study With Emphasis on the Relevance to the Combined Androgen Blockade and HER2-Targeted Therapy. Frontiers in Oncology, 2021, 11, 779882. | 1.3 | 7 |
| 40 | Efficacy and safety of a vessel sealing system in oral cancer resection and reconstructive surgery. Acta Oto-Laryngologica, 2018, 138, 759-762. | 0.3 | 6 |
| 41 | Resection of Parapharyngeal Space Tumors Located in the Prestyloid Compartment: Efficacy of the Cervical Approach. Annals of Surgical Oncology, 2021, 28, 3066-3072. | 0.7 | 6 |
| 42 | Pathological response of salivary duct carcinoma to trastuzumab and docetaxel therapy. International Cancer Conference Journal, 2016, 5, 150-153. | 0.2 | 4 |
| 43 | Venous malformation of the parapharyngeal space: Two surgical case reports and a literature review. Otolaryngology Case Reports, 2019, 13, 100130. | 0.0 | 3 |
| 44 | Phase I/II study of docetaxel, cisplatin and S-1 in locally advanced, recurrent and metastatic head and neck squamous cell carcinoma. Oncology Letters, 2012, 4, 898-904. | 0.8 | 1 |
| 45 | A clinical analysis of 45 operation cases of pleomorphic adenoma occurred in parapharyngeal space. Journal of Japan Society for Head and Neck Surgery, 2017, 27, 53-59. | 0.0 | 1 |
| 46 | A study of 12 cases of submandibular gland carcinoma. Journal of Japan Society for Head and Neck Surgery, 2017, 27, 67-72. | 0.0 | 1 |
| 47 | Novel approach for unresectable salivary duct carcinoma: Targeting HER2 and androgen receptor Journal of Clinical Oncology, 2018, 36, 6084-6084. | 0.8 | 1 |
| 48 | Comparison of Dosage of Nivolumab in Efficacy and Safety for Recurrent Metastatic Squamous Cell Carcinoma. Anticancer Research, 2022, 42, 1607-1613. | 0.5 | 1 |
| 49 | Yatagarasu: A single-arm, open-label, phase 2 study of apalutamide (APA) plus goserelin (GOS) for patients (pts) with far locally advanced or recurrent/metastatic (fLA/RM) and androgen receptor (AR)-expressing salivary gland carcinoma (SGC) Journal of Clinical Oncology, 2022, 40, 6079-6079. | 0.8 | 1 |
| 50 | A novel technique of arterial blood flow modification in intra-arterial chemoradiotherapy of maxillary sinus squamous cell carcinoma. Oral Oncology, 2020, 109, 104873. | 0.8 | 0 |
| 51 | An attempt at scoring laryngeal findings for cannula replacement after head and neck cancer reconstructive surgery. Japanese Journal of Head and Neck Cancer, 2019, 45, 310-313. | 0.0 | Ο |
| 52 | What is the best way of resection for subtotal glossectomy?. Journal of Japanese Society of Oral Oncology, 2019, 31, 181-189. | 0.0 | 0 |
| 53 | A Case of Cervical Lymph Node Metastasis from a p16-Positive Unknown Primary Cancer Diagnosed by Needle Biopsy. Practica Otologica, 2020, 113, 569-573. | 0.0 | 0 |
| 54 | ADC histogram analysis of MR imaging in the different diagnosis between benign and malignant tumors in the parapharyngeal space. Japanese Journal of Head and Neck Cancer, 2020, 46, 248-253. | 0.0 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | How to dissect the para-hyoid lymph nodes for tongue cancer. Japanese Journal of Head and Neck Cancer, 2022, 48, 14-20. | 0.0 | ο |
| 56 | A Study of Laryngectomy with Hyoid Bone Preservation Performed at Our Center. Journal of Japan Society for Head and Neck Surgery, 2022, 32, 1-7. | 0.0 | 0 |