

Ahmed Bendary

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2471833/publications.pdf>

Version: 2024-02-01

48
papers

355
citations

1170033

9
h-index

939365

18
g-index

53
all docs

53
docs citations

53
times ranked

417
citing authors

#	ARTICLE	IF	CITATIONS
1	Prolongation of Corrected QT Interval in Diabetic Patients with Ketoacidosis. The Egyptian Journal of Hospital Medicine, 2022, 86, 555-560.	0.0	0
2	Bolus versus continuous infusion of nitroglycerin for the treatment of acute hypertensive heart failure. International Journal of the Cardiovascular Academy, 2022, 8, 14.	0.1	0
3	Minimally invasive surgery versus transcatheter aortic valve replacement: a systematic review and meta-analysis. Open Heart, 2021, 8, e001535.	0.9	11
4	Vasomotor Function of Radial Artery after Conventional Transradial Approach and Dorsal (Snuff) Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 6	0.0	0
5	Reperfusion therapies and in-hospital outcomes for ST-elevation myocardial infarction in Europe: the ACVC-EAPCI EORP STEMI Registry of the European Society of Cardiology. European Heart Journal, 2021, 42, 4536-4549.	1.0	37
6	Effect of dipping and nondipping pattern of blood pressure on subclinical left ventricular dysfunction assessed by two-dimensional speckle tracking in hypertensive patients. Blood Pressure Monitoring, 2021, Publish Ahead of Print, .	0.4	1
7	Global perspective of familial hypercholesterolaemia: a cross-sectional study from the EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). Lancet, The, 2021, 398, 1713-1725.	6.3	142
8	Egyptian Association of Vascular Biology and Atherosclerosis Consensus on The Usage of SGLT2 Inhibitors in Heart Failure. European Heart Journal Supplements, 2021, 23, .	0.0	0
9	Estimated Prevalence of Familial Hypercholesterolemia Among Egyptian Patients with Acute Coronary Syndromes; Analysis from The Cardiorisk Project. European Heart Journal Supplements, 2021, 23, .	0.0	1
10	Clinical Characteristics, Laboratory Profiles, And Treatment Modalities for Familial Hypercholesterolemia in Egypt. European Heart Journal Supplements, 2021, 23, .	0.0	1
11	Prevalence of atherosclerosis risk factors in Egyptian patients with acute coronary syndromes; final data of the nationwide cross-sectional CardioRisk project. European Heart Journal, 2021, 42, .	1.0	0
12	Egyptian Atherosclerosis and Vascular Biology Association Consensus on the Use of Sodium Glucose Cotransporter-2 Inhibitors in Heart Failure with Reduced Ejection Fraction. Clinical Drug Investigation, 2021, 41, 1027-1036.	1.1	3
13	The ESC ACCA EAPCI EORP acute coronary syndrome ST-elevation myocardial infarction registry. European Heart Journal Quality of Care & Clinical Outcomes, 2020, 6, 100-104.	1.8	9
14	Association between non-fasting atherogenic index and anatomical complexity of coronary artery disease in patients with chronic coronary syndrome. Atherosclerosis, 2020, 315, e105.	0.4	0
15	Nightmare in interventional cardiology: type-V coronary perforation during primary percutaneous coronary intervention in a patient with anterior ST-segment elevation myocardial infarction. Coronary Artery Disease, 2020, 31, 567-568.	0.3	0
16	The INVICTUS rheumatic heart disease research program: Rationale, design and baseline characteristics of a randomized trial of rivaroxaban compared to vitamin K antagonists in rheumatic valvular disease and atrial fibrillation. American Heart Journal, 2020, 225, 69-77.	1.2	43
17	Impact of global longitudinal strain on left ventricular remodeling and clinical outcome in patients with ST-segment elevation myocardial infarction (STEMI). Echocardiography, 2020, 37, 570-577.	0.3	6
18	Transcatheter aortic valve replacement in patients with severe aortic stenosis and active cancer: a systematic review and meta-analysis. Open Heart, 2020, 7, e001131.	0.9	16

#	ARTICLE	IF	CITATIONS
19	Prevalence of atherosclerosis risk factors in Egyptian patients with acute coronary syndrome: final data of the nationwide cross-sectional "CardioRisk" project. <i>Journal of Public Health in Africa</i> , 2020, 11, 1368.	0.2	1
20	Egyptian Association of Vascular Biology and Atherosclerosis (EAVA) consensus on the usage of proprotein convertase subtilisin/kexin type 9 (PCSK9) inhibitors. <i>Egyptian Heart Journal</i> , 2020, 72, 23.	0.4	4
21	Demographics, clinical characteristics, and outcomes among hospitalized heart failure patients across different regions of Egypt. <i>Egyptian Heart Journal</i> , 2020, 72, 49.	0.4	14
22	Real-Life International Normalized Ratio Profile in Patients with Non-Valvular Atrial Fibrillation Prescribed Vitamin K Antagonist. <i>Rational Pharmacotherapy in Cardiology</i> , 2020, 16, 522-527.	0.3	1
23	Presentation, management, and outcomes of STEMI in Egypt: results from the European Society of Cardiology Registry on ST elevation myocardial infarction. <i>Egyptian Heart Journal</i> , 2020, 72, 35.	0.4	5
24	Transcatheter aortic valve replacement in patients with severe aortic stenosis and active cancer: a systematic review and meta-analysis. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
25	Complete versus Staged Revascularization in Patients with Non-ST Segment Elevation Acute Coronary Syndrome (NSTEMI) and Multivessel Disease. <i>Benha Medical Journal</i> , 2020, .	0.0	0
26	Preliminary Results Of The Egyptian Familial Hypercholesterolemia Research Forum Registry. <i>Atherosclerosis</i> , 2019, 287, e209.	0.4	2
27	P5487 Premature coronary artery disease among Egyptian patients with acute coronary syndrome; data from the cross-sectional cardio-risk project. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
28	P4627 Presentation, management, and outcomes of STEMI in Egypt: results from the European Society of Cardiology registry on ST elevation myocardial infarction. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
29	P617 Early global longitudinal strain predicts late infarct size in patients with anterior ST-segment elevation myocardial infarction treated with a primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
30	The predictive value of global longitudinal strain on late infarct size in patients with anterior ST-segment elevation myocardial infarction treated with a primary percutaneous coronary intervention. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 339-346.	0.7	4
31	Autonomic regulation device therapy in heart failure with reduced ejection fraction: a systematic review and meta-analysis of randomized controlled trials. <i>Heart Failure Reviews</i> , 2019, 24, 245-254.	1.7	9
32	The pattern of risk-factor profile in Egyptian patients with acute coronary syndrome: phase II of the Egyptian cross-sectional CardioRisk project. <i>Cardiovascular Journal of Africa</i> , 2019, 30, 87-94.	0.2	13
33	Association of rheumatoid arthritis disease activity, severity with electrocardiographic findings, and carotid artery atherosclerosis. <i>Egyptian Rheumatology and Rehabilitation</i> , 2019, 46, 11-20.	0.2	1
34	Accelerated dobutamine stress echocardiography protocol versus the standard one in the assessment of coronary artery disease. <i>International Journal of the Cardiovascular Academy</i> , 2019, 5, 141.	0.1	0
35	Carotid artery atherosclerosis and ECG changes in patients with systemic lupus erythematosus: relation to disease activity and severity. <i>Egyptian Rheumatology and Rehabilitation</i> , 2019, 46, 71-77.	0.2	1
36	Time-to-reperfusion in ST-segment elevation myocardial infarction undergoing interhospital transfer using WhatsApp smartphone application. <i>Cardiometry</i> , 2019, , .	0.0	1

#	ARTICLE	IF	CITATIONS
37	Central-to-peripheral systolic blood pressure different phenotypes and relation to accuracy of daily used cuff devices. <i>Arterial Hypertension</i> , 2019, 23, 263-270.	0.2	0
38	The predictive value of global longitudinal strain on clinical outcome in patients with ST-segment elevation myocardial infarction and preserved systolic function. <i>Echocardiography</i> , 2018, 35, 915-921.	0.3	13
39	P3456 Impact of ST segment resolution on 30-day outcome in patients with preserved ejection fraction after reperfusion of ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
40	The predictive value of R-wave peak time on no-reflow in patients with ST-elevation myocardial infarction treated with a primary percutaneous coronary intervention. <i>Egyptian Heart Journal</i> , 2018, 70, 415-419.	0.4	5
41	P849 Early global longitudinal strain predicts 30-day outcome in patients with preserved ejection fraction after reperfusion of ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
42	P6436 Fibrinolytic therapy in patients with ST-segment elevation myocardial infarction: Accelerated versus standard Streptokinase infusion regimen; a randomized clinical study. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
43	Pilot phase of the Egyptian Familial hypercholesterolemia Research Forum Registry. <i>Atherosclerosis Supplements</i> , 2018, 33, e3.	1.2	0
44	Impact of ST-segment resolution on clinical outcome in patients with ST-segment elevation myocardial infarction and preserved left ventricular function. <i>Annals of Noninvasive Electrocardiology</i> , 2018, 23, e12562.	0.5	3
45	Primary PCI versus Pharmaco-Invasive Strategy in Patients with ST-Elevation Myocardial Infarction; a Randomized Clinical Study. <i>Journal of Cardiovascular Disease Research (discontinued)</i> , 2018, 9, 28-31.	0.1	1
46	Elevated high-sensitivity C-reactive protein after percutaneous coronary intervention in patients with stable coronary artery disease: A proof-of-concept study. <i>Research in Cardiovascular Medicine</i> , 2018, 7, 130.	0.2	0
47	Fibrinolytic therapy in patients with ST-segment elevation myocardial infarction: Accelerated versus standard Streptokinase infusion regimen. <i>Journal of Cardiovascular and Thoracic Research</i> , 2017, 9, 209-214.	0.3	5
48	Acute effect of sildenafil on myocardial ischemic territories in patients with stable coronary artery disease. <i>Egyptian Heart Journal</i> , 2014, 66, 43-48.	0.4	1