

# John Davison

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2471942/publications.pdf>

Version: 2024-02-01

66  
papers

5,218  
citations

94433

37  
h-index

102487

66  
g-index

66  
all docs

66  
docs citations

66  
times ranked

6719  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plant diversity but not productivity is associated with community mycorrhization in temperate grasslands. <i>Journal of Vegetation Science</i> , 2022, 33, .	2.2	2
2	Global taxonomic and phylogenetic assembly of AM fungi. <i>Mycorrhiza</i> , 2022, 32, 135-144.	2.8	14
3	Global soil microbiomes: A new frontline of biome ecology research. <i>Global Ecology and Biogeography</i> , 2022, 31, 1120-1132.	5.8	19
4	Dominance, diversity, and niche breadth in arbuscular mycorrhizal fungal communities. <i>Ecology</i> , 2022, 103, e3761.	3.2	11
5	Light availability and light demand of plants shape the arbuscular mycorrhizal fungal communities in their roots. <i>Ecology Letters</i> , 2021, 24, 426-437.	6.4	20
6	Spatial mapping of root systems reveals diverse strategies of soil exploration and resource contest in grassland plants. <i>Journal of Ecology</i> , 2021, 109, 652-663.	4.0	16
7	User-friendly bioinformatics pipeline gDAT (graphical downstream analysis tool) for analysing rDNA sequences. <i>Molecular Ecology Resources</i> , 2021, 21, 1380-1392.	4.8	27
8	Temperature and pH define the realised niche space of arbuscular mycorrhizal fungi. <i>New Phytologist</i> , 2021, 231, 763-776.	7.3	126
9	Towards a consistent benchmark for plant mycorrhizal association databases. <i>New Phytologist</i> , 2021, 231, 913-916.	7.3	12
10	Woody encroachment in grassland elicits complex changes in the functional structure of above- and belowground biota. <i>Ecosphere</i> , 2021, 12, e03512.	2.2	14
11	Arbuscular Mycorrhizal Fungal Communities in the Soils of Desert Habitats. <i>Microorganisms</i> , 2021, 9, 229.	3.6	19
12	Asymmetric patterns of global diversity among plants and mycorrhizal fungi. <i>Journal of Vegetation Science</i> , 2020, 31, 355-366.	2.2	20
13	Co-introduction of native mycorrhizal fungi and plant seeds accelerates restoration of post-mining landscapes. <i>Journal of Applied Ecology</i> , 2020, 57, 1741-1751.	4.0	33
14	Different wheat cultivars exhibit variable responses to inoculation with arbuscular mycorrhizal fungi from organic and conventional farms. <i>PLoS ONE</i> , 2020, 15, e0233878.	2.5	29
15	Plant functional groups associate with distinct arbuscular mycorrhizal fungal communities. <i>New Phytologist</i> , 2020, 226, 1117-1128.	7.3	69
16	Soil biota and chemical interactions promote coexistence in co-evolved grassland communities. <i>Journal of Ecology</i> , 2019, 107, 2611-2622.	4.0	8
17	Distinct arbuscular mycorrhizal fungal communities associate with different manioc landraces and Amazonian soils. <i>Mycorrhiza</i> , 2019, 29, 263-275.	2.8	12
18	Non-random association patterns in a plant-mycorrhizal fungal network reveal host-symbiont specificity. <i>Molecular Ecology</i> , 2019, 28, 365-378.	3.9	81

#	ARTICLE	IF	CITATIONS
19	Anthropogenic disturbance equalizes diversity levels in arbuscular mycorrhizal fungal communities. <i>Global Change Biology</i> , 2018, 24, 2649-2659.	9.5	32
20	The role of plant mycorrhizal type and status in modulating the relationship between plant and arbuscular mycorrhizal fungal communities. <i>New Phytologist</i> , 2018, 220, 1236-1247.	7.3	68
21	Ancient environmental DNA reveals shifts in dominant mutualisms during the late Quaternary. <i>Nature Communications</i> , 2018, 9, 139.	12.8	24
22	Soybean cultivation supports a diverse arbuscular mycorrhizal fungal community in central Argentina. <i>Applied Soil Ecology</i> , 2018, 124, 289-297.	4.3	22
23	Widely distributed native and alien plant species differ in arbuscular mycorrhizal associations and related functional trait interactions. <i>Ecography</i> , 2018, 41, 1583-1593.	4.5	9
24	Large-scale migrations of brown bears in Eurasia and to North America during the Late Pleistocene. <i>Journal of Biogeography</i> , 2018, 45, 394-405.	3.0	59
25	Detecting macroecological patterns in bacterial communities across independent studies of global soils. <i>Nature Microbiology</i> , 2018, 3, 189-196.	13.3	136
26	Fungal diversity regulates plant-soil feedbacks in temperate grassland. <i>Science Advances</i> , 2018, 4, eaau4578.	10.3	161
27	Microbial island biogeography: isolation shapes the life history characteristics but not diversity of root-symbiotic fungal communities. <i>ISME Journal</i> , 2018, 12, 2211-2224.	9.8	55
28	Arbuscular mycorrhizal fungal communities in tropical rain forest are resilient to slash-and-burn agriculture. <i>Journal of Tropical Ecology</i> , 2018, 34, 186-199.	1.1	17
29	Europe-wide biogeographical patterns in the diet of an ecologically and epidemiologically important mesopredator, the red fox <i>Vulpes vulpes</i> : a quantitative review. <i>Mammal Review</i> , 2017, 47, 198-211.	4.8	71
30	Plant mycorrhizal status, but not type, shifts with latitude and elevation in Europe. <i>Global Ecology and Biogeography</i> , 2017, 26, 690-699.	5.8	84
31	Historical biome distribution and recent human disturbance shape the diversity of arbuscular mycorrhizal fungi. <i>New Phytologist</i> , 2017, 216, 227-238.	7.3	66
32	Increased sequencing depth does not increase captured diversity of arbuscular mycorrhizal fungi. <i>Mycorrhiza</i> , 2017, 27, 761-773.	2.8	58
33	Arbuscular mycorrhizal fungal communities in forest plant roots are simultaneously shaped by host characteristics and canopy-mediated light availability. <i>Plant and Soil</i> , 2017, 410, 259-271.	3.7	38
34	Sequence variation in nuclear ribosomal small subunit, internal transcribed spacer and large subunit regions of <i>Rhizophagus irregularis</i> and <i>Gigaspora margarita</i> is high and isolate-dependent. <i>Molecular Ecology</i> , 2016, 25, 2816-2832.	3.9	64
35	Impact of alien pines on local arbuscular mycorrhizal fungal communities—evidence from two continents. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw073.	2.7	41
36	Symbiont dynamics during ecosystem succession: co-occurring plant and arbuscular mycorrhizal fungal communities. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiw097.	2.7	67

#	ARTICLE	IF	CITATIONS
37	Uniting species- and community-oriented approaches to understand arbuscular mycorrhizal fungal diversity. <i>Fungal Ecology</i> , 2016, 24, 106-113.	1.6	87
38	Land-use intensity and host plant simultaneously shape the composition of arbuscular mycorrhizal fungal communities in a Mediterranean drained peatland. <i>FEMS Microbiology Ecology</i> , 2016, 92, fiv186.	2.7	34
39	Diversity of root-associated arbuscular mycorrhizal fungal communities in a rubber tree plantation chronosequence in Northeast Thailand. <i>Mycorrhiza</i> , 2016, 26, 863-877.	2.8	50
40	Dispersal of arbuscular mycorrhizal fungi and plants during succession. <i>Acta Oecologica</i> , 2016, 77, 128-135.	1.1	41
41	AM fungal communities inhabiting the roots of submerged aquatic plant <i>Lobelia dortmanna</i> are diverse and include a high proportion of novel taxa. <i>Mycorrhiza</i> , 2016, 26, 735-745.	2.8	28
42	Hierarchical assembly rules in arbuscular mycorrhizal (AM) fungal communities. <i>Soil Biology and Biochemistry</i> , 2016, 97, 63-70.	8.8	73
43	Response to Comment on "Global assessment of arbuscular mycorrhizal fungus diversity reveals very low endemism" <i>Science</i> , 2016, 351, 826-826.	12.6	17
44	Alien species and their zoonotic parasites in native and introduced ranges: The raccoon dog example. <i>Veterinary Parasitology</i> , 2016, 219, 24-33.	1.8	43
45	The composition of arbuscular mycorrhizal fungal communities differs among the roots, spores and extraradical mycelia associated with five Mediterranean plant species. <i>Environmental Microbiology</i> , 2015, 17, 2882-2895.	3.8	117
46	First report of highly pathogenic <i>Echinococcus granulosus</i> genotype G1 in dogs in a European urban environment. <i>Parasites and Vectors</i> , 2015, 8, 182.	2.5	35
47	Noninvasive Detection of <i>Echinococcus multilocularis</i> Tapeworm in Urban Area, Estonia. <i>Emerging Infectious Diseases</i> , 2015, 21, 163-164.	4.3	29
48	The composition of arbuscular mycorrhizal fungal communities in the roots of a ruderal forb is not related to the forest fragmentation process. <i>Environmental Microbiology</i> , 2015, 17, 2709-2720.	3.8	42
49	An Invasive Vector of Zoonotic Disease Sustained by Anthropogenic Resources: The Raccoon Dog in Northern Europe. <i>PLoS ONE</i> , 2014, 9, e96358.	2.5	40
50	Rapid Urbanization of Red Foxes in Estonia: Distribution, Behaviour, Attacks on Domestic Animals, and Health-Risks Related to Zoonotic Diseases. <i>PLoS ONE</i> , 2014, 9, e115124.	2.5	64
51	Anthropogenic land use shapes the composition and phylogenetic structure of soil arbuscular mycorrhizal fungal communities. <i>FEMS Microbiology Ecology</i> , 2014, 90, 609-621.	2.7	138
52	DNA-based detection and identification of Glomeromycota: the virtual taxonomy of environmental sequences. <i>Botany</i> , 2014, 92, 135-147.	1.0	170
53	The Leinster and Cobbold indices improve inferences about microbial diversity. <i>Fungal Ecology</i> , 2014, 11, 1-7.	1.6	15
54	Root-colonizing and soil-borne communities of arbuscular mycorrhizal fungi in a temperate forest understorey. <i>Botany</i> , 2014, 92, 277-285.	1.0	86

#	ARTICLE	IF	CITATIONS
55	Species richness of arbuscular mycorrhizal fungi: associations with grassland plant richness and biomass. <i>New Phytologist</i> , 2014, 203, 233-244.	7.3	256
56	Fifty thousand years of Arctic vegetation and megafaunal diet. <i>Nature</i> , 2014, 506, 47-51.	27.8	505
57	Impacts of Removing Badgers on Localised Counts of Hedgehogs. <i>PLoS ONE</i> , 2014, 9, e95477.	2.5	34
58	Global sampling of plant roots expands the described molecular diversity of arbuscular mycorrhizal fungi. <i>Mycorrhiza</i> , 2013, 23, 411-430.	2.8	280
59	Complete mitochondrial genomes and a novel spatial genetic method reveal cryptic phylogeographical structure and migration patterns among brown bears in northwestern Eurasia. <i>Journal of Biogeography</i> , 2013, 40, 915-927.	3.0	73
60	Arbuscular Mycorrhizal Fungal Networks Vary throughout the Growing Season and between Successional Stages. <i>PLoS ONE</i> , 2013, 8, e83241.	2.5	58
61	Ecological assembly rules in plant communities—approaches, patterns and prospects. <i>Biological Reviews</i> , 2012, 87, 111-127.	10.4	717
62	Plant species richness belowground: higher richness and new patterns revealed by next-generation sequencing. <i>Molecular Ecology</i> , 2012, 21, 2004-2016.	3.9	105
63	Communities of Arbuscular Mycorrhizal Fungi Detected in Forest Soil Are Spatially Heterogeneous but Do Not Vary throughout the Growing Season. <i>PLoS ONE</i> , 2012, 7, e41938.	2.5	150
64	Alien plants associate with widespread generalist arbuscular mycorrhizal fungal taxa: evidence from a continental-scale study using massively parallel 454 sequencing. <i>Journal of Biogeography</i> , 2011, 38, 1305-1317.	3.0	137
65	Arbuscular mycorrhizal fungal communities in plant roots are not random assemblages. <i>FEMS Microbiology Ecology</i> , 2011, 78, 103-115.	2.7	183
66	Assessing spatiotemporal associations in the occurrence of badger-human conflict in England. <i>European Journal of Wildlife Research</i> , 2011, 57, 67-76.	1.4	7