

Cã;tia Antunes de Mello-Patiu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2472178/publications.pdf>

Version: 2024-02-01

56
papers

802
citations

623734

14
h-index

552781

26
g-index

57
all docs

57
docs citations

57
times ranked

546
citing authors

#	ARTICLE	IF	CITATIONS
1	Revision of the New World subgenus <i>Titanogrypa</i> (<i>Cucullomyia</i>) (Diptera: Sarcophagidae), with a reassessment of diagnostic characters. <i>Journal of Natural History</i> , 2021, 55, 305-340.	0.5	1
2	Effects of chronic anthropogenic disturbances on flesh fly (Diptera, Sarcophagidae) assemblages in areas of seasonally dry tropical forest. <i>Journal of Insect Conservation</i> , 2021, 25, 485-498.	1.4	5
3	Inventory of Sarcophaginae (Diptera: Sarcophagidae) for the Humid Chaco, a poorly surveyed ecoregion of South America. <i>Journal of Natural History</i> , 2020, 54, 367-403.	0.5	4
4	Flesh Flies (Diptera: Sarcophagidae) Attracted to a Snake Carcass (<i>Boa constrictor</i>) in Yucatan Peninsula, Mexico. <i>Journal of Medical Entomology</i> , 2020, 57, 2011-2015.	1.8	4
5	How deadly sarcophagid fly larvae are for anurans? New interactions and review to Neotropical region. <i>Parasitology Research</i> , 2020, 119, 1415-1422.	1.6	3
6	Insect (Hexapoda) diversity in the oceanic archipelago of Fernando de Noronha, Brazil: updated taxonomic checklist and new records. <i>Revista Brasileira De Entomologia</i> , 2020, 64, .	0.4	16
7	First Record of Sarcophagidae (Diptera) Species in Seasonally Dry Tropical Forests (Caatinga), with Notes on Their Attractiveness to Decomposing Substrates I. <i>Entomological News</i> , 2020, 129, 89.	0.2	6
8	Insects Associated with Pig Carrion in Two Environments of the Brazilian Savanna. <i>Neotropical Entomology</i> , 2018, 47, 181-198.	1.2	21
9	Review of the Brazilian species of <i>Udamopyga</i> Hall, 1938 (Diptera: Sarcophagidae), with the description of a new species and a key to males and females. <i>Zootaxa</i> , 2018, 4508, 1.	0.5	8
10	Espécies de <i>Oxysarcodexia</i> (Diptera: Sarcophagidae) associadas a carcaças de suínos (<i>Sus scrofa</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T EntomoBrasilis, 2018, 11, 103-106.	0.2	7
11	Taxonomic Revision of <i>Lipoptilocnema</i> (Diptera: Sarcophagidae), With Notes on Natural History and Forensic Importance of Its Species. <i>Journal of Medical Entomology</i> , 2017, 54, 50-75.	1.8	10
12	Checklist dos Sarcophagidae (Insecta, Diptera) do Estado do Mato Grosso do Sul, Brasil. <i>Iheringia - Serie Zoologia</i> , 2017, 107, .	0.5	2
13	Checklist dos Conopidae (Insecta, Diptera) do Estado do Mato Grosso do Sul, Brasil. <i>Iheringia - Serie Zoologia</i> , 2017, 107, .	0.5	0
14	DNA-based identification of forensically important species of Sarcophagidae (Insecta: Diptera) from Rio de Janeiro, Brazil. <i>Genetics and Molecular Research</i> , 2016, 15, .	0.2	3
15	Timeless standards for species delimitation. <i>Zootaxa</i> , 2016, 4137, 121-8.	0.5	32
16	FAMILY CONOPIDAE . <i>Zootaxa</i> , 2016, 4122, 561.	0.5	1
17	FAMILY SARCOPHAGIDAE . <i>Zootaxa</i> , 2016, 4122, 884.	0.5	16
18	<i>Retrocitomyia</i> Lopes, 1982 (Diptera: Sarcophagidae): new species, new records, key to males, and an updated catalog. <i>Zootaxa</i> , 2016, 4171, 534-548.	0.5	7

#	ARTICLE	IF	CITATIONS
19	On typeless species and the perils of fast taxonomy. <i>Systematic Entomology</i> , 2016, 41, 511-515.	3.9	22
20	An illustrated catalogue of the types of Stratiomyidae (Diptera: Brachycera) in the collection of Museu Nacional, Rio de Janeiro, Brazil. <i>Zootaxa</i> , 2016, 4084, 361-76.	0.5	2
21	Edge effects on the blowfly fauna (Diptera, Calliphoridae) of the Tijuca National Park, Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 999-1007.	0.9	12
22	A remarkable structure in a peculiar species of Sarcophagidae (Diptera): description of the male of <i>Lepidodexia</i> (<i>Harpagopyga</i>) <i>albida</i> Lopes. <i>Zootaxa</i> , 2015, 4000, 147.	0.5	0
23	Comparative morphology and identification key for females of nine Sarcophagidae species (Diptera) with forensic importance in Southern Brazil. <i>Revista Brasileira De Entomologia</i> , 2015, 59, 177-187.	0.4	15
24	New records of Sarcophagidae species (Diptera) with forensic potential in Rio de Janeiro. <i>Revista Brasileira De Entomologia</i> , 2015, 59, 255-256.	0.4	3
25	Differential Diptera succession patterns onto partially burned and unburned pig carrion in southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2014, 74, 870-876.	0.9	15
26	New Neotropical <i>Culicoides</i> and redescription of <i>Culicoides reticulatus</i> Lutz (Diptera: Ceratopogonidae) . <i>Zootaxa</i> , 2014, 3795, 255.	0.5	10
27	Sarcophagid flies (Insecta, Diptera) from pig carcasses in Minas Gerais, Brazil, with nine new records from the Cerrado, a threatened Neotropical biome. <i>Revista Brasileira De Entomologia</i> , 2014, 58, 142-146.	0.4	23
28	Sarcophagidae (Diptera) with forensic potential in Amazonas: a pictorial key. <i>Tropical Zoology</i> , 2014, 27, 140-152.	0.6	11
29	On the taxonomic status of <i>Nephochaetopteryx calida</i> (Wiedemann) (Diptera, Sarcophagidae). <i>Revista Brasileira De Entomologia</i> , 2013, 57, 234-235.	0.4	1
30	Revision of the Neotropical genus <i>Malacophagomyia</i> (Diptera: Sarcophagidae) with description of a new species . <i>Zootaxa</i> , 2013, 3736, 368.	0.5	10
31	Synanthropy of sarcophagidae (Diptera) in La Pintada, Antioquia-Colombia. <i>Revista De Biologia Tropical</i> , 2013, 61, 1275-87.	0.4	9
32	Description of the male of <i>Lepidodexia</i> (<i>Xylocamptopsis</i>) <i>teffeensis</i> (Townsend) (Diptera, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td	0.4	1
33	<i>Stylogaster</i> Macquart, 1835 (Diptera: Conopidae) from Northeastern Brazil: new records and two new species. <i>Zootaxa</i> , 2012, 3590, 23.	0.5	1
34	Pictorial identification key for species of Sarcophagidae (Diptera) of potential forensic importance in southern Brazil. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 333-347.	0.4	55
35	Arthropods associated with pig carrion in two vegetation profiles of Cerrado in the State of Minas Gerais, Brazil. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 424-434.	0.4	46
36	Two new Neotropical species of the genus <i>Oxysarcodexia</i> Townsend (Diptera, Sarcophagidae). <i>Revista Brasileira De Entomologia</i> , 2010, 54, 72-75.	0.4	8

#	ARTICLE	IF	CITATIONS
37	Temporal distribution of ten calyptrate dipteran species of medicolegal importance in Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2010, 105, 191-198.	1.6	17
38	Myiasis in the Neotropical Amphibian <i>Hypsiboas beckeri</i> (Anura: Hylidae) by a New Species of <i>Lepidodexia</i> (Diptera: Sarcophagidae). <i>Journal of Parasitology</i> , 2010, 96, 685-688.	0.7	19
39	New records of calyptrate dipterans (Fanniidae, Muscidae and Sarcophagidae) associated with the decomposition of domestic pigs in Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 923-926.	1.6	50
40	Revisão das espécies de <i>Stylogaster</i> Macquart do grupo <i>stylata</i> com descrição de uma espécie nova do Brasil (Diptera, Conopidae, Stylogasterinae). <i>Revista Brasileira De Entomologia</i> , 2009, 53, 549-564.	0.4	3
41	Occurrence of <i>Microcerella halli</i> (Engel) (Diptera, Sarcophagidae) in snake carrion in southeastern Brazil. <i>Revista Brasileira De Entomologia</i> , 2009, 53, 318-320.	0.4	11
42	New species of <i>Dexosarcophaga</i> Townsend from Panama with an illustrated key to species of the subgenus <i>Bezzisca</i> (Diptera: Sarcophagidae). <i>Journal of Natural History</i> , 2009, 44, 89-106.	0.5	11
43	New flesh flies (Diptera: Sarcophagidae) from coastal mangroves of Panama with taxonomic notes and keys. <i>Journal of Natural History</i> , 2008, 42, 249-257.	0.5	6
44	Key to the adults of the most common forensic species of Diptera in South America. <i>Revista Brasileira De Entomologia</i> , 2008, 52, 390-406.	0.4	215
45	Sarcophagidae (Insecta, Diptera) associados à decomposição de carcaças de <i>Sus scrofa</i> Linnaeus (Suidae) em Área de Cerrado do Distrito Federal, Brasil. <i>Revista Brasileira De Entomologia</i> , 2008, 52, 606-609.	0.4	51
46	Conopid flies (Diptera: Conopidae) parasitizing <i>Centris (Heterocentris) analis</i> (Fabricius) (Hymenoptera: Apidae, Centridini). <i>Neotropical Entomology</i> , 2008, 37, 606-608.	1.2	8
47	Revisão das duas espécies de <i>Tapacura</i> Tibana & Lopes, 1985 (Diptera: Sarcophagidae: Sarcophaginae). <i>Biota Neotropica</i> , 2007, 7, 195-198.	1.0	1
48	Revision of some <i>Dexosarcophaga</i> species described by R. Dodge (Diptera: Sarcophagidae). <i>Zootaxa</i> , 2002, 122, 1-16.	0.5	5
49	A new flesh fly species of <i>Oxysarcodexia</i> Townsend from the Brazilian Atlantic Forest and redescription of <i>Oxysarcodexia xon</i> (Dodge, 1968). <i>Papeis Avulsos De Zoologia</i> , 0, 60, e20206043.	0.4	0
50	Diversity of flesh flies (Diptera: Sarcophagidae) in an Atlantic forest fragment in Rio das Ostras, RJ, Southeastern Brazil. <i>EntomoBrasilis</i> , 0, 14, e940.	0.2	0
51	On the identity of <i>Lepidodexia (Orosarcophaga) ornata</i> (Townsend, 1927) (Diptera: Sarcophagidae) and a new generic synonym. <i>Papeis Avulsos De Zoologia</i> , 0, 61, e20216135.	0.4	0
52	Diversity of flesh flies (Diptera: Sarcophagidae) in an Atlantic forest fragment in Rio das Ostras, RJ, Southeastern Brazil. <i>EntomoBrasilis</i> , 0, 14, e940.	0.2	0
53	New records of Sarcophagidae (Insecta: Diptera) collected in Cerrado fragments in the municipality of Campo Grande, Mato Grosso do Sul state, Brazil. <i>EntomoBrasilis</i> , 0, 13, e0873.	0.2	6
54	Checklist of the dipterofauna (Insecta) from Roraima, Brazil, with special reference to the Brazilian Ecological Station of Maracá. <i>Papeis Avulsos De Zoologia</i> , 0, 62, e202262014.	0.4	7

#	ARTICLE	IF	CITATIONS
55	Contribution to the knowledge of flesh flies (Diptera: Sarcophagidae: Sarcophaginae) attracted to carcasses in Piura, Peru. <i>Papeis Avulsos De Zoologia</i> , 0, 62, e202262012.	0.4	0
56	Eight new species of <i>Dexosarcophaga</i> Townsend, 1917 (Diptera, Sarcophagidae) from the Neotropical Region. <i>European Journal of Taxonomy</i> , 0, 828, .	0.6	2