

Wei Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2473128/publications.pdf>

Version: 2024-02-01

186
papers

9,411
citations

34016

52
h-index

49773

87
g-index

187
all docs

187
docs citations

187
times ranked

9778
citing authors

#	ARTICLE	IF	CITATIONS
1	Near-infrared light (NIR)-responsive nanoliposomes combining photodynamic therapy and chemotherapy for breast tumor control. <i>Chinese Chemical Letters</i> , 2022, 33, 1923-1926.	4.8	17
2	The long-circulating effect of pegylated nanoparticles revisited via simultaneous monitoring of both the drug payloads and nanocarriers. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 2479-2493.	5.7	26
3	Accurate and sensitive probing of onset of micellization based on absolute aggregation-induced quenching effect. <i>Aggregate</i> , 2022, 3, .	5.2	16
4	Green and controllable fabrication of nanocrystals from ionic liquids. <i>Chinese Chemical Letters</i> , 2022, 33, 4079-4083.	4.8	15
5	Development of environment-insensitive and highly emissive BODIPYs via installation of N,N'-dialkylsubstituted amide at meso position. <i>Chinese Chemical Letters</i> , 2022, 33, 4175-4178.	4.8	5
6	Converting Tretinoin into Ionic Liquids for Improving Aqueous Solubility and Permeability across Skin. <i>Pharmaceutical Research</i> , 2022, 39, 2421-2430.	1.7	4
7	Fabrication and In Vitro/Vivo Evaluation of Drug Nanocrystals Self-Stabilized Pickering Emulsion for Oral Delivery of Quercetin. <i>Pharmaceutics</i> , 2022, 14, 897.	2.0	7
8	Ionic co-aggregates (ICAs) based oral drug delivery: Solubilization and permeability improvement. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 3972-3985.	5.7	11
9	Raman Mapping-Based Reverse Engineering Facilitates Development of Sustained-Release Nifedipine Tablet. <i>Pharmaceutics</i> , 2022, 14, 1052.	2.0	1
10	Novel Pharmaceutical Strategies for Enhancing Skin Penetration of Biomacromolecules. <i>Pharmaceutics</i> , 2022, 15, 877.	1.7	10
11	Rod-like mesoporous silica nanoparticles facilitate oral drug delivery via enhanced permeation and retention effect in mucus. <i>Nano Research</i> , 2022, 15, 9243-9252.	5.8	15
12	In Vivo dissolution of poorly water-soluble drugs: Proof of concept based on fluorescence bioimaging. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 1056-1068.	5.7	21
13	Liquid Crystalline Phases for Enhancement of Oral Bioavailability. <i>AAPS PharmSciTech</i> , 2021, 22, 81.	1.5	2
14	Simulation of the In Vivo Fate of Polymeric Nanoparticles Traced by Environment-Responsive Near-Infrared Dye: A Physiologically Based Pharmacokinetic Modelling Approach. <i>Molecules</i> , 2021, 26, 1271.	1.7	23
15	Peroral targeting of drug micro or nanocarriers to sites beyond the gastrointestinal tract. <i>Medicinal Research Reviews</i> , 2021, 41, 2590-2598.	5.0	12
16	Cytosolic delivery of the immunological adjuvant Poly I:C and cytotoxic drug crystals via a carrier-free strategy significantly amplifies immune response. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 3272-3285.	5.7	26
17	Editorial of Special Issue "The Biological Fate of Drug Nanocarriers". <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 850-851.	5.7	9
18	The intragastric fate of paclitaxel-loaded micelles: Implications on oral drug delivery. <i>Chinese Chemical Letters</i> , 2021, 32, 1545-1549.	4.8	28

#	ARTICLE	IF	CITATIONS
19	Gastrointestinal lipolysis and trans-epithelial transport of SMEDDS via oral route. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 1010-1020.	5.7	22
20	Design and Evaluation of Dissolving Microneedles for Enhanced Dermal Delivery of Propranolol Hydrochloride. <i>Pharmaceutics</i> , 2021, 13, 579.	2.0	27
21	HMSC-Derived Exosome Inhibited Th2 Cell Differentiation via Regulating miR-146a-5p/SERPINB2 Pathway. <i>Journal of Immunology Research</i> , 2021, 2021, 1-11.	0.9	17
22	Targeting strategies of oral nano-delivery systems for treating inflammatory bowel disease. <i>International Journal of Pharmaceutics</i> , 2021, 600, 120461.	2.6	19
23	Taurine promotes the production of CD4 ⁺ CD25 ⁺ FOXP3 ⁺ Treg cells through regulating IL-35/STAT1 pathway in a mouse allergic rhinitis model. <i>Allergy, Asthma and Clinical Immunology</i> , 2021, 17, 59.	0.9	9
24	Effects on immunization of the physicochemical parameters of particles as vaccine carriers. <i>Drug Discovery Today</i> , 2021, 26, 1712-1720.	3.2	6
25	Oral delivery of proteins and peptides: Challenges, status quo and future perspectives. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 2416-2448.	5.7	121
26	An update on oral drug delivery via intestinal lymphatic transport. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 2449-2468.	5.7	78
27	Editorial of Special Issue of Hot Topic Reviews in Drug Delivery. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 2094-2095.	5.7	2
28	InÂvitro and inÂvivo correlation for lipid-based formulations: Current status and future perspectives. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 2469-2487.	5.7	36
29	Ionic liquids as a useful tool for tailoring active pharmaceutical ingredients. <i>Journal of Controlled Release</i> , 2021, 338, 268-283.	4.8	43
30	Ionic liquids: green and tailor-made solvents in drug delivery. <i>Drug Discovery Today</i> , 2020, 25, 901-908.	3.2	87
31	Discriminating against injectable fat emulsions with similar formulation based on water quenching fluorescent probe. <i>Chinese Chemical Letters</i> , 2020, 31, 875-879.	4.8	12
32	How can aggregation-caused quenching based bioimaging of drug nanocarriers be improved?. <i>Therapeutic Delivery</i> , 2020, 11, 809-812.	1.2	9
33	Utility of Pickering emulsions in improved oral drug delivery. <i>Drug Discovery Today</i> , 2020, 25, 2038-2045.	3.2	48
34	Ionic liquids containing ketoconazole improving topical treatment of T. Interdigitale infection by synergistic action. <i>International Journal of Pharmaceutics</i> , 2020, 589, 119842.	2.6	16
35	Enhanced transdermal delivery of curcumin nanosuspensions: A mechanistic study based on co-localization of particle and drug signals. <i>International Journal of Pharmaceutics</i> , 2020, 588, 119737.	2.6	34
36	Insight into the in vivo translocation of oral liposomes by fluorescence resonance energy transfer effect. <i>International Journal of Pharmaceutics</i> , 2020, 587, 119682.	2.6	7

#	ARTICLE	IF	CITATIONS
37	The biological fate of orally administered mPEG-PDLLA polymeric micelles. <i>Journal of Controlled Release</i> , 2020, 327, 725-736.	4.8	39
38	Nanocarrier-mediated Cytosolic Delivery of Biopharmaceuticals. <i>Advanced Functional Materials</i> , 2020, 30, 1910566.	7.8	99
39	In vitro and in vivo Antiallergic Effects of Taurine on Allergic Rhinitis. <i>International Archives of Allergy and Immunology</i> , 2020, 181, 404-416.	0.9	4
40	Effect of particle size on the pharmacokinetics and biodistribution of parenteral nanoemulsions. <i>International Journal of Pharmaceutics</i> , 2020, 586, 119551.	2.6	23
41	Anti-bacterial activity of inorganic nanomaterials and their antimicrobial peptide conjugates against resistant and non-resistant pathogens. <i>International Journal of Pharmaceutics</i> , 2020, 586, 119531.	2.6	35
42	Improving dermal delivery of hyaluronic acid by ionic liquids for attenuating skin dehydration. <i>International Journal of Biological Macromolecules</i> , 2020, 150, 528-535.	3.6	39
43	TAT modification facilitates nose-to-brain transport of intact mPEG-PDLLA micelles: Evidence from aggregation-caused quenching probes. <i>Applied Materials Today</i> , 2020, 19, 100556.	2.3	11
44	Multi-functional chitosan polymeric micelles as oral paclitaxel delivery systems for enhanced bioavailability and anti-tumor efficacy. <i>International Journal of Pharmaceutics</i> , 2020, 578, 119105.	2.6	69
45	What is the future for nanocrystal-based drug-delivery systems?. <i>Therapeutic Delivery</i> , 2020, 11, 225-229.	1.2	24
46	Long-acting microneedles: a progress report of the state-of-the-art techniques. <i>Drug Discovery Today</i> , 2020, 25, 1462-1468.	3.2	33
47	Combination of Microneedles and MF59 Adjuvant as a Simple Approach to Enhance Transcutaneous Immunization. <i>Journal of Biomedical Nanotechnology</i> , 2020, 16, 1776-1786.	0.5	4
48	Development of carrier-free nanocrystals of poorly water-soluble drugs by exploring metastable zone of nucleation. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 118-127.	5.7	42
49	Slowing down lipolysis significantly enhances the oral absorption of intact solid lipid nanoparticles. <i>Biomaterials Science</i> , 2019, 7, 4273-4282.	2.6	19
50	Improving the hypoglycemic effect of insulin via the nasal administration of deep eutectic solvents. <i>International Journal of Pharmaceutics</i> , 2019, 569, 118584.	2.6	25
51	Improving systemic circulation of paclitaxel nanocrystals by surface hybridization of DSPE-PEG2000. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 182, 110337.	2.5	22
52	Effect of Surface Charges on Oral Absorption of Intact Solid Lipid Nanoparticles. <i>Molecular Pharmaceutics</i> , 2019, 16, 5013-5024.	2.3	23
53	Unraveling the in vivo fate and cellular pharmacokinetics of drug nanocarriers. <i>Advanced Drug Delivery Reviews</i> , 2019, 143, 1-2.	6.6	23
54	Improving dermal delivery of hydrophilic macromolecules by biocompatible ionic liquid based on choline and malic acid. <i>International Journal of Pharmaceutics</i> , 2019, 558, 380-387.	2.6	59

#	ARTICLE	IF	CITATIONS
55	Absorption, distribution, metabolism and excretion of the biomaterials used in Nanocarrier drug delivery systems. <i>Advanced Drug Delivery Reviews</i> , 2019, 143, 97-114.	6.6	130
56	Towards more accurate bioimaging of drug nanocarriers: turning aggregation-caused quenching into a useful tool. <i>Advanced Drug Delivery Reviews</i> , 2019, 143, 206-225.	6.6	178
57	The Trigeminal Pathway Dominates the Nose-to-Brain Transportation of Intact Polymeric Nanoparticles: Evidence from Aggregation-Caused Quenching Probes. <i>Journal of Biomedical Nanotechnology</i> , 2019, 15, 686-702.	0.5	38
58	Editorial: Persistent endeavors for the enhancement of dissolution and oral bioavailability. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 2-3.	5.7	7
59	Sustained and controlled release of herbal medicines: The concept of synchronized release. <i>International Journal of Pharmaceutics</i> , 2019, 560, 116-125.	2.6	11
60	Editor Profiles: Guest Editors of Special Issue on Enhancement of Dissolution and Oral Bioavailability of Poorly Water-soluble Drugs. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 1.	5.7	1
61	Oat protein-shellac nanoparticles as a delivery vehicle for resveratrol to improve bioavailability <i>in vitro</i> and <i>in vivo</i> . <i>Nanomedicine</i> , 2019, 14, 2853-2871.	1.7	25
62	Adapting liposomes for oral drug delivery. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 36-48.	5.7	384
63	Exploiting or overcoming the dome trap for enhanced oral immunization and drug delivery. <i>Journal of Controlled Release</i> , 2018, 275, 92-106.	4.8	24
64	Reassessment of long circulation <i>via</i> monitoring of integral polymeric nanoparticles justifies a more accurate understanding. <i>Nanoscale Horizons</i> , 2018, 3, 397-407.	4.1	42
65	Biomimetic thiamine- and niacin-decorated liposomes for enhanced oral delivery of insulin. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 97-105.	5.7	48
66	An update on the role of nanovehicles in nose-to-brain drug delivery. <i>Drug Discovery Today</i> , 2018, 23, 1079-1088.	3.2	86
67	Overcoming or circumventing the stratum corneum barrier for efficient transcutaneous immunization. <i>Drug Discovery Today</i> , 2018, 23, 181-186.	3.2	45
68	Self-discriminating fluorescent hybrid nanocrystals: efficient and accurate tracking of translocation <i>via</i> oral delivery. <i>Nanoscale</i> , 2018, 10, 436-450.	2.8	52
69	Enhanced transdermal delivery of meloxicam by nanocrystals: Preparation, <i>in vitro</i> and <i>in vivo</i> evaluation. <i>Asian Journal of Pharmaceutical Sciences</i> , 2018, 13, 518-526.	4.3	36
70	Epithelia transmembrane transport of orally administered ultrafine drug particles evidenced by environment sensitive fluorophores in cellular and animal studies. <i>Journal of Controlled Release</i> , 2018, 270, 65-75.	4.8	59
71	Permeation into but not across the cornea: Bioimaging of intact nanoemulsions and nanosuspensions using aggregation-caused quenching probes. <i>Chinese Chemical Letters</i> , 2018, 29, 1834-1838.	4.8	30
72	Bioimaging of Intact Polycaprolactone Nanoparticles Using Aggregation-Caused Quenching Probes: Size-Dependent Translocation via Oral Delivery. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800711.	3.9	33

#	ARTICLE	IF	CITATIONS
73	The influence of nanoparticle shape on bilateral exocytosis from Caco-2 cells. <i>Chinese Chemical Letters</i> , 2018, 29, 1815-1818.	4.8	27
74	Lipid nanoparticles. , 2018, , 749-783.		9
75	Loss of integrity of doxorubicin liposomes during transcellular transportation evidenced by fluorescence resonance energy transfer effect. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 171, 224-232.	2.5	14
76	Correction: Reassessment of long circulation via monitoring of integral polymeric nanoparticles justifies a more accurate understanding. <i>Nanoscale Horizons</i> , 2018, 3, 448-448.	4.1	1
77	Tracking translocation of self-discriminating curcumin hybrid nanocrystals following intravenous delivery. <i>International Journal of Pharmaceutics</i> , 2018, 546, 10-19.	2.6	34
78	Visual validation of the measurement of entrapment efficiency of drug nanocarriers. <i>International Journal of Pharmaceutics</i> , 2018, 547, 395-403.	2.6	55
79	The in vivo fate of nanocrystals. <i>Drug Discovery Today</i> , 2017, 22, 744-750.	3.2	88
80	Size-Dependent Translocation of Nanoemulsions via Oral Delivery. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 21660-21672.	4.0	82
81	Evidence of nose-to-brain delivery of nanoemulsions: cargoes but not vehicles. <i>Nanoscale</i> , 2017, 9, 1174-1183.	2.8	140
82	In Vivo Fate of Biomimetic Mixed Micelles as Nanocarriers for Bioavailability Enhancement of Lipid-Drug Conjugates. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 2399-2409.	2.6	24
83	In vivo fate of lipid-silybin conjugate nanoparticles: Implications on enhanced oral bioavailability. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017, 13, 2643-2654.	1.7	40
84	Influence of Particle Geometry on Gastrointestinal Transit and Absorption following Oral Administration. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 42492-42502.	4.0	51
85	Bioimaging of nanoparticles: the crucial role of discriminating nanoparticles from free probes. <i>Drug Discovery Today</i> , 2017, 22, 382-387.	3.2	53
86	In vivo fate of lipid-based nanoparticles. <i>Drug Discovery Today</i> , 2017, 22, 166-172.	3.2	60
87	Preparation and Optimization of Amorphous Ursodeoxycholic Acid Nano-suspensions by Nanoprecipitation based on Acid-base Neutralization for Enhanced Dissolution. <i>Current Drug Delivery</i> , 2017, 14, 483-491.	0.8	12
88	Size-dependent penetration of nanoemulsions into epidermis and hair follicles: implications for transdermal delivery and immunization. <i>Oncotarget</i> , 2017, 8, 38214-38226.	0.8	94
89	Intraocular Fate of Polycaprolactone Nanoparticles Administered via Intravitreal and Various Periocular Routes: Bioimaging of Integral Nanoparticles Using Environment-Sensitive Fluorophores. <i>Journal of Biomedical Nanotechnology</i> , 2017, 13, 960-972.	0.5	10
90	Controlling Release of Integral Lipid Nanoparticles Based on Osmotic Pump Technology. <i>Pharmaceutical Research</i> , 2016, 33, 1988-1997.	1.7	13

#	ARTICLE	IF	CITATIONS
91	Glucan microparticles thickened with thermosensitive gels as potential carriers for oral delivery of insulin. <i>Journal of Materials Chemistry B</i> , 2016, 4, 4040-4048.	2.9	42
92	Readily restoring freeze-dried probiosomes as potential nanocarriers for enhancing oral delivery of cyclosporine A. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 144, 143-151.	2.5	20
93	Hyperoside nanocrystals for HBV treatment: process optimization, <i>in vitro</i> and <i>in vivo</i> evaluation. <i>Drug Development and Industrial Pharmacy</i> , 2016, 42, 1772-1781.	0.9	23
94	Bioimaging of Intravenous Polymeric Micelles Based on Discrimination of Integral Particles Using an Environment-Responsive Probe. <i>Molecular Pharmaceutics</i> , 2016, 13, 4013-4019.	2.3	58
95	Injected nanocrystals for targeted drug delivery. <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 106-113.	5.7	143
96	Lipids-based nanostructured lipid carriers (NLCs) for improved oral bioavailability of sirolimus. <i>Drug Delivery</i> , 2016, 23, 1469-1475.	2.5	48
97	Tracking translocation of glucan microparticles targeting M cells: implications for oral drug delivery. <i>Journal of Materials Chemistry B</i> , 2016, 4, 2864-2873.	2.9	49
98	Transmembrane delivery of anticancer drugs through self-assembly of cyclic peptide nanotubes. <i>Nanoscale</i> , 2016, 8, 7127-7136.	2.8	56
99	Evidence does not support absorption of intact solid lipid nanoparticles via oral delivery. <i>Nanoscale</i> , 2016, 8, 7024-7035.	2.8	97
100	Itraconazole solid dispersion prepared by a supercritical fluid technique: preparation, <i>in vitro</i> characterization, and bioavailability in beagle dogs. <i>Drug Design, Development and Therapy</i> , 2015, 9, 2801.	2.0	15
101	The construction of puerarin nanocrystals and its pharmacokinetic and <i>in vivo</i> – <i>in vitro</i> correlation (IVIVC) studies on beagle dog. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 133, 164-170.	2.5	33
102	Enhanced stability of liposomes against solidification stress during freeze-drying and spray-drying by coating with calcium alginate. <i>Journal of Drug Delivery Science and Technology</i> , 2015, 30, 163-170.	1.4	28
103	Oral delivery of liposomes. <i>Therapeutic Delivery</i> , 2015, 6, 1239-1241.	1.2	58
104	An <i>in situ</i> crosslinked compression coat comprised of pectin and calcium chloride for colon-specific delivery of indomethacin. <i>Drug Delivery</i> , 2015, 22, 298-305.	2.5	18
105	Biomimetic reassembled chylomicrons as novel association model for the prediction of lymphatic transportation of highly lipophilic drugs via the oral route. <i>International Journal of Pharmaceutics</i> , 2015, 483, 69-76.	2.6	15
106	Environment-responsive aza-BODIPY dyes quenching in water as potential probes to visualize the <i>in vivo</i> fate of lipid-based nanocarriers. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015, 11, 1939-1948.	1.7	96
107	Synchronous microencapsulation of multiple components in silymarin into PLGA nanoparticles by an emulsification/solvent evaporation method. <i>Pharmaceutical Development and Technology</i> , 2015, 21, 1-8.	1.1	19
108	Comparison of the oral bioavailability of silymarin-loaded lipid nanoparticles with their artificial lipolysate counterparts: implications on the contribution of integral structure. <i>International Journal of Pharmaceutics</i> , 2015, 489, 195-202.	2.6	35

#	ARTICLE	IF	CITATIONS
109	Liposomes containing cholesterol analogues of botanical origin as drug delivery systems to enhance the oral absorption of insulin. <i>International Journal of Pharmaceutics</i> , 2015, 489, 277-284.	2.6	67
110	Developing nanocrystals for cancer treatment. <i>Nanomedicine</i> , 2015, 10, 2537-2552.	1.7	104
111	Solidification of liposomes by freeze-drying: The importance of incorporating gelatin as interior support on enhanced physical stability. <i>International Journal of Pharmaceutics</i> , 2015, 478, 655-664.	2.6	48
112	Manufacturing Solid Dosage Forms from Bulk Liquids Using the Fluid-bed Drying Technology. <i>Current Pharmaceutical Design</i> , 2015, 21, 2668-2676.	0.9	10
113	Enhancement of oral bioavailability of cyclosporine A: comparison of various nanoscale drug-delivery systems. <i>International Journal of Nanomedicine</i> , 2014, 9, 4991.	3.3	24
114	The role of lipid-based nano delivery systems on oral bioavailability enhancement of fenofibrate, a BCS II drug: comparison with fast-release formulations. <i>Journal of Nanobiotechnology</i> , 2014, 12, 39.	4.2	32
115	Biotinylated liposomes as potential carriers for the oral delivery of insulin. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014, 10, 167-176.	1.7	157
116	Understanding the relationship between wettability and dissolution of solid dispersion. <i>International Journal of Pharmaceutics</i> , 2014, 465, 25-31.	2.6	67
117	Ligand-mediated active targeting for enhanced oral absorption. <i>Drug Discovery Today</i> , 2014, 19, 898-904.	3.2	61
118	Enhanced oral absorption of insulin-loaded liposomes containing bile salts: A mechanistic study. <i>International Journal of Pharmaceutics</i> , 2014, 460, 119-130.	2.6	131
119	Binary lipids-based nanostructured lipid carriers for improved oral bioavailability of silymarin. <i>Journal of Biomaterials Applications</i> , 2014, 28, 887-896.	1.2	67
120	Enhanced hypoglycemic effect of biotin-modified liposomes loading insulin: effect of formulation variables, intracellular trafficking, and cytotoxicity. <i>Nanoscale Research Letters</i> , 2014, 9, 185.	3.1	33
121	Nanoemulsions coated with alginate/chitosan as oral insulin delivery systems: preparation, characterization, and hypoglycemic effect in rats. <i>International Journal of Nanomedicine</i> , 2013, 8, 23.	3.3	77
122	Prolonged naproxen joint residence time after intra-articular injection of lipophilic solutions comprising a naproxen glycolamide ester prodrug in the rat. <i>International Journal of Pharmaceutics</i> , 2013, 451, 34-40.	2.6	9
123	Effects of particle size on the pharmacokinetics of puerarin nanocrystals and microcrystals after oral administration to rat. <i>International Journal of Pharmaceutics</i> , 2013, 458, 135-140.	2.6	30
124	Liposomes interiorly thickened with thermosensitive nanogels as novel drug delivery systems. <i>International Journal of Pharmaceutics</i> , 2013, 455, 276-284.	2.6	18
125	Food proteins as novel nanosuspension stabilizers for poorly water-soluble drugs. <i>International Journal of Pharmaceutics</i> , 2013, 441, 269-278.	2.6	84
126	Integrity and stability of oral liposomes containing bile salts studied in simulated and ex vivo gastrointestinal media. <i>International Journal of Pharmaceutics</i> , 2013, 441, 693-700.	2.6	135

#	ARTICLE	IF	CITATIONS
127	Solidification of nanostructured lipid carriers (NLCs) onto pellets by fluid-bed coating: Preparation, in vitro characterization and bioavailability in dogs. <i>Powder Technology</i> , 2013, 247, 120-127.	2.1	29
128	Lecithin in mixed micelles attenuates the cytotoxicity of bile salts in Caco-2 cells. <i>Toxicology in Vitro</i> , 2013, 27, 714-720.	1.1	35
129	Nanoemulsion-templated shell-crosslinked nanocapsules as drug delivery systems. <i>International Journal of Pharmaceutics</i> , 2013, 445, 69-78.	2.6	45
130	Synchronized and controlled release of multiple components in silymarin achieved by the osmotic release strategy. <i>International Journal of Pharmaceutics</i> , 2013, 441, 111-120.	2.6	19
131	Controlled release of cyclosporine A self-nanoemulsifying systems from osmotic pump tablets: Near zero-order release and pharmacokinetics in dogs. <i>International Journal of Pharmaceutics</i> , 2013, 452, 233-240.	2.6	41
132	Enhanced dissolution, stability and physicochemical characterization of ATRA/2-hydroxypropyl- β -cyclodextrin inclusion complex pellets prepared by fluid-bed coating technique. <i>Pharmaceutical Development and Technology</i> , 2013, 18, 130-136.	1.1	8
133	Liposomes containing bile salts as novel ocular delivery systems for tacrolimus (FK506): in vitro characterization and improved corneal permeation. <i>International Journal of Nanomedicine</i> , 2013, 8, 1921.	3.3	96
134	Formulating food protein-stabilized indomethacin nanosuspensions into pellets by fluid-bed coating technology: physical characterization, redispersibility, and dissolution. <i>International Journal of Nanomedicine</i> , 2013, 8, 3119.	3.3	23
135	Bile salt/phospholipid mixed micelle precursor pellets prepared by fluid-bed coating. <i>International Journal of Nanomedicine</i> , 2013, 8, 1653.	3.3	14
136	Application of Lipid Nanoparticles as Oral Drug Delivery System. <i>Acta Agronomica Sinica(China)</i> , 2013, 40, 1008.	0.1	0
137	Absorption, Disposition and Pharmacokinetics of Nanoemulsions. <i>Current Drug Metabolism</i> , 2012, 13, 396-417.	0.7	56
138	Phase solubility behavior of hydrophilic polymer/cyclodextrin/lansoprazole ternary system studied at high polymer concentration and by response surface methodology. <i>Pharmaceutical Development and Technology</i> , 2012, 17, 236-241.	1.1	10
139	Absorption, Disposition and Pharmacokinetics of Solid Lipid Nanoparticles. <i>Current Drug Metabolism</i> , 2012, 13, 418-428.	0.7	80
140	Solid Self-Nanoemulsifying Cyclosporine A Pellets Prepared by Fluid-Bed Coating: Stability and Bioavailability Study. <i>Journal of Biomedical Nanotechnology</i> , 2012, 8, 515-521.	0.5	23
141	Sirolimus solid self-microemulsifying pellets: Formulation development, characterization and bioavailability evaluation. <i>International Journal of Pharmaceutics</i> , 2012, 438, 123-133.	2.6	94
142	Improvement of oral bioavailability of glycyrrhizin by sodium deoxycholate/phospholipid-mixed nanomicelles. <i>Journal of Drug Targeting</i> , 2012, 20, 615-622.	2.1	38
143	Enhanced Dissolution and Stability of Lansoprazole by Cyclodextrin Inclusion Complexation: Preparation, Characterization, and Molecular Modeling. <i>AAPS PharmSciTech</i> , 2012, 13, 1222-1229.	1.5	30
144	Enhanced dissolution and oral bioavailability of aripiprazole nanosuspensions prepared by nanoprecipitation/homogenization based on acid-base neutralization. <i>International Journal of Pharmaceutics</i> , 2012, 438, 287-295.	2.6	107

#	ARTICLE	IF	CITATIONS
145	Ocular delivery of cyclosporine A based on glyceryl monooleate/poloxamer 407 liquid crystalline nanoparticles: preparation, characterization, in vitro corneal penetration and ocular irritation. <i>Journal of Drug Targeting</i> , 2012, 20, 856-863.	2.1	47
146	Hypoglycemic activity and oral bioavailability of insulin-loaded liposomes containing bile salts in rats: The effect of cholate type, particle size and administered dose. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 81, 265-272.	2.0	170
147	Micronization of Solid Dispersion Pellets: Physical Characterization and Improved Dissolution. <i>Advanced Science Letters</i> , 2012, 6, 200-206.	0.2	1
148	Cellular entry fashion of hollow milk protein spheres. <i>Soft Matter</i> , 2011, 7, 11526.	1.2	27
149	Enhanced oral bioavailability of cyclosporine A by liposomes containing a bile salt. <i>International Journal of Nanomedicine</i> , 2011, 6, 965.	3.3	83
150	Enhanced effect and mechanism of water-in-oil microemulsion as an oral delivery system of hydroxysafflor yellow A. <i>International Journal of Nanomedicine</i> , 2011, 6, 985.	3.3	33
151	Solid self-nanoemulsifying cyclosporin A pellets prepared by fluid-bed coating: preparation, characterization and in vitro redispersibility. <i>International Journal of Nanomedicine</i> , 2011, 6, 795.	3.3	45
152	Food protein-stabilized nanoemulsions as potential delivery systems for poorly water-soluble drugs: preparation, in vitro characterization, and pharmacokinetics in rats. <i>International Journal of Nanomedicine</i> , 2011, 6, 521.	3.3	112
153	Silymarin Glyceryl Monooleate/Poloxamer 407 Liquid Crystalline Matrices: Physical Characterization and Enhanced Oral Bioavailability. <i>AAPS PharmSciTech</i> , 2011, 12, 1234-1240.	1.5	45
154	Liposomes containing glycocholate as potential oral insulin delivery systems: preparation, in vitro characterization, and improved protection against enzymatic degradation. <i>International Journal of Nanomedicine</i> , 2011, 6, 1155.	3.3	76
155	Effects of Interior Gelation on Pharmacokinetics and Biodistribution of Liposomes Encapsulating an Anti-Cancer Drug Cytarabine. <i>Journal of Biomedical Nanotechnology</i> , 2010, 6, 704-709.	0.5	10
156	Influences of Sodium Carbonate on Physicochemical Properties of Lansoprazole in Designed Multiple Coating Pellets. <i>AAPS PharmSciTech</i> , 2010, 11, 1287-1293.	1.5	19
157	Synthesis of a highly hydrophobic cyclic decapeptide by solid-phase synthesis of linear peptide and cyclization in solution. <i>Chinese Chemical Letters</i> , 2010, 21, 391-394.	4.8	7
158	Molecular Insights on the Cyclic Peptide Nanotube-Mediated Transportation of Antitumor Drug 5-Fluorouracil. <i>Molecular Pharmaceutics</i> , 2010, 7, 1985-1994.	2.3	57
159	Cell-penetrating hollow spheres based on milk protein. <i>Chemical Communications</i> , 2010, 46, 7566.	2.2	42
160	Pharmacokinetics and enhanced oral bioavailability in beagle dogs of cyclosporine A encapsulated in glyceryl monooleate/poloxamer 407 cubic nanoparticles. <i>International Journal of Nanomedicine</i> , 2010, 5, 13-23.	3.3	45
161	Guar Gum as Potential Film Coating Material for Colon-specific Delivery of Fluorouracil. <i>Journal of Biomaterials Applications</i> , 2009, 23, 311-329.	1.2	37
162	Piroxicam/2- β -Hydroxypropyl- α -D-Glucopyranoside Cyclodextrin Inclusion Complex Prepared by a New Fluid-Bed Coating Technique. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 665-675.	1.6	39

#	ARTICLE	IF	CITATIONS
163	Physicochemical characterization of a pectin/calcium matrix containing a large fraction of calcium chloride: Implications for sigmoidal release characteristics. <i>Journal of Applied Polymer Science</i> , 2009, 113, 2418-2428.	1.3	7
164	Enhanced bioavailability of the poorly water-soluble drug fenofibrate by using liposomes containing a bile salt. <i>International Journal of Pharmaceutics</i> , 2009, 376, 153-160.	2.6	228
165	Physical characterization of meloxicam- β -cyclodextrin inclusion complex pellets prepared by a fluid-bed coating method. <i>Particuology</i> , 2009, 7, 1-8.	2.0	40
166	Glyceryl Monooleate/Poloxamer 407 Cubic Nanoparticles as Oral Drug Delivery Systems: I. In Vitro Evaluation and Enhanced Oral Bioavailability of the Poorly Water-Soluble Drug Simvastatin. <i>AAPS PharmSciTech</i> , 2009, 10, 960-6.	1.5	105
167	A Comparative Study on the Stability of Silybin and That in Silymarin in Buffers and Biological Fluids. <i>Drug Metabolism Letters</i> , 2009, 3, 115-119.	0.5	6
168	Enhanced dissolution of silymarin/polyvinylpyrrolidone solid dispersion pellets prepared by a one-step fluid-bed coating technique. <i>Powder Technology</i> , 2008, 182, 72-80.	2.1	95
169	Physical characterization of lansoprazole/PVP solid dispersion prepared by fluid-bed coating technique. <i>Powder Technology</i> , 2008, 182, 480-485.	2.1	77
170	Biphasic release of indomethacin from HPMC/pectin/calcium matrix tablet: II. Influencing variables, stability and pharmacokinetics in dogs. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 69, 294-302.	2.0	28
171	In Vitro Evaluation and Pharmacokinetics in Dogs of Solid Dispersion Pellets Containing Silybum marianum Extract Prepared by Fluid-Bed Coating. <i>Planta Medica</i> , 2008, 74, 126-132.	0.7	33
172	Synchronized and sustained release of multiple components in silymarin from erodible glyceryl monostearate matrix system. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 66, 210-219.	2.0	55
173	Biphasic release of indomethacin from HPMC/pectin/calcium matrix tablet: I. Characterization and mechanistic study. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 67, 707-714.	2.0	38
174	Safety and efficacy of intracapsular tranilast microspheres in experimental posterior capsule opacification. <i>Journal of Cataract and Refractive Surgery</i> , 2007, 33, 2122-2128.	0.7	13
175	In vitro evaluation and pharmacokinetics in dogs of guar gum and Eudragit FS30D-coated colon-targeted pellets of indomethacin. <i>Journal of Drug Targeting</i> , 2007, 15, 123-131.	2.1	56
176	Characterization of 5-Fluorouracil Release from Hydroxypropylmethylcellulose Compression-Coated Tablets. <i>Pharmaceutical Development and Technology</i> , 2007, 12, 203-210.	1.1	25
177	Determination of doxorubicin in rabbit ocular tissues and pharmacokinetics after intravitreal injection of a single dose of doxorubicin-loaded poly- β -hydroxybutyrate microspheres. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 43, 263-269.	1.4	33
178	Cellular uptake of functionalized carbon nanotubes is independent of functional group and cell type. <i>Nature Nanotechnology</i> , 2007, 2, 108-113.	15.6	1,035
179	Guar gum/ethylcellulose coated pellets for colon-specific drug delivery. <i>Yaoxue Xuebao</i> , 2007, 42, 656-62.	0.2	0
180	Evaluation of Disintegrating Time of Rapidly Disintegrating Tablets by a Paddle Method. <i>Pharmaceutical Development and Technology</i> , 2006, 11, 295-301.	1.1	10

#	ARTICLE	IF	CITATIONS
181	In Situ Evading of Phagocytic Uptake of Stealth Solid Lipid Nanoparticles by Mouse Peritoneal Macrophages. <i>Drug Delivery</i> , 2006, 13, 189-192.	2.5	45
182	Enhanced bioavailability of silymarin by self-microemulsifying drug delivery system. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006, 63, 288-294.	2.0	240
183	Sigmoidal release of indomethacin from pectin matrix tablets: Effect of in situ crosslinking by calcium cations. <i>International Journal of Pharmaceutics</i> , 2006, 318, 132-138.	2.6	60
184	Methoxypolyethylene Glycol Cyanoacrylate-Docosyl Cyanoacrylate Graft Copolymer: Synthesis, Characterization, and Preparation of Nanoparticles. <i>International Journal of Polymer Analysis and Characterization</i> , 2006, 11, 353-367.	0.9	1
185	Body distribution and in situ evading of phagocytic uptake by macrophages of long-circulating poly (ethylene glycol) cyanoacrylate-co-n-hexadecyl cyanoacrylate nanoparticles ¹ . <i>Acta Pharmacologica Sinica</i> , 2005, 26, 1512-1518.	2.8	29
186	Pharmacokinetics and enhanced oral bioavailability in beagle dogs of cyclosporine A encapsulated in glyceryl monooleate/poloxamer 407 cubic nanoparticles. <i>International Journal of Nanomedicine</i> , 0, , 13.	3.3	30