

Yu-Kun Ren

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2474656/ku-kun-ren-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

1,837
citations

25
h-index

35
g-index

126
ext. papers

2,313
ext. citations

5
avg, IF

5.19
L-index

#	Paper	IF	Citations
114	Ratiometric system based on graphene quantum dots and Eu for selective detection of tetracyclines. <i>Analytica Chimica Acta</i> , 2018 , 1022, 131-137	6.6	86
113	A Fast and Effective Microfluidic Spraying-Plunging Method for High-Resolution Single-Particle Cryo-EM. <i>Structure</i> , 2017 , 25, 663-670.e3	5.2	77
112	Alternating current electrokinetic properties of gold-coated microspheres. <i>Langmuir</i> , 2012 , 28, 13861-704		72
111	Induced-charge electroosmotic trapping of particles. <i>Lab on A Chip</i> , 2015 , 15, 2181-91	7.2	70
110	A Simplified Microfluidic Device for Particle Separation with Two Consecutive Steps: Induced Charge Electro-osmotic Prefocusing and Dielectrophoretic Separation. <i>Analytical Chemistry</i> , 2017 , 89, 9583-9592	7.8	51
109	Continuous dielectrophoretic particle separation using a microfluidic device with 3D electrodes and vaulted obstacles. <i>Electrophoresis</i> , 2015 , 36, 1744-53	3.6	45
108	An effective splitting-and-recombination micromixer with self-rotated contact surface for wide Reynolds number range applications. <i>Biomicrofluidics</i> , 2013 , 7, 54121	3.2	45
107	Rapid, targeted and culture-free viral infectivity assay in drop-based microfluidics. <i>Lab on A Chip</i> , 2015 , 15, 3934-40	7.2	43
106	High-Throughput Separation, Trapping, and Manipulation of Single Cells and Particles by Combined Dielectrophoresis at a Bipolar Electrode Array. <i>Analytical Chemistry</i> , 2018 , 90, 11461-11469	7.8	42
105	AC Electrothermal Circulatory Pumping Chip for Cell Culture. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 26792-801	9.5	40
104	Continuously Electrotriggered Core Coalescence of Double-Emulsion Drops for Microreactions. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12282-12289	9.5	39
103	Scaled particle focusing in a microfluidic device with asymmetric electrodes utilizing induced-charge electroosmosis. <i>Lab on A Chip</i> , 2016 , 16, 2803-12	7.2	37
102	Electrically controlled rapid release of actives encapsulated in double-emulsion droplets. <i>Lab on A Chip</i> , 2018 , 18, 1121-1129	7.2	34
101	A theoretical and numerical investigation of travelling wave induction microfluidic pumping in a temperature gradient. <i>Journal Physics D: Applied Physics</i> , 2014 , 47, 075501	3	34
100	A novel micromixer based on the alternating current-flow field effect transistor. <i>Lab on A Chip</i> , 2016 , 17, 186-197	7.2	30
99	Trapping and chaining self-assembly of colloidal polystyrene particles over a floating electrode by using combined induced-charge electroosmosis and attractive dipole-dipole interactions. <i>Soft Matter</i> , 2015 , 11, 8105-12	3.6	30
98	In-plane microvortices micromixer-based AC electrothermal for testing drug induced death of tumor cells. <i>Biomicrofluidics</i> , 2016 , 10, 064102	3.2	29

97	Large-Scale Single Particle and Cell Trapping based on Rotating Electric Field Induced-Charge Electroosmosis. <i>Analytical Chemistry</i> , 2016 , 88, 11791-11798	7.8	28
96	Continuous microfluidic mixing and the highly controlled nanoparticle synthesis using direct current-induced thermal buoyancy convection. <i>Microfluidics and Nanofluidics</i> , 2020 , 24, 1	2.8	28
95	Electrocoalescence of paired droplets encapsulated in double-emulsion drops. <i>Lab on A Chip</i> , 2016 , 16, 4313-4318	7.2	28
94	Control of two-phase flow in microfluidics using out-of-phase electroconvective streaming. <i>Physics of Fluids</i> , 2017 , 29, 112002	4.4	27
93	A universal design of field-effect-tunable microfluidic ion diode based on a gating cation-exchange nanoporous membrane. <i>Physics of Fluids</i> , 2017 , 29, 112001	4.4	27
92	On utilizing alternating current-flow field effect transistor for flexibly manipulating particles in microfluidics and nanofluidics. <i>Biomicrofluidics</i> , 2016 , 10, 034105	3.2	27
91	Sequential Coalescence Enabled Two-Step Microreactions in Triple-Core Double-Emulsion Droplets Triggered by an Electric Field. <i>Small</i> , 2017 , 13, 1702188	11	26
90	Continuous Particle Trapping, Switching, and Sorting Utilizing a Combination of Dielectrophoresis and Alternating Current Electrothermal Flow. <i>Analytical Chemistry</i> , 2019 , 91, 5729-5738	7.8	25
89	A microscopic physical description of electrothermal-induced flow for control of ion current transport in microfluidics interfacing nanofluidics. <i>Electrophoresis</i> , 2019 , 40, 2683-2698	3.6	24
88	On AC-Field-Induced Nonlinear Electroosmosis next to the Sharp Corner-Field-Singularity of Leaky Dielectric Blocks and Its Application in on-Chip Micro-Mixing. <i>Micromachines</i> , 2018 , 9,	3.3	24
87	Label-free single-cell protein quantification using a drop-based mix-and-read system. <i>Scientific Reports</i> , 2015 , 5, 12756	4.9	22
86	Induced-charge electrokinetics in rotating electric fields: A linear asymptotic analysis. <i>Physics of Fluids</i> , 2018 , 30, 062006	4.4	22
85	Alternating current electrokinetics enhanced in situ capacitive immunoassay. <i>Electrophoresis</i> , 2015 , 36, 471-4	3.6	20
84	A dual-core double emulsion platform for osmolarity-controlled microreactor triggered by coalescence of encapsulated droplets. <i>Biomicrofluidics</i> , 2016 , 10, 034111	3.2	20
83	Enhanced particle trapping performance of induced charge electroosmosis. <i>Electrophoresis</i> , 2016 , 37, 1326-36	3.6	19
82	An efficient micromixer actuated by induced-charge electroosmosis using asymmetrical floating electrodes. <i>Microfluidics and Nanofluidics</i> , 2018 , 22, 1	2.8	19
81	Particle rotational trapping on a floating electrode by rotating induced-charge electroosmosis. <i>Biomicrofluidics</i> , 2016 , 10, 054103	3.2	18
80	Compound-Droplet-Pairs-Filled Hydrogel Microfiber for Electric-Field-Induced Selective Release. <i>Small</i> , 2019 , 15, e1903098	11	18

79	Artifact-Free Quantification and Sequencing of Rare Recombinant Viruses by Using Drop-Based Microfluidics. <i>ChemBioChem</i> , 2015 , 16, 2167-71	3.8	18
78	Effect of the crossing-structure sequence on mixing performance within three-dimensional micromixers. <i>Biomicrofluidics</i> , 2014 , 8, 034106	3.2	18
77	Dielectrophoretic separation with a floating-electrode array embedded in microfabricated fluidic networks. <i>Physics of Fluids</i> , 2018 , 30, 112003	4.4	18
76	Continuous-flow focusing of microparticles using induced-charge electroosmosis in a microfluidic device with 3D AgPDMS electrodes. <i>RSC Advances</i> , 2015 , 5, 66602-66610	3.7	17
75	Enhanced model-based design of a high-throughput three dimensional micromixer driven by alternating-current electrothermal flow. <i>Electrophoresis</i> , 2017 , 38, 258-269	3.6	17
74	Actuation of co-flowing electrolytes in a microfluidic system by microelectrode arrays. <i>Microfluidics and Nanofluidics</i> , 2012 , 13, 441-449	2.8	17
73	Electrical manipulation of electrolytes with conductivity gradients in microsystems. <i>Journal of Electrostatics</i> , 2009 , 67, 372-376	1.7	17
72	On hybrid electroosmotic kinetics for field-effect-reconfigurable nanoparticle trapping in a four-terminal spiral microelectrode array. <i>Electrophoresis</i> , 2019 , 40, 979-992	3.6	17
71	Effects of discrete-electrode arrangement on traveling-wave electroosmotic pumping. <i>Journal of Micromechanics and Microengineering</i> , 2016 , 26, 095003	2	16
70	Electric Field-Induced Cutting of Hydrogel Microfibers with Precise Length Control for Micromotors and Building Blocks. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 40228-40237	9.5	16
69	Controllable rotating behavior of individual dielectric microrod in a rotating electric field. <i>Electrophoresis</i> , 2017 , 38, 1427-1433	3.6	15
68	Effect of vortex on mass transport and mixing in microcapillary channels. <i>Chemical Engineering Journal</i> , 2019 , 362, 442-452	14.7	15
67	Flexible particle flow-focusing in microchannel driven by droplet-directed induced-charge electroosmosis. <i>Electrophoresis</i> , 2018 , 39, 597-607	3.6	15
66	Flexible Continuous Particle Beam Switching via External-Field-Reconfigurable Asymmetric Induced-Charge Electroosmosis. <i>Analytical Chemistry</i> , 2018 , 90, 11376-11384	7.8	15
65	Induced charge electro-osmotic particle separation. <i>Nanoscale</i> , 2019 , 11, 6410-6421	7.7	14
64	Fluid Flow and Mixing Induced by AC Continuous Electrowetting of Liquid Metal Droplet. <i>Micromachines</i> , 2017 , 8, 119	3.3	14
63	Tri-fluid mixing in a microchannel for nanoparticle synthesis. <i>Lab on A Chip</i> , 2019 , 19, 2936-2946	7.2	13
62	On controlling the flow behavior driven by induction electrohydrodynamics in microfluidic channels. <i>Electrophoresis</i> , 2017 , 38, 983-995	3.6	12

61	A simple microfluidic method for one-step encapsulation of reagents with varying concentrations in double emulsion drops for nanoliter-scale reactions and analyses. <i>Analytical Methods</i> , 2017 , 9, 2511-2516	3.2	12
60	Osmolarity-controlled swelling behaviors of dual-cored double-emulsion drops. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1	2.8	12
59	Efficient Micro/Nanoparticle Concentration using Direct Current-Induced Thermal Buoyancy Convection for Multiple Liquid Media. <i>Analytical Chemistry</i> , 2019 , 91, 4457-4465	7.8	12
58	Simulation analysis of rectifying microfluidic mixing with field-effect-tunable electrothermal induced flow. <i>Electrophoresis</i> , 2018 , 39, 779-793	3.6	12
57	A High-Throughput Electrokinetic Micromixer via AC Field-Effect Nonlinear Electroosmosis Control in 3D Electrode Configurations. <i>Micromachines</i> , 2018 , 9,	3.3	12
56	Fluid pumping and cells separation by DC-biased traveling wave electroosmosis and dielectrophoresis. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1	2.8	11
55	Efficient particle and droplet manipulation utilizing the combined thermal buoyancy convection and temperature-enhanced rotating induced-charge electroosmotic flow. <i>Analytica Chimica Acta</i> , 2020 , 1096, 108-119	6.6	11
54	On traveling-wave field-effect flow control for simultaneous induced-charge electroosmotic pumping and mixing in microfluidics: physical perspectives and theoretical analysis. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 055004	2	10
53	Characterization of opioid activities of endomorphin analogs with C-terminal amide to hydrazide conversion. <i>Neuropeptides</i> , 2013 , 47, 297-304	3.3	10
52	Convection and mass transfer enhanced rapid capacitive serum immunoassay. <i>RSC Advances</i> , 2014 , 4, 9064	3.7	9
51	Simulation Analysis of Improving Microfluidic Heterogeneous Immunoassay Using Induced Charge Electroosmosis on a Floating Gate. <i>Micromachines</i> , 2017 , 8,	3.3	9
50	Three-dimensional paper based platform for automatically running multiple assays in a single step. <i>Talanta</i> , 2019 , 200, 177-185	6.2	8
49	Continuous separation of multiple size microparticles using alternating current dielectrophoresis in microfluidic device with acupuncture needle electrodes. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2016 , 29, 325-331	2.5	8
48	Electrode Cooling Effect on Out-Of-Phase Electrothermal Streaming in Rotating Electric Fields. <i>Micromachines</i> , 2017 , 8,	3.3	8
47	Microwire formation based on dielectrophoresis of electroless gold plated polystyrene microspheres. <i>Chinese Physics B</i> , 2011 , 20, 057701	1.2	8
46	Multiple frequency electrothermal induced flow: theory and microfluidic applications. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 175304	3	8
45	High-throughput and Multimodal Separation of Microbeads Using Cyclical Induced-charge Electro-osmotic Vortices and Its Application in Size Fractionation of Crumpled Graphene Oxide Balls. <i>Applied Materials Today</i> , 2020 , 19, 100545	6.6	8
44	Continuous-Flow Nanoparticle Trapping Driven by Hybrid Electrokinetics in Microfluidics. <i>Electrophoresis</i> , 2021 , 42, 939-949	3.6	8

43	Pumping of Ionic Liquids by Liquid Metal-Enabled Electrocapillary Flow under DC-Biased AC Forcing. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000345	4.6	7
42	Pumping of electrolyte with mobile liquid metal droplets driven by continuous electrowetting: A full-scaled simulation study considering surface-coupled electrocapillary two-phase flow. <i>Electrophoresis</i> , 2021 , 42, 950-966	3.6	7
41	On ion transport regulation with field-effect nonlinear electroosmosis control in microfluidics embedding an ion-selective medium. <i>Electrophoresis</i> , 2020 , 41, 778-792	3.6	6
40	On the Bipolar DC Flow Field-Effect-Transistor for Multifunctional Sample Handling in Microfluidics: A Theoretical Analysis under the Debye-Huckel Limit. <i>Micromachines</i> , 2018 , 9,	3.3	6
39	Flexible Particle Focusing and Switching in Continuous Flow via Controllable Thermal Buoyancy Convection. <i>Analytical Chemistry</i> , 2020 , 92, 2778-2786	7.8	6
38	Dielectrophoresis Response of Water-in-Oil-in-Water Double Emulsion Droplets with Singular or Dual Cores. <i>Micromachines</i> , 2020 , 11,	3.3	6
37	A micro-needle induced strategy for preparation of monodisperse liquid metal droplets in glass capillary microfluidics. <i>Microfluidics and Nanofluidics</i> , 2019 , 23, 1	2.8	6
36	Buoyancy-Free Janus Microcylinders as Mobile Microelectrode Arrays for Continuous Microfluidic Biomolecule Collection within a Wide Frequency Range: A Numerical Simulation Study. <i>Micromachines</i> , 2020 , 11,	3.3	5
35	A multifunctional resealable perfusion chip for cell culture and tissue engineering. <i>RSC Advances</i> , 2016 , 6, 27183-27190	3.7	5
34	On Developing Field-Effect-Tunable Nanofluidic Ion Diodes with Bipolar, Induced-Charge Electrokinetics. <i>Micromachines</i> , 2018 , 9,	3.3	5
33	Microparticle separation using asymmetrical induced-charge electro-osmotic vortices on an arc-edge-based floating electrode. <i>Analyst, The</i> , 2019 , 144, 5150-5163	5	5
32	Effects of chip geometries on dielectrophoresis and electrorotation investigation. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2014 , 27, 103-110	2.5	5
31	Diabetes attenuates the inhibitory effects of endomorphin-2, but not endomorphin-1 on gastrointestinal transit in mice. <i>European Journal of Pharmacology</i> , 2014 , 738, 1-7	5.3	5
30	Microbubble Formation in a Co-flowing Liquid in a Microfluidic Chip. <i>Chemical Engineering and Technology</i> , 2017 , 40, 1512-1521	2	5
29	An integrated microfluidic system for zebrafish larva organs injection 2017 ,		5
28	Manipulation of gold coated microspheres using electrorotation. <i>Science China Technological Sciences</i> , 2011 , 54, 643-649	3.5	4
27	Combined alternating current electrothermal and dielectrophoresis-induced tunable patterning to actuate on-chip microreactions and switching at a floating electrode. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127397	8.5	4
26	Fabrication of syntactic foam fillers manipulation of on-chip quasi concentric nanoparticle-shelled droplet templates. <i>Lab on A Chip</i> , 2020 , 20, 4600-4610	7.2	4

25	Reversible Aggregation and Dispersion of Particles at a Liquid-Liquid Interface Using Space Charge Injection. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801920	4.6	4
24	Flexible Microswimmer Manipulation in Multiple Microfluidic Systems Utilizing Thermal Buoyancy-Capillary Convection. <i>Analytical Chemistry</i> , 2021 , 93, 2560-2569	7.8	4
23	Self-powered AC electrokinetic microfluidic system based on triboelectric nanogenerator. <i>Nano Energy</i> , 2021 , 89, 106451	17.1	4
22	Eccentric magnetic microcapsule for on-demand transportation, release, and evacuation in microfabrication fluidic networks. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 599, 124905	5.1	3
21	A Simulation Analysis of Nanofluidic Ion Current Rectification Using a Metal-Dielectric Janus Nanopore Driven by Induced-Charge Electrokinetic Phenomena. <i>Micromachines</i> , 2020 , 11,	3.3	3
20	Three-Fluid Sequential Micromixing-Assisted Nanoparticle Synthesis Utilizing Alternating Current Electrothermal Flow. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 12514-12524	3.9	3
19	Liquid metal droplet-enabled electrocapillary flow in biased alternating electric fields: a theoretical analysis from the perspective of induced-charge electrokinetics. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 085007	2	3
18	Characterization of Particle Movement and High-Resolution Separation of Microalgal Cells via Induced-Charge Electroosmotic Advective Spiral Flow. <i>Analytical Chemistry</i> , 2021 , 93, 1667-1676	7.8	3
17	Continuous microfluidic fabrication of anisotropic microparticles for enhanced wastewater purification. <i>Lab on A Chip</i> , 2021 , 21, 1517-1526	7.2	3
16	Fluid pumping by liquid metal droplet utilizing ac electric field.. <i>Physical Review E</i> , 2022 , 105, 025102	2.4	2
15	Thermal field-actuated multifunctional double-emulsion droplet carriers: On-demand migration, core release and released particle focusing. <i>Chemical Engineering Journal</i> , 2022 , 431, 134200	14.7	2
14	A Numerical Investigation of Enhancing Microfluidic Heterogeneous Immunoassay on Bipolar Electrodes Driven by Induced-Charge Electroosmosis in Rotating Electric Fields. <i>Micromachines</i> , 2020 , 11,	3.3	2
13	Label-Free Multitarget Separation of Particles and Cells under Flow Using Acoustic, Electrophoretic, and Hydrodynamic Forces. <i>Analytical Chemistry</i> , 2021 , 93, 7635-7646	7.8	2
12	Dielectrophoretic medium exchange around droplets for on-chip fabrication of layer-by-layer microcapsules. <i>Lab on A Chip</i> , 2021 , 21, 3352-3360	7.2	2
11	Flexible online in-droplet cell/synthetic particle concentration utilizing alternating current electrothermal-flow field-effect transistor. <i>Lab on A Chip</i> , 2021 , 21, 1987-1997	7.2	2
10	Small universal mechanical module driven by a liquid metal droplet. <i>Lab on A Chip</i> , 2021 , 21, 2771-2780	7.2	2
9	A visual portable microfluidic experimental device with multiple electric field regulation functions.. <i>Lab on A Chip</i> , 2022 ,	7.2	2
8	Multifrequency Induced-Charge Electroosmosis. <i>Micromachines</i> , 2019 , 10,	3.3	1

7	Control of the dielectric microrods rotation in liquid by alternating current electric field. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2014 , 27, 622-627	2.5	1
6	Microreactions: Sequential Coalescence Enabled Two-Step Microreactions in Triple-Core Double-Emulsion Droplets Triggered by an Electric Field (Small 46/2017). <i>Small</i> , 2017 , 13,	11	1
5	Dielectric Characterization and Multistage Separation of Various Cells via Dielectrophoresis in a Bipolar Electrode Arrayed Device. <i>Analytical Chemistry</i> , 2021 , 93, 10220-10228	7.8	1
4	Flexible fabrication of lipophilic-hydrophilic micromotors by off-chip photopolymerization of three-phase immiscible flow induced Janus droplet templates. <i>Analytica Chimica Acta</i> , 2021 , 1182, 338955	6.6	1
3	Automatic microcircuit formation based on gold-coated SU-8 microrods via dielectrophoresis. <i>Chinese Physics B</i> , 2013 , 22, 087701	1.2	
2	Formation Characteristics of microbubble in a co-flowing liquid in microfluidic chip. <i>IOP Conference Series: Earth and Environmental Science</i> , 2017 , 81, 012162	0.3	
1	A Mathematical Model of the Knee Joint for Estimation of Forces and Torques During Standing-up. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 21-28	0.2	