

W Niel Brandt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2474704/w-niel-brandt-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

615
papers

51,757
citations

111
h-index

205
g-index

627
ext. papers

57,150
ext. citations

5.3
avg, IF

6.78
L-index

#	Paper	IF	Citations
615	Consistent Analysis of the AGN LF in X-Ray and MIR in the XMM-LSS Field. <i>Astrophysical Journal</i> , 2022 , 924, 133	4.7	1
614	The Stellar-age Dependence of X-Ray Emission from Normal Star-forming Galaxies in the GOODS Fields. <i>Astrophysical Journal</i> , 2022 , 926, 28	4.7	1
613	Optimization of the Observing Cadence for the Rubin Observatory Legacy Survey of Space and Time: A Pioneering Process of Community-focused Experimental Design. <i>Astrophysical Journal, Supplement Series</i> , 2022 , 258, 1	8	9
612	Acceleration and cooling of the corona during X-ray flares from the Seyfert galaxy I Zw 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 512, 761-775	4.3	3
611	Sensitive Chandra coverage of a representative sample of weak-line quasars: revealing the full range of X-ray properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022 , 511, 5251-5264	4.3	2
610	The Sloan Digital Sky Survey Reverberation Mapping Project: UV/Optical Accretion Disk Measurements with the Hubble Space Telescope. <i>Astrophysical Journal</i> , 2022 , 926, 225	4.7	2
609	The Seventeenth Data Release of the Sloan Digital Sky Surveys: Complete Release of MaNGA, MaStar, and APOGEE-2 Data. <i>Astrophysical Journal, Supplement Series</i> , 2022 , 259, 35	8	24
608	The Paschen Jump as a Diagnostic of the Diffuse Nebular Continuum Emission in Active Galactic Nuclei*. <i>Astrophysical Journal</i> , 2022 , 927, 60	4.7	0
607	Fitting AGN/Galaxy X-Ray-to-radio SEDs with CIGALE and Improvement of the Code. <i>Astrophysical Journal</i> , 2022 , 927, 192	4.7	2
606	Connecting Low- and High-redshift Weak Emission-line Quasars via Hubble Space Telescope Spectroscopy of Ly α Emission. <i>Astrophysical Journal</i> , 2022 , 929, 78	4.7	1
605	A Quasar Shedding Its Dust Cocoon at Redshift 2. <i>Astrophysical Journal</i> , 2022 , 930, 5	4.7	0
604	A Rapid and Large-amplitude X-Ray Dimming Event in a z \approx 2.6 Radio-quiet Quasar. <i>Astrophysical Journal</i> , 2022 , 930, 53	4.7	0
603	Photometric Redshifts in the W-CDF-S and ELAIS-S1 Fields Based on Forced Photometry from 0.36 to 4.5 Microns. <i>Research Notes of the AAS</i> , 2021 , 5, 56	0.8	1
602	The Inner Accretion Flow in the Resurgent Seyfert-1.2 AGN Mrk 817. <i>Astrophysical Journal Letters</i> , 2021 , 911, L12	7.9	2
601	The Extragalactic EW Connection in Radio-loud Quasars. <i>Research Notes of the AAS</i> , 2021 , 5, 101	0.8	4
600	On the Observational Difference between the Accretion Disk/Corona Connections among Super- and Sub-Eddington Accreting Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2021 , 910, 103	4.7	6
599	What controls the UV-to-X-ray continuum shape in quasars?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 504, 5556-5574	4.3	5

598	Chandra and Magellan/FIRE follow-up observations of PSO16713: An X-ray weak QSO at $z = 6.515$. <i>Astronomy and Astrophysics</i> , 2021 , 649, A133	5.1	8
597	The X-ray spectral and variability properties of typical radio-loud quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 505, 1954-1971	4.3	2
596	Faint Active Galactic Nuclei Favor Unexpectedly Long Inter-band Time Lags. <i>Astrophysical Journal Letters</i> , 2021 , 912, L29	7.9	2
595	The X-rays wind connection in PG 2112+059. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021 , 506, 343-356	4.3	0
594	Light bending and X-ray echoes from behind a supermassive black hole. <i>Nature</i> , 2021 , 595, 657-660	50.4	8
593	The Sloan Digital Sky Survey Reverberation Mapping Project: The M BH -- Host Relations at $0.2 < z < 0.6$ from Reverberation Mapping and Hubble Space Telescope Imaging. <i>Astrophysical Journal</i> , 2021 , 906, 103	4.7	5
592	A random forest-based selection of optically variable AGN in the VST-COSMOS field. <i>Astronomy and Astrophysics</i> , 2021 , 645, A103	5.1	1
591	A Multi-band Forced-photometry Catalog in the ELAIS-S1 Field. <i>Research Notes of the AAS</i> , 2021 , 5, 31	0.8	2
590	Space Telescope and Optical Reverberation Mapping Project. IX. Velocity Delay Maps for Broad Emission Lines in NGC 5548. <i>Astrophysical Journal</i> , 2021 , 907, 76	4.7	10
589	Taking a Long Look: A Two-decade Reverberation Mapping Study of High-luminosity Quasars. <i>Astrophysical Journal</i> , 2021 , 915, 129	4.7	3
588	Measurements of the Dust Properties in $z \sim 1$ Submillimeter Galaxies with ALMA. <i>Astrophysical Journal</i> , 2021 , 919, 30	4.7	5
587	The XMM-SERVS Survey: XMM-Newton Point-source Catalogs for the W-CDF-S and ELAIS-S1 Fields. <i>Astrophysical Journal, Supplement Series</i> , 2021 , 256, 21	8	1
586	Placing High-redshift Quasars in Perspective: A Catalog of Spectroscopic Properties from the Gemini Near Infrared Spectrograph Distant Quasar Survey. <i>Astrophysical Journal, Supplement Series</i> , 2021 , 252, 15	8	1
585	Exploratory X-Ray Monitoring of Luminous Radio-quiet Quasars at High Redshift: Extended Time-series Analyses and Stacked Imaging Spectroscopy. <i>Astrophysical Journal</i> , 2021 , 923, 111	4.7	0
584	Intensive disc-reverberation mapping of Fairall 9: first year of Swift and LCO monitoring. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 5399-5416	4.3	17
583	Corona-heated Accretion-disk Reprocessing: A Physical Model to Decipher the Melody of AGN UV/Optical Twinkling. <i>Astrophysical Journal</i> , 2020 , 891, 178	4.7	16
582	The 16th Data Release of the Sloan Digital Sky Surveys: First Release from the APOGEE-2 Southern Survey and Full Release of eBOSS Spectra. <i>Astrophysical Journal, Supplement Series</i> , 2020 , 249, 3	8	363
581	Probing the circumnuclear absorbing medium of the buried AGN in NGC 1068 through NuSTAR observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 3872-3884	4.3	9

580	The Karl G. Jansky Very Large Array Sky Survey (VLASS). Science Case and Survey Design. <i>Publications of the Astronomical Society of the Pacific</i> , 2020 , 132, 035001	5	137
579	An Extreme X-Ray Variability Event of a Weak-line Quasar. <i>Astrophysical Journal Letters</i> , 2020 , 889, L37	7.9	8
578	Extended H α over compact far-infrared continuum in dusty submillimeter galaxies. <i>Astronomy and Astrophysics</i> , 2020 , 635, A119	5.1	14
577	Extending the variability selection of active galactic nuclei in the W-CDF-S and SERVS/SWIRE region. <i>Astronomy and Astrophysics</i> , 2020 , 634, A50	5.1	4
576	The correlations between optical/UV broad lines and X-ray emission for a large sample of quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 492, 719-741	4.3	22
575	Origins of X-Ray Line Emissions in Circinus X-1 at Very Low X-Ray Flux. <i>Astrophysical Journal</i> , 2020 , 891, 150	4.7	5
574	The Sloan Digital Sky Survey Reverberation Mapping Project: Photometric g and i Light Curves. <i>Astrophysical Journal, Supplement Series</i> , 2020 , 250, 10	8	2
573	Space Telescope and Optical Reverberation Mapping Project. XI. Disk-wind Characteristics and Contributions to the Very Broad Emission Lines of NGC 5548. <i>Astrophysical Journal</i> , 2020 , 898, 141	4.7	8
572	The Sloan Digital Sky Survey Reverberation Mapping Project: The H β Radius-Luminosity Relation. <i>Astrophysical Journal</i> , 2020 , 899, 73	4.7	19
571	The Sloan Digital Sky Survey Reverberation Mapping Project: Mg ii Lag Results from Four Years of Monitoring. <i>Astrophysical Journal</i> , 2020 , 901, 55	4.7	20
570	On the Fraction of X-Ray-weak Quasars from the Sloan Digital Sky Survey. <i>Astrophysical Journal</i> , 2020 , 900, 141	4.7	12
569	Modeling Quasar UV/Optical Variability with the Corona-heated Accretion-disk Reprocessing (CHAR) Model. <i>Astrophysical Journal</i> , 2020 , 902, 7	4.7	6
568	A Hard Look at Local, Optically Selected, Obscured Seyfert Galaxies. <i>Astrophysical Journal</i> , 2020 , 901, 161	4.7	7
567	The Sloan Digital Sky Survey Reverberation Mapping Project: How Broad Emission Line Widths Change When Luminosity Changes. <i>Astrophysical Journal</i> , 2020 , 903, 51	4.7	9
566	Piercing through Highly Obscured and Compton-thick AGNs in the Chandra Deep Fields. II. Are Highly Obscured AGNs the Missing Link in the Merger-triggered AGN-Galaxy Coevolution Models?. <i>Astrophysical Journal</i> , 2020 , 903, 49	4.7	4
565	Space Telescope and Optical Reverberation Mapping Project. XII. Broad-line Region Modeling of NGC 5548. <i>Astrophysical Journal</i> , 2020 , 902, 74	4.7	13
564	The Sloan Digital Sky Survey Reverberation Mapping Project: Estimating Masses of Black Holes in Quasars with Single-epoch Spectroscopy. <i>Astrophysical Journal</i> , 2020 , 903, 112	4.7	19
563	NuSTAR Survey of Obscured Swift/BAT-selected Active Galactic Nuclei. II. Median High-energy Cutoff in Seyfert II Hard X-Ray Spectra. <i>Astrophysical Journal</i> , 2020 , 905, 41	4.7	15

562	X-Ray Binary Luminosity Function Scaling Relations in Elliptical Galaxies: Evidence for Globular Cluster Seeding of Low-mass X-Ray Binaries in Galactic Fields. <i>Astrophysical Journal, Supplement Series</i> , 2020 , 248, 31	8	9
561	The Sloan Digital Sky Survey Quasar Catalog: Sixteenth Data Release. <i>Astrophysical Journal, Supplement Series</i> , 2020 , 250, 8	8	65
560	The Sloan Digital Sky Survey Reverberation Mapping Project: the XMM-Newton X-Ray Source Catalog and Multiband Counterparts. <i>Astrophysical Journal, Supplement Series</i> , 2020 , 250, 32	8	6
559	Long-timescale X-Ray Variability of BAL and Mini-BAL Quasars. <i>Research Notes of the AAS</i> , 2020 , 4, 168	0.8	
558	The XMM deep survey in the CDFS. <i>Astronomy and Astrophysics</i> , 2020 , 639, A51	5.1	2
557	Chandra reveals a luminous Compton-thick QSO powering a Ly α blob in a $z = 4$ starbursting protocluster. <i>Astronomy and Astrophysics</i> , 2020 , 642, A149	5.1	6
556	The frequency of extreme X-ray variability for radio-quiet quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 4033-4050	4.3	10
555	Revealing the relation between black hole growth and host-galaxy compactness among star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 500, 4989-5008	4.3	8
554	A Spitzer survey of Deep Drilling Fields to be targeted by the Vera C. Rubin Observatory Legacy Survey of Space and Time. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 501, 892-910	4.3	5
553	On reverberation mapping lag uncertainties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 6045-6064	4.3	14
552	The L α UV λ radio relation and corona-disc-jet connection in optically selected radio-loud quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 496, 245-268	4.3	18
551	NuSTAR observations of four nearby X-ray faint AGNs: low luminosity or heavy obscuration?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 497, 229-245	4.3	7
550	X-ray properties of dust-obscured galaxies with broad optical/UV emission lines. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 499, 1823-1840	4.3	5
549	The environmental dependence of X-ray AGN activity at $z \sim 0.4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 498, 4095-4108	4.3	3
548	x-cigale: fitting AGN/galaxy SEDs from X-ray to infrared. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020 , 491, 740-757	4.3	42
547	Discovery of the first heavily obscured QSO candidate at $z > 6$ in a close galaxy pair. <i>Astronomy and Astrophysics</i> , 2019 , 628, L6	5.1	21
546	The First Swift Intensive AGN Accretion Disk Reverberation Mapping Survey. <i>Astrophysical Journal</i> , 2019 , 870, 123	4.7	61
545	Piercing through Highly Obscured and Compton-thick AGNs in the Chandra Deep Fields. I. X-Ray Spectral and Long-term Variability Analyses. <i>Astrophysical Journal</i> , 2019 , 877, 5	4.7	12

544	The Host-galaxy Properties of Type 1 versus Type 2 Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2019 , 878, 11	4.7	24
543	ALMA Reveals Potential Evidence for Spiral Arms, Bars, and Rings in High-redshift Submillimeter Galaxies. <i>Astrophysical Journal</i> , 2019 , 876, 130	4.7	58
542	NuSTAR Measurement of Coronal Temperature in Two Luminous, High-redshift Quasars. <i>Astrophysical Journal Letters</i> , 2019 , 875, L20	7.9	9
541	The Sloan Digital Sky Survey Reverberation Mapping Project: Sample Characterization. <i>Astrophysical Journal, Supplement Series</i> , 2019 , 241, 34	8	49
540	The Sloan Digital Sky Survey Reverberation Mapping Project: Systematic Investigations of Short-timescale C IV Broad Absorption Line Variability. <i>Astrophysical Journal</i> , 2019 , 872, 21	4.7	18
539	The Fifteenth Data Release of the Sloan Digital Sky Surveys: First Release of MaNGA-derived Quantities, Data Visualization Tools, and Stellar Library. <i>Astrophysical Journal, Supplement Series</i> , 2019 , 240, 23	8	214
538	LSST: From Science Drivers to Reference Design and Anticipated Data Products. <i>Astrophysical Journal</i> , 2019 , 873, 111	4.7	814
537	Evident black hole-bulge coevolution in the distant universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 485, 3721-3737	4.3	31
536	A magnetar-powered X-ray transient as the aftermath of a binary neutron-star merger. <i>Nature</i> , 2019 , 568, 198-201	50.4	54
535	Broad Absorption Line Disappearance/Emergence in Multiple Ions in a Weak Emission-line Quasar. <i>Astrophysical Journal Letters</i> , 2019 , 870, L25	7.9	11
534	The Sloan Digital Sky Survey Reverberation Mapping Project: Accretion Disk Sizes from Continuum Lags. <i>Astrophysical Journal</i> , 2019 , 880, 126	4.7	25
533	Optically variable AGN in the three-year VST survey of the COSMOS field. <i>Astronomy and Astrophysics</i> , 2019 , 627, A33	5.1	7
532	Searching for fast extragalactic X-ray transients in Chandra surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 487, 4721-4736	4.3	6
531	Space Telescope and Optical Reverberation Mapping Project. X. Understanding the Absorption-line Holiday in NGC 5548. <i>Astrophysical Journal</i> , 2019 , 877, 119	4.7	19
530	Host galaxies of high-redshift extremely red and obscured quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 489, 497-516	4.3	17
529	The Sloan Digital Sky Survey Reverberation Mapping Project: Comparison of Lag Measurement Methods with Simulated Observations. <i>Astrophysical Journal</i> , 2019 , 884, 119	4.7	14
528	Does black hole growth depend fundamentally on host-galaxy compactness?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 1135-1155	4.3	14
527	The exceptional X-ray evolution of SN 1996cr in high resolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 490, 4536-4564	4.3	3

526	The Sloan Digital Sky Survey Reverberation Mapping Project: Low-ionization Broad-line Widths and Implications for Virial Black Hole Mass Estimation. <i>Astrophysical Journal</i> , 2019 , 882, 4	4.7	30
525	The Sloan Digital Sky Survey Reverberation Mapping Project: Accretion and Broad Emission Line Physics from a Hypervariable Quasar. <i>Astrophysical Journal</i> , 2019 , 885, 44	4.7	20
524	A Hard Look at NGC 5347: Revealing a Nearby Compton-thick AGN. <i>Astrophysical Journal</i> , 2019 , 877, 1024.7	9	
523	SDSS J075101.42+291419.1: A Super-Eddington Accreting Quasar with Extreme X-Ray Variability. <i>Astrophysical Journal</i> , 2019 , 878, 79	4.7	8
522	Space Telescope and Optical Reverberation Mapping Project. VIII. Time Variability of Emission and Absorption in NGC 5548 Based on Modeling the Ultraviolet Spectrum. <i>Astrophysical Journal</i> , 2019 , 881, 153	4.7	19
521	Variability of Low-ionization Broad Absorption-line Quasars Based on Multi-epoch Spectra from the Sloan Digital Sky Survey. <i>Astrophysical Journal, Supplement Series</i> , 2019 , 242, 28	8	8
520	The Sloan Digital Sky Survey Reverberation Mapping Project: Improving Lag Detection with an Extended Multiyear Baseline. <i>Astrophysical Journal Letters</i> , 2019 , 883, L14	7.9	14
519	The Sloan Digital Sky Survey Reverberation Mapping Project: Initial CIV Lag Results from Four Years of Data. <i>Astrophysical Journal</i> , 2019 , 887, 38	4.7	39
518	Deep Hyper Suprime-Cam Images and a Forced Photometry Catalog in W-CDF-S. <i>Research Notes of the AAS</i> , 2019 , 3, 5	0.8	5
517	Multiwavelength surveys for Active Galactic Nuclei. <i>Proceedings of the International Astronomical Union</i> , 2019 , 15, 11-11	0.1	
516	The X-ray properties of $z > 6$ quasars: no evident evolution of accretion physics in the first Gyr of the Universe. <i>Astronomy and Astrophysics</i> , 2019 , 630, A118	5.1	40
515	The Nature of the Broadband X-Ray Variability in the Dwarf Seyfert Galaxy NGC 4395. <i>Astrophysical Journal</i> , 2019 , 886, 145	4.7	4
514	X-ray and multi-epoch optical/UV investigations of BAL to non-BAL quasar transformations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019 , 482, 1121-1134	4.3	7
513	Linking black hole growth with host galaxies: the accretion-stellar mass relation and its cosmic evolution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 475, 1887-1911	4.3	43
512	Heavy X-ray obscuration in the most luminous galaxies discovered by WISE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 474, 4528-4540	4.3	32
511	Extremely Rapid X-Ray Flares of TeV Blazars in the RXTE Era. <i>Astrophysical Journal</i> , 2018 , 853, 34	4.7	9
510	The Time-domain Spectroscopic Survey: Target Selection for Repeat Spectroscopy. <i>Astronomical Journal</i> , 2018 , 155, 6	4.9	18
509	The XMM-SERVS survey: new XMM-Newton point-source catalogue for the XMM-LSS field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 478, 2132-2163	4.3	32

508	The NuSTAR Extragalactic Surveys: X-Ray Spectroscopic Analysis of the Bright Hard-band Selected Sample. <i>Astrophysical Journal</i> , 2018 , 854, 33	4.7	23
507	The Sloan Digital Sky Survey Reverberation Mapping Project: The C iv Blueshift, Its Variability, and Its Dependence Upon Quasar Properties. <i>Astrophysical Journal</i> , 2018 , 854, 128	4.7	25
506	The NuSTAR Extragalactic Surveys: Source Catalog and the Compton-thick Fraction in the UDS Field. <i>Astrophysical Journal, Supplement Series</i> , 2018 , 235, 17	8	15
505	Emergence and Variability of Broad Absorption Line Quasar Outflows. <i>Astrophysical Journal</i> , 2018 , 862, 22	4.7	17
504	Does black-hole growth depend on the cosmic environment?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 1022-1042	4.3	16
503	The Fourteenth Data Release of the Sloan Digital Sky Survey: First Spectroscopic Data from the Extended Baryon Oscillation Spectroscopic Survey and from the Second Phase of the Apache Point Observatory Galactic Evolution Experiment. <i>Astrophysical Journal, Supplement Series</i> , 2018 , 235, 42	8	657
502	The Frequency of Intrinsic X-Ray Weakness among Broad Absorption Line Quasars. <i>Astrophysical Journal</i> , 2018 , 859, 113	4.7	10
501	Variability-selected Low-luminosity Active Galactic Nuclei Candidates in the 7 Ms Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2018 , 868, 88	4.7	7
500	The NuSTAR Extragalactic Surveys: Unveiling Rare, Buried AGNs and Detecting the Contributors to the Peak of the Cosmic X-Ray Background. <i>Astrophysical Journal</i> , 2018 , 867, 162	4.7	4
499	Investigating the X-ray enhancements of highly radio-loud quasars at $z > 4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 ,	4.3	14
498	The variability of the warm absorber in I Zwicky 1 as seen by XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 480, 2334-2342	4.3	10
497	Steep Hard-X-Ray Spectra Indicate Extremely High Accretion Rates in Weak Emission-line Quasars. <i>Astrophysical Journal</i> , 2018 , 865, 92	4.7	12
496	C IV broad absorption line disappearance in a large SDSS QSO sample. <i>Astronomy and Astrophysics</i> , 2018 , 616, A114	5.1	14
495	No evidence for an Eddington-ratio dependence of X-ray weakness in BALQSOs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 5335-5342	4.3	7
494	An ALMA survey of CO in submillimetre galaxies: companions, triggering, and the environment in blended sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 479, 3879-3891	4.3	22
493	Connecting the X-ray properties of weak-line and typical quasars: testing for a geometrically thick accretion disk. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 ,	4.3	20
492	Resolving the ISM at the Peak of Cosmic Star Formation with ALMA: The Distribution of CO and Dust Continuum in $z \sim 2.5$ Submillimeter Galaxies. <i>Astrophysical Journal</i> , 2018 , 863, 56	4.7	56
491	The young Be-star binary Circinus X-1. <i>Proceedings of the International Astronomical Union</i> , 2018 , 14, 125-130		

490	High-redshift AGN in the Chandra Deep Fields: the obscured fraction and space density of the sub-L* population. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018 , 473, 2378-2406	4.3	68
489	The Sloan Digital Sky Survey Quasar Catalog: Fourteenth data release. <i>Astronomy and Astrophysics</i> , 2018 , 613, A51	5.1	223
488	High-redshift Extremely Red Quasars in X-Rays. <i>Astrophysical Journal</i> , 2018 , 856, 4	4.7	21
487	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 7 MS SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2017 , 228, 2	8	230
486	NuSTAR OBSERVATIONS OF WISE J1036+0449, A GALAXY AT $z \sim 1$ OBSCURED BY HOT DUST. <i>Astrophysical Journal</i> , 2017 , 835, 105	4.7	40
485	A New Compton-thick AGN in Our Cosmic Backyard: Unveiling the Buried Nucleus in NGC 1448 with NuSTAR. <i>Astrophysical Journal</i> , 2017 , 836, 165	4.7	16
484	Hard X-Ray-selected AGNs in Low-mass Galaxies from the NuSTAR Serendipitous Survey. <i>Astrophysical Journal</i> , 2017 , 837, 48	4.7	23
483	The NuSTAR Serendipitous Survey: The 40-month Catalog and the Properties of the Distant High-energy X-Ray Source Population. <i>Astrophysical Journal</i> , 2017 , 836, 99	4.7	36
482	An ALMA Survey of Submillimeter Galaxies in the Extended Chandra Deep Field South: Spectroscopic Redshifts. <i>Astrophysical Journal</i> , 2017 , 840, 78	4.7	74
481	Space Telescope and Optical Reverberation Mapping Project. V. Optical Spectroscopic Campaign and Emission-line Analysis for NGC 5548. <i>Astrophysical Journal</i> , 2017 , 837, 131	4.7	73
480	Swift Monitoring of NGC 4151: Evidence for a Second X-Ray/UV Reprocessing. <i>Astrophysical Journal</i> , 2017 , 840, 41	4.7	65
479	Black Hole Growth Is Mainly Linked to Host-galaxy Stellar Mass Rather Than Star Formation Rate. <i>Astrophysical Journal</i> , 2017 , 842, 72	4.7	55
478	A new, faint population of X-ray transients. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 467, 4841-4857	4.3	29
477	X-Ray Insights into the Nature of Quasars with Redshifted Broad Absorption Lines. <i>Astrophysical Journal</i> , 2017 , 839, 101	4.7	2
476	The Physical Constraints on a New LoBAL QSO at $z = 4.82$. <i>Astrophysical Journal</i> , 2017 , 838, 135	4.7	5
475	High-redshift active galactic nuclei and the next decade of Chandra and XMM-Newton. <i>Astronomische Nachrichten</i> , 2017 , 338, 241-248	0.7	7
474	SPACE TELESCOPE AND OPTICAL REVERBERATION MAPPING PROJECT. VI. REVERBERATING DISK MODELS FOR NGC 5548. <i>Astrophysical Journal</i> , 2017 , 835, 65	4.7	50
473	The X-ray properties of $z \sim 6$ luminous quasars. <i>Astronomy and Astrophysics</i> , 2017 , 603, A128	5.1	47

472	Exploratory X-Ray Monitoring of Luminous Radio-quiet Quasars at High Redshift: No Evidence for Evolution in X-Ray Variability. <i>Astrophysical Journal</i> , 2017 , 848, 46	4-7	8
471	Broad absorption line disappearance and emergence using multiple-epoch spectroscopy from the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 3163-3184	4-3	28
470	SPIDERS: selection of spectroscopic targets using AGN candidates detected in all-sky X-ray surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 1065-1095	4-3	29
469	Space Telescope and Optical Reverberation Mapping Project. VII. Understanding the Ultraviolet Anomaly in NGC 5548 with X-Ray Spectroscopy. <i>Astrophysical Journal</i> , 2017 , 846, 55	4-7	28
468	The Sloan Digital Sky Survey Reverberation Mapping Project: Composite Lags atz. <i>Astrophysical Journal</i> , 2017 , 846, 79	4-7	10
467	X-Ray Bolometric Corrections for Compton-thick Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2017 , 844, 10	4-7	18
466	Deepest View of AGN X-Ray Variability with the 7 MsChandraDeep Field-South Survey. <i>Astrophysical Journal</i> , 2017 , 849, 127	4-7	15
465	TheNuSTARExtragalactic Survey: Average Broadband X-Ray Spectral Properties of theNuSTAR-detected AGNs. <i>Astrophysical Journal</i> , 2017 , 849, 57	4-7	16
464	The 13th Data Release of the Sloan Digital Sky Survey: First Spectroscopic Data from the SDSS-IV Survey Mapping Nearby Galaxies at Apache Point Observatory. <i>Astrophysical Journal, Supplement Series</i> , 2017 , 233, 25	8	284
463	A Spatially Resolved Study of Cold Dust, Molecular Gas, H ii Regions, and Stars in thez= 2.12 Submillimeter Galaxy ALESS67.1. <i>Astrophysical Journal</i> , 2017 , 846, 108	4-7	52
462	Sloan Digital Sky Survey IV: Mapping the Milky Way, Nearby Galaxies, and the Distant Universe. <i>Astronomical Journal</i> , 2017 , 154, 28	4-9	733
461	Extremely red quasars in BOSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 464, 3431-3463	4-3	52
460	The weak Fe fluorescence line and long-term X-ray evolution of the Compton-thick active galactic nucleus in NGC 7674. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 467, 4606-4621	4-3	19
459	X-ray constraints on the fraction of obscured active galactic nuclei at high accretion luminosities. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 3232-3251	4-3	25
458	Quasars with P v broad absorption in BOSS data release 9. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 469, 323-338	4-3	12
457	TheNuSTARSerendipitous Survey: Hunting for the Most Extreme Obscured AGN at >10 keV. <i>Astrophysical Journal</i> , 2017 , 846, 20	4-7	34
456	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017 , 232, 8	8	33
455	Detection of Time Lags between Quasar Continuum Emission Bands Based On Pan-STARRS Light Curves. <i>Astrophysical Journal</i> , 2017 , 836, 186	4-7	39

454	The Sloan Digital Sky Survey Reverberation Mapping Project: H β and H δ Reverberation Measurements from First-year Spectroscopy and Photometry. <i>Astrophysical Journal</i> , 2017 , 851, 21	4.7	113
453	Tracing the accretion history of supermassive black holes through X-ray variability: results from the Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 4398-4411	4.3	28
452	Revealing structure and evolution within the corona of the Seyfert galaxy I Zw 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017 , 471, 4436-4451	4.3	26
451	Reverberation Mapping of High-Luminosity Quasars. <i>Frontiers in Astronomy and Space Sciences</i> , 2017 , 4,	3.8	2
450	C IV Broad Absorption Line Variability in QSO Spectra from SDSS Surveys. <i>Frontiers in Astronomy and Space Sciences</i> , 2017 , 4,	3.8	1
449	The Sloan Digital Sky Survey Quasar Catalog: Twelfth data release. <i>Astronomy and Astrophysics</i> , 2017 , 597, A79	5.1	287
448	CROSS-CORRELATION BETWEEN X-RAY AND OPTICAL/NEAR-INFRARED BACKGROUND INTENSITY FLUCTUATIONS. <i>Astrophysical Journal</i> , 2016 , 832, 104	4.7	16
447	THE NuSTAR EXTRAGALACTIC SURVEYS: THE NUMBER COUNTS OF ACTIVE GALACTIC NUCLEI AND THE RESOLVED FRACTION OF THE COSMIC X-RAY BACKGROUND. <i>Astrophysical Journal</i> , 2016 , 831, 185	4.7	44
446	PEERING THROUGH THE DUST: NuSTAR OBSERVATIONS OF TWO FIRST-2MASS RED QUASARS. <i>Astrophysical Journal</i> , 2016 , 820, 70	4.7	16
445	The deepest X-ray view of high-redshift galaxies: constraints on low-rate black hole accretion. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 463, 348-374	4.3	55
444	SPACE TELESCOPE AND OPTICAL REVERBERATION MAPPING PROJECT. IV. ANOMALOUS BEHAVIOR OF THE BROAD ULTRAVIOLET EMISSION LINES IN NGC 5548. <i>Astrophysical Journal</i> , 2016 , 824, 11	4.7	45
443	A GROWTH-RATE INDICATOR FOR COMPTON-THICK ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2016 , 826, 93	4.7	27
442	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: VELOCITY SHIFTS OF QUASAR EMISSION LINES. <i>Astrophysical Journal</i> , 2016 , 831, 7	4.7	97
441	IC 3639: A NEW BONA FIDE COMPTON-THICK AGN UNVEILED BY NuSTAR. <i>Astrophysical Journal</i> , 2016 , 833, 245	4.7	17
440	THE GEOMETRY OF THE INFRARED AND X-RAY OBSCURER IN A DUSTY HYPERLUMINOUS QUASAR. <i>Astrophysical Journal</i> , 2016 , 831, 76	4.7	15
439	IC 751: A NEW CHANGING LOOK AGN DISCOVERED BY NuSTAR. <i>Astrophysical Journal</i> , 2016 , 820, 5	4.7	47
438	The nature of the torus in the heavily obscured AGN Markarian 3: an X-ray study. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 460, 1954-1969	4.3	16
437	NuSTAR catches the unveiling nucleus of NGC 1068. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 456, L94-L98	4.3	59

436	Discovery of extreme [O iii] λ 5007 outflows in high-redshift red quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 459, 3144-3160	4.3	114
435	C IV BROAD ABSORPTION LINE ACCELERATION IN SLOAN DIGITAL SKY SURVEY QUASARS. <i>Astrophysical Journal</i> , 2016 , 824, 130	4.7	32
434	Multi-epoch observations of extremely high-velocity emergent broad absorption. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 405-420	4.3	22
433	Mid-infrared luminous quasars in the GOODS/Herschel fields: a large population of heavily obscured, Compton-thick quasars at $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 456, 2105-2125	4.3	53
432	THE SDSS-IV EXTENDED BARYON OSCILLATION SPECTROSCOPIC SURVEY: OVERVIEW AND EARLY DATA. <i>Astronomical Journal</i> , 2016 , 151, 44	4.9	415
431	A NEW POPULATION OF COMPTON-THICK AGNs IDENTIFIED USING THE SPECTRAL CURVATURE ABOVE 10 keV. <i>Astrophysical Journal</i> , 2016 , 825, 85	4.7	70
430	Variability-Selected AGNs in the VST-SUDARE Survey of the COSMOS Field. <i>Thirty Years of Astronomical Discovery With UKIRT</i> , 2016 , 269-274	0.3	1
429	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: AN INVESTIGATION OF BIASES IN C iv EMISSION LINE PROPERTIES. <i>Astrophysical Journal, Supplement Series</i> , 2016 , 224, 14	8	23
428	SpIES: THE SPITZER IRAC EQUATORIAL SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2016 , 225, 1	8	33
427	LONG-TERM X-RAY VARIABILITY OF TYPICAL ACTIVE GALACTIC NUCLEI IN THE DISTANT UNIVERSE. <i>Astrophysical Journal</i> , 2016 , 831, 145	4.7	40
426	KILOPARSEC-SCALE DUST DISKS IN HIGH-REDSHIFT LUMINOUS SUBMILLIMETER GALAXIES. <i>Astrophysical Journal</i> , 2016 , 833, 103	4.7	161
425	THE TIME-DOMAIN SPECTROSCOPIC SURVEY: UNDERSTANDING THE OPTICALLY VARIABLE SKY WITH SEQUELS IN SDSS-III. <i>Astrophysical Journal</i> , 2016 , 825, 137	4.7	17
424	SPACE TELESCOPE AND OPTICAL REVERBERATION MAPPING PROJECT. III. OPTICAL CONTINUUM EMISSION AND BROADBAND TIME DELAYS IN NGC 5548. <i>Astrophysical Journal</i> , 2016 , 821, 56	4.7	143
423	Constraining the shielded wind scenario in PG 2112+059. <i>Astronomische Nachrichten</i> , 2016 , 337, 541-545.0.7	0.7	1
422	NuSTAR reveals the extreme properties of the super-Eddington accreting supermassive black hole in PG 1247+267. <i>Astronomy and Astrophysics</i> , 2016 , 590, A77	5.1	22
421	THE EVOLUTION OF NORMAL GALAXY X-RAY EMISSION THROUGH COSMIC HISTORY: CONSTRAINTS FROM THE 6 MSCHANDRADEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2016 , 825, 7	4.7	122
420	THE 2 Ms CHANDRA DEEP FIELD-NORTH SURVEY AND THE 250 Ks EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: IMPROVED POINT-SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2016 , 224, 15	8	93
419	SPT0346-52: NEGLIGIBLE AGN ACTIVITY IN A COMPACT, HYPER-STARBURST GALAXY AT $z = 5.7$. <i>Astrophysical Journal</i> , 2016 , 832, 114	4.7	22

4 ¹⁸	SPECTRAL EVOLUTION IN HIGH REDSHIFT QUASARS FROM THE FINAL BARYON OSCILLATION SPECTROSCOPIC SURVEY SAMPLE. <i>Astrophysical Journal</i> , 2016 , 833, 199	4.7	20
4 ¹⁷	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: BIASES IN $z > 1.46$ REDSHIFTS DUE TO QUASAR DIVERSITY. <i>Astrophysical Journal</i> , 2016 , 833, 33	4.7	11
4 ¹⁶	Hard X-ray emission of the luminous infrared galaxy NGC 6240 as observed by NuSTAR. <i>Astronomy and Astrophysics</i> , 2016 , 585, A157	5.1	28
4 ¹⁵	NuSTAR observations of water megamaser AGN. <i>Astronomy and Astrophysics</i> , 2016 , 589, A59	5.1	53
4 ¹⁴	A spectroscopic survey of X-ray-selected AGNs in the northern XMM-XXL field. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016 , 457, 110-132	4.3	56
4 ¹³	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: FIRST BROAD-LINE H β AND Mg II LAGS AT $z \approx 0.3$ FROM SIX-MONTH SPECTROSCOPY. <i>Astrophysical Journal</i> , 2016 , 818, 30	4.7	92
4 ¹²	A New Search for Variability-Selected Active Galaxies Within the VST SUDARE-VOICE Survey: The Chandra Deep Field South and the SERVS-SWIRE Area. <i>Thirty Years of Astronomical Discovery With UKIRT</i> , 2016 , 275-279	0.3	2
4 ¹¹	A JOINT CHANDRA AND SWIFT VIEW OF THE 2015 X-RAY DUST-SCATTERING ECHO OF V404 CYGNI. <i>Astrophysical Journal</i> , 2016 , 825, 15	4.7	23
4 ¹⁰	Cosmic X-ray surveys of distant active galaxies. <i>Astronomy and Astrophysics Review</i> , 2015 , 23, 1	28.8	187
4 ⁰⁹	AN ALMA SURVEY OF SUBMILLIMETER GALAXIES IN THE EXTENDED CHANDRA DEEP FIELD SOUTH: NEAR-INFRARED MORPHOLOGIES AND STELLAR SIZES. <i>Astrophysical Journal</i> , 2015 , 799, 194	4.7	86
4 ⁰⁸	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: RAPID C iv BROAD ABSORPTION LINE VARIABILITY. <i>Astrophysical Journal</i> , 2015 , 806, 111	4.7	54
4 ⁰⁷	THE TIME DOMAIN SPECTROSCOPIC SURVEY: VARIABLE SELECTION AND ANTICIPATED RESULTS. <i>Astrophysical Journal</i> , 2015 , 806, 244	4.7	44
4 ⁰⁶	SPACE TELESCOPE AND OPTICAL REVERBERATION MAPPING PROJECT. II. SWIFT AND HST REVERBERATION MAPPING OF THE ACCRETION DISK OF NGC 5548. <i>Astrophysical Journal</i> , 2015 , 806, 129	4.7	161
4 ⁰⁵	LORD OF THE RINGS: A KINEMATIC DISTANCE TO CIRCINUS X-1 FROM A GIANT X-RAY LIGHT ECHO. <i>Astrophysical Journal</i> , 2015 , 806, 265	4.7	32
4 ⁰⁴	The X-ray luminosity function of active galactic nuclei in the redshift interval $z=3-5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 1946-1964	4.3	62
4 ⁰³	Constraining FeLoBAL outflows from absorption line variability. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 1379-1395	4.3	16
4 ⁰²	EVOLUTION IN THE BLACK HOLE GALAXY SCALING RELATIONS AND THE DUTY CYCLE OF NUCLEAR ACTIVITY IN STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2015 , 802, 14	4.7	40
4 ⁰¹	SEVEN BROAD ABSORPTION LINE QUASARS WITH EXCESS BROADBAND ABSORPTION NEAR 2250 Å. <i>Astrophysical Journal</i> , 2015 , 802, 92	4.7	9

400	DETECTION OF REST-FRAME OPTICAL LINES FROM X-SHOOTER SPECTROSCOPY OF WEAK EMISSION-LINE QUASARS. <i>Astrophysical Journal</i> , 2015 , 805, 123	4-7	39
399	THE ELEVENTH AND TWELFTH DATA RELEASES OF THE SLOAN DIGITAL SKY SURVEY: FINAL DATA FROM SDSS-III. <i>Astrophysical Journal, Supplement Series</i> , 2015 , 219, 12	8	1504
398	ULTRAVIOLET/X-RAY VARIABILITY AND THE EXTENDED X-RAY EMISSION OF THE RADIO-LOUD BROAD ABSORPTION LINE QUASAR PG 1004+130. <i>Astrophysical Journal</i> , 2015 , 806, 210	4-7	2
397	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: NO EVIDENCE FOR EVOLUTION IN THE $\dot{M}_{\text{bullet}}-\dot{\sigma}^*$ RELATION TO ~ 1 . <i>Astrophysical Journal</i> , 2015 , 805, 96	4-7	66
396	X-RAY INSIGHTS INTO THE NATURE OF PHL 1811 ANALOGS AND WEAK EMISSION-LINE QUASARS: UNIFICATION WITH A GEOMETRICALLY THICK ACCRETION DISK?. <i>Astrophysical Journal</i> , 2015 , 805, 122	4-7	88
395	SPACE TELESCOPE AND OPTICAL REVERBERATION MAPPING PROJECT. I. ULTRAVIOLET OBSERVATIONS OF THE SEYFERT 1 GALAXY NGC 5548 WITH THE COSMIC ORIGINS SPECTROGRAPH ON HUBBLE SPACE TELESCOPE. <i>Astrophysical Journal</i> , 2015 , 806, 128	4-7	88
394	Extremely red quasars from SDSS, BOSS and WISE: classification of optical spectra. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015 , 453, 3933-3953	4-3	56
393	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: ENSEMBLE SPECTROSCOPIC VARIABILITY OF QUASAR BROAD EMISSION LINES. <i>Astrophysical Journal</i> , 2015 , 811, 42	4-7	36
392	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: POST-STARBURST SIGNATURES IN QUASAR HOST GALAXIES ATz. <i>Astrophysical Journal</i> , 2015 , 811, 91	4-7	28
391	NuSTAR REVEALS EXTREME ABSORPTION IN z. <i>Astrophysical Journal</i> , 2015 , 809, 115	4-7	54
390	BROADBAND OBSERVATIONS OF THE COMPTON-THICK NUCLEUS OF NGC 3393. <i>Astrophysical Journal</i> , 2015 , 807, 149	4-7	49
389	NuSTAR SPECTROSCOPY OF MULTI-COMPONENT X-RAY REFLECTION FROM NGC 1068. <i>Astrophysical Journal</i> , 2015 , 812, 116	4-7	88
388	THE BIASES OF OPTICAL LINE-RATIO SELECTION FOR ACTIVE GALACTIC NUCLEI AND THE INTRINSIC RELATIONSHIP BETWEEN BLACK HOLE ACCRETION AND GALAXY STAR FORMATION. <i>Astrophysical Journal</i> , 2015 , 811, 26	4-7	78
387	A NuSTAR SURVEY OF NEARBY ULTRALUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2015 , 814, 56	4-7	51
386	NuSTAR OBSERVATIONS OF THE COMPTON-THICK ACTIVE GALACTIC NUCLEUS AND ULTRALUMINOUS X-RAY SOURCE CANDIDATE IN NGC 5643. <i>Astrophysical Journal</i> , 2015 , 815, 36	4-7	48
385	THE NuSTAR VIEW OF REFLECTION AND ABSORPTION IN NGC 7582. <i>Astrophysical Journal</i> , 2015 , 815, 55	4-7	35
384	THE NuSTAR EXTRAGALACTIC SURVEY: FIRST DIRECT MEASUREMENTS OF THE ~ 10 keV X-RAY LUMINOSITY FUNCTION FOR ACTIVE GALACTIC NUCLEI ATz > 0.1. <i>Astrophysical Journal</i> , 2015 , 815, 66	4-7	38
383	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015 , 583, A141	5-1	21

382	Photometric Redshifts in the Hawaii-Hubble Deep Field-North. <i>Proceedings of the International Astronomical Union</i> , 2015 , 11, 56-56	0.1	
381	Variability-selected active galactic nuclei in the VST-SUDARE/VOICE survey of the COSMOS field. <i>Astronomy and Astrophysics</i> , 2015 , 574, A112	5.1	24
380	THENuSTAREXTRAGALACTIC SURVEYS: OVERVIEW AND CATALOG FROM THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2015 , 808, 185	4.7	42
379	THENuSTAREXTRAGALACTIC SURVEYS: INITIAL RESULTS AND CATALOG FROM THE EXTENDEDCHANDRADEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2015 , 808, 184	4.7	25
378	THE SLOAN DIGITAL SKY SURVEY REVERBERATION MAPPING PROJECT: TECHNICAL OVERVIEW. <i>Astrophysical Journal, Supplement Series</i> , 2015 , 216, 4	8	114
377	Ultra-deep catalog of X-ray groups in the ExtendedChandraDeep Field South. <i>Astronomy and Astrophysics</i> , 2015 , 576, A130	5.1	35
376	The host galaxies of X-ray selected active galactic nuclei to $z=2.5$: Structure, star formation, and their relationships from CANDELS andHerschel/PACS. <i>Astronomy and Astrophysics</i> , 2015 , 573, A85	5.1	45
375	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015 , 574, A144	5.1	7
374	SUDARE-VOICE variability-selection of active galaxies in theChandraDeep Field South and the SERVS/SWIRE region. <i>Astronomy and Astrophysics</i> , 2015 , 579, A115	5.1	20
373	THE TENTH DATA RELEASE OF THE SLOAN DIGITAL SKY SURVEY: FIRST SPECTROSCOPIC DATA FROM THE SDSS-III APACHE POINT OBSERVATORY GALACTIC EVOLUTION EXPERIMENT. <i>Astrophysical Journal, Supplement Series</i> , 2014 , 211, 17	8	760
372	Radio Astronomy in LSST Era1. <i>Publications of the Astronomical Society of the Pacific</i> , 2014 , 126, 196-209	5	5
371	SDSS J013127.34032100.1: A NEWLY DISCOVERED RADIO-LOUD QUASAR AT $z = 5.18$ WITH EXTREMELY HIGH LUMINOSITY. <i>Astrophysical Journal Letters</i> , 2014 , 795, L29	7.9	23
370	LONG-TERM X-RAY STABILITY AND ULTRAVIOLET VARIABILITY OF THE IONIZED ABSORPTION IN NGC 3783. <i>Astrophysical Journal</i> , 2014 , 797, 105	4.7	11
369	Reversal or no reversal: the evolution of the star formation rate-density relation up to $z \approx 1.6$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 458-474	4.3	35
368	X-ray bright active galactic nuclei in massive galaxy clusters - III. New insights into the triggering mechanisms of cluster AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 446, 2709-2729	4.3	23
367	An ALMA survey of sub-millimetre Galaxies in the Extended Chandra Deep Field South: the far-infrared properties of SMGs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 438, 1267-1287	4.3	225
366	X-ray bright active galactic nuclei in massive galaxy clusters III. The fraction of galaxies hosting active nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 437, 1942-1949	4.3	34
365	Broad absorption line variability in radio-loud quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 440, 2474-2497	4.3	20

364	PHOTOMETRIC REDSHIFTS IN THE HAWAII-HUBBLE DEEP FIELD-NORTH (H-HDF-N). <i>Astrophysical Journal, Supplement Series</i> , 2014 , 215, 27	8	20
363	THE X-RAY LUMINOSITY FUNCTIONS OF FIELD LOW-MASS X-RAY BINARIES IN EARLY-TYPE GALAXIES: EVIDENCE FOR A STELLAR AGE DEPENDENCE. <i>Astrophysical Journal</i> , 2014 , 789, 52	4-7	29
362	NUSTAR AND XMM-NEWTON OBSERVATIONS OF LUMINOUS, HEAVILY OBSCURED, WISE-SELECTED QUASARS AT $z \sim 2$. <i>Astrophysical Journal</i> , 2014 , 794, 102	4-7	79
361	THE NATURE OF TRANSITION BLAZARS. <i>Astrophysical Journal</i> , 2014 , 797, 19	4-7	16
360	THE DEPENDENCE OF C IV BROAD ABSORPTION LINE PROPERTIES ON ACCOMPANYING Si IV AND Al III ABSORPTION: RELATING QUASAR-WIND IONIZATION LEVELS, KINEMATICS, AND COLUMN DENSITIES. <i>Astrophysical Journal</i> , 2014 , 791, 88	4-7	37
359	NUSTAR J033202-2746.8: DIRECT CONSTRAINTS ON THE COMPTON REFLECTION IN A HEAVILY OBSCURED QUASAR AT $z \approx 1$. <i>Astrophysical Journal</i> , 2014 , 786, 16	4-7	26
358	SOME LIKE IT HOT: LINKING DIFFUSE X-RAY LUMINOSITY, BARYONIC MASS, AND STAR FORMATION RATE IN COMPACT GROUPS OF GALAXIES. <i>Astrophysical Journal</i> , 2014 , 790, 132	4-7	12
357	WEAK HARD X-RAY EMISSION FROM BROAD ABSORPTION LINE QUASARS: EVIDENCE FOR INTRINSIC X-RAY WEAKNESS. <i>Astrophysical Journal</i> , 2014 , 794, 70	4-7	65
356	A CHANDRA - SWIFT VIEW OF POINT SOURCES IN HICKSON COMPACT GROUPS: HIGH AGN FRACTION BUT A DEARTH OF STRONG AGNs. <i>Astrophysical Journal, Supplement Series</i> , 2014 , 212, 9	8	16
355	An ALMA survey of submillimetre galaxies in the Extended Chandra Deep Field South: radio properties and the far-infrared/radio correlation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014 , 442, 577-588	4-3	37
354	NUSTAR REVEALS AN INTRINSICALLY X-RAY WEAK BROAD ABSORPTION LINE QUASAR IN THE ULTRALUMINOUS INFRARED GALAXY MARKARIAN 231. <i>Astrophysical Journal</i> , 2014 , 785, 19	4-7	71
353	THE NUSTAR VIEW OF NEARBY COMPTON-THICK ACTIVE GALACTIC NUCLEI: THE CASES OF NGC 424, NGC 1320, AND IC 2560. <i>Astrophysical Journal</i> , 2014 , 794, 111	4-7	78
352	NO MORE ACTIVE GALACTIC NUCLEI IN CLUMPY DISKS THAN IN SMOOTH GALAXIES AT $z \sim 2$ IN CANDELS/3D-HST. <i>Astrophysical Journal</i> , 2014 , 793, 101	4-7	15
351	THE 2-79 keV X-RAY SPECTRUM OF THE CIRCINUS GALAXY WITH NUSTAR, XMM-Newton, AND CHANDRA: A FULLY COMPTON-THICK ACTIVE GALACTIC NUCLEUS. <i>Astrophysical Journal</i> , 2014 , 791, 81	4-7	83
350	EXPLORATORY X-RAY MONITORING OF LUMINOUS RADIO-QUIET QUASARS AT HIGH REDSHIFT: INITIAL RESULTS. <i>Astrophysical Journal</i> , 2014 , 783, 116	4-7	23
349	NUSTAR OBSERVATIONS OF HEAVILY OBSCURED QUASARS AT $z \sim 0.5$. <i>Astrophysical Journal</i> , 2014 , 785, 17	4-7	51
348	NEAR-INFRARED SPECTRA AND INTRINSIC LUMINOSITIES OF CANDIDATE TYPE II QUASARS AT $z \sim 2$. <i>Astrophysical Journal</i> , 2014 , 788, 91	4-7	18
347	AN ALMA SURVEY OF SUBMILLIMETER GALAXIES IN THE EXTENDED CHANDRA DEEP FIELD SOUTH: THE REDSHIFT DISTRIBUTION AND EVOLUTION OF SUBMILLIMETER GALAXIES. <i>Astrophysical Journal</i> , 2014 , 788, 125	4-7	201

346	NuSTAR UNVEILS A COMPTON-THICK TYPE 2 QUASAR IN MrK 34. <i>Astrophysical Journal</i> , 2014 , 792, 117	4.7	56
345	THE VARIABLE HARD X-RAY EMISSION OF NGC 4945 AS OBSERVED BY NUSTAR. <i>Astrophysical Journal</i> , 2014 , 793, 26	4.7	57
344	The Sloan Digital Sky Survey quasar catalog: tenth data release. <i>Astronomy and Astrophysics</i> , 2014 , 563, A54	5.1	182
343	Broad absorption line quasars with redshifted troughs: high-velocity infall or rotationally dominated outflows?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 222-256	4.3	32
342	A COMPARATIVE ANALYSIS OF VIRIAL BLACK HOLE MASS ESTIMATES OF MODERATE-LUMINOSITY ACTIVE GALACTIC NUCLEI USING SUBARU/FMOS. <i>Astrophysical Journal</i> , 2013 , 771, 64	4.7	28
341	Long XMM observation of the narrow-line Seyfert 1 galaxy IRAS 13224B809: rapid variability, high spin and a soft lag. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 2917-2923	4.3	84
340	An X-Ray Detected Group of Quiescent Early-Type Galaxies at $z = 1.6$ in the Chandra Deep Field South. <i>Publication of the Astronomical Society of Japan</i> , 2013 , 65, 17	3.2	39
339	A deep Chandra observation of the active galactic nucleus outburst and merger in Hickson compact group 62. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 58-70	4.3	20
338	Candidate type II quasars at $z = 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 435, 3306-3325	4.3	71
337	A statistical relation between the X-ray spectral index and Eddington ratio of active galactic nuclei in deep surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 433, 2485-2496	4.3	119
336	The lack of star formation gradients in galaxy groups up to $z \sim 1.6$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 434, 3089-3103	4.3	30
335	X-ray and multiwavelength insights into the inner structure of high-luminosity disc-like emitters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 429, 1479-1493	4.3	5
334	Physical conditions of the gas in an ALMA [C ii]-identified submillimetre galaxy at $z = 4.44$. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 431, L88-L92	4.3	9
333	BROAD ABSORPTION LINE VARIABILITY ON MULTI-YEAR TIMESCALES IN A LARGE QUASAR SAMPLE. <i>Astrophysical Journal</i> , 2013 , 777, 168	4.7	106
332	THE NuSTAR EXTRAGALACTIC SURVEY: A FIRST SENSITIVE LOOK AT THE HIGH-ENERGY COSMIC X-RAY BACKGROUND POPULATION. <i>Astrophysical Journal</i> , 2013 , 773, 125	4.7	64
331	NUCLEAR ACTIVITY IS MORE PREVALENT IN STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2013 , 771, 63	4.7	84
330	THE SDSS-III BARYON OSCILLATION SPECTROSCOPIC SURVEY: THE QUASAR LUMINOSITY FUNCTION FROM DATA RELEASE NINE. <i>Astrophysical Journal</i> , 2013 , 773, 14	4.7	143
329	THE BARYON OSCILLATION SPECTROSCOPIC SURVEY OF SDSS-III. <i>Astronomical Journal</i> , 2013 , 145, 10	4.9	1280

328	AN ALMA SURVEY OF SUBMILLIMETER GALAXIES IN THE EXTENDED CHANDRA DEEP FIELD-SOUTH: THE AGN FRACTION AND X-RAY PROPERTIES OF SUBMILLIMETER GALAXIES. <i>Astrophysical Journal</i> , 2013 , 778, 179	4.7	80
327	AN ALMA SURVEY OF SUBMILLIMETER GALAXIES IN THE EXTENDED CHANDRA DEEP FIELD SOUTH: SOURCE CATALOG AND MULTIPLICITY. <i>Astrophysical Journal</i> , 2013 , 768, 91	4.7	226
326	THE YOUNGEST KNOWN X-RAY BINARY: CIRCINUS X-1 AND ITS NATAL SUPERNOVA REMNANT. <i>Astrophysical Journal</i> , 2013 , 779, 171	4.7	38
325	UNVEILING A POPULATION OF GALAXIES HARBORING LOW-MASS BLACK HOLES WITH X-RAYS. <i>Astrophysical Journal</i> , 2013 , 773, 150	4.7	45
324	WEAK HARD X-RAY EMISSION FROM TWO BROAD ABSORPTION LINE QUASARS OBSERVED WITH NuSTAR: COMPTON-THICK ABSORPTION OR INTRINSIC X-RAY WEAKNESS?. <i>Astrophysical Journal</i> , 2013 , 772, 153	4.7	50
323	THE $z=5$ QUASAR LUMINOSITY FUNCTION FROM SDSS STRIPE 82. <i>Astrophysical Journal</i> , 2013 , 768, 105	4.7	147
322	The high-redshift ($z > 3$) active galactic nucleus population in the 4-Ms Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 354-369	4.3	36
321	X-ray bright active galactic nuclei in massive galaxy clusters II. Number counts and spatial distribution. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 428, 3509-3525	4.3	36
320	NuSTAR DETECTION OF THE BLAZAR B2 1023+25 AT REDSHIFT 5.3. <i>Astrophysical Journal</i> , 2013 , 777, 147	4.7	30
319	The ionized absorber and nuclear environment of IRAS F03349+2438: multi-wavelength insights from coordinated Chandra HETGS, HST STIS, HET and Spitzer IRS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013 , 430, 2650-2679	4.3	31
318	THE NUCLEAR SPECTROSCOPIC TELESCOPE ARRAY (NuSTAR) HIGH-ENERGY X-RAY MISSION. <i>Astrophysical Journal</i> , 2013 , 770, 103	4.7	1206
317	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013 , 555, A42	5.1	50
316	THE X-RAY STAR FORMATION STORY AS TOLD BY LYMAN BREAK GALAXIES IN THE 4 Ms CDF-S. <i>Astrophysical Journal</i> , 2013 , 762, 45	4.7	84
315	INTRAGROUP AND GALAXY-LINKED DIFFUSE X-RAY EMISSION IN HICKSON COMPACT GROUPS. <i>Astrophysical Journal</i> , 2013 , 763, 121	4.7	19
314	AN X-RAY AND MULTIWAVELENGTH SURVEY OF HIGHLY RADIO-LOUD QUASARS AT $z > 4$: JET-LINKED EMISSION IN THE BRIGHTEST RADIO BEACONS OF THE EARLY UNIVERSE. <i>Astrophysical Journal</i> , 2013 , 763, 109	4.7	28
313	X-RAY PROPERTIES OF THE NORTHERN GALACTIC CAP SOURCES IN THE 58 MONTHSWIFT/BAT CATALOG. <i>Astrophysical Journal</i> , 2013 , 763, 111	4.7	63
312	GOODS-Herschel: radio-excess signature of hidden AGN activity in distant star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2013 , 549, A59	5.1	98
311	Optical selection of quasars: SDSS and LSST. <i>Proceedings of the International Astronomical Union</i> , 2013 , 9, 11-17	0.1	1

310	FeLoBAL Outflow Variability Constraints from Multi-Year Observations. <i>Proceedings of the International Astronomical Union</i> , 2013 , 9, 417-418	0.1	
309	The cosmic history of hot gas cooling and radio active galactic nucleus activity in massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 422, 494-509	4.3	12
308	Insights on the X-ray weak quasar phenomenon from XMM-Newton monitoring of PHL 1092. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 425, 1718-1737	4.3	24
307	Herschel-PACS observations of [OII]63 μ m towards submillimetre galaxies at $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 427, 520-532	4.3	26
306	THE NINTH DATA RELEASE OF THE SLOAN DIGITAL SKY SURVEY: FIRST SPECTROSCOPIC DATA FROM THE SDSS-III BARYON OSCILLATION SPECTROSCOPIC SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2012 , 203, 21	8	1029
305	GOODS-Herschel: the far-infrared view of star formation in active galactic nucleus host galaxies since $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 419, 95-115	4.3	209
304	The radio-X-ray relation as a star formation indicator: results from the Very Large Array-Extended Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012 , 420, 2190-2208	4.3	34
303	THE SDSS-III BARYON OSCILLATION SPECTROSCOPIC SURVEY: QUASAR TARGET SELECTION FOR DATA RELEASE NINE. <i>Astrophysical Journal, Supplement Series</i> , 2012 , 199, 3	8	223
302	THE SUB-mJy RADIO POPULATION OF THE E-CDFS: OPTICAL AND INFRARED COUNTERPART IDENTIFICATION. <i>Astrophysical Journal, Supplement Series</i> , 2012 , 203, 15	8	34
301	VARIABILITY-SELECTED LOW-LUMINOSITY ACTIVE GALACTIC NUCLEI IN THE 4 Ms CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2012 , 748, 124	4.7	46
300	The Sloan Digital Sky Survey quasar catalog: ninth data release. <i>Astronomy and Astrophysics</i> , 2012 , 548, A66	5.1	217
299	TRACKING DOWN THE SOURCE POPULATION RESPONSIBLE FOR THE UNRESOLVED COSMIC 6-8 keV BACKGROUND. <i>Astrophysical Journal</i> , 2012 , 758, 129	4.7	44
298	THE LONG-TERM X-RAY VARIABILITY OF BROAD ABSORPTION LINE QUASARS. <i>Astrophysical Journal</i> , 2012 , 759, 42	4.7	33
297	THE X-RAY VARIABILITY OF A LARGE, SERENDIPITOUS SAMPLE OF SPECTROSCOPIC QUASARS. <i>Astrophysical Journal</i> , 2012 , 746, 54	4.7	40
296	BROAD ABSORPTION LINE DISAPPEARANCE ON MULTI-YEAR TIMESCALES IN A LARGE QUASAR SAMPLE. <i>Astrophysical Journal</i> , 2012 , 757, 114	4.7	95
295	GOODS-Herschel: ultra-deep XMM-Newton observations reveal AGN/star-formation connection. <i>Astronomy and Astrophysics</i> , 2012 , 546, A58	5.1	82
294	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2012 , 546, A84	5.1	38
293	THE MERGER HISTORY, ACTIVE GALACTIC NUCLEUS, AND DWARF GALAXIES OF HICKSON COMPACT GROUP 59. <i>Astrophysical Journal</i> , 2012 , 745, 30	4.7	13

292	THE LACK OF TORUS EMISSION FROM BL LACERTAE OBJECTS: AN INFRARED VIEW OF UNIFICATION WITH WISE. <i>Astrophysical Journal Letters</i> , 2012 , 745, L27	7.9	37
291	X-RAY AND MULTIWAVELENGTH INSIGHTS INTO THE NATURE OF WEAK EMISSION-LINE QUASARS AT LOW REDSHIFT. <i>Astrophysical Journal</i> , 2012 , 747, 10	4.7	50
290	THE 4 Ms CHANDRA DEEP FIELD-SOUTH NUMBER COUNTS APPORTIONED BY SOURCE CLASS: PERVASIVE ACTIVE GALACTIC NUCLEI AND THE ASCENT OF NORMAL GALAXIES. <i>Astrophysical Journal</i> , 2012 , 752, 46	4.7	142
289	Enhanced star formation rates in AGN hosts with respect to inactive galaxies from PEP-Herschel observations. <i>Astronomy and Astrophysics</i> , 2012 , 540, A109	5.1	161
288	SDSS-III: MASSIVE SPECTROSCOPIC SURVEYS OF THE DISTANT UNIVERSE, THE MILKY WAY, AND EXTRA-SOLAR PLANETARY SYSTEMS. <i>Astronomical Journal</i> , 2011 , 142, 72	4.9	1438
287	A COMPTON-THICK ACTIVE GALACTIC NUCLEUS AT $z \sim 5$ IN THE 4 Ms CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal Letters</i> , 2011 , 730, L28	7.9	50
286	REVEALING A POPULATION OF HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI AT $z \sim 0.5-1$ IN THE CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2011 , 740, 37	4.7	35
285	INVESTIGATING THE NUCLEAR ACTIVITY OF BARRED SPIRAL GALAXIES: THE CASE OF NGC 1672. <i>Astrophysical Journal</i> , 2011 , 734, 33	4.7	9
284	ULTRAVIOLET AND X-RAY VARIABILITY OF THE SEYFERT 1.5 GALAXY MARKARIAN 817. <i>Astrophysical Journal</i> , 2011 , 728, 28	4.7	10
283	THE SIMPLE SURVEY: OBSERVATIONS, REDUCTION, AND CATALOG. <i>Astrophysical Journal</i> , 2011 , 727, 1	4.7	99
282	THE X-RAY PROPERTIES OF TYPICAL HIGH-REDSHIFT RADIO-LOUD QUASARS. <i>Astrophysical Journal</i> , 2011 , 738, 53	4.7	14
281	A POPULATION OF X-RAY WEAK QUASARS: PHL 1811 ANALOGS AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2011 , 736, 28	4.7	69
280	SUPERMASSIVE BLACK HOLE GROWTH IN STARBURST GALAXIES OVER COSMIC TIME: CONSTRAINTS FROM THE DEEPEST CHANDRA FIELDS. <i>Astrophysical Journal</i> , 2011 , 742, 3	4.7	85
279	THE ULTRAVIOLET-TO-MID-INFRARED SPECTRAL ENERGY DISTRIBUTION OF WEAK EMISSION LINE QUASARS. <i>Astrophysical Journal</i> , 2011 , 743, 163	4.7	16
278	X-RAY SPECTRAL CONSTRAINTS FOR $z \sim 2$ MASSIVE GALAXIES: THE IDENTIFICATION OF REFLECTION-DOMINATED ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2011 , 738, 44	4.7	50
277	The XMM-Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011 , 526, L9	5.1	114
276	X-RAY EMISSION FROM OPTICALLY SELECTED RADIO-INTERMEDIATE AND RADIO-LOUD QUASARS. <i>Astrophysical Journal</i> , 2011 , 726, 20	4.7	81
275	Implications of dramatic broad absorption line variability in the quasar FBQS J1408+3054. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 411, 2653-2666	4.3	77

274	The LABOCA survey of the Extended Chandra Deep Field-South: a photometric redshift survey of submillimetre galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011 , 415, 1479-1508	4.3	167
273	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2011 , 195, 10	8	459
272	THE EIGHTH DATA RELEASE OF THE SLOAN DIGITAL SKY SURVEY: FIRST DATA FROM SDSS-III. <i>Astrophysical Journal, Supplement Series</i> , 2011 , 193, 29	8	1063
271	Detection of molecular gas in a distant submillimetre galaxy at $z = 4.76$ with Australia Telescope Compact Array. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 407, L103-L107	4.3	55
270	Radiation pressure, absorption and AGN feedback in the Chandra Deep Fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 408, 1714-1720	4.3	25
269	BLAST: the far-infrared/radio correlation in distant galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 245-258	4.3	111
268	The X-ray luminous cluster underlying the bright radio-quiet quasar H1821+643. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 402, 1561-1579	4.3	55
267	Relativistic disc reflection in the extreme NLS1 IRAS13224B809. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010 , 406, 2591-2604	4.3	63
266	Dust-free quasars in the early Universe. <i>Nature</i> , 2010 , 464, 380-3	50.4	82
265	WEAK LINE QUASARS AT HIGH REDSHIFT: EXTREMELY HIGH ACCRETION RATES OR ANEMIC BROAD-LINE REGIONS?. <i>Astrophysical Journal Letters</i> , 2010 , 722, L152-L156	7.9	40
264	Star formation in AGN hosts in GOODS-N. <i>Astronomy and Astrophysics</i> , 2010 , 518, L26	5.1	136
263	THE SLOAN DIGITAL SKY SURVEY QUASAR CATALOG. V. SEVENTH DATA RELEASE. <i>Astronomical Journal</i> , 2010 , 139, 2360-2373	4.9	728
262	Supermassive black-hole growth over cosmic time: active galaxy demography, physics, and ecology from Chandra surveys. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 7184-9	11.5	29
261	THE 22 MONTH SWIFT -BAT ALL-SKY HARD X-RAY SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2010 , 186, 378-405	8	164
260	THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010 , 191, 124-142	8	113
259	OPTICALLY SELECTED BL LACERTAE CANDIDATES FROM THE SLOAN DIGITAL SKY SURVEY DATA RELEASE SEVEN. <i>Astronomical Journal</i> , 2010 , 139, 390-414	4.9	89
258	IDENTIFICATIONS AND PHOTOMETRIC REDSHIFTS OF THE 2 Ms CHANDRA DEEP FIELD-SOUTH SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2010 , 187, 560-580	8	126
257	COLOR-MAGNITUDE RELATIONS OF ACTIVE AND NON-ACTIVE GALAXIES IN THE CHANDRA DEEP FIELDS: HIGH-REDSHIFT CONSTRAINTS AND STELLAR-MASS SELECTION EFFECTS. <i>Astrophysical Journal</i> , 2010 , 720, 368-391	4.7	165

256	PARSEC-SCALE BIPOLAR X-RAY SHOCKS PRODUCED BY POWERFUL JETS FROM THE NEUTRON STAR CIRCINUS X-1. <i>Astrophysical Journal Letters</i> , 2010 , 719, L194-L198	7.9	24
255	THE LABOCA SURVEY OF THE EXTENDED CHANDRA DEEP FIELD SOUTH: TWO MODES OF STAR FORMATION IN ACTIVE GALACTIC NUCLEUS HOSTS?. <i>Astrophysical Journal</i> , 2010 , 712, 1287-1301	4.7	123
254	THE X-RAY PROPERTIES OF THE OPTICALLY BRIGHTEST MINI-BAL QUASARS FROM THE SLOAN DIGITAL SKY SURVEY. <i>Astrophysical Journal</i> , 2010 , 724, 762-778	4.7	19
253	MULTIWAVELENGTH OBSERVATIONS OF RADIO-QUIET QUASARS WITH WEAK EMISSION LINES. <i>Astrophysical Journal</i> , 2010 , 721, 562-575	4.7	33
252	THE EVOLUTION OF QUASAR C IV AND Si IV BROAD ABSORPTION LINES OVER MULTI-YEAR TIMESCALES. <i>Astrophysical Journal</i> , 2010 , 713, 220-231	4.7	53
251	ACHANDRAPERSPECTIVE ON GALAXY-WIDE X-RAY BINARY EMISSION AND ITS CORRELATION WITH STAR FORMATION RATE AND STELLAR MASS: NEW RESULTS FROM LUMINOUS INFRARED GALAXIES. <i>Astrophysical Journal</i> , 2010 , 724, 559-571	4.7	229
250	CHANDRAOBSERVATIONS OF THE HYBRID MORPHOLOGY RADIO SOURCES 3C 433 AND 4C 65.15: FR IIs WITH ASYMMETRIC ENVIRONMENTS. <i>Astrophysical Journal</i> , 2009 , 695, 755-764	4.7	24
249	DISCOVERY OF THE MOST DISTANT DOUBLE-PEAKED EMITTER ATz= 1.369. <i>Astrophysical Journal</i> , 2009 , 695, 1227-1232	4.7	9
248	SUZAKUOBSERVATIONS OF NEAR-RELATIVISTIC OUTFLOWS IN THE BAL QUASAR APM 08279+5255. <i>Astrophysical Journal</i> , 2009 , 697, 194-206	4.7	24
247	CONFIRMATION OF AND VARIABLE ENERGY INJECTION BY A NEAR-RELATIVISTIC OUTFLOW IN APM 08279+5255. <i>Astrophysical Journal</i> , 2009 , 706, 644-656	4.7	74
246	EIGHT-DIMENSIONAL MID-INFRARED/OPTICAL BAYESIAN QUASAR SELECTION. <i>Astronomical Journal</i> , 2009 , 137, 3884-3899	4.9	53
245	XEUS: the physics of the hot evolving universe. <i>Experimental Astronomy</i> , 2009 , 23, 139-168	1.3	4
244	A submillimetre galaxy atz= 4.76 in the LABOCA survey of the ExtendedChandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 395, 1905-1914	4.3	106
243	TheChandraDeep Protocluster Survey: point-source catalogues for a 400-ks observation of thez= 3.09 protocluster in SSA22. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009 , 400, 299-316	4.3	45
242	Broad line emission from iron K- and L-shell transitions in the active galaxy 1H 0707-495. <i>Nature</i> , 2009 , 459, 540-2	50.4	389
241	PHL 1092 as a transient extreme X-ray weak quasar. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009 , 396, L85-L89	4.3	11
240	A CATALOG OF X-RAY POINT SOURCES FROM TWO MEGASECONDS OF CHANDRA OBSERVATIONS OF THE GALACTIC CENTER. <i>Astrophysical Journal, Supplement Series</i> , 2009 , 181, 110-128	8	135
239	HIGH-REDSHIFT SDSS QUASARS WITH WEAK EMISSION LINES. <i>Astrophysical Journal</i> , 2009 , 699, 782-799	4.7	99

238	THE LARGE APEX BOLOMETER CAMERA SURVEY OF THE EXTENDED CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal</i> , 2009 , 707, 1201-1216	4-7	287
237	ACHANDRASURVEY OF THE X-RAY PROPERTIES OF BROAD ABSORPTION LINE RADIO-LOUD QUASARS. <i>Astrophysical Journal</i> , 2009 , 702, 911-928	4-7	19
236	PROBING THE ORIGINS OF THE C IV AND Fe K α BALDWIN EFFECTS. <i>Astrophysical Journal</i> , 2009 , 702, 767-778	4-7	29
235	THE VLA SURVEY OF THE CHANDRA DEEP FIELD-SOUTH. III. X-RAY SPECTRAL PROPERTIES OF RADIO SOURCES. <i>Astrophysical Journal</i> , 2009 , 698, 740-755	4-7	21
234	A CATALOG OF BROAD ABSORPTION LINE QUASARS IN SLOAN DIGITAL SKY SURVEY DATA RELEASE 5. <i>Astrophysical Journal</i> , 2009 , 692, 758-777	4-7	275
233	X-RAY INSIGHTS INTO THE PHYSICS OF MINI-BAL QUASAR OUTFLOWS. <i>Astrophysical Journal</i> , 2009 , 696, 924-940	4-7	41
232	Modeling mm- to X-ray flare emission from Sagittarius A*. <i>Astronomy and Astrophysics</i> , 2009 , 500, 935-946	4-7	44
231	X-RAY INSIGHTS INTO THE NATURE OF WEAK EMISSION-LINE QUASARS AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2009 , 696, 580-590	4-7	44
230	A Catalog of Diffuse X-Ray Emitting Features within 20 pc of Sagittarius A*: Twenty Pulsar Wind Nebulae?. <i>Astrophysical Journal</i> , 2008 , 673, 251-263	4-7	44
229	Tracing the Mass-Dependent Star Formation History of Late-Type Galaxies Using X-Ray Emission: Results from the Chandra Deep Fields. <i>Astrophysical Journal</i> , 2008 , 681, 1163-1182	4-7	67
228	A Chandra Look at Five of the Broadest Double-Peaked Balmer Line Emitters. <i>Astrophysical Journal</i> , 2008 , 687, 869-883	4-7	14
227	The Evolution of AGN Host Galaxies: From Blue to Red and the Influence of Large-Scale Structures. <i>Astrophysical Journal</i> , 2008 , 675, 1025-1040	4-7	127
226	Quasar Broad Absorption Line Variability on Multiyear Timescales. <i>Astrophysical Journal</i> , 2008 , 675, 985-1001	4-7	110
225	An X-Ray, Infrared, and Submillimeter Flare of Sagittarius A*. <i>Astrophysical Journal</i> , 2008 , 682, 373-383	4-7	148
224	Deep-Survey Constraints on X-Ray Outbursts from Galactic Nuclei. <i>Astrophysical Journal</i> , 2008 , 674, 122-132	4-7	14
223	CONFIRMATION OF A CORRELATION BETWEEN THE X-RAY LUMINOSITY AND SPECTRAL SLOPE OF ACTIVE GALACTIC NUCLEI IN THE CHANDRA DEEP FIELDS. <i>Astronomical Journal</i> , 2008 , 135, 1505-1522	4-9	42
222	The Hard X-Ray Spectrum as a Probe for Black Hole Growth in Radio-Quiet Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2008 , 682, 81-93	4-7	170
221	The Chandra Deep Field South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2008 , 179, 19-36	8	242

220	Supernova 1996cr: SN 1987A's Wild Cousin?. <i>Astrophysical Journal</i> , 2008 , 688, 1210-1234	4.7	46
219	Are Optically Selected Quasars Universally X-Ray Luminous? X-Ray-UV Relations in Sloan Digital Sky Survey Quasars. <i>Astrophysical Journal</i> , 2008 , 685, 773-786	4.7	92
218	WEIGHING THE BLACK HOLES IN z ₁ SUBMILLIMETER-EMITTING GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astronomical Journal</i> , 2008 , 135, 1968-1981	4.9	154
217	Polarized NIR and X-ray flares from Sagittarius A*. <i>Astronomy and Astrophysics</i> , 2008 , 479, 625-639	5.1	65
216	The Variable Warm Absorber in Circinus X-1. <i>Astrophysical Journal</i> , 2008 , 672, 1091-1102	4.7	22
215	Reliable Identification of Compton-thick Quasars at z ₁ : Spitzer Mid-Infrared Spectroscopy of HDF-oMD49. <i>Astrophysical Journal</i> , 2008 , 687, 835-847	4.7	106
214	The reversal of the star formation-density relation in the distant universe. <i>Astronomy and Astrophysics</i> , 2007 , 468, 33-48	5.1	1113
213	A longer XMM-Newton look at I Zwicky 1: variability of the X-ray continuum, absorption and iron K α line. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 377, 391-401	4.3	22
212	A longer XMM-Newton look at I Zwicky 1: physical conditions and variability of the ionized absorbers. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 378, 873-880	4.3	15
211	A longer XMM-Newton look at I Zwicky 1 - distinct modes of X-ray spectral variability. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007 , 377, 1375-1382	4.3	16
210	SN 1996cr: Confirmation of a Luminous Type II _n Supernova in the Circinus Galaxy. <i>AIP Conference Proceedings</i> , 2007 ,	0	1
209	The X-Ray Properties of the Most Luminous Quasars from the Sloan Digital Sky Survey. <i>Astrophysical Journal</i> , 2007 , 665, 1004-1022	4.7	237
208	The Sloan Digital Sky Survey Quasar Catalog. IV. Fifth Data Release. <i>Astronomical Journal</i> , 2007 , 134, 102-117	4.9	376
207	XMM-Newton and Chandra Spectroscopy of the Variable High-Energy Absorption of PG 1115+080: Refined Outflow Constraints. <i>Astronomical Journal</i> , 2007 , 133, 1849-1860	4.9	46
206	Evidence of a Parsec-Scale X-Ray Jet from the Accreting Neutron Star Circinus X-1. <i>Astrophysical Journal</i> , 2007 , 663, L93-L96	4.7	33
205	Chandra Stacking Constraints on the Contribution of 24 μ m Spitzer Sources to the Unresolved Cosmic X-Ray Background. <i>Astrophysical Journal</i> , 2007 , 667, L25-L28	4.7	11
204	Reverberation Mapping of High-Luminosity Quasars: First Results. <i>Astrophysical Journal</i> , 2007 , 659, 997-1007	4.7	317
203	The X-Ray Evolution of Early-Type Galaxies in the Extended Chandra Deep Field South. <i>Astrophysical Journal</i> , 2007 , 657, 681-699	4.7	56

202	Discovery of Variable Iron Fluorescence from Reflection Nebulae in the Galactic Center. <i>Astrophysical Journal</i> , 2007 , 656, L69-L72	4.7	62
201	Radio through X-Ray Spectral Energy Distributions of 38 Broad Absorption Line Quasars. <i>Astrophysical Journal</i> , 2007 , 665, 157-173	4.7	59
200	Multiwavelength Study of Massive Galaxies at $z \sim 2$. II. Widespread Compton-thick Active Galactic Nuclei and the Concurrent Growth of Black Holes and Bulges. <i>Astrophysical Journal</i> , 2007 , 670, 173-189	4.7	278
199	The luminosity function of high-redshift quasi-stellar objects. A combined analysis of GOODS and SDSS. <i>Astronomy and Astrophysics</i> , 2007 , 461, 39-48	5.1	90
198	Isolated, Massive Supergiants near the Galactic Center. <i>Astrophysical Journal</i> , 2006 , 638, 183-190	4.7	31
197	The flare activity of Sagittarius A*. <i>Astronomy and Astrophysics</i> , 2006 , 450, 535-555	5.1	157
196	The Hard X-Ray Spectral Slope as an Accretion Rate Indicator in Radio-quiet Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2006 , 646, L29-L32	4.7	162
195	A Chandra Snapshot Survey of Representative High-Redshift Radio-Loud Quasars from the Parkes-MIT-NRAO Sample. <i>Astronomical Journal</i> , 2006 , 131, 1914-1922	4.9	15
194	The X-Ray-to-Optical Properties of Optically Selected Active Galaxies over Wide Luminosity and Redshift Ranges. <i>Astronomical Journal</i> , 2006 , 131, 2826-2842	4.9	358
193	Chandra Observations of SDSS J1004+4112: Constraints on the Lensing Cluster and Anomalous X-Ray Flux Ratios of the Quadruply Imaged Quasar. <i>Astrophysical Journal</i> , 2006 , 647, 215-221	4.7	27
192	Discovery of an Extreme MeV Blazar with the Swift Burst Alert Telescope. <i>Astrophysical Journal</i> , 2006 , 646, 23-35	4.7	27
191	A Survey of $z > 5.7$ Quasars in the Sloan Digital Sky Survey. IV. Discovery of Seven Additional Quasars. <i>Astronomical Journal</i> , 2006 , 131, 1203-1209	4.9	322
190	The Properties and Redshift Evolution of Intermediate-Luminosity Off-Nuclear X-Ray Sources in the Chandra Deep Fields. <i>Astronomical Journal</i> , 2006 , 131, 2394-2405	4.9	26
189	An Exploratory Chandra Survey of a Well-defined Sample of 35 Large Bright Quasar Survey Broad Absorption Line Quasars. <i>Astrophysical Journal</i> , 2006 , 644, 709-724	4.7	135
188	Probing the Evolution of Infrared Properties of $z \sim 6$ Quasars: Spitzer Observations. <i>Astronomical Journal</i> , 2006 , 132, 2127-2134	4.9	97
187	Chandra Observations of Red Sloan Digital Sky Survey Quasars. <i>Astronomical Journal</i> , 2006 , 132, 1977-1988	4.9	18
186	Chandra Observations of the Highest Redshift Quasars from the Sloan Digital Sky Survey. <i>Astrophysical Journal</i> , 2006 , 644, 86-99	4.7	86
185	The X-Ray Properties of Active Galactic Nuclei with Double-peaked Balmer Lines. <i>Astrophysical Journal</i> , 2006 , 651, 749-766	4.7	19

184	X-Ray Absorption and an X-Ray Jet in the Radio-loud Broad Absorption-line Quasar PG 1004+130. <i>Astrophysical Journal</i> , 2006 , 652, 163-176	4.7	33
183	Can the unresolved X-ray background be explained by the emission from the optically-detected faint galaxies of the GOODS project?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2006 , 368, 1735-1741	4.3	28
182	Infrared Power-Law Galaxies in the Chandra Deep FieldSouth: Active Galactic Nuclei and Ultraluminous Infrared Galaxies. <i>Astrophysical Journal</i> , 2006 , 640, 167-184	4.7	192
181	Spitzer Observations of Massive, Red Galaxies at High Redshift. <i>Astrophysical Journal</i> , 2006 , 640, 92-113	4.7	274
180	The Sloan Digital Sky Survey Quasar Catalog. III. Third Data Release. <i>Astronomical Journal</i> , 2005 , 130, 367-380	4.9	234
179	X-Ray Properties of Lyman Break Galaxies in the Great Observatories Origins Deep Survey. <i>Astronomical Journal</i> , 2005 , 129, 1-8	4.9	56
178	The Ionized Gas and Nuclear Environment in NGC 3783. V. Variability and Modeling of the Intrinsic Ultraviolet Absorption. <i>Astrophysical Journal</i> , 2005 , 631, 741-761	4.7	70
177	X-Ray Lighthouses of the High-Redshift Universe. II. Further Snapshot Observations of the Most Luminous $z \geq 4$ Quasars with Chandra. <i>Astronomical Journal</i> , 2005 , 129, 2519-2530	4.9	71
176	XMM-Newton Spectroscopy of the Highly Polarized and Luminous Broad Absorption Line Quasar CSO 755. <i>Astronomical Journal</i> , 2005 , 130, 2522-2528	4.9	16
175	X-Ray Insights into Interpreting CIV Blueshifts and Optical/Ultraviolet Continua. <i>Astronomical Journal</i> , 2005 , 129, 567-577	4.9	31
174	An Overabundance of Transient X-Ray Binaries within 1 Parsec of the Galactic Center. <i>Astrophysical Journal</i> , 2005 , 622, L113-L116	4.7	156
173	A Remarkable Low-Mass X-Ray Binary within 0.1 Parsecs of the Galactic Center. <i>Astrophysical Journal</i> , 2005 , 633, 228-239	4.7	64
172	Variation in the Scattering Shroud Surrounding Markarian 231. <i>Astrophysical Journal</i> , 2005 , 633, 71-85	4.7	28
171	Soft X-Ray and Ultraviolet Emission Relations in Optically Selected AGN Samples. <i>Astronomical Journal</i> , 2005 , 130, 387-405	4.9	210
170	The X-Ray Spectral Properties and Variability of Luminous High-Redshift Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2005 , 630, 729-739	4.7	61
169	The Extended Chandra Deep FieldSouth Survey: Chandra Point-Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2005 , 161, 21-40	8	232
168	The unresolved hard X-ray background: the missing source population implied by the Chandra and XMM-Newton deep fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 357, 1281-1287	4.3	164
167	Investigating ionized disc models of the variable narrow-line Seyfert 1 PG 1404+226. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 361, 1197-1202	4.3	14

166	On the X-ray properties of OH megamaser sources: Chandra snapshot observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005 , 364, 99-106	4.3	9
165	Rapid growth of black holes in massive star-forming galaxies. <i>Nature</i> , 2005 , 434, 738-40	50.4	181
164	A Chandra observation of the $z=2.285$ galaxy FSC 10214+4724: evidence for a Compton-thick quasar?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005 , 357, L16-L20	4.3	24
163	Resolving the X-ray Background. <i>AIP Conference Proceedings</i> , 2005 ,	0	1
162	The Population of B z K -selected ULIRGs at $z \sim 2$. <i>Astrophysical Journal</i> , 2005 , 631, L13-L16	4.7	144
161	The X-Ray Spectral Properties of SCUBA Galaxies. <i>Astrophysical Journal</i> , 2005 , 632, 736-750	4.7	338
160	The Enrichment of Galaxies by Quasar Outflows. <i>Symposium - International Astronomical Union</i> , 2004 , 217, 366-368		
159	Exploring the Nature of Weak Chandra Sources Near the Galactic Centre. <i>International Astronomical Union Colloquium</i> , 2004 , 194, 261-262		
158	The XMM-Newton view of NGC 6251. <i>Astronomy and Astrophysics</i> , 2004 , 413, 139-144	5.1	27
157	The Great Observatories Origins Deep Survey: Initial Results from Optical and Near-Infrared Imaging. <i>Astrophysical Journal</i> , 2004 , 600, L93-L98	4.7	1251
156	The X-ray variability of the narrow-line type 1 Seyfert galaxy IRAS 13224-3809 from an XMM-Newton observation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 347, 269-276	4.3	40
155	Arakelian 564: an XMM-Newton view. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 347, 854-860	4.3	29
154	An intense soft excess and evidence for light bending in the luminous narrow-line quasar PHL 1092. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 352, 744-752	4.3	21
153	Long-term spectral changes in the partial-covering candidate narrow-line Seyfert 1 galaxy 1H 0707-495. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 353, 1064-1070	4.3	63
152	The narrow-line quasar NAB 0205 + 024 observed with XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004 , 355, 330-335	4.3	5
151	X-ray spectroscopy and variability of AGN detected in the 2 Ms Chandra Deep Field-North Survey. <i>Advances in Space Research</i> , 2004 , 34, 2555-2560	2.4	9
150	Probing broad absorption line quasar outflows: X-ray insights. <i>Advances in Space Research</i> , 2004 , 34, 2594-2598	2.4	5
149	X-rays from the first massive black holes. <i>Advances in Space Research</i> , 2004 , 34, 2478-2485	2.4	5

148	A Possible New Population of Sources with Extreme X-Ray/Optical Ratios. <i>Astrophysical Journal</i> , 2004 , 600, L123-L126	4-7	62
147	A Survey of $z > 5.7$ Quasars in the Sloan Digital Sky Survey. III. Discovery of Five Additional Quasars. <i>Astronomical Journal</i> , 2004 , 128, 515-522	4-9	319
146	Chandra and Hubble Space Telescope Confirmation of the Luminous and Variable X-Ray Source IC 10 X-1 as a Possible Wolf-Rayet, Black Hole Binary. <i>Astrophysical Journal</i> , 2004 , 601, L67-L70	4-7	43
145	The Spectral Energy Distribution and Emission-Line Properties of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. <i>Astrophysical Journal</i> , 2004 , 602, 635-647	4-7	36
144	The Space Density of High-Redshift QSOs in the Great Observatories Origins Deep Survey. <i>Astrophysical Journal</i> , 2004 , 600, L119-L122	4-7	54
143	Lower Mass Black Holes in the Great Observatories Origins Deep Survey? Off-nuclear X-Ray Sources. <i>Astrophysical Journal</i> , 2004 , 600, L147-L150	4-7	21
142	Dramatic X-Ray Spectral Variability of the Broad Absorption Line Quasar PG 2112+059. <i>Astrophysical Journal</i> , 2004 , 603, 425-435	4-7	51
141	Far Ultraviolet Spectroscopic Explorer Spectroscopy of Absorption and Emission Lines from the Narrow-Line Seyfert 1 Galaxy NGC 4051. <i>Astronomical Journal</i> , 2004 , 127, 2631-2640	4-9	11
140	The Fall of Active Galactic Nuclei and the Rise of Star-forming Galaxies: A Close Look at the Chandra Deep Field X-Ray Number Counts. <i>Astronomical Journal</i> , 2004 , 128, 2048-2065	4-9	238
139	Obscured Active Galactic Nuclei and the X-Ray, Optical, and Far-Infrared Number Counts of Active Galactic Nuclei in the GOODS Fields. <i>Astrophysical Journal</i> , 2004 , 616, 123-135	4-7	128
138	Feedback of kinetic energy into the IGM by supermassive black holes. <i>Proceedings of the International Astronomical Union</i> , 2004 , 2004, 411-414	0.1	2
137	The Chandra Deep Field North Survey. XVII. Evolution of Magnetic Activity in Old Late-Type Stars. <i>Astrophysical Journal</i> , 2004 , 611, 1107-1120	4-7	42
136	Chandra Observations of Radio-Loud Quasars at $z > 4$: X-Rays from the Radio Beacons of the Early Universe. <i>Astronomical Journal</i> , 2004 , 128, 523-533	4-9	34
135	The 2 Ms Chandra Deep Field-North 2004 , 291-294		
134	IC 10 observed with XMM-Newton. <i>Astronomy and Astrophysics</i> , 2004 , 417, 29-38	5.1	32
133	First simultaneous NIR/X-ray detection of a flare from Sgr A*. <i>Astronomy and Astrophysics</i> , 2004 , 427, 1-11	5.1	143
132	The Spectra and Variability of X-Ray Sources in a Deep Chandra Observation of the Galactic Center. <i>Astrophysical Journal</i> , 2004 , 613, 1179-1201	4-7	93
131	Chandra and XMM-Newton Observations of the First Quasars: X-Rays from the Age of Cosmic Enlightenment. <i>Astronomical Journal</i> , 2003 , 125, 2876-2890	4-9	65

130	Probing the Complex and Variable X-Ray Absorption of Markarian 6 with XMM-Newton. <i>Astronomical Journal</i> , 2003 , 126, 153-157	4.9	23
129	The X-Ray Properties of the Nearby Star-forming Galaxy IC 342: The XMM-Newton View. <i>Astronomical Journal</i> , 2003 , 126, 2797-2805	4.9	19
128	The Chandra Deep Field North Survey. XV. Optically Bright, X-Ray-Faint Sources. <i>Astronomical Journal</i> , 2003 , 126, 575-595	4.9	78
127	Two Thousand X-ray Stars in the Central 20 pc of the Galaxy. <i>Astronomische Nachrichten</i> , 2003 , 324, 33-39.	3.7	1
126	The Chandra Deep Field North Survey. XIII. 2 Ms Point-Source Catalogs. <i>Astronomical Journal</i> , 2003 , 126, 539-574	4.9	634
125	Optical and Infrared Properties of the 2 Ms Chandra Deep Field North X-Ray Sources. <i>Astronomical Journal</i> , 2003 , 126, 632-665	4.9	276
124	The Ionized Gas and Nuclear Environment in NGC 3783. III. Detection of a Decreasing Radial Velocity in an Intrinsic Ultraviolet Absorber. <i>Astrophysical Journal</i> , 2003 , 595, 120-126	4.7	42
123	The Sloan Digital Sky Survey Quasar Catalog. II. First Data Release. <i>Astronomical Journal</i> , 2003 , 126, 2579-2593.	4.9	155
122	A Deep Chandra Catalog of X-Ray Point Sources toward the Galactic Center. <i>Astrophysical Journal</i> , 2003 , 589, 225-241	4.7	174
121	X-Ray Sources with Periodic Variability in a Deep Chandra Image of the Galactic Center. <i>Astrophysical Journal</i> , 2003 , 599, 465-474	4.7	22
120	The Ionized Gas and Nuclear Environment in NGC 3783. IV. Variability and Modeling of the 900 Kilosecond Chandra Spectrum. <i>Astrophysical Journal</i> , 2003 , 599, 933-948	4.7	153
119	The [ITAL]XMM-Newton[/ITAL] View of the Nucleus of NGC 4261. <i>Astrophysical Journal</i> , 2003 , 586, L37-L49	4.9	23
118	The Redshift Evolution of the 2B [CLC]ke[/CLC]V X-Ray Luminosity Function. <i>Astrophysical Journal</i> , 2003 , 584, L57-L60	4.7	144
117	The Ionized Gas and Nuclear Environment in NGC 3783. II. Averaged Hubble Space Telescope/STIS and Far Ultraviolet Spectroscopic Explorer Spectra. <i>Astrophysical Journal</i> , 2003 , 583, 178-191	4.7	72
116	A Survey of [CLC][ITAL]z[/ITAL]/[CLC]] 5.7 Quasars in the Sloan Digital Sky Survey. II. Discovery of Three Additional Quasars at [CLC][ITAL]z[/ITAL]/[CLC]] 6. <i>Astronomical Journal</i> , 2003 , 125, 1649-1659	4.9	604
115	Long-Term X-ray Variability of Circinus X-1 as Observed by the RXTE All Sky Monitor. <i>Symposium - International Astronomical Union</i> , 2003 , 214, 218-219		
114	On the origin of the X-rays and the nature of accretion in NGC 4261. <i>Astronomy and Astrophysics</i> , 2003 , 408, 949-959	5.1	45
113	Resolving the source populations that contribute to the X-ray background: The 2 Ms Chandra Deep Field-North Survey. <i>Astronomische Nachrichten</i> , 2003 , 324, 8-11	0.7	2

112	The weak outnumbering the mighty: normal galaxies in deep Chandra surveys. <i>Astronomische Nachrichten</i> , 2003 , 324, 12-15	0.7	2
111	An X-ray survey of gravitationally lensed BALQSOs. <i>Astronomische Nachrichten</i> , 2003 , 324, 173-173	0.7	1
110	The AGN source population in the Chandra Deep Field-North Survey: constraints from X-ray spectroscopy and variability. <i>Astronomische Nachrichten</i> , 2003 , 324, 175-175	0.7	5
109	XMM-Newton spectral properties of the narrow-line Seyfert 1 galaxy IRAS 13224 - 3809. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003 , 343, L89-L93	4.3	61
108	Chandra ACIS Imaging Spectroscopy of Sgr A East. <i>Astronomische Nachrichten</i> , 2003 , 324, 205-210	0.7	
107	Chandra X-Ray Spectroscopic Imaging of Sagittarius A* and the Central Parsec of the Galaxy. <i>Astrophysical Journal</i> , 2003 , 591, 891-915	4.7	585
106	Chandra and XMM-Newton observations of Tololo 0109-383. <i>Astronomy and Astrophysics</i> , 2003 , 399, 519-523	5.1	20
105	X-Ray Lighthouses of the High-Redshift Universe: Probing the Most Luminous [CLC][ITAL]z[/ITAL]/[CLC]] 4 Palomar Digital Sky Survey Quasars with [ITAL]Chandra[/ITAL]. <i>Astronomical Journal</i> , 2003 , 125, 418-432	4.9	40
104	X-Ray Emission from Radio-quiet Quasars in the Sloan Digital Sky Survey Early Data Release: The [TINF][CLC]ox[/CLC]/[TINF] Dependence upon Ultraviolet Luminosity. <i>Astronomical Journal</i> , 2003 , 125, 433-443	4.9	184
103	The Chandra Deep Field North Survey. XIV. X-Ray Detected Obscured AGN[CLC]s[/CLC] and Starburst Galaxies in the Bright Submillimeter Source Population. <i>Astronomical Journal</i> , 2003 , 125, 383-397	4.9	150
102	Very High Redshift X-Ray Selected Active Galactic Nuclei in the Chandra Deep Field North. <i>Astrophysical Journal</i> , 2003 , 584, L61-L64	4.7	84
101	XMM-Newton Reveals the Quasar Outflow in PG 1115+080. <i>Astrophysical Journal</i> , 2003 , 595, 85-93	4.7	167
100	A Chandra Study of Sagittarius A East: A Supernova Remnant Regulating the Activity of Our Galactic Center?. <i>Astrophysical Journal</i> , 2002 , 570, 671-687	4.7	152
99	XMM-Newton discovery of a sharp spectral feature at ~ 7 keV in the narrow-line Seyfert 1 galaxy 1H 07074-95. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 329, L1-L5	4.3	108
98	An XMM-Newton observation of Ton S180: constraints on the continuum emission in ultrasoft Seyfert galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2002 , 337, 247-255	4.3	37
97	The Chandra Deep Field North Survey. XII. The Link between Faint X-Ray and Radio Source Populations. <i>Astronomical Journal</i> , 2002 , 124, 2351-2363	4.9	97
96	Exploratory [ITAL]Chandra[/ITAL] Observations of the Three Highest Redshift Quasars Known. <i>Astrophysical Journal</i> , 2002 , 569, L5-L9	4.7	56
95	X-Raying the Ultraluminous Infrared Starburst Galaxy and Broad Absorption Line QSO Markarian 231 with Chandra. <i>Astrophysical Journal</i> , 2002 , 569, 655-670	4.7	68

94	The Luminosity Dependence of Ultraviolet Absorption in Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2002 , 569, 641-654	4-7	108
93	The 2B [CLC]ke[/CLC]V X-Ray Number Counts Determined from [ITAL]Chandra[/ITAL] Blank Field Observations. <i>Astrophysical Journal</i> , 2002 , 566, L5-L8	4-7	79
92	The Ionized Gas and Nuclear Environment in NGC 3783. I. Time-averaged 900 KilosecondChandraGrating Spectroscopy. <i>Astrophysical Journal</i> , 2002 , 574, 643-662	4-7	250
91	Large-Amplitude X-Ray Outbursts from Galactic Nuclei: A Systematic Survey using [ITAL]ROSAT[/ITAL] Archival Data. <i>Astronomical Journal</i> , 2002 , 124, 1308-1321	4-9	169
90	Reddening, Emission-Line, and Intrinsic Absorption Properties in the Narrow-Line Seyfert 1 Galaxy Arakelian 564. <i>Astrophysical Journal</i> , 2002 , 566, 187-194	4-7	48
89	X-Ray Spectroscopy of Quasi-Stellar Objects with Broad Ultraviolet Absorption Lines. <i>Astrophysical Journal</i> , 2002 , 567, 37-41	4-7	151
88	The Chandra Deep FieldNorth Survey. VIII. X-Ray Constraints on Spiral Galaxies from 0.4 . <i>Astrophysical Journal</i> , 2002 , 568, 82-87	4-7	45
87	The Chandra Deep Field North Survey. X. X-Ray Emission from Very Red Objects. <i>Astronomical Journal</i> , 2002 , 123, 1149-1162	4-9	57
86	The Chandra Deep Field North Survey. IX. Extended X-Ray Sources. <i>Astronomical Journal</i> , 2002 , 123, 1163-1178	4-9	56
85	Variability of the X-Ray P Cygni Line Profiles from Circinus X-1 near Zero Phase. <i>Astrophysical Journal</i> , 2002 , 572, 971-983	4-7	49
84	The Chandra Deep FieldNorth Survey. XI. X-Ray Emission from Luminous Infrared Starburst Galaxies. <i>Astrophysical Journal</i> , 2002 , 568, L85-L88	4-7	62
83	X-Ray, Optical, and Infrared Imaging and Spectral Properties of the 1 M[CLC]s[/CLC] Chandra Deep Field North Sources. <i>Astronomical Journal</i> , 2002 , 124, 1839-1885	4-9	180
82	CHANDRADetects Relativistic Broad Absorption Lines from APM 08279+5255. <i>Astrophysical Journal</i> , 2002 , 579, 169-175	4-7	212
81	The Chandra Deep FieldNorth Survey. XVI. The X-Ray Properties of Moderate-Luminosity Active Galaxies at [CLC][ITAL]z[/ITAL][[/CLC]] 4. <i>Astrophysical Journal</i> , 2002 , 580, L105-L109	4-7	23
80	High-Resolution X-Ray Spectroscopy and Modeling of the Absorbing and Emitting Outflow in NGC 3783. <i>Astrophysical Journal</i> , 2001 , 554, 216-232	4-7	141
79	On the Origin of Intrinsic Narrow Absorption Lines in z ? 1 QSOs. <i>Astrophysical Journal</i> , 2001 , 549, 133-154	4-7	78
78	The Chandra[ITAL]CHANDRA[/ITAL][ITAL]Chandra[/ITAL] Deep Field North Survey. VI. The Nature of the Optically Faint X-Ray Source Population. <i>Astronomical Journal</i> , 2001 , 122, 2156-2176	4-9	163
77	High-Resolution X-Ray and Ultraviolet Spectroscopy of the Complex Intrinsic Absorption in NGC 4051 withChandraand theHubble Space Telescope. <i>Astrophysical Journal</i> , 2001 , 557, 2-17	4-7	108

76	Exploratory [ITAL]CHANDRA[/ITAL][ITAL]Chandra[/ITAL] Observations of the Highest-Redshift Quasars: X-Rays from the Dawn of the Modern Universe. <i>Astronomical Journal</i> , 2001 , 122, 2143-2155	4.9	44
75	PMN J0525-3343: soft X-ray spectral flattening in a blazar at $z = 4.4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 323, 373-379	4.3	47
74	Nuclear obscuration in the high-ionization Seyfert 2 galaxy Tol 0109-383. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001 , 326, 119-125	4.3	14
73	Rapid X-ray flaring from the direction of the supermassive black hole at the Galactic Centre. <i>Nature</i> , 2001 , 413, 45-8	50.4	458
72	The Chandra Deep Survey of the Hubble Deep Field North Area. II. Results from the Caltech Faint Field Galaxy Redshift Survey Area. <i>Astrophysical Journal</i> , 2001 , 554, 742-777	4.7	210
71	The Chandra Deep Field North Survey. V. 1 M[CLC]s[/CLC] Source Catalogs. <i>Astronomical Journal</i> , 2001 , 122, 2810-2832	4.9	292
70	The [ITAL]CHANDRA[/ITAL][ITAL]Chandra[/ITAL] Deep Survey of the Hubble Deep Field North Area. IV. An Ultradeep Image of the HDF-N. <i>Astronomical Journal</i> , 2001 , 122, 1-20	4.9	109
69	BeppoSAX observations of Narrow-Line Seyfert 1 galaxies. <i>Astronomy and Astrophysics</i> , 2001 , 365, 400-408	4.8	30
68	X-Ray Imaging of the Seyfert 2 Galaxy Circinus with [ITAL]Chandra[/ITAL]. <i>Astrophysical Journal</i> , 2001 , 546, L9-L12	4.7	31
67	High-Resolution X-Ray Spectroscopy of the Seyfert 2 Galaxy Circinus with [ITAL]Chandra[/ITAL]. <i>Astrophysical Journal</i> , 2001 , 546, L13-L17	4.7	74
66	Heavy X-Ray Absorption in Soft X-Ray Weak Active Galactic Nuclei. <i>Astrophysical Journal</i> , 2001 , 546, 795-804	4.7	75
65	An [ITAL]XMM[/ITAL]-[ITAL]Newton[/ITAL] Detection of the [CLC][ITAL]z[/ITAL]/[CLC] = 5.80 X-Ray Weak Quasar SDSS[CLC]p[/CLC] J104433.04-012502.2. <i>Astronomical Journal</i> , 2001 , 121, 591-597	4.9	40
64	Detection of Nuclear X-Ray Sources in Nearby Galaxies with [ITAL]Chandra[/ITAL]. <i>Astrophysical Journal</i> , 2001 , 549, L51-L54	4.7	197
63	A [ITAL]CHANDRA[/ITAL][ITAL]Chandra[/ITAL] Study of the Circinus Galaxy Point-Source Population. <i>Astronomical Journal</i> , 2001 , 122, 182-193	4.9	59
62	Multiwavelength Monitoring of the Narrow-Line Seyfert 1 Galaxy Arakelian 564. II. Ultraviolet Continuum and Emission-Line Variability. <i>Astrophysical Journal</i> , 2001 , 561, 146-161	4.7	56
61	HSTSTIS Observations of PG 0946+301: The Highest Quality UV Spectrum of a BALQSO. <i>Astrophysical Journal</i> , 2001 , 561, 118-130	4.7	96
60	Supermassive Black Hole Accretion History Inferred from a Large Sample of [ITAL]CHANDRA[/ITAL][ITAL]Chandra[/ITAL] Hard X-Ray Sources. <i>Astronomical Journal</i> , 2001 , 122, 2177-2189	4.9	98
59	The [ITAL]Chandra[/ITAL] Deep Field North Survey. VII. X-Ray Emission from Lyman Break Galaxies. <i>Astrophysical Journal</i> , 2001 , 558, L5-L9	4.7	68

58	Submillimeter Properties of the 1 M[CLC]s[/CLC] Chandra Deep Field North X-Ray Sample. <i>Astrophysical Journal</i> , 2001 , 560, L23-L28	4-7	47
57	[ITAL]J[/ITAL]-Band Spectroscopy of the [CLC][ITAL]z[/ITAL]/[CLC] = 5.74 Broad Absorption Line Quasar SDSSp J104433.04012502.2. <i>Astrophysical Journal</i> , 2001 , 561, L23-L25	4-7	35
56	[Oii] Emission, Eigenvector 1, and Orientation in Radio-quiet Quasars. <i>Astrophysical Journal</i> , 2000 , 542, 631-643	4-7	26
55	X-Ray Sources in the Hubble Deep Field Detected by Chandra. <i>Astrophysical Journal</i> , 2000 , 541, 49-53	4-7	98
54	The ROSAT International X-ray/Optical Survey (RIXOS): source catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 311, 456-484	4-3	75
53	ROSAT PSPC detection of soft X-ray absorption in GB 1428+4217: the most distant matter yet probed with X-ray spectroscopy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 315, L23-L28	4-3	22
52	The X-ray variability of the Seyfert 1 galaxy MCG-6-30-15 from long ASCA and RXTE observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 318, 857-874	4-3	82
51	Compton-thick X-ray absorption in the Seyfert galaxies Tololo 0109-383 and ESO 138-G1. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000 , 317, L35-L39	4-3	26
50	Ultrasoft Narrow-line Seyfert 1 Galaxies: An Extreme of Accretion onto Supermassive Black Holes. <i>Symposium - International Astronomical Union</i> , 2000 , 195, 207-208		
49	On the Nature of Soft X-Ray Weak Quasi-stellar Objects. <i>Astrophysical Journal</i> , 2000 , 528, 637-649	4-7	240
48	Hot plasma and black hole binaries in starburst galaxy M82. <i>Science</i> , 2000 , 290, 1325-8	33-3	104
47	New X-Ray Constraints on Starburst and Seyfert Activity in the Barred Spiral Galaxy NGC 1672. <i>Astronomical Journal</i> , 2000 , 119, 612-619	4-9	10
46	The X-Ray Properties of [CLC][ITAL]z[/ITAL]/[CLC] > 4 Quasars. <i>Astronomical Journal</i> , 2000 , 119, 2031-2037	4-9	38
45	Observations of Faint, Hard-Band X-Ray Sources in the Field of CRSS J0030.5+2618 with the [ITAL]CHANDRA X-RAY OBSERVATORY[/ITAL][ITAL]Chandra X-Ray Observatory[/ITAL] and the Hobby-Eberly Telescope. <i>Astronomical Journal</i> , 2000 , 119, 2349-2359	4-9	37
44	Discovery of Narrow X-Ray Absorption Lines from NGC 3783 with the Chandra High Energy Transmission Grating Spectrometer. <i>Astrophysical Journal</i> , 2000 , 535, L17-L20	4-7	108
43	Detection of X-Ray Emission from Gravitationally Lensed Submillimeter Sources in the Field of Abell 370. <i>Astrophysical Journal</i> , 2000 , 543, L119-L123	4-7	51
42	The Discovery of Broad P Cygni X-Ray Lines from Circinus X-1 with the [ITAL]Chandra[/ITAL] High-Energy Transmission Grating Spectrometer. <i>Astrophysical Journal</i> , 2000 , 544, L123-L127	4-7	76
41	ROSAT High-Resolution Imager monitoring of extreme X-ray variability in the narrow-line quasar PHL 1092. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 303, L53-L57	4-3	64

40	The optical variability of the narrow-line Seyfert 1 galaxy IRAS 13224--3809. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 304, L46-L52	4-3	14
39	Variability of the extreme $z = 4.72$ blazar, GB 1428+4217. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 308, L6-L10	4-3	24
38	First constraints on iron abundance versus reflection fraction from the Seyfert 1 galaxy MCG-6-30-15. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999 , 310, 973-981	4-3	51
37	PKS 1004+13: A High-Inclination, Highly Absorbed Radio-loud QSO—the First Radio-loud Broad Absorption Line QSO at Low Redshift?. <i>Astrophysical Journal</i> , 1999 , 520, L91-L94	4-7	32
36	Heavy and Complex X-Ray Absorption toward the Nucleus of Markarian 6. <i>Astrophysical Journal</i> , 1999 , 510, 167-177	4-7	21
35	Exploratory ASCA Observations of Broad Absorption Line Quasi-stellar Objects. <i>Astrophysical Journal</i> , 1999 , 519, 549-555	4-7	91
34	X-Rays from the Highly Polarized Broad Absorption Line QSO CSO 755. <i>Astrophysical Journal</i> , 1999 , 525, L69-L72	4-7	15
33	X-ray absorption in the strong Fe II narrow-line Seyfert 1 galaxy Markarian 507. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998 , 293, 251-256	4-3	12
32	An RXTE observation of the Seyfert 1 galaxy MCG-6-30-15: X-ray reflection and the iron abundance. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998 , 300, 583-588	4-3	22
31	Limits on the X-ray emission from several hyperluminous IRAS galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998 , 300, L7-L10	4-3	21
30	Detection of an X-ray periodicity in the Seyfert galaxy IRAS 18325-5926. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998 , 295, l20-l24	4-3	24
29	The ASCA spectrum of the $z = 4.72$ blazar GB 1428+4217. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998 , 295, l25-l28	4-3	28
28	Ultrasoft narrow-line Seyfert 1s: At the extremes of Seyfert accretion? 1998 ,		2
27	Advantages of Spectrum-Röntgen-Gamma and INTEGRAL for the Study of Narrow-Line Seyfert 1 Galaxies. <i>Physica Scripta</i> , 1998 , T77, 60-61	2-6	
26	ASCA spectroscopy of IRAS 23060 + 0505: penetrating the torus of a type 2 quasar with X-rays. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 290, 617-622	4-3	41
25	ASCA Observations of Two Ultraluminous IRAS Galaxies: IRAS 15307+3252 and IRAS 20460+1925. <i>Publication of the Astronomical Society of Japan</i> , 1997 , 49, 179-185	3-2	26
24	X-ray absorption by ionized oxygen in ASCA spectra of the infrared quasar IRAS 13349+2438. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 292, 407-413	4-3	33
23	A comparison of the hard ASCA spectral slopes of broad- and narrow-line Seyfert 1 galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 285, L25-L30	4-3	192

22	ROSAT HRI observations of the Local Group galaxies IC 10, NGC 147 and NGC 185. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 291, 709-716	4-3	27
21	The extreme X-ray luminosity of the $z = 4.72$ radio-loud quasar GB 1428+4217. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 291, L5-L7	4-3	28
20	AX J1749+684: a narrow-emission-line galaxy with a flat X-ray spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 291, L17-L22	4-3	12
19	ASCA observations of the nearby galaxies Dwingeloo 1 and Maffei 1. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 286, 349-357	4-3	36
18	Optical and X-ray properties of the RIXOS AGN -- II. Emission lines. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 291, 177-202	4-3	29
17	ROSAT monitoring of persistent giant and rapid variability in the narrow-line Seyfert 1 galaxy IRAS 13224-3809. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997 , 289, 393-405	4-3	116
16	ROSAT PSPC and HRI observations of the composite starburst/Seyfert 2 galaxy NGC 1672. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 281, 687-695	4-3	11
15	ASCA observations of the iron K complex of Circinus X-1 near zero phase: spectral evidence for partial covering. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 283, 1071-1082	4-3	44
14	The broad iron K emission line in the Seyfert 2 galaxy IRAS 18325---5926. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 279, 837-846	4-3	40
13	The iron K α line complex in Compton-thick Seyfert 2 galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 280, 823-834	4-3	128
12	A powerful and highly variable off-nuclear X-ray source in the composite starburst/Seyfert 2 galaxy NGC 4945. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 281, L41-L45	4-3	7
11	The variable iron K emission line in MCG \bar{B} -30-15. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 282, 1038-1048	4-3	229
10	X-ray emission from the field of the hyperluminous IRAS galaxy IRAS F15307+3252. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 283, L95-L98	4-3	19
9	The radio, optical and X-ray properties of the radio source 0927 + 352. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996 , 282, 1305-1312	4-3	2
8	Presupernova Evolution in Massive Binaries 1996 , 181-200		
7	ROSAT Observations of X-ray Emissions from Jupiter During the Impact of Comet Shoemaker-Levy 9. <i>Science</i> , 1995 , 268, 1598-601	33-3	23
6	The unusual X-ray and optical properties of the ultrasoft active galactic nucleus Zwicky 159.034 (RE J1237+264). <i>Monthly Notices of the Royal Astronomical Society</i> , 1995 , 273, L47-L52	4-3	72
5	ROSAT PSPC observations of the Seyfert 1 galaxies Ark 564, NGC 985, Kaz 163, Mrk 79 and RX J2256.6+0525. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994 , 271, 958-966	4-3	43

4	Iron K α lines from ionized discs in Z-Type X-ray binaries. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994 , 268, 1051-1059	4.3	18
3	Separation of foreground radiation from cosmic microwave background anisotropy using multifrequency measurements. <i>Astrophysical Journal</i> , 1994 , 424, 1	4.7	67
2	ROSAT PSPC observations of NGC 7469 and Ark 120. <i>Monthly Notices of the Royal Astronomical Society</i> , 1993 , 265, 996-1002	4.3	15
1	The eROSITA Final Equatorial-Depth Survey (eFEDS). Identification and characterization of the counterparts to point-like sources. <i>Astronomy and Astrophysics</i> ,	5.1	2