

Gregory W Hendey

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2476503/gregory-w-hendey-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

2,033
citations

27
h-index

42
g-index

82
ext. papers

2,324
ext. citations

2.3
avg, IF

4.7
L-index

#	Paper	IF	Citations
75	Thoracic Spine Fracture in the Panscan Era. <i>Annals of Emergency Medicine</i> , 2020 , 76, 143-148	2.1	5
74	Prevalence of Intracranial Injury in Adult Patients With Blunt Head Trauma With and Without Anticoagulant or Antiplatelet Use. <i>Annals of Emergency Medicine</i> , 2020 , 75, 354-364	2.1	10
73	Blunt Traumatic Aortic Injury in the Pan-scan Era. <i>Academic Emergency Medicine</i> , 2020 , 27, 291-296	3.4	4
72	Sensitivity of a bedside reagent strip for the detection of spontaneous bacterial peritonitis in ED patients with ascites. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 2155-2158	2.9	3
71	Pneumothorax and Hemothorax in the Era of Frequent Chest Computed Tomography for the Evaluation of Adult Patients With Blunt Trauma. <i>Annals of Emergency Medicine</i> , 2019 , 73, 58-65	2.1	10
70	Prospective Assessment of the Feasibility of a Trial of Low-Tidal Volume Ventilation for Patients with Acute Respiratory Failure. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 356-362	4.7	15
69	Validation of the Pediatric NEXUS II Head Computed Tomography Decision Instrument for Selective Imaging of Pediatric Patients with Blunt Head Trauma. <i>Academic Emergency Medicine</i> , 2018 , 25, 729-737	3.4	4
68	Selective Prereduction Radiography in Anterior Shoulder Dislocation: The Fresno-Quebec Rule. <i>Journal of Emergency Medicine</i> , 2018 , 55, 218-225	1.5	4
67	Ketamine as a first-line treatment for severely agitated emergency department patients. <i>American Journal of Emergency Medicine</i> , 2017 , 35, 1000-1004	2.9	52
66	Rib Fracture Diagnosis in the Panscan Era. <i>Annals of Emergency Medicine</i> , 2017 , 70, 904-909	2.1	31
65	Validation of the sensitivity of the National Emergency X-Radiography Utilization Study (NEXUS) Head computed tomographic (CT) decision instrument for selective imaging of blunt head injury patients: An observational study. <i>PLoS Medicine</i> , 2017 , 14, e1002313	11.6	16
64	Selective chest imaging for blunt trauma patients: The national emergency X-ray utilization studies (NEXUS-chest algorithm). <i>American Journal of Emergency Medicine</i> , 2017 , 35, 164-170	2.9	16
63	Irrigation of Cutaneous Abscesses Does Not Improve Treatment Success. <i>Annals of Emergency Medicine</i> , 2016 , 67, 379-83	2.1	11
62	Managing Anterior Shoulder Dislocation. <i>Annals of Emergency Medicine</i> , 2016 , 67, 76-80	2.1	9
61	Prevalence and Diagnostic Performance of Isolated and Combined NEXUS Chest CT Decision Criteria. <i>Academic Emergency Medicine</i> , 2016 , 23, 863-9	3.4	7
60	Prevalence of Chest Injury With the Presence of NEXUS Chest Criteria: Data to Inform Shared Decisionmaking About Imaging Use. <i>Annals of Emergency Medicine</i> , 2016 , 68, 222-6	2.1	6
59	Pulmonary contusion in the pan-scan era. <i>Injury</i> , 2016 , 47, 1031-4	2.5	22

58	Prevalence and Clinical Import of Thoracic Injury Identified by Chest Computed Tomography but Not Chest Radiography in Blunt Trauma: Multicenter Prospective Cohort Study. <i>Annals of Emergency Medicine</i> , 2015 , 66, 589-600	2.1	55
57	The Case for 1-Way Clinical Decision Rules in Emergency Medicine. <i>Annals of Emergency Medicine</i> , 2015 , 66, 689	2.1	3
56	Sternal fracture in the age of pan-scan. <i>Injury</i> , 2015 , 46, 1324-7	2.5	25
55	Derivation and validation of two decision instruments for selective chest CT in blunt trauma: a multicenter prospective observational study (NEXUS Chest CT). <i>PLoS Medicine</i> , 2015 , 12, e1001883	11.6	39
54	Urinalysis is an inadequate screen for rhabdomyolysis. <i>American Journal of Emergency Medicine</i> , 2014 , 32, 260-2	2.9	4
53	Diagnostic yields, charges, and radiation dose of chest imaging in blunt trauma evaluations. <i>Academic Emergency Medicine</i> , 2014 , 21, 644-50	3.4	20
52	Cervical spine injury: analysis and comparison of patients by mode of transportation. <i>Journal of Emergency Medicine</i> , 2013 , 44, 287-91	1.5	2
51	What is the clinical significance of chest CT when the chest x-ray result is normal in patients with blunt trauma?. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 1268-73	2.9	55
50	Clinical impression and ascites appearance do not rule out bacterial peritonitis. <i>Journal of Emergency Medicine</i> , 2013 , 44, 903-9	1.5	9
49	A randomized, double-blind, placebo-controlled trial of a highly purified equine F(ab)2 antibody black widow spider antivenom. <i>Annals of Emergency Medicine</i> , 2013 , 61, 458-67	2.1	22
48	NEXUS chest: validation of a decision instrument for selective chest imaging in blunt trauma. <i>JAMA Surgery</i> , 2013 , 148, 940-6	5.4	76
47	Benefit or burden? A sociotechnical analysis of diagnostic computer kiosks in four California hospital emergency departments. <i>Social Science and Medicine</i> , 2012 , 75, 2378-85	5.1	13
46	Magnetic resonance imaging identifies occult hip fractures missed by 64-slice computed tomography. <i>Journal of Emergency Medicine</i> , 2012 , 43, 303-7	1.5	70
45	Single-dose etomidate for intubation in the trauma patient. <i>Journal of Emergency Medicine</i> , 2012 , 43, e277-82	1.5	15
44	A prospective, randomized, trial of phenobarbital versus benzodiazepines for acute alcohol withdrawal. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 382-5	2.9	48
43	Peritoneal fluid cultures rarely alter management in patients with ascites. <i>Journal of Emergency Medicine</i> , 2011 , 40, 21-4	1.5	13
42	The effect of mandatory nurse ratios on patient care in an emergency department. <i>Journal of Emergency Medicine</i> , 2011 , 40, 76-81	1.5	6
41	Ultrasound-guided reduction of distal radius fractures. <i>Journal of Emergency Medicine</i> , 2011 , 40, 308-12	1.5	27

40	Derivation of a decision instrument for selective chest radiography in blunt trauma. <i>Journal of Trauma</i> , 2011 , 71, 549-53		17
39	A randomized trial of computer kiosk-expedited management of cystitis in the emergency department. <i>Academic Emergency Medicine</i> , 2011 , 18, 1053-9	3.4	14
38	The Captain Morgan technique for the reduction of the dislocated hip. <i>Annals of Emergency Medicine</i> , 2011 , 58, 536-40	2.1	17
37	Orthopedic illnesses in patients with HIV. <i>Emergency Medicine Clinics of North America</i> , 2010 , 28, 335-42, Table of Contents	1.9	14
36	Teleradiology interpretations of emergency department computed tomography scans. <i>Journal of Emergency Medicine</i> , 2010 , 38, 188-95	1.5	23
35	A comparison of GlideScope video laryngoscopy versus direct laryngoscopy intubation in the emergency department. <i>Academic Emergency Medicine</i> , 2009 , 16, 866-71	3.4	101
34	New form of tendinopathy discovered at Scientific Assembly. <i>Annals of Emergency Medicine</i> , 2009 , 53, 549	2.1	0
33	Gram stain of peritoneal fluid is rarely helpful in the evaluation of the ascites patient. <i>Annals of Emergency Medicine</i> , 2009 , 54, 78-82	2.1	6
32	Intranasal naloxone is a viable alternative to intravenous naloxone for prehospital narcotic overdose. <i>Prehospital Emergency Care</i> , 2009 , 13, 512-5	2.8	74
31	Biphasic defibrillation does not improve outcomes compared to monophasic defibrillation in out-of-hospital cardiac arrest. <i>Prehospital Emergency Care</i> , 2008 , 12, 152-6	2.8	9
30	Physician clinical impression does not rule out spontaneous bacterial peritonitis in patients undergoing emergency department paracentesis. <i>Annals of Emergency Medicine</i> , 2008 , 52, 268-73	2.1	45
29	A longitudinal study of emergency medicine residents: Unalpractice fear and defensive medicine. <i>Academic Emergency Medicine</i> , 2007 , 14, 569-73	3.4	26
28	Can clear ascitic fluid appearance rule out spontaneous bacterial peritonitis?. <i>American Journal of Emergency Medicine</i> , 2007 , 25, 934-7	2.9	7
27	Predictors of success in nurse-performed ultrasound-guided cannulation. <i>Journal of Emergency Medicine</i> , 2007 , 33, 401-5	1.5	50
26	Epidemiology of blunt head injury victims undergoing ED cranial computed tomographic scanning. <i>American Journal of Emergency Medicine</i> , 2006 , 24, 167-73	2.9	27
25	Antiemetics in the ED: a randomized controlled trial comparing 3 common agents. <i>American Journal of Emergency Medicine</i> , 2006 , 24, 177-82	2.9	45
24	Selective radiography in 100 patients with suspected shoulder dislocation. <i>Journal of Emergency Medicine</i> , 2006 , 31, 23-8	1.5	23
23	A pilot study to derive clinical variables for selective chest radiography in blunt trauma patients. <i>Annals of Emergency Medicine</i> , 2006 , 47, 415-8	2.1	44

22	When is the helicopter faster? A comparison of helicopter and ground ambulance transport times. <i>Journal of Trauma</i> , 2005 , 58, 148-53		96
21	Clinically significant changes in nausea as measured on a visual analog scale. <i>Annals of Emergency Medicine</i> , 2005 , 45, 77-81	2.1	45
20	Overnight and postcall errors in medication orders. <i>Academic Emergency Medicine</i> , 2005 , 12, 629-34	3.4	34
19	Extremity trauma 2005 , 287-312		
18	How far is that by air? The derivation of an air: ground coefficient. <i>Journal of Emergency Medicine</i> , 2003 , 24, 199-202	1.5	10
17	Spinal cord injury without radiographic abnormality: results of the National Emergency X-Radiography Utilization Study in blunt cervical trauma. <i>Journal of Trauma</i> , 2002 , 53, 1-4		101
16	The esophageal detector bulb in the aeromedical setting. <i>Journal of Emergency Medicine</i> , 2002 , 23, 51-5	1.5	5
15	Distracting painful injuries associated with cervical spinal injuries in blunt trauma. <i>Academic Emergency Medicine</i> , 2001 , 8, 25-9	3.4	19
14	Use of flexion-extension radiographs of the cervical spine in blunt trauma. <i>Annals of Emergency Medicine</i> , 2001 , 38, 8-11	2.1	81
13	Necessity of radiographs in the emergency department management of shoulder dislocations. <i>Annals of Emergency Medicine</i> , 2000 , 36, 108-113	2.1	54
12	Effect of a security system on violent incidents and hidden weapons in the emergency department. <i>Annals of Emergency Medicine</i> , 1999 , 33, 676-679	2.1	35
11	Screening for ketonemia in patients with diabetes. <i>Annals of Emergency Medicine</i> , 1999 , 34, 342-6	2.1	30
10	A standardized letter of recommendation for residency application. <i>Academic Emergency Medicine</i> , 1999 , 6, 1141-6	3.4	90
9	Do web sites catch residency applicants?. <i>Academic Emergency Medicine</i> , 1999 , 6, 968-72	3.4	30
8	Altitude-related illness in two California national parks. <i>Wilderness and Environmental Medicine</i> , 1998 , 9, 28-31	1.4	6
7	Urine ketone dip test as a screen for ketonemia in diabetic ketoacidosis and ketosis in the emergency department. <i>Annals of Emergency Medicine</i> , 1997 , 29, 735-8	2.1	16
6	Clinically significant abnormalities in postreduction radiographs after anterior shoulder dislocation. <i>Annals of Emergency Medicine</i> , 1996 , 28, 399-402	2.1	41
5	Injuries in restrained motor vehicle accident victims. <i>Annals of Emergency Medicine</i> , 1994 , 24, 77-84	2.1	46

- 4 Hangman's fracture resulting from improper seat belt use. *Southern Medical Journal*, **1990**, 83, 843-5 0.6 17
- 3 Malignant lymphomas of follicular centre cell origin in man. VII. Prognostic features in small cleaved cell lymphoma. *Hematological Oncology*, **1989**, 7, 381-91 1.3 6
- 2 Plain Radiography of the Upper Extremity in Adults1-194
- 1 Plain Radiography of the Upper Extremity in Adults3-14