

Zhi-Qiang Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2478485/zhi-qiang-li-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

165 papers	6,079 citations	32 h-index	75 g-index
181 ext. papers	7,907 ext. citations	7.7 avg, IF	4.89 L-index

#	Paper	IF	Citations
165	Effects of polygenic risk of schizophrenia on interhemispheric callosal white matter integrity and frontotemporal functional connectivity in first-episode schizophrenia.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	0
164	A natural marmoset model of genetic generalized epilepsy.. <i>Molecular Brain</i> , 2022 , 15, 16	4.5	
163	Melatonin inhibits autophagy in TM3 cells via AKT/FOXO1 pathway.. <i>Molecular Biology Reports</i> , 2022 , 49, 2925	2.8	0
162	A machine learning-assisted model for renal urate underexcretion with genetic and clinical variables among Chinese men with gout.. <i>Arthritis Research and Therapy</i> , 2022 , 24, 67	5.7	0
161	Mapping genomic loci implicates genes and synaptic biology in schizophrenia.. <i>Nature</i> , 2022 ,	50.4	35
160	SNX29, a new susceptibility gene shared with major mental disorders in Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 526-534	3.8	0
159	Epigallocatechin 3-gallate improves the quality of bull semen cryopreservation. <i>Andrologia</i> , 2021 , e14310.4	10.4	0
158	The phytochemical hyperforin triggers thermogenesis in adipose tissue via a Dlat-AMPK signaling axis to curb obesity. <i>Cell Metabolism</i> , 2021 , 33, 565-580.e7	24.6	13
157	Trans-Ancestry Mutation Landscape of Hepatoblastoma Genomes in Children. <i>Frontiers in Oncology</i> , 2021 , 11, 669560	5.3	0
156	Systematic comparative study of computational methods for HLA typing from next-generation sequencing. <i>Hla</i> , 2021 , 97, 481-492	1.9	1
155	Genetic risk of clozapine-induced leukopenia and neutropenia: a genome-wide association study. <i>Translational Psychiatry</i> , 2021 , 11, 343	8.6	1
154	X Chromosome Contribution to the Genetic Architecture of Primary Biliary Cholangitis. <i>Gastroenterology</i> , 2021 , 160, 2483-2495.e26	13.3	9
153	Disruption of Gene Function Increases the Risk of Doxorubicin-Induced Cardiomyopathy and Heart Failure. <i>BioMed Research International</i> , 2021 , 2021, 8569921	3	1
152	Association analysis of potentially functional variants within 8p12 with schizophrenia in the Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 27-33	3.8	
151	Cigarette smoking and schizophrenia: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2021 , 218, 98-103	5.4	1
150	Trans-ancestral dissection of urate- and gout-associated major loci SLC2A9 and ABCG2 reveals primate-specific regulatory effects. <i>Journal of Human Genetics</i> , 2021 , 66, 161-169	4.3	1
149	The amino acid variants in HLA II molecules explain the major association with adult-onset Still's disease in the Han Chinese population. <i>Journal of Autoimmunity</i> , 2021 , 116, 102562	15.5	2

148	Tuning the nitrogen-doping configuration in carbon materials via sulfur doping for ultrastable potassium ion storage. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 16150-16159	13	11
147	Integrative omics analysis reveals effective stratification and potential prognosis markers of pan-gastrointestinal cancers. <i>IScience</i> , 2021 , 24, 102824	6.1	0
146	An international genome-wide meta-analysis of primary biliary cholangitis: Novel risk loci and candidate drugs. <i>Journal of Hepatology</i> , 2021 , 75, 572-581	13.4	8
145	Machine learning enables discovery of Gentianine targeting TLR4/NF- κ B pathway to repair ischemic stroke injury. <i>Pharmacological Research</i> , 2021 , 173, 105913	10.2	3
144	Copy Number Analysis Reveal Genetic Risks of Penile Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 596261	5.3	0
143	Both class I and II regions identified as genome-wide significant susceptibility loci for adult-onset Still's disease in Chinese individuals. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 161-163	2.4	10
142	Common variants in FAN1, located in 15q13.3, confer risk for schizophrenia and bipolar disorder in Han Chinese. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 103, 109973	5.5	2
141	MOF-derived hollow NiCoO nanowires as stable Li-ion battery anodes. <i>Dalton Transactions</i> , 2020 , 49, 10808-10815	4.3	24
140	STRsearch: a new pipeline for targeted profiling of short tandem repeats in massively parallel sequencing data. <i>Hereditas</i> , 2020 , 157, 8	2.4	1
139	Body Mass Index and Polycystic Ovary Syndrome: A 2-Sample Bidirectional Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	18
138	Rare and common variants analysis of the EMB gene in patients with schizophrenia. <i>BMC Psychiatry</i> , 2020 , 20, 135	4.2	0
137	Analysis of association between common variants of uncoupling proteins genes and diabetic retinopathy in a Chinese population. <i>BMC Medical Genetics</i> , 2020 , 21, 25	2.1	5
136	Melatonin inhibits apoptosis in mouse Leydig cells via the retinoic acid-related orphan nuclear receptor α 53 pathway. <i>Life Sciences</i> , 2020 , 246, 117431	6.8	11
135	Leukemia cells remodel marrow adipocytes via TRPV4-dependent lipolysis. <i>Haematologica</i> , 2020 , 105, 2572-2583	6.6	11
134	Livestock overgrazing disrupts the positive associations between soil biodiversity and nitrogen availability. <i>Functional Ecology</i> , 2020 , 34, 1713-1720	5.6	13
133	Association Analysis Between Common Variants of the Gene and Three Mental Disorders in the Han Chinese Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2020 , 24, 649-657	1.6	0
132	, , , and as potential prognostic biomarkers for renal clear cell carcinoma. <i>Translational Andrology and Urology</i> , 2020 , 9, 2640-2656	2.3	4
131	High Prevalence of a Monogenic Cause in Han Chinese Diagnosed With Type 1 Diabetes, Partly Driven by Nonsyndromic Recessive Mutations. <i>Diabetes</i> , 2020 , 69, 121-126	0.9	12

130	Influence of multiple apolipoprotein A-I and B genetic variations on insulin resistance and metabolic syndrome in obstructive sleep apnea. <i>Nutrition and Metabolism</i> , 2020 , 17, 83	4.6	1
129	Prediction of functional regulatory elements of bipolar disorder via data integration analysis. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100015	1.4	
128	Four Loci Are Associated with Cardiorespiratory Fitness and Endurance Performance in Young Chinese Females. <i>Scientific Reports</i> , 2020 , 10, 10117	4.9	2
127	5G ultra-remote robot-assisted laparoscopic surgery in China. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 5172-5180	5.2	22
126	Porous CuO@C composite as high-performance anode materials for lithium-ion batteries. <i>Dalton Transactions</i> , 2020 , 49, 11597-11604	4.3	23
125	Herbivore Assemblage as an Important Factor Modulating Grazing Effects on Ecosystem Carbon Fluxes in a Meadow Steppe in Northeast China. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020 , 125, e2020JG005652	3.7	3
124	Characterization of Chloroplast Genomes From Two Medicinal Plants and Gene Transfer Among Their Mitochondrial and Chloroplast Genomes. <i>Frontiers in Genetics</i> , 2020 , 11, 574962	4.5	3
123	NiRu nanoparticles encapsulated in a nitrogen-doped carbon matrix as a highly efficient electrocatalyst for the hydrogen evolution reaction. <i>Dalton Transactions</i> , 2020 , 49, 13647-13654	4.3	6
122	Sequence and phylogenetic analysis of the chloroplast genome for. <i>Mitochondrial DNA Part B: Resources</i> , 2020 , 5, 2922-2923	0.5	0
121	The schizophrenia genetics knowledgebase: a comprehensive update of findings from candidate gene studies. <i>Translational Psychiatry</i> , 2019 , 9, 205	8.6	10
120	SLC39A8 is a risk factor for schizophrenia in Uyghur Chinese: a case-control study. <i>BMC Psychiatry</i> , 2019 , 19, 293	4.2	2
119	Arsenic trioxide suppresses acute graft-versus-host disease by activating the Nrf2/HO-1 pathway in mice. <i>British Journal of Haematology</i> , 2019 , 186, e145-e148	4.5	6
118	Amplicon targeted resequencing for SLC2A9 and SLC22A12 identified novel mutations in hypouricemia subjects. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e00722	2.3	1
117	Polymorphism of the Gene and Dynamic Balance Performance in Han Chinese Children. <i>Hereditas</i> , 2019 , 156, 15	2.4	2
116	Immunosuppressive potential of fowl adenovirus serotype 4. <i>Poultry Science</i> , 2019 , 98, 3514-3522	3.9	14
115	Mutational landscape of penile squamous cell carcinoma in a Chinese population. <i>International Journal of Cancer</i> , 2019 , 145, 1280-1289	7.5	11
114	Advances in CRISPR-Cas systems for RNA targeting, tracking and editing. <i>Biotechnology Advances</i> , 2019 , 37, 708-729	17.8	49
113	Research on 355 nm all-solid-state ultraviolet laser processing through silicon holes. <i>Journal of Laser Applications</i> , 2019 , 31, 022003	2.1	

112	Common variants in the gene are associated with serum uric acid level and hyperuricemia and gout in Han Chinese. <i>Hereditas</i> , 2019 , 156, 4	2.4	4
111	Prediction of causal genes and gene expression analysis of attention-deficit hyperactivity disorder in the different brain region, a comprehensive integrative analysis of ADHD. <i>Behavioural Brain Research</i> , 2019 , 364, 183-192	3.4	7
110	The pathogenicity of duck hepatitis A virus types 1 and 3 on ducklings. <i>Poultry Science</i> , 2019 , 98, 6333-6339	3.9	6
109	Integrated fault detection and control for two-dimensional Markovian jump systems. <i>International Journal of Robust and Nonlinear Control</i> , 2019 , 29, 5621-5640	3.6	2
108	Comparative genetic architectures of schizophrenia in East Asian and European populations. <i>Nature Genetics</i> , 2019 , 51, 1670-1678	36.3	185
107	Genome-wide association study of cervical cancer suggests a role for ARRDC3 gene in human papillomavirus infection. <i>Human Molecular Genetics</i> , 2019 , 28, 341-348	5.6	16
106	A novel variant associated with HDL-C levels by modifying DAGLB expression levels: An annotation-based genome-wide association study. <i>European Journal of Human Genetics</i> , 2018 , 26, 838-847	5.3	4
105	Radionuclide Imaging-Guided Chemo-Radioisotope Synergistic Therapy Using a I-Labeled Polydopamine Multifunctional Nanocarrier. <i>Molecular Therapy</i> , 2018 , 26, 1385-1393	11.7	25
104	Association of fat mass and obesity-associated and retinitis pigmentosa guanosine triphosphatase (GTPase) regulator-interacting protein-1 like polymorphisms with body mass index in Chinese women. <i>Endocrine Journal</i> , 2018 , 65, 783-791	2.9	3
103	Gemin5 plays a role in unassembled-U1 snRNA disposal in SMN-deficient cells. <i>FEBS Letters</i> , 2018 , 592, 1400-1411	3.8	3
102	Signature Arsenic Detoxification Pathways in sp. Strain GFAJ-1. <i>MBio</i> , 2018 , 9,	7.8	12
101	Grazer effects on soil carbon storage vary by herbivore assemblage in a semi-arid grassland. <i>Journal of Applied Ecology</i> , 2018 , 55, 2517-2526	5.8	19
100	Consolidation Chemotherapy Prevents Relapse by Indirectly Regulating Bone Marrow Adipogenesis in Patients with Acute Myeloid Leukemia. <i>Cellular Physiology and Biochemistry</i> , 2018 , 45, 2389-2400	3.9	9
99	Moderate Dilution of Copper Slag by Natural Gas. <i>Jom</i> , 2018 , 70, 47-52	2.1	7
98	Occurrence, evolution, and functions of DNA phosphorothioate epigenetics in bacteria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E2988-E2996	11.5	51
97	Genome Engineering and Modification Toward Synthetic Biology for the Production of Antibiotics. <i>Medicinal Research Reviews</i> , 2018 , 38, 229-260	14.4	12
96	Imaging of pre-mRNA splicing in living subjects using a genetically encoded luciferase reporter. <i>Biomedical Optics Express</i> , 2018 , 9, 518-528	3.5	6
95	Growth differentiation factor 15 contributes to marrow adipocyte remodeling in response to the growth of leukemic cells. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 66	12.8	17

94	Glucose and Insulin-Related Traits, Type 2 Diabetes and Risk of Schizophrenia: A Mendelian Randomization Study. <i>EBioMedicine</i> , 2018 , 34, 182-188	8.8	17
93	Renal hypouricemia caused by novel compound heterozygous mutations in the SLC22A12 gene: a case report with literature review. <i>BMC Medical Genetics</i> , 2018 , 19, 142	2.1	8
92	Identification of recurrent USP48 and BRAF mutations in Cushing's disease. <i>Nature Communications</i> , 2018 , 9, 3171	17.4	56
91	Whole-exome sequencing of oral mucosal melanoma reveals mutational profile and therapeutic targets. <i>Journal of Pathology</i> , 2018 , 244, 358-366	9.4	36
90	Genetic analysis of common variants in the ZNF804A gene with schizophrenia and major depressive disorder. <i>Psychiatric Genetics</i> , 2018 , 28, 1-7	2.9	6
89	Association study of NDST3 gene for schizophrenia, bipolar disorder, major depressive disorder in the Han Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 3-9	3.5	3
88	Genome-wide association study identifies two risk loci for tuberculosis in Han Chinese. <i>Nature Communications</i> , 2018 , 9, 4072	17.4	23
87	Meta-analysis of GABRB2 polymorphisms and the risk of schizophrenia combined with GWAS data of the Han Chinese population and psychiatric genomics consortium. <i>PLoS ONE</i> , 2018 , 13, e0198690	3.7	5
86	Genome-wide two-locus interaction analysis identifies multiple epistatic SNP pairs that confer risk of prostate cancer: A cross-population study. <i>International Journal of Cancer</i> , 2017 , 140, 2075-2084	7.5	7
85	Germline Mutations in CDH23, Encoding Cadherin-Related 23, Are Associated with Both Familial and Sporadic Pituitary Adenomas. <i>American Journal of Human Genetics</i> , 2017 , 100, 817-823	11	37
84	The YWHAE gene confers risk to major depressive disorder in the male group of Chinese Han population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 172-177	5.5	4
83	Common variants in ZMIZ1 and near NGF confer risk for primary dysmenorrhoea. <i>Nature Communications</i> , 2017 , 8, 14900	17.4	4
82	Susceptibility loci for metabolic syndrome and metabolic components identified in Han Chinese: a multi-stage genome-wide association study. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 1106-1116	5.6	39
81	Genome-wide association analysis identifies 30 new susceptibility loci for schizophrenia. <i>Nature Genetics</i> , 2017 , 49, 1576-1583	36.3	272
80	Effect of rapamycin on early stage apoptosis of neutrophils in Sprague-Dawley rats with acute lung injury. <i>Biomedical Reports</i> , 2017 , 7, 148-152	1.8	
79	Replication of Gout/Urate Concentrations GWAS Susceptibility Loci Associated with Gout in a Han Chinese Population. <i>Scientific Reports</i> , 2017 , 7, 4094	4.9	12
78	A replication study of schizophrenia-related rare copy number variations in a Han Southern Chinese population. <i>Hereditas</i> , 2017 , 154, 2	2.4	4
77	Association between the variability of the ABCA13 gene and the risk of major depressive disorder and schizophrenia in the Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 550-556	3.8	5

76	C7 genotype of the donor may predict early bacterial infection after liver transplantation. <i>Scientific Reports</i> , 2016 , 6, 24121	4.9	9
75	Role played by the SP4 gene in schizophrenia and major depressive disorder in the Han Chinese population. <i>British Journal of Psychiatry</i> , 2016 , 208, 441-5	5.4	2
74	Derivation of Self-inhibitory Helical Peptides to Target Rho-kinase Dimerization in Cerebrovascular Malformation: Structural Bioinformatics Analysis and Peptide Binding Assay. <i>Molecular Informatics</i> , 2016 , 35, 262-7	3.8	2
73	The TNF- β 08G/A Polymorphism is Not Associated with Ocular Chlamydia trachomatis Infection in Han Chinese Children. <i>Ophthalmic Genetics</i> , 2016 , 37, 245-7	1.2	1
72	A new risk locus in the ZEB2 gene for schizophrenia in the Han Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 66, 97-103	5.5	7
71	Genome-wide Analysis of the Role of Copy Number Variation in Schizophrenia Risk in Chinese. <i>Biological Psychiatry</i> , 2016 , 80, 331-337	7.9	40
70	Imaging Dendrimer-Grafted Graphene Oxide Mediated Anti-miR-21 Delivery With an Activatable Luciferase Reporter. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 9014-21	9.5	58
69	Analysis of association between common variants in the SLCO6A1 gene with schizophrenia, bipolar disorder and major depressive disorder in the Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 140-6	3.8	2
68	Significant association of GRM7 and GRM8 genes with schizophrenia and major depressive disorder in the Han Chinese population. <i>European Neuropsychopharmacology</i> , 2016 , 26, 136-146	1.2	20
67	Polymorphisms in NRG1 are associated with schizophrenia, major depressive disorder and bipolar disorder in the Han Chinese population. <i>Journal of Affective Disorders</i> , 2016 , 194, 180-7	6.6	7
66	Common variants in QPCT gene confer risk of schizophrenia in the Han Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 237-42	3.5	2
65	Genetic association between NRG1 and schizophrenia, major depressive disorder, bipolar disorder in Han Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171B, 468-78	3.5	18
64	SHesisPlus, a toolset for genetic studies on polyploid species. <i>Scientific Reports</i> , 2016 , 6, 24095	4.9	55
63	A Common Variant in CLDN14 is Associated with Primary Biliary Cirrhosis and Bone Mineral Density. <i>Scientific Reports</i> , 2016 , 6, 19877	4.9	13
62	Genome-Wide Association Study of Bladder Cancer in a Chinese Cohort Reveals a New Susceptibility Locus at 5q12.3. <i>Cancer Research</i> , 2016 , 76, 3277-84	10.1	29
61	Identification of a novel susceptibility locus at 16q23.1 associated with childhood acute lymphoblastic leukemia in Han Chinese. <i>Human Molecular Genetics</i> , 2016 , 25, 2873-2880	5.6	6
60	Diacylglycerol kinase β (DGKK) variants and hypospadias in Han Chinese: association and meta-analysis. <i>BJU International</i> , 2015 , 116, 634-40	5.6	7
59	The GSK3B gene confers risk for both major depressive disorder and schizophrenia in the Han Chinese population. <i>Journal of Affective Disorders</i> , 2015 , 185, 149-55	6.6	25

58	The NVL gene confers risk for both major depressive disorder and schizophrenia in the Han Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 62, 7-13	5.5	15
57	Polymorphisms in GCKR, SLC17A1 and SLC22A12 were associated with phenotype gout in Han Chinese males: a case-control study. <i>BMC Medical Genetics</i> , 2015 , 16, 66	2.1	12
56	SHesisPCA: a GPU-based software to correct for population stratification that efficiently accelerates the process for handling genome-wide datasets. <i>Journal of Genetics and Genomics</i> , 2015 , 42, 445-53	4	1
55	Loci with genome-wide associations with schizophrenia in the Han Chinese population. <i>British Journal of Psychiatry</i> , 2015 , 207, 490-4	5.4	24
54	Poly(furfuryl alcohol) nanospheres: a facile synthesis approach based on confinement effect of polymer and a template for synthesis of metal oxide hollow nanospheres. <i>Bulletin of Materials Science</i> , 2015 , 38, 1859-1865	1.7	0
53	Optimization of Microwave Drying of Salt with Response Surface Methodology 2015 , 105-111		
52	Systematic Evaluation of Genetic Variants for Polycystic Ovary Syndrome in a Chinese Population. <i>PLoS ONE</i> , 2015 , 10, e0140695	3.7	12
51	Genetic association of ACSM1 variation with schizophrenia and major depressive disorder in the Han Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 144-9	3.5	10
50	Common variants at 10p12.31, 10q21.1 and 13q12.13 are associated with sporadic pituitary adenoma. <i>Nature Genetics</i> , 2015 , 47, 793-7	36.3	32
49	Genome-wide association analysis identifies three new risk loci for gout arthritis in Han Chinese. <i>Nature Communications</i> , 2015 , 6, 7041	17.4	68
48	Using halogen-halogen interactions or C/N-H...Cl hydrogen bonding to direct crystal packing in tetrachlorophthalic acid with N-heterocyclic compounds. <i>RSC Advances</i> , 2015 , 5, 10275-10289	3.7	14
47	Recurrent gain-of-function USP8 mutations in Cushing's disease. <i>Cell Research</i> , 2015 , 25, 306-17	24.7	189
46	SNAP25 is associated with schizophrenia and major depressive disorder in the Han Chinese population. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e76-82	4.6	27
45	Common variants in the CDH7 gene are associated with major depressive disorder in the Han Chinese population. <i>Behavior Genetics</i> , 2014 , 44, 97-101	3.2	2
44	Citric acid-assisted growth of lanthanide ions co-doped one-dimensional upconversion microcrystals and their photovoltaic applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 4066-4073	2.1	3
43	CACNA1C, schizophrenia and major depressive disorder in the Han Chinese population. <i>British Journal of Psychiatry</i> , 2014 , 204, 36-9	5.4	44
42	The CMYA5 gene confers risk for both schizophrenia and major depressive disorder in the Han Chinese population. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 553-60	3.8	7
41	Association study of 15q14 and 15q25 with high myopia in the Han Chinese population. <i>BMC Genetics</i> , 2014 , 15, 51	2.6	11

40	Association study between polymorphisms of PRMT6, PEX10, SOX5, and nonobstructive azoospermia in the Han Chinese population. <i>Biology of Reproduction</i> , 2014 , 90, 96	3.9	12
39	ITIH family genes confer risk to schizophrenia and major depressive disorder in the Han Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 51, 34-8	5.5	13
38	A panel of ancestry informative markers to estimate and correct potential effects of population stratification in Han Chinese. <i>European Journal of Human Genetics</i> , 2014 , 22, 248-53	5.3	31
37	A genome-wide association study identifies a locus on TERT for mean telomere length in Han Chinese. <i>PLoS ONE</i> , 2014 , 9, e85043	3.7	34
36	Study of the mechanism of sonodynamic therapy in a rat glioma model. <i>OncoTargets and Therapy</i> , 2014 , 7, 1801-10	4.4	26
35	Mapping of hepatic expression quantitative trait loci (eQTLs) in a Han Chinese population. <i>Journal of Medical Genetics</i> , 2014 , 51, 319-26	5.8	13
34	The performance and limitation of T-SPOT.TB for the diagnosis of TB in a high prevalence setting. <i>Journal of Thoracic Disease</i> , 2014 , 6, 713-9	2.6	16
33	Association between paraoxonase gene and stroke in the Han Chinese population. <i>BMC Medical Genetics</i> , 2013 , 14, 16	2.1	22
32	A genome-wide association study identifies two new cervical cancer susceptibility loci at 4q12 and 17q12. <i>Nature Genetics</i> , 2013 , 45, 918-22	36.3	80
31	Rare CNVs and tag SNPs at 15q11.2 are associated with schizophrenia in the Han Chinese population. <i>Schizophrenia Bulletin</i> , 2013 , 39, 712-9	1.3	42
30	Genome-wide association study identifies a novel susceptibility locus at 12q23.1 for lung squamous cell carcinoma in han chinese. <i>PLoS Genetics</i> , 2013 , 9, e1003190	6	34
29	An evaluation of association between a novel hippocampal biology related SNP (rs7294919) and schizophrenia. <i>PLoS ONE</i> , 2013 , 8, e80696	3.7	1
28	ANK3 as a risk gene for schizophrenia: new data in Han Chinese and meta analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 997-1005	3.5	31
27	ZNF804A and schizophrenia susceptibility in Asian populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 794-802	3.5	28
26	Genome-wide association study identifies eight new risk loci for polycystic ovary syndrome. <i>Nature Genetics</i> , 2012 , 44, 1020-5	36.3	380
25	GWAS identifies novel susceptibility loci on 6p21.32 and 21q21.3 for hepatocellular carcinoma in chronic hepatitis B virus carriers. <i>PLoS Genetics</i> , 2012 , 8, e1002791	6	142
24	Association of 8q22.3 locus in Chinese Han with idiopathic premature ovarian failure (POF). <i>Human Molecular Genetics</i> , 2012 , 21, 430-6	5.6	24
23	Association analyses identify multiple new lung cancer susceptibility loci and their interactions with smoking in the Chinese population. <i>Nature Genetics</i> , 2012 , 44, 895-9	36.3	108

22	Polymorphisms and haplotypes in the YWHAE gene increase susceptibility to bipolar disorder in Chinese Han population. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, e1276-82	4.6	13
21	Common variants on 8p12 and 1q24.2 confer risk of schizophrenia. <i>Nature Genetics</i> , 2011 , 43, 1224-7	36.3	201
20	A genome-wide association study identifies new susceptibility loci for non-cardia gastric cancer at 3q13.31 and 5p13.1. <i>Nature Genetics</i> , 2011 , 43, 1215-8	36.3	215
19	CTLA-4 confers a risk of recurrent schizophrenia, major depressive disorder and bipolar disorder in the Chinese Han population. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 429-33	16.6	22
18	Genome-wide association study identifies susceptibility loci for polycystic ovary syndrome on chromosome 2p16.3, 2p21 and 9q33.3. <i>Nature Genetics</i> , 2011 , 43, 55-9	36.3	462
17	A genome-wide association study identifies two new lung cancer susceptibility loci at 13q12.12 and 22q12.2 in Han Chinese. <i>Nature Genetics</i> , 2011 , 43, 792-6	36.3	288
16	A genome-wide association study reveals association between common variants in an intergenic region of 4q25 and high-grade myopia in the Chinese Han population. <i>Human Molecular Genetics</i> , 2011 , 20, 2861-8	5.6	73
15	The sequence and de novo assembly of the giant panda genome. <i>Nature</i> , 2010 , 463, 311-7	50.4	864
14	SHESIS-Epi, a GPU-enhanced genome-wide SNP-SNP interaction scanning algorithm, efficiently reveals the risk genetic epistasis in bipolar disorder. <i>Cell Research</i> , 2010 , 20, 854-7	24.7	57
13	Common variants in major histocompatibility complex region and TCF4 gene are significantly associated with schizophrenia in Han Chinese. <i>Biological Psychiatry</i> , 2010 , 68, 671-3	7.9	62
12	A partition-ligation-combination-subdivision EM algorithm for haplotype inference with multiallelic markers: update of the SHESIS (http://analysis.bio-x.cn). <i>Cell Research</i> , 2009 , 19, 519-23	24.7	610
11	No association found between the promoter variations of QKI and schizophrenia in the Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 33-6	5.5	4
10	Association and expression studies of glutamate-cysteine ligase modifier (GCLM) and schizophrenia in the Chinese Han population. <i>Psychiatric Genetics</i> , 2009 , 19, 279-80	2.9	2
9	The Ser9Gly polymorphism of the dopamine D3 receptor gene and risk of schizophrenia: an association study and a large meta-analysis. <i>Schizophrenia Research</i> , 2008 , 101, 26-35	3.6	18
8	No genetic association between polymorphisms in the kainate-type glutamate receptor gene, GRIK4, and schizophrenia in the Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 876-80	5.5	7
7	No genetic association between NCAM1 gene polymorphisms and schizophrenia in the Chinese population. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1633-6	5.5	8
6	Positive association between OLIG2 and schizophrenia in the Chinese Han population. <i>Human Genetics</i> , 2008 , 122, 659-60	6.3	28
5	The PIP5K2A gene and schizophrenia in the Chinese population--a case-control study. <i>Schizophrenia Research</i> , 2007 , 94, 359-65	3.6	17

4	An association study between the genetic polymorphisms within TBX1 and schizophrenia in the Chinese population. <i>Neuroscience Letters</i> , 2007 , 425, 146-50	3.3	13
3	Comparative genetic architectures of schizophrenia in East Asian and European populations		8
2	Optimizing the nitrogen configuration in interlayer-expanded carbon materials via sulfur-bridged bonds toward remarkable energy storage performances. <i>Journal of Materials Chemistry A</i> ,	13	4
1	Machine learning prediction of calorific value of coal based on the hybrid analysis. <i>International Journal of Coal Preparation and Utilization</i> ,1-22	1.2	