

Chun Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2479170/publications.pdf>

Version: 2024-02-01

87
papers

7,826
citations

109137

35
h-index

53109

85
g-index

87
all docs

87
docs citations

87
times ranked

9972
citing authors

#	ARTICLE	IF	CITATIONS
1	Computational insights into differential interaction of mammalian angiotensin-converting enzyme 2 with the SARS-CoV-2 spike receptor binding domain. <i>Computers in Biology and Medicine</i> , 2022, 141, 105017.	3.9	11
2	Novel inhibitors to ADP ribose phosphatase of SARS-CoV-2 identified by structure-based high throughput virtual screening and molecular dynamics simulations. <i>Computers in Biology and Medicine</i> , 2022, 140, 105084.	3.9	9
3	Binding of GS-461203 and Its Halogen Derivatives to HCV Genotype 2a RNA Polymerase Drug Resistance Mutants. <i>Scientia Pharmaceutica</i> , 2022, 90, 26.	0.7	0
4	Interaction analyses of hTAAR1 and mTAAR1 with antagonist EPPTB. <i>Life Sciences</i> , 2022, 300, 120553.	2.0	6
5	Unraveling the binding mechanism of the active form of Remdesivir to RdRp of SARS-CoV-2 and designing new potential analogues: Insights from molecular dynamics simulations. <i>Chemical Physics Letters</i> , 2022, 799, 139638.	1.2	4
6	Elucidation of partial activation of cannabinoid receptor type 2 and identification of potential partial agonists: Molecular dynamics simulation and structure-based virtual screening. <i>Computational Biology and Chemistry</i> , 2022, 99, 107723.	1.1	19
7	Mechanistic insight on the remdesivir binding to RNA-Dependent RNA polymerase (RdRp) of SARS-cov-2. <i>Computers in Biology and Medicine</i> , 2021, 129, 104156.	3.9	31
8	Effects of Ionic Liquids on Metalloproteins. <i>Molecules</i> , 2021, 26, 514.	1.7	14
9	Probing biased activation of mu-opioid receptor by the biased agonist PZM21 using all atom molecular dynamics simulation. <i>Life Sciences</i> , 2021, 269, 119026.	2.0	13
10	Y06014 is a selective BET inhibitor for the treatment of prostate cancer. <i>Acta Pharmacologica Sinica</i> , 2021, 42, 2120-2131.	2.8	3
11	Activation Mechanism of Corticotrophin Releasing Factor Receptor Type 1 Elucidated Using Molecular Dynamics Simulations. <i>ACS Chemical Neuroscience</i> , 2021, 12, 1674-1687.	1.7	8
12	Thermodynamic destabilization of azurin by four different tetramethylguanidinium amino acid ionic liquids. <i>International Journal of Biological Macromolecules</i> , 2021, 180, 355-364.	3.6	7
13	To Probe the Binding Interactions between Two FDA Approved Migraine Drugs (Ubrogепant and) Tj ETQq1 1 0.784314 rgBT /Overlock Simulations. <i>ACS Chemical Neuroscience</i> , 2021, 12, 2629-2642.	1.7	7
14	Drug repurposing against SARS-CoV-2 receptor binding domain using ensemble-based virtual screening and molecular dynamics simulations. <i>Computers in Biology and Medicine</i> , 2021, 135, 104634.	3.9	20
15	Effects of Ionic Liquids on Laccase from <i>Trametes versicolor</i> . <i>Biophysica</i> , 2021, 1, 429-444.	0.6	2
16	Three-Dimensional Structure of RNA Monomeric G-Quadruplex Containing ALS and FTD Related G4C2 Repeat and Its Binding with TMPyP4 Probed by Homology Modeling based on Experimental Constraints and Molecular Dynamics Simulations. <i>ACS Chemical Neuroscience</i> , 2020, 11, 57-75.	1.7	13
17	GDP Release from the Open Conformation of G $\beta\gamma$ Requires Allosteric Signaling from the Agonist-Bound Human β_2 Adrenergic Receptor. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 4064-4075.	2.5	8
18	To probe the binding pathway of a selective compound (D089-0563) to c-MYC Pu24 G-quadruplex using free ligand binding simulations and Markov state model analysis. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 22567-22583.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Molecular Dynamics Study on the Binding of an Anticancer DNA G-Quadruplex Stabilizer, CX-5461, to Human Telomeric, c-KIT1, and c-Myc G-Quadruplexes and a DNA Duplex. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 5203-5224.	2.5	12
20	QM/MM MD simulations reveal an asynchronous PCET mechanism for nitrite reduction by copper nitrite reductase. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 20922-20928.	1.3	4
21	Binding Interactions of Ergotamine and Dihydroergotamine to 5-Hydroxytryptamine Receptor 1B (5-HT _{1b}) Using Molecular Dynamics Simulations and Dynamic Network Analysis. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 1749-1765.	2.5	8
22	Analysis of vismodegib resistance in D473G and W535L mutants of SMO receptor and design of novel drug derivatives using molecular dynamics simulations. <i>Life Sciences</i> , 2020, 244, 117302.	2.0	7
23	To Probe Full and Partial Activation of Human Peroxisome Proliferator-Activated Receptors by Pan-Agonist Chiglitazar Using Molecular Dynamics Simulations. <i>PPAR Research</i> , 2020, 2020, 1-24.	1.1	8
24	Binding of agonist WAY-267,464 and antagonist WAY-methylated to oxytocin receptor probed by all-atom molecular dynamics simulations. <i>Life Sciences</i> , 2020, 252, 117643.	2.0	8
25	Molecular dynamics simulation of biased agonists at the dopamine D2 receptor suggests the mechanism of receptor functional selectivity. <i>Journal of Biomolecular Structure and Dynamics</i> , 2019, 37, 3206-3225.	2.0	9
26	Strictinin, a novel ROR1-inhibitor, represses triple negative breast cancer survival and migration via modulation of PI3K/AKT/GSK3 β activity. <i>PLoS ONE</i> , 2019, 14, e0217789.	1.1	30
27	Binding of BRACO19 to a Telomeric G-Quadruplex DNA Probed by All-Atom Molecular Dynamics Simulations with Explicit Solvent. <i>Molecules</i> , 2019, 24, 1010.	1.7	42
28	Dopamine D ₄ Receptor-Selective Compounds Reveal Structure-Activity Relationships that Engender Agonist Efficacy. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 3722-3740.	2.9	20
29	Novel Dopamine D4 Receptor-Selective Compounds Reveal Structure-Activity Relationships that Engender Agonist Efficacy. <i>FASEB Journal</i> , 2019, 33, 1b40.	0.2	0
30	Discovery and optimization of 1-(1 H-indol-1-yl)ethanone derivatives as CBP/EP300 bromodomain inhibitors for the treatment of castration-resistant prostate cancer. <i>European Journal of Medicinal Chemistry</i> , 2018, 147, 238-252.	2.6	46
31	Y08060: A Selective BET Inhibitor for Treatment of Prostate Cancer. <i>ACS Medicinal Chemistry Letters</i> , 2018, 9, 262-267.	1.3	14
32	Structure-Based Discovery and Optimization of Benzo[<i>d</i>]isoxazole Derivatives as Potent and Selective BET Inhibitors for Potential Treatment of Castration-Resistant Prostate Cancer (CRPC). <i>Journal of Medicinal Chemistry</i> , 2018, 61, 3037-3058.	2.9	46
33	To probe interaction of morphine and IBNtxA with 7TM and 6TM variants of the human μ -opioid receptor using all-atom molecular dynamics simulations with an explicit membrane. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 1724-1741.	1.3	14
34	Binding of Telomestatin, TMPyP4, BSU6037, and BRACO19 to a Telomeric G-Quadruplex-Duplex Hybrid Probed by All-Atom Molecular Dynamics Simulations with Explicit Solvent. <i>ACS Omega</i> , 2018, 3, 14788-14806.	1.6	32
35	Experimental and Simulation Identification of Xanthohumol as an Inhibitor and Substrate of ABCB1. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 681.	1.3	8
36	Hetero-oligomeric Amyloid Assembly and Mechanism: Prion Fragment PrP(106-126) Catalyzes the Islet Amyloid Polypeptide β 2-Hairpin. <i>Journal of the American Chemical Society</i> , 2018, 140, 9685-9695.	6.6	28

#	ARTICLE	IF	CITATIONS
37	Computational analysis of Amsacrine resistance in human topoisomerase II alpha mutants (R487K and) Tj ETQq1 1 0.784314 rgBT /Over solvent. Journal of Molecular Graphics and Modelling, 2017, 72, 209-219.	1.3	14
38	An Experimental and Molecular Dynamics Study of Red Fluorescent Protein mCherry in Novel Aqueous Amino Acid Ionic Liquids. Journal of Physical Chemistry B, 2017, 121, 4823-4832.	1.2	11
39	Can human allergy drug fexofenadine, an antagonist of histamine (H1) receptor, be used to treat dog and cat? Homology modeling, docking and molecular dynamic Simulation of three H1 receptors in complex with fexofenadine. Journal of Molecular Graphics and Modelling, 2017, 75, 106-116.	1.3	7
40	Probing the Binding Pathway of BRACO19 to a Parallel-Stranded Human Telomeric G-Quadruplex Using Molecular Dynamics Binding Simulation with AMBER DNA OL15 and Ligand GAFF2 Force Fields. Journal of Chemical Information and Modeling, 2017, 57, 2846-2864.	2.5	40
41	Binding of anticancer drug daunomycin to a TGGGGT G-quadruplex DNA probed by all-atom molecular dynamics simulations: additional pure groove binding mode and implications on designing more selective G-quadruplex ligands. Journal of Molecular Modeling, 2017, 23, 256.	0.8	19
42	Investigating detailed interactions between novel PAR1 antagonist F16357 and the receptor using docking and molecular dynamic simulations. Journal of Molecular Graphics and Modelling, 2017, 77, 205-217.	1.3	4
43	Binding modes and pathway of RHPS4 to human telomeric G-quadruplex and duplex DNA probed by all-atom molecular dynamics simulations with explicit solvent. Physical Chemistry Chemical Physics, 2017, 19, 18685-18694.	1.3	26
44	Development of a novel series of non-natural triaryl agonists and antagonists of the Pseudomonas aeruginosa LasR quorum sensing receptor. Bioorganic and Medicinal Chemistry, 2017, 25, 153-165.	1.4	25
45	Surface force measurements and simulations of mussel-derived peptide adhesives on wet organic surfaces. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 4332-4337.	3.3	77
46	Computational Study of Anticancer Drug Resistance Caused by 10 Topoisomerase I Mutations, Including 7 Camptothecin Analogs and Lucanthone. Journal of Chemical Information and Modeling, 2016, 56, 1872-1883.	2.5	11
47	Binding of Telomestatin to a Telomeric G-Quadruplex DNA Probed by All-Atom Molecular Dynamics Simulations with Explicit Solvent. Journal of Chemical Information and Modeling, 2016, 56, 2093-2102.	2.5	26
48	Analysis of the Amyloidogenic Potential of Pufferfish (<i>Takifugu rubripes</i>) Islet Amyloid Polypeptide Highlights the Limitations of Thioflavin-T Assays and the Difficulties in Defining Amyloidogenicity. Biochemistry, 2016, 55, 510-518.	1.2	59
49	Mechanism of C-Terminal Fragments of Amyloid β -Protein as $A\beta$ Inhibitors: Do C-Terminal Interactions Play a Key Role in Their Inhibitory Activity?. Journal of Physical Chemistry B, 2016, 120, 1615-1623.	1.2	47
50	Defining the Molecular Basis of Amyloid Inhibitors: Human Islet Amyloid Polypeptide-Insulin Interactions. Journal of the American Chemical Society, 2014, 136, 12912-12919.	6.6	67
51	How accurate are the popular PCM/GB continuum solvation models for calculating the solvation energies of amino acid side-chain analogs?. Theoretical Chemistry Accounts, 2014, 133, 1.	0.5	14
52	The Linker between the Dimerization and Catalytic Domains of the CheA Histidine Kinase Propagates Changes in Structure and Dynamics That Are Important for Enzymatic Activity. Biochemistry, 2014, 53, 855-861.	1.2	36
53	Ion Mobility Spectrometry Reveals the Mechanism of Amyloid Formation of $A\beta$ (25-35) and Its Modulation by Inhibitors at the Molecular Level: Epigallocatechin Gallate and Scyllo-inositol. Journal of the American Chemical Society, 2013, 135, 16926-16937.	6.6	83
54	Structural Similarities and Differences between Amyloidogenic and Non-Amyloidogenic Islet Amyloid Polypeptide (IAPP) Sequences and Implications for the Dual Physiological and Pathological Activities of These Peptides. PLoS Computational Biology, 2013, 9, e1003211.	1.5	78

#	ARTICLE	IF	CITATIONS
55	Binding of Congo Red to Amyloid Protofibrils of the Alzheimer A β 40 Peptide Probed by Molecular Dynamics Simulations. <i>Biophysical Journal</i> , 2012, 103, 550-557.	0.2	140
56	Computational and Experimental Analyses Reveal the Essential Roles of Interdomain Linkers in the Biological Function of Chemotaxis Histidine Kinase CheA. <i>Journal of the American Chemical Society</i> , 2012, 134, 16107-16110.	6.6	36
57	Early stage intercalation of doxorubicin to DNA fragments observed in molecular dynamics binding simulations. <i>Journal of Molecular Graphics and Modelling</i> , 2012, 38, 279-289.	1.3	52
58	A β (39-42) Modulates A β Oligomerization but Not Fibril Formation. <i>Biochemistry</i> , 2012, 51, 108-117.	1.2	72
59	The Structure of Intrinsically Disordered Peptides Implicated in Amyloid Diseases: Insights from Fully Atomistic Simulations. <i>Biological and Medical Physics Series</i> , 2012, , 215-227.	0.3	8
60	The Amyloid Formation Mechanism in Human IAPP: Dimers Have β -Strand Monomer-Monomer Interfaces. <i>Journal of the American Chemical Society</i> , 2011, 133, 7240-7243.	6.6	195
61	On the Origin of the Stronger Binding of PIB over Thioflavin T to Protofibrils of the Alzheimer Amyloid- β Peptide: A Molecular Dynamics Study. <i>Biophysical Journal</i> , 2011, 100, 1316-1324.	0.2	83
62	Coarse-grained models for protein aggregation. <i>Current Opinion in Structural Biology</i> , 2011, 21, 209-220.	2.6	170
63	On the Origins of the Weak Folding Cooperativity of a Designed β Ultrafast Protein FSD-1. <i>PLoS Computational Biology</i> , 2010, 6, e1000998.	1.5	14
64	Molecular Structures of Quiescently Grown and Brain-Derived Polymorphic Fibrils of the Alzheimer Amyloid A β 9-40 Peptide: A Comparison to Agitated Fibrils. <i>PLoS Computational Biology</i> , 2010, 6, e1000693.	1.5	54
65	Oligomers of the Prion Protein Fragment 106-126 Are Likely Assembled from β -Hairpins in Solution, and Methionine Oxidation Inhibits Assembly without Altering the Peptide's Monomeric Conformation. <i>Journal of the American Chemical Society</i> , 2010, 132, 532-539.	6.6	67
66	Assessing the Performance of Popular Quantum Mechanics and Molecular Mechanics Methods and Revealing the Sequence-Dependent Energetic Features Using 100 Tetrapeptide Models. <i>Journal of Chemical Theory and Computation</i> , 2010, 6, 1199-1209.	2.3	42
67	Dual folding pathways of an β protein from all-atom ab initio folding simulations. <i>Journal of Chemical Physics</i> , 2009, 131, 165105.	1.2	22
68	The Structure of A β 42 C-Terminal Fragments Probed by a Combined Experimental and Theoretical Study. <i>Journal of Molecular Biology</i> , 2009, 387, 492-501.	2.0	84
69	Binding Modes of Thioflavin-T to the Single-Layer β -Sheet of the Peptide Self-Assembly Mimics. <i>Journal of Molecular Biology</i> , 2009, 394, 627-633.	2.0	120
70	Human Islet Amyloid Polypeptide Monomers Form Ordered β -hairpins: A Possible Direct Amyloidogenic Precursor. <i>Journal of the American Chemical Society</i> , 2009, 131, 18283-18292.	6.6	204
71	The Binding of Thioflavin T and Its Neutral Analog BTA-1 to Protofibrils of the Alzheimer's Disease A β 16-22 Peptide Probed by Molecular Dynamics Simulations. <i>Journal of Molecular Biology</i> , 2008, 384, 718-729.	2.0	132
72	Folding processes of the B domain of protein A to the native state observed in all-atom ab initio folding simulations. <i>Journal of Chemical Physics</i> , 2008, 128, 235105.	1.2	35

#	ARTICLE	IF	CITATIONS
73	Folding free-energy landscape of villin headpiece subdomain from molecular dynamics simulations. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 4925-4930.	3.3	217
74	Dual Binding Modes of Congo Red to Amyloid Protofibril Surface Observed in Molecular Dynamics Simulations. Journal of the American Chemical Society, 2007, 129, 1225-1232.	6.6	163
75	Accurate ab Initio Study on the Hydrogen-Bond Pairs in Protein Secondary Structures. Journal of Chemical Theory and Computation, 2007, 3, 1527-1537.	2.3	35
76	Phenol Red Interacts with the Protofibril-Like Oligomers of an Amyloidogenic Hexapeptide NFGAIL through Both Hydrophobic and Aromatic Contacts. Biophysical Journal, 2006, 91, 3664-3672.	0.2	61
77	Molecular Dynamics Simulations and Free Energy Analyses on the Dimer Formation of an Amyloidogenic Heptapeptide from Human β 2-Microglobulin: Implication for the Protofibril Structure. Journal of Molecular Biology, 2006, 356, 1049-1063.	2.0	28
78	Strike a balance: Optimization of backbone torsion parameters of AMBER polarizable force field for simulations of proteins and peptides. Journal of Computational Chemistry, 2006, 27, 781-790.	1.5	159
79	Convergence of replica exchange molecular dynamics. Journal of Chemical Physics, 2005, 123, 154105.	1.2	107
80	Elongation of Ordered Peptide Aggregate of an Amyloidogenic Hexapeptide NFGAIL Observed in Molecular Dynamics Simulations with Explicit Solvent. Journal of the American Chemical Society, 2005, 127, 13530-13537.	6.6	77
81	The Role of Phe in the Formation of Well-Ordered Oligomers of Amyloidogenic Hexapeptide (NFGAIL) Observed in Molecular Dynamics Simulations with Explicit Solvent. Biophysical Journal, 2005, 88, 2897-2906.	0.2	60
82	Formation of Partially Ordered Oligomers of Amyloidogenic Hexapeptide (NFGAIL) in Aqueous Solution Observed in Molecular Dynamics Simulations. Biophysical Journal, 2004, 87, 3000-3009.	0.2	57
83	A point-charge force field for molecular mechanics simulations of proteins based on condensed-phase quantum mechanical calculations. Journal of Computational Chemistry, 2003, 24, 1999-2012.	1.5	4,028
84	Breaking non-native hydrophobic clusters is the rate-limiting step in the folding of an alanine-based peptide. Biopolymers, 2003, 68, 63-75.	1.2	55
85	Derivative Matrix Isopotential Synchronous Fluorescence Spectroscopy for the Direct Determination of 1-Hydroxypyrene as a Urinary Biomarker of Exposure to Polycyclic Aromatic Hydrocarbons.. Analytical Sciences, 2001, 17, 167-170.	0.8	8
86	Rapid simultaneous determination of four anthracene derivatives using a single non-linear variable-angle synchronous fluorescence spectrum. Fresenius' Journal of Analytical Chemistry, 2000, 368, 669-675.	1.5	13
87	Development and Characterization of Monoclonal Antibodies Specific to the Serotonin 5-HT _{2A} Receptor. Journal of Histochemistry and Cytochemistry, 1998, 46, 811-824.	1.3	68