

# Fabio Blandini

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2479996/fabio-blandini-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157  
papers

6,075  
citations

42  
h-index

70  
g-index

168  
ext. papers

6,997  
ext. citations

4.9  
avg, IF

5.96  
L-index

#	Paper	IF	Citations
157	Noninvasive neuromodulation in Parkinson® disease: Neuroplasticity implication and therapeutic perspectives.. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2022</i> , 184, 185-198	3	1
156	Sphingolipid changes in Parkinson L444P GBA mutation fibroblasts promote $\beta$ synuclein aggregation.. <i>Brain, 2022</i> ,	11.2	1
155	Clinical and Dopamine Transporter Imaging Trajectories in a Cohort of Parkinson® Disease Patients with GBA Mutations. <i>Movement Disorders, 2021</i> ,	7	1
154	Facemasks and face recognition: Potential impact on synaptic plasticity. <i>Neurobiology of Disease, 2021</i> , 153, 105319	7.5	7
153	Gender biased neuroprotective effect of Transferrin Receptor 2 deletion in multiple models of Parkinson® disease. <i>Cell Death and Differentiation, 2021</i> , 28, 1720-1732	12.7	2
152	Profiling the Biochemical Signature of GBA-Related Parkinson® Disease in Peripheral Blood Mononuclear Cells. <i>Movement Disorders, 2021</i> , 36, 1267-1272	7	6
151	GBA Mutations Influence the Release and Pathological Effects of Small Extracellular Vesicles from Fibroblasts of Patients with Parkinson® Disease. <i>International Journal of Molecular Sciences, 2021</i> , 22,	6.3	6
150	Reply to: "Increased alpha-Synuclein Level in CD45 Blood Cells in Asymptomatic Carriers of GBA Mutations". <i>Movement Disorders, 2021</i> , 36, 1998-1999	7	
149	Neuroprotective and Symptomatic Effects of Cannabidiol in an Animal Model of Parkinson® Disease. <i>International Journal of Molecular Sciences, 2021</i> , 22,	6.3	5
148	Potential therapeutic effects of polyphenols in Parkinson® disease: and pre-clinical studies. <i>Neural Regeneration Research, 2021</i> , 16, 234-241	4.5	11
147	In vivo modeling of prodromal stage of Parkinson® disease. <i>Journal of Neuroscience Methods, 2020</i> , 342, 108801	3	2
146	Pathological remodelling of colonic wall following dopaminergic nigrostriatal neurodegeneration. <i>Neurobiology of Disease, 2020</i> , 139, 104821	7.5	11
145	Glucocerebrosidase Defects as a Major Risk Factor for Parkinson® Disease. <i>Frontiers in Aging Neuroscience, 2020</i> , 12, 97	5.3	28
144	An update on the use of non-ergot dopamine agonists for the treatment of Parkinson® disease. <i>Expert Opinion on Pharmacotherapy, 2020</i> , 21, 2279-2291	4	3
143	Neuroprotective effects of lignan 7-hydroxymatairesinol (HMR/lignan) in a rodent model of Parkinson® disease. <i>Nutrition, 2020</i> , 69, 110494	4.8	10
142	Evolution of prodromal parkinsonian features in a cohort of mutation-positive individuals: a 6-year longitudinal study. <i>Journal of Neurology, Neurosurgery and Psychiatry, 2019</i> , 90, 1091-1097	5.5	29
141	Peripheral-Central Neuroimmune Crosstalk in Parkinson® Disease: What Do Patients and Animal Models Tell Us?. <i>Frontiers in Neurology, 2019</i> , 10, 232	4.1	30

140	Parkinson's Disease in Women and Men: What's the Difference?. <i>Journal of Parkinson's Disease</i> , <b>2019</b> , 9, 501-515	5.3	104
139	Role of Autophagy in Parkinson's Disease. <i>Current Medicinal Chemistry</i> , <b>2019</b> , 26, 3702-3718	4.3	52
138	Glucocerebrosidase mutations and synucleinopathies: Toward a model of precision medicine. <i>Movement Disorders</i> , <b>2019</b> , 34, 9-21	7	45
137	Development and biochemical characterization of a mouse model of Parkinson's disease bearing defective glucocerebrosidase activity. <i>Neurobiology of Disease</i> , <b>2019</b> , 124, 289-296	7.5	9
136	In vivo imaging of early signs of dopaminergic neuronal death in an animal model of Parkinson's disease. <i>Neurobiology of Disease</i> , <b>2018</b> , 114, 74-84	7.5	6
135	Endothelial nitric oxide synthase inhibition triggers inflammatory responses in the brain of male rats exposed to ischemia-reperfusion injury. <i>Journal of Neuroscience Research</i> , <b>2018</b> , 96, 151-159	4.4	17
134	Mitochondrial Complex I Reversible S-Nitrosation Improves Bioenergetics and Is Protective in Parkinson's Disease. <i>Antioxidants and Redox Signaling</i> , <b>2018</b> , 28, 44-61	8.4	14
133	Activation of the DNA damage response in vivo in synucleinopathy models of Parkinson's disease. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 818	9.8	53
132	Parkinson's disease patients have a complex phenotypic and functional Th1 bias: cross-sectional studies of CD4+ Th1/Th2/T17 and Treg in drug-naïve and drug-treated patients. <i>Journal of Neuroinflammation</i> , <b>2018</b> , 15, 205	10.1	98
131	The Exosomal/Total $\beta$ Synuclein Ratio in Plasma Is Associated With Glucocerebrosidase Activity and Correlates With Measures of Disease Severity in PD Patients. <i>Frontiers in Cellular Neuroscience</i> , <b>2018</b> , 12, 125	6.1	41
130	The Involvement of Post-Translational Modifications in Alzheimer's Disease. <i>Current Alzheimer Research</i> , <b>2018</b> , 15, 313-335	3	39
129	Modulation of cerebral RAGE expression following nitric oxide synthase inhibition in rats subjected to focal cerebral ischemia. <i>European Journal of Pharmacology</i> , <b>2017</b> , 800, 16-22	5.3	9
128	Effects of L-DOPA/benserazide co-treatment on colonic excitatory cholinergic motility and enteric inflammation following dopaminergic nigrostriatal neurodegeneration. <i>Neuropharmacology</i> , <b>2017</b> , 123, 22-33	5.5	13
127	Investigational drugs in Phase I and Phase II for Levodopa-induced dyskinesias. <i>Expert Opinion on Investigational Drugs</i> , <b>2017</b> , 26, 777-791	5.9	14
126	Complex Changes in the Innate and Adaptive Immunity Accompany Progressive Degeneration of the Nigrostriatal Pathway Induced by Intrastratial Injection of 6-Hydroxydopamine in the Rat. <i>Neurotoxicity Research</i> , <b>2017</b> , 32, 71-81	4.3	15
125	Effects of kynurenic acid analogue 1 (KYNA-A1) in nitroglycerin-induced hyperalgesia: Targets and anti-migraine mechanisms. <i>Cephalalgia</i> , <b>2017</b> , 37, 1272-1284	6.1	27
124	Activation of the CREB/ Pathway during Long-Term Synaptic Plasticity in the Cerebellum Granular Layer. <i>Frontiers in Cellular Neuroscience</i> , <b>2017</b> , 11, 184	6.1	30
123	Influence of Estrogen Modulation on Glia Activation in a Murine Model of Parkinson's Disease. <i>Frontiers in Neuroscience</i> , <b>2017</b> , 11, 306	5.1	37

122	Alteration of colonic excitatory tachykininergic motility and enteric inflammation following dopaminergic nigrostriatal neurodegeneration. <i>Journal of Neuroinflammation</i> , <b>2016</b> , 13, 146	10.1	50
121	Subtle alterations of excitatory transmission are linked to presynaptic changes in the hippocampus of PINK1-deficient mice. <i>Synapse</i> , <b>2016</b> , 70, 223-30	2.4	11
120	Enteric Dysfunctions in Experimental Parkinson® Disease: Alterations of Excitatory Cholinergic Neurotransmission Regulating Colonic Motility in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2016</b> , 356, 434-44	4.7	36
119	Dopaminergic Receptors on CD4+ T Naive and Memory Lymphocytes Correlate with Motor Impairment in Patients with Parkinson® Disease. <i>Scientific Reports</i> , <b>2016</b> , 6, 33738	4.9	58
118	Inefficient DNA Repair Is an Aging-Related Modifier of Parkinson® Disease. <i>Cell Reports</i> , <b>2016</b> , 15, 1866-75.6	15.6	66
117	Ambroxol-induced rescue of defective glucocerebrosidase is associated with increased LIMP-2 and saposin C levels in GBA1 mutant Parkinson® disease cells. <i>Neurobiology of Disease</i> , <b>2015</b> , 82, 235-242	7.5	57
116	Selective blockade of mGlu5 metabotropic glutamate receptors is protective against hepatic mitochondrial dysfunction in 6-OHDA lesioned Parkinsonian rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2015</b> , 42, 695-703	3	19
115	Intracarotid Infusion of Mesenchymal Stem Cells in an Animal Model of Parkinson® Disease, Focusing on Cell Distribution and Neuroprotective and Behavioral Effects. <i>Stem Cells Translational Medicine</i> , <b>2015</b> , 4, 1073-85	6.9	36
114	Dual target strategy: combining distinct non-dopaminergic treatments reduces neuronal cell loss and synergistically modulates L-DOPA-induced rotational behavior in a rodent model of Parkinson® disease. <i>Journal of Neurochemistry</i> , <b>2015</b> , 134, 740-7	6	25
113	Response of colonic motility to dopaminergic stimulation is subverted in rats with nigrostriatal lesion: relevance to gastrointestinal dysfunctions in Parkinson® disease. <i>Neurogastroenterology and Motility</i> , <b>2015</b> , 27, 1783-95	4	20
112	Evaluation of ADMA-DDAH-NOS axis in specific brain areas following nitroglycerin administration: study in an animal model of migraine. <i>Journal of Headache and Pain</i> , <b>2015</b> , 16, 560	8.8	27
111	Dopamine receptor agonists for Parkinson® disease. <i>Expert Opinion on Investigational Drugs</i> , <b>2014</b> , 23, 387-410	5.9	31
110	Effects of CGRP receptor antagonism in nitroglycerin-induced hyperalgesia. <i>Cephalalgia</i> , <b>2014</b> , 34, 594-604	604	52
109	Radiological analysis of gastrointestinal dysmotility in a model of central nervous dopaminergic degeneration: comparative study with conventional in vivo techniques in the rat. <i>Journal of Pharmacological and Toxicological Methods</i> , <b>2014</b> , 70, 163-9	1.7	15
108	A further update on the role of excitotoxicity in the pathogenesis of Parkinson® disease. <i>Journal of Neural Transmission</i> , <b>2014</b> , 121, 849-59	4.3	123
107	Electrophysiological and metabolic effects of CHF5074 in the hippocampus: protection against in vitro ischemia. <i>Pharmacological Research</i> , <b>2014</b> , 81, 83-90	10.2	20
106	Bioenergetic and proteolytic defects in fibroblasts from patients with sporadic Parkinson® disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2014</b> , 1842, 1385-94	6.9	42
105	Age-related changes of protein SUMOylation balance in the ABP Tg2576 mouse model of Alzheimer® disease. <i>Frontiers in Pharmacology</i> , <b>2014</b> , 5, 63	5.6	35

104	Neuroprotection by the PARP inhibitor PJ34 modulates cerebral and circulating RAGE levels in rats exposed to focal brain ischemia. <i>European Journal of Pharmacology</i> , <b>2014</b> , 744, 91-7	5.3	17
103	Fibroblasts from skin biopsies as a tool for biomarker discovery in Parkinson's disease. <i>Free Radical Biology and Medicine</i> , <b>2014</b> , 75 Suppl 1, S10	7.8	1
102	Neuroprotective potential of adenosine A2A and cannabinoid CB1 receptor antagonists in an animal model of Parkinson disease. <i>Journal of Neuropathology and Experimental Neurology</i> , <b>2014</b> , 73, 414-24	3.1	29
101	Implication of limonene and linalyl acetate in cytotoxicity induced by bergamot essential oil in human neuroblastoma cells. <i>Phytotherapy Research</i> , <b>2013</b> , 89, 48-57	3.2	51
100	Single or combined treatment with L-DOPA and quinpirole differentially modulate expression and phosphorylation of key regulatory kinases in neuroblastoma cells. <i>Neuroscience Letters</i> , <b>2013</b> , 552, 168-73	3.3	33
99	Neural and immune mechanisms in the pathogenesis of Parkinson's disease. <i>Journal of NeuroImmune Pharmacology</i> , <b>2013</b> , 8, 189-201	6.9	109
98	SOD1 and DJ-1 converge at Nrf2 pathway: a clue for antioxidant therapeutic potential in neurodegeneration. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2013</b> , 2013, 836760	6.7	79
97	A reliable indirect cell-labelling protocol for optical imaging allows ex vivo visualisation of mesenchymal stem cells after transplantation. <i>Archives Italiennes De Biologie</i> , <b>2013</b> , 151, 114-25	1.1	1
96	Acute reduction of anandamide-hydrolase (FAAH) activity is coupled with a reduction of nociceptive pathways facilitation in medication-overuse headache subjects after withdrawal treatment. <i>Headache</i> , <b>2012</b> , 52, 1350-61	4.2	39
95	Animal models of Parkinson's disease. <i>FEBS Journal</i> , <b>2012</b> , 279, 1156-66	5.7	269
94	Modifications of neuroactive steroid levels in an experimental model of nigrostriatal degeneration: potential relevance to the pathophysiology of Parkinson's disease. <i>Journal of Molecular Neuroscience</i> , <b>2012</b> , 46, 177-83	3.3	32
93	Neuroprotective effects of human mesenchymal stem cells on neural cultures exposed to 6-hydroxydopamine: implications for reparative therapy in Parkinson's disease. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2012</b> , 17, 289-304	5.4	26
92	Intestinal dysmotility and enteric neurochemical changes in a Parkinson's disease rat model. <i>Autonomic Neuroscience: Basic and Clinical</i> , <b>2012</b> , 169, 77-86	2.4	47
91	Impaired hepatic function and central dopaminergic denervation in a rodent model of Parkinson's disease: a self-perpetuating crosstalk?. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2012</b> , 1822, 176-84	6.9	20
90	Insulin receptor $\beta$ subunit haploinsufficiency impairs hippocampal late-phase LTP and recognition memory. <i>NeuroMolecular Medicine</i> , <b>2012</b> , 14, 262-9	4.6	51
89	New pharmacological avenues for the treatment of L-DOPA-induced dyskinesias in Parkinson's disease: targeting glutamate and adenosine receptors. <i>Expert Opinion on Investigational Drugs</i> , <b>2012</b> , 21, 153-68	5.9	53
88	Association of UDP-glucuronosyltransferase 1A9 polymorphisms with adverse reactions to catechol-O-methyltransferase inhibitors in Parkinson's disease patients. <i>European Journal of Clinical Pharmacology</i> , <b>2012</b> , 68, 1493-9	2.8	10
87	Search for cellular stress biomarkers in lymphocytes from patients with multiple sclerosis: a pilot study. <i>PLoS ONE</i> , <b>2012</b> , 7, e44935	3.7	11

86	A(2A) Receptor Antagonism and Dyskinesia in Parkinson's Disease. <i>Parkinson's Disease</i> , <b>2012</b> , 2012, 4898-92	5.3	13
85	Noninvasive near-infrared live imaging of human adult mesenchymal stem cells transplanted in a rodent model of Parkinson's disease. <i>International Journal of Nanomedicine</i> , <b>2012</b> , 7, 435-47	7.3	21
84	Modulation of RAGE isoforms expression in the brain and plasma of rats exposed to transient focal cerebral ischemia. <i>Neurochemical Research</i> , <b>2012</b> , 37, 1508-16	4.6	13
83	Toxic profile of bergamot essential oil on survival and proliferation of SH-SY5Y neuroblastoma cells. <i>Food and Chemical Toxicology</i> , <b>2011</b> , 49, 2780-92	4.7	22
82	Peripheral expression of key regulatory kinases in Alzheimer's disease and Parkinson's disease. <i>Neurobiology of Aging</i> , <b>2011</b> , 32, 2142-51	5.6	33
81	Adhesion molecules as potential targets for neuroprotection in a rodent model of Parkinson's disease. <i>Neurobiology of Disease</i> , <b>2011</b> , 43, 663-8	7.5	10
80	Effects of early and delayed treatment with an mGluR5 antagonist on motor impairment, nigrostriatal damage and neuroinflammation in a rodent model of Parkinson's disease. <i>Brain Research Bulletin</i> , <b>2010</b> , 82, 29-38	3.9	43
79	Transplantation of undifferentiated human mesenchymal stem cells protects against 6-hydroxydopamine neurotoxicity in the rat. <i>Cell Transplantation</i> , <b>2010</b> , 19, 203-17	4	117
78	Characterization of gene expression induced by RTN-1C in human neuroblastoma cells and in mouse brain. <i>Neurobiology of Disease</i> , <b>2010</b> , 40, 634-44	7.5	6
77	Multiple neurogenic and neurorescue effects of human mesenchymal stem cell after transplantation in an experimental model of Parkinson's disease. <i>Brain Research</i> , <b>2010</b> , 1311, 12-27	3.7	112
76	The origin recognition complex subunit, ORC3, is developmentally regulated and supports the expression of biochemical markers of neuronal maturation in cultured cerebellar granule cells. <i>Brain Research</i> , <b>2010</b> , 1358, 1-10	3.7	4
75	Long-term culture and differentiation of CNS precursors derived from anterior human neural rosettes following exposure to ventralizing factors. <i>Experimental Cell Research</i> , <b>2010</b> , 316, 1148-58	4.2	29
74	An update on the potential role of excitotoxicity in the pathogenesis of Parkinson's disease. <i>Functional Neurology</i> , <b>2010</b> , 25, 65-71	2.2	65
73	Neuroprotective compounds and innovative therapeutic strategies for Parkinson's disease: experimental and clinical studies. <i>Open Access Journal of Clinical Trials</i> , <b>2009</b> , Volume 1, 1-15	1.5	
72	Functional and neurochemical changes of the gastrointestinal tract in a rodent model of Parkinson's disease. <i>Neuroscience Letters</i> , <b>2009</b> , 467, 203-7	3.3	58
71	Calcium homeostasis is dysregulated in parkinsonian patients with L-DOPA-induced dyskinesias. <i>Clinical Neuropharmacology</i> , <b>2009</b> , 32, 133-9	1.4	16
70	Role of central dopaminergic circuitry in pain processing and nitroglycerin-induced hyperalgesia. <i>Brain Research</i> , <b>2008</b> , 1238, 215-23	3.7	24
69	Systemic administration of an mGluR5 antagonist, but not unilateral subthalamic lesion, counteracts L-DOPA-induced dyskinesias in a rodent model of Parkinson's disease. <i>Neurobiology of Disease</i> , <b>2008</b> , 29, 161-8	7.5	90

68	Activation of brain metabolism and fos during limbic seizures: the role of locus coeruleus. <i>Neurobiology of Disease</i> , <b>2008</b> , 30, 388-399	7.5	27
67	The 6-hydroxydopamine model: news from the past. <i>Parkinsonism and Related Disorders</i> , <b>2008</b> , 14 Suppl 2, S124-9	3.6	206
66	Dietary restriction does not prevent nigrostriatal degeneration in the 6-hydroxydopamine model of Parkinson disease. <i>Experimental Neurology</i> , <b>2008</b> , 212, 548-51	5.7	21
65	Proteasomal inhibition and apoptosis regulatory changes in human isolated lymphocytes: the synergistic role of dopamine. <i>Journal of Cellular Biochemistry</i> , <b>2008</b> , 103, 877-85	4.7	4
64	Homocysteine and Parkinson disease: a dangerous liaison?. <i>Journal of the Neurological Sciences</i> , <b>2007</b> , 257, 31-7	3.2	37
63	Neuroprotective effect of nitroglycerin in a rodent model of ischemic stroke: evaluation of Bcl-2 expression. <i>International Review of Neurobiology</i> , <b>2007</b> , 82, 423-35	4.4	17
62	Time-course of nigrostriatal damage, basal ganglia metabolic changes and behavioural alterations following intrastriatal injection of 6-hydroxydopamine in the rat: new clues from an old model. <i>European Journal of Neuroscience</i> , <b>2007</b> , 25, 397-405	3.5	134
61	Behavioral responses and Fos activation following painful stimuli in a rodent model of Parkinson disease. <i>Brain Research</i> , <b>2007</b> , 1176, 53-61	3.7	29
60	A role for brain cyclooxygenase-2 and prostaglandin-E2 in migraine: effects of nitroglycerin. <i>International Review of Neurobiology</i> , <b>2007</b> , 82, 373-82	4.4	31
59	DNA fragmentation and oxidative stress in the hippocampal formation: a bridge between 3,4-methylenedioxymethamphetamine (ecstasy) intake and long-lasting behavioral alterations. <i>Behavioural Pharmacology</i> , <b>2007</b> , 18, 471-81	2.4	35
58	Magnetic resonance spectroscopy in Parkinson disease and parkinsonian syndromes. <i>Functional Neurology</i> , <b>2007</b> , 22, 75-9	2.2	13
57	Unilateral lesion of the subthalamic nucleus enhances cortical fos expression associated with focally evoked seizures in the rat. <i>Brain Research</i> , <b>2006</b> , 1101, 145-50	3.7	6
56	Brain monoaminergic neurotransmission parameters in weanling rats after perinatal exposure to methylmercury and 2,2,4,4,5,5-hexachlorobiphenyl (PCB153). <i>Brain Research</i> , <b>2006</b> , 1112, 91-8	3.7	41
55	Prolonged blockade of NMDA or mGluR5 glutamate receptors reduces nigrostriatal degeneration while inducing selective metabolic changes in the basal ganglia circuitry in a rodent model of Parkinson disease. <i>Neurobiology of Disease</i> , <b>2006</b> , 22, 1-9	7.5	84
54	Peripheral inflammation and neuroprotection: systemic pretreatment with complete Freund adjuvant reduces 6-hydroxydopamine toxicity in a rodent model of Parkinson disease. <i>Neurobiology of Disease</i> , <b>2006</b> , 24, 492-505	7.5	38
53	Peripheral proteasome and caspase activity in Parkinson disease and Alzheimer disease. <i>Neurology</i> , <b>2006</b> , 66, 529-34	6.5	73
52	Peripheral levels of BDNF and NGF in primary headaches. <i>Cephalalgia</i> , <b>2006</b> , 26, 136-42	6.1	51
51	Selective lesion of the substantia nigra pars reticulata reduces the cortical Fos expression induced by stimulation of striatal D1-like receptors, in the rat. <i>Experimental Neurology</i> , <b>2006</b> , 200, 240-4	5.7	1

50	Locus coeruleus and neuronal plasticity in a model of focal limbic epilepsy. <i>Epilepsia</i> , <b>2006</b> , 47 Suppl 5, 21-5	6.4	145
49	MDMA induces caspase-3 activation in the limbic system but not in striatum. <i>Annals of the New York Academy of Sciences</i> , <b>2006</b> , 1074, 377-81	6.5	21
48	Oxidative stress and pro-apoptotic conditions in a rodent model of Wilson's disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2005</b> , 1741, 325-30	6.9	39
47	Neuroprotection by rasagiline: a new therapeutic approach to Parkinson's disease?. <i>CNS Neuroscience &amp; Therapeutics</i> , <b>2005</b> , 11, 183-94		28
46	Effects of homocysteine on apoptosis-related proteins and anti-oxidant systems in isolated human lymphocytes. <i>FEBS Journal</i> , <b>2004</b> , 271, 1671-6		12
45	Cognitive and affective status in mild hypothyroidism and interactions with L-thyroxine treatment. <i>Acta Neurologica Scandinavica</i> , <b>2004</b> , 110, 59-66	3.8	78
44	Dopaminergic modulation of oxidative stress and apoptosis in human peripheral blood lymphocytes: evidence for a D1-like receptor-dependent protective effect. <i>Free Radical Biology and Medicine</i> , <b>2004</b> , 36, 1233-40	7.8	51
43	Modifications of apoptosis-related protein levels in lymphocytes of patients with Parkinson's disease. The effect of dopaminergic treatment. <i>Journal of Neural Transmission</i> , <b>2004</b> , 111, 1017-30	4.3	47
42	DNA damage and ubiquitinated neuronal inclusions in the substantia nigra and striatum of mice following MDMA (ecstasy). <i>Psychopharmacology</i> , <b>2004</b> , 173, 353-63	4.7	44
41	Neuroprotective effect of rasagiline in a rodent model of Parkinson's disease. <i>Experimental Neurology</i> , <b>2004</b> , 187, 455-9	5.7	100
40	Nitroglycerin enhances cGMP expression in specific neuronal and cerebrovascular structures of the rat brain. <i>Journal of Chemical Neuroanatomy</i> , <b>2004</b> , 27, 23-32	3.2	31
39	Peripheral markers of apoptosis in Parkinson's disease: the effect of dopaminergic drugs. <i>Annals of the New York Academy of Sciences</i> , <b>2003</b> , 1010, 675-8	6.5	24
38	Dopaminergic modulation of apoptosis in human peripheral blood mononuclear cells: possible relevance for Parkinson's disease. <i>Annals of the New York Academy of Sciences</i> , <b>2003</b> , 1010, 679-82	6.5	19
37	Effects of dopaminergic stimulation on peripheral markers of apoptosis: relevance to Parkinson's disease. <i>Neurological Sciences</i> , <b>2003</b> , 24, 157-8	3.5	9
36	Neuroprotective effects mediated by dopamine receptor agonists against malonate-induced lesion in the rat striatum. <i>Neurological Sciences</i> , <b>2003</b> , 24, 180-1	3.5	9
35	Modifications of plasma and platelet levels of L-DOPA and its direct metabolites during treatment with tolcapone or entacapone in patients with Parkinson's disease. <i>Journal of Neural Transmission</i> , <b>2003</b> , 110, 911-22	4.3	11
34	Selective stimulation of striatal dopamine receptors of the D1- or D2-class causes opposite changes of fos expression in the rat cerebral cortex. <i>European Journal of Neuroscience</i> , <b>2003</b> , 17, 763-70	3.5	20
33	Adenosine receptors and L-DOPA-induced dyskinesia in Parkinson's disease: potential targets for a new therapeutic approach. <i>Experimental Neurology</i> , <b>2003</b> , 184, 556-60	5.7	11



32	Effects of the intrastriatal administration of selective dopaminergic agonists on Fos expression in the rat brain. <i>Neurological Sciences</i> , <b>2002</b> , 23 Suppl 2, S57-8	3.5	2
31	Nitroglycerin-induced activation of monoaminergic transmission in the rat. <i>Cephalalgia</i> , <b>2002</b> , 22, 226-326.1		28
30	Dopamine receptor agonists mediate neuroprotection in malonate-induced striatal lesion in the rat. <i>Experimental Neurology</i> , <b>2002</b> , 178, 301-5	5.7	12
29	Blockade of subthalamic glutamatergic activity corrects changes in neuronal metabolism and motor behavior in rats with nigrostriatal lesions. <i>Neurological Sciences</i> , <b>2001</b> , 22, 49-50	3.5	25
28	Subthalamic infusion of an NMDA antagonist prevents basal ganglia metabolic changes and nigral degeneration in a rodent model of Parkinson disease. <i>Annals of Neurology</i> , <b>2001</b> , 49, 525-529	9.4	57
27	Intrastriatal injection of D1 or D2 dopamine agonists affects glucose utilization in both the direct and indirect pathways of the rat basal ganglia. <i>Neuroscience Letters</i> , <b>2001</b> , 309, 161-4	3.3	15
26	Plasma Homocysteine and L-DOPA Metabolism in Patients with Parkinson Disease. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 1102-1104	5.5	86
25	Plasma homocysteine and l-dopa metabolism in patients with Parkinson disease. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 1102-4	5.5	19
24	Functional changes of the basal ganglia circuitry in Parkinson disease. <i>Progress in Neurobiology</i> , <b>2000</b> , 62, 63-88	10.9	413
23	Determination of hydroxyl free radical formation in human platelets using high-performance liquid chromatography with electrochemical detection. <i>Biomedical Applications</i> , <b>1999</b> , 732, 213-20		14
22	Modifications of local cerebral metabolic rates for glucose and motor behavior in rats with unilateral lesion of the subthalamic nucleus. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>1999</b> , 19, 149-54	7.3	4
21	Peripheral markers of oxidative stress in Parkinson disease. The role of L-DOPA. <i>Free Radical Biology and Medicine</i> , <b>1999</b> , 27, 428-37	7.8	42
20	Prospects of glutamate antagonists in the therapy of Parkinson disease. <i>Fundamental and Clinical Pharmacology</i> , <b>1998</b> , 12, 4-12	3.1	36
19	Quantitative study of mitochondrial complex I in platelets of parkinsonian patients. <i>Movement Disorders</i> , <b>1998</b> , 13, 11-5	7	35
18	Subthalamic ablation reverses changes in basal ganglia oxidative metabolism and motor response to apomorphine induced by nigrostriatal lesion in rats. <i>European Journal of Neuroscience</i> , <b>1997</b> , 9, 1407-13	3.5	51
17	Simultaneous determination of L-dopa and 3-O-methyldopa in human platelets and plasma using high-performance liquid chromatography with electrochemical detection. <i>Biomedical Applications</i> , <b>1997</b> , 700, 278-82		28
16	Glutamate and Parkinson disease. <i>Molecular Neurobiology</i> , <b>1996</b> , 12, 73-94	6.2	258
15	Effect of subthalamic nucleus lesion on mitochondrial enzyme activity in rat basal ganglia. <i>Brain Research</i> , <b>1995</b> , 669, 59-66	3.7	31

14	Combined response of plasma and platelet catecholamines to different types of short-term stress. <i>Life Sciences</i> , <b>1995</b> , 56, 1113-20	6.8	15
13	Autoradiographic study of mitochondrial complex I and glutamate receptors in the basal ganglia of rats after unilateral subthalamic lesion. <i>Neuroscience Letters</i> , <b>1995</b> , 186, 99-102	3.3	15
12	Assay of [3H]dihydrorotenone binding to complex I in intact human platelets. <i>Analytical Biochemistry</i> , <b>1995</b> , 230, 16-9	3.1	10
11	The influence of gender in the evaluation of platelet and plasma catecholamines. <i>Life Sciences</i> , <b>1993</b> , 52, 1995-2004	6.8	13
10	Effects of etoperidone on sympathetic and pituitary-adrenal responses to diverse stressors in humans. <i>Clinical Neuropharmacology</i> , <b>1993</b> , 16, 127-38	1.4	9
9	Simultaneous assay of platelet and plasma catecholamines by HPLC with coulometric detection. <i>Chromatographia</i> , <b>1993</b> , 36, 164-166	2.1	5
8	Free plasma catecholamine levels in healthy subjects: a basal and dynamic study. The influence of age. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>1992</b> , 52, 9-17	2	29
7	Plasma beta-endorphin, cortisol and norepinephrine responses to physical and metabolic stressors in young and elderly humans. <i>Stress and Health</i> , <b>1992</b> , 8, 1-9		
6	Cerebrospinal fluid norepinephrine, 3-methoxy-4-hydroxyphenylglycol and neuropeptide Y levels in Parkinson disease, multiple system atrophy and dementia of the Alzheimer type. <i>Journal of Neural Transmission Parkinsonis Disease and Dementia Section</i> , <b>1992</b> , 4, 191-205		44
5	Cardiopressor effects of short-term treatment with cabergoline in L-dopa stable responder parkinsonian patients: relevance of postprandial hypotension. <i>Clinical Neuropharmacology</i> , <b>1991</b> , 14, 343-51	1.4	4
4	Monoamines and related metabolite levels in the cerebrospinal fluid of patients with dementia of Alzheimer type. Influence of treatment with L-deprenyl. <i>Journal of Neural Transmission Parkinsonis Disease and Dementia Section</i> , <b>1991</b> , 3, 15-25		32
3	A new 5-HT <sub>2</sub> antagonist (ritanserin) in the treatment of chronic headache with depression. A double-blind study vs amitriptyline. <i>Headache</i> , <b>1990</b> , 30, 439-44	4.2	31
2	Naproxen sodium in menstrual migraine prophylaxis: a double-blind placebo controlled study. <i>Headache</i> , <b>1990</b> , 30, 705-9	4.2	116
1	Sphingolipid changes in Parkinson L444P GBA mutation fibroblasts promote $\beta$ synuclein aggregation		2