## Ana Rita Leal Ferreira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2480348/publications.pdf

Version: 2024-02-01

22 137 6 papers citations h-index

27 27 202 all docs docs citations times ranked citing authors

11

g-index

#	Article	IF	CITATIONS
1	Promoting Reminiscences with Virtual Reality Headsets: A Pilot Study with People with Dementia. International Journal of Environmental Research and Public Health, 2020, 17, 9301.	1.2	40
2	Needs in Nursing Homes and Their Relation with Cognitive and Functional Decline, Behavioral and Psychological Symptoms. Frontiers in Aging Neuroscience, 2016, 8, 72.	1.7	37
3	Validity and Reliability of the European Portuguese Version of Neuropsychiatric Inventory in an Institutionalized Sample. Journal of Clinical Medicine Research, 2015, 7, 21-28.	0.6	15
4	Modifiable factors associated with neuropsychiatric symptoms in nursing homes: The impact of unmet needs and psychotropic drugs. Archives of Gerontology and Geriatrics, 2020, 86, 103919.	1.4	11
5	Is there a link between the use of benzodiazepines and related drugs and dementia? A systematic review of reviews. European Geriatric Medicine, 2022, 13, 19-32.	1.2	9
6	Avaliação da simulação ou esforço insuficiente com o Rey 15-Item Memory Test (15-IMT): Estudos de validação em grupos de adultos idosos. Analise Psicologica, 2012, 28, 209-226.	0.2	9
7	Bipolar disorder and medical comorbidities: A Portuguese population-based observational retrospective study (2008–2015). Journal of Affective Disorders, 2022, 298, 232-238.	2.0	4
8	EPA-0742 $\hat{a}$ The neuropsychiatric inventory (npi): validation of the portuguese version. European Psychiatry, 2014, 29, 1.	0.1	2
9	Comorbidity and Polypharmacy in Elderly Living in Nursing Homes. European Psychiatry, 2016, 33, 1-2.	0.1	2
10	Behavioral and Psychological Symptoms: A Contribution for their Understanding Based on the Unmet Needs Model. European Psychiatry, 2017, 41, S657-S657.	0.1	2
11	Bipolar Disorder in pediatric patients: A nationwide retrospective study from 2000 to 2015. Journal of Affective Disorders, 2022, 298, 277-283.	2.0	2
12	Neuropsychiatric Symptoms Assessment: Cross-cultural Adaptation and Validation of the Portuguese Abe's BPSD Score (ABS). Clinical Gerontologist, 2022, 45, 591-605.	1.2	1
13	Dementia-related agitation: a 6-year nationwide characterization and analysis of hospitalization outcomes. Aging and Mental Health, 2023, 27, 380-388.	1.5	1
14	Needs in Elderly in Residential Care and Their Relationship to Dependency. European Psychiatry, 2015, 30, 444.	0.1	0
15	Needs and Depressive Symptoms in Elderly Living in Residential Care: is There a Relationship?. European Psychiatry, 2015, 30, 1455.	0.1	O
16	Antipsychotic use and behavioural and psychological symptoms in institutionalized elderly. European Neuropsychopharmacology, 2016, 26, S667-S668.	0.3	0
17	Dementia severity among institutionalized elderly: Are there more unmet needs?. European Psychiatry, 2016, 33, S187-S188.	0.1	O
18	Psychotropic Use in Elderly with Cognitive Impairment Living in Nursing Homes. European Psychiatry, 2017, 41, S174-S174.	0.1	0

#	Article	IF	CITATIONS
19	559 - Neuropsychiatric symptomatology after severe COVID-19 in older survivors. International Psychogeriatrics, 2021, 33, 98-99.	0.6	O
20	Delirium in Patients with Severe COVID-19: Preliminary Results of the MAPA Longitudinal Study. Acta Medica Portuguesa, 2022, 35, 228.	0.2	0
21	Dementiaâ€related agitation in Portuguese public hospitals: A retrospective analysis of 6,586 hospitalization episodes. Alzheimer's and Dementia, 2021, 17, .	0.4	O
22	Old critically ill COVIDâ€19 survivors: Patient and inâ€hospital factors associated with cognitive dysfunction. Alzheimer's and Dementia, 2021, 17, e054107.	0.4	0