

Xiaoyu Dai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2481306/publications.pdf>

Version: 2024-02-01

113
papers

3,941
citations

117625

34
h-index

138484

58
g-index

113
all docs

113
docs citations

113
times ranked

2783
citing authors

#	ARTICLE	IF	CITATIONS
1	MoTe2 quantum dots-based all-optical switching. Optics Communications, 2022, 506, 127573.	2.1	7
2	Ultrasensitive terahertz sensing in all-dielectric asymmetric metasurfaces based on quasi-BIC. Journal of the Optical Society of America B: Optical Physics, 2022, 39, 286.	2.1	20
3	Determination of tilt degree and Weyl-node separation by the spatial Imbert-Fedorov shift near the Brewster angle. Physical Review A, 2022, 105, .	2.5	10
4	Engineering rainbow trapping and releasing in valley photonic crystal with electro-optical material. Journal of the Optical Society of America B: Optical Physics, 2022, 39, 1241.	2.1	6
5	Topological Slow Light Rainbow Trapping and Releasing Based on Gradient Valley Photonic Crystal. Journal of Lightwave Technology, 2022, 40, 5152-5156.	4.6	16
6	Tunable and enhanced Faraday rotation induced by the epsilon-near-zero response of a Weyl semimetal. Physical Review A, 2022, 105, .	2.5	10
7	Bandgap tunable preparation of GaS nanosheets and their application in photoelectrochemical photodetectors. Science China Technological Sciences, 2022, 65, 2297-2303.	4.0	3
8	Low threshold optical bistability based on topological edge state in photonic crystal heterostructure with Dirac semimetal. Optics Express, 2022, 30, 20847.	3.4	13
9	Enhanced and tunable asymmetric Imbert-Fedorov and Goos-Hänchen shifts based on epsilon-near-zero response of Weyl semi-metal. Journal Physics D: Applied Physics, 2022, 55, 395106.	2.8	4
10	High Figure of Merit in Lossy Mode Resonance Sensors with PtSe2 Thin Film. Plasmonics, 2021, 16, 729-735.	3.4	4
11	Highly Sensitive Surface Plasmon Resonance Sensor Modified With 2D Ti ₃ C ₂ MXene for Solution Detection. IEEE Sensors Journal, 2021, 21, 347-352.	4.7	16
12	Spin-orbit interactions in a nonlinear medium due to a nonlinear-induced geometric phase. Optics Letters, 2021, 46, 2758.	3.3	7
13	Ultrasensitive and Tunable Sensor Based on Plasmon-Induced Transparency in a Black Phosphorus Metasurface. Plasmonics, 2021, 16, 1071-1077.	3.4	7
14	Self-Referenced Refractive Index Biosensing with Graphene Fano Resonance Modes. Biosensors, 2021, 11, 400.	4.7	7
15	High Sensitivity Terahertz Biosensor Based on Mode Coupling of a Graphene/Bragg Reflector Hybrid Structure. Biosensors, 2021, 11, 377.	4.7	6
16	Theoretical Model for a Highly Sensitive Near Infrared Biosensor Based on Bloch Surface Wave with Dirac Semimetal. Biosensors, 2021, 11, 390.	4.7	4
17	GeSe nanosheets modified surface plasmon resonance sensors for enhancing sensitivity. Nanophotonics, 2020, 9, 327-336.	6.0	24
18	Tunable and Multichannel Terahertz Perfect Absorber Due to Tamm Plasmons with Topological Insulators. Plasmonics, 2020, 15, 83-91.	3.4	9

#	ARTICLE	IF	CITATIONS
19	Ultrasensitive Multiple Guided-Mode Biosensor With Few-Layer Black Phosphorus. <i>Journal of Lightwave Technology</i> , 2020, 38, 1564-1571.	4.6	11
20	Nonlinear absorption-induced transparency and extinction of boron nanosheets. <i>Optical Materials</i> , 2020, 108, 110199.	3.6	6
21	Recent Advances in Spatial Self-Phase Modulation with 2D Materials and its Applications. <i>Annalen Der Physik</i> , 2020, 532, 2000322.	2.4	32
22	Low-Threshold and Tunable Optical Bistability Based on Topological Edge State in One-Dimensional Photonic Crystal Heterostructure With Graphene. <i>IEEE Access</i> , 2020, 8, 196386-196393.	4.2	11
23	Broadband nonlinear optical response in GeSe nanoplates and its applications in all-optical diode. <i>Nanophotonics</i> , 2020, 9, 2007-2015.	6.0	20
24	Liquid-Exfoliated Few-Layer InSe Nanosheets for Broadband Nonlinear All-Optical Applications. <i>Advanced Optical Materials</i> , 2020, 8, 1901862.	7.3	20
25	Topological insulator overlayer to enhance the sensitivity and detection limit of surface plasmon resonance sensor. <i>Nanophotonics</i> , 2020, 9, 1941-1951.	6.0	18
26	Liquid phase exfoliated boron nanosheets for all-optical modulation and logic gates. <i>Science Bulletin</i> , 2020, 65, 1030-1038.	9.0	20
27	Enhancement of graphene Faraday rotation in the one-dimensional topological photonic crystals. <i>Optics Express</i> , 2020, 28, 24560.	3.4	14
28	Graphene-based low-threshold and tunable optical bistability in one-dimensional photonic crystal Fano resonance heterostructure at optical communication band. <i>Optics Express</i> , 2020, 28, 34948.	3.4	20
29	All-optical applications for passive photonic devices of TaS ₂ nanosheets with strong Kerr nonlinearity. <i>Journal of Alloys and Compounds</i> , 2019, 806, 999-1007.	5.5	9
30	Ultra-Sensitive Refractive Index Sensors Based on Bloch Surface Waves With Transition Metal Dichalcogenides. <i>IEEE Sensors Journal</i> , 2019, 19, 8675-8680.	4.7	24
31	High sensitivity refractive index sensor based on surface plasmon resonance with topological insulator. <i>Results in Physics</i> , 2019, 14, 102477.	4.1	34
32	SPPs in a double layer graphene system with an anisotropic dielectric. <i>Results in Physics</i> , 2019, 15, 102718.	4.1	6
33	Two-dimensional Bi ₂ S ₃ -based all-optical photonic devices with strong nonlinearity due to spatial self-phase modulation. <i>Nanophotonics</i> , 2019, 8, 2225-2234.	6.0	27
34	Giant tunable Goos-Hänchen shifts based on surface plasmon resonance with Dirac semimetal films. <i>Journal Physics D: Applied Physics</i> , 2019, 53, 015107.	2.8	14
35	Theoretical Investigation of Multilayer Ti ₃ C ₂ T _x MXene as the Plasmonic Material for Surface Plasmon Resonance Sensors in Near Infrared Region. <i>IEEE Sensors Journal</i> , 2019, 19, 11834-11838.	4.7	34
36	Tunable mid-infrared perfect absorber based on the critical coupling of graphene and black phosphorus nanoribbons. <i>Results in Physics</i> , 2019, 15, 102677.	4.1	9

#	ARTICLE	IF	CITATIONS
37	Tunable reflected group delay from the graphene/hBN heterostructure at infrared frequencies. Results in Physics, 2019, 15, 102681.	4.1	4
38	Excitation of graphene magneto-plasmons in terahertz range and giant Kerr rotation. Journal of Applied Physics, 2019, 125, .	2.5	7
39	Photodetectors: Enhanced Photodetection Properties of Tellurium@Selenium Roll-to-Roll Nanotube Heterojunctions (Small 23/2019). Small, 2019, 15, 1970125.	10.0	14
40	Sensitivity enhancement of surface plasmon resonance sensors with 2D franckeite nanosheets. Results in Physics, 2019, 13, 102320.	4.1	39
41	Enhanced Photodetection Properties of Tellurium@Selenium Roll-to-Roll Nanotube Heterojunctions. Small, 2019, 15, e1900902.	10.0	120
42	Application of Few-Layer Transition Metal Dichalcogenides to Detect the Refractive Index Variation in Lossy-Mode Resonance Sensors With High Figure of Merit. IEEE Sensors Journal, 2019, 19, 5030-5034.	4.7	14
43	A promising nonlinear optical material and its applications for all-optical switching and information converters based on the spatial self-phase modulation (SSPM) effect of TaSe ₂ nanosheets. Journal of Materials Chemistry C, 2019, 7, 3811-3816.	5.5	41
44	Nonlinear optical response, all optical switching, and all optical information conversion in NbSe ₂ nanosheets based on spatial self-phase modulation. Nanoscale, 2019, 11, 4515-4522.	5.6	61
45	Spatial self-phase modulation and all-optical switching of graphene oxide dispersions. Journal of Alloys and Compounds, 2019, 771, 900-904.	5.5	35
46	Enhancement of photonic spin Hall effect via bound states in the continuum. Journal Physics D: Applied Physics, 2019, 52, 045401.	2.8	23
47	High Figure of Merit Lossy Mode Resonance Sensor with Graphene. Plasmonics, 2019, 14, 929-934.	3.4	13
48	Sensitivity Enhancement of a Surface Plasmon Resonance with Tin Selenide (SnSe) Allotropes. Sensors, 2019, 19, 173.	3.8	50
49	Enhanced nonlinear optical responses of graphene in multi-frequency topological edge modes. Optics Express, 2019, 27, 32746.	3.4	15
50	Graphene Tamm plasmon-induced low-threshold optical bistability at terahertz frequencies. Optical Materials Express, 2019, 9, 139.	3.0	34
51	Resonant optical tunneling-induced enhancement of the photonic spin Hall effect. Journal Physics D: Applied Physics, 2018, 51, 145104.	2.8	29
52	High Sensitivity Intensity-Interrogated Bloch Surface Wave Biosensor With Graphene. IEEE Sensors Journal, 2018, 18, 106-110.	4.7	19
53	Highly Sensitive Terahertz Gas Sensor Based on Surface Plasmon Resonance With Graphene. IEEE Photonics Journal, 2018, 10, 1-7.	2.0	46
54	Facile fabrication and characterization of two-dimensional bismuth(III) sulfide nanosheets for high-performance photodetector applications under ambient conditions. Nanoscale, 2018, 10, 2404-2412.	5.6	166

#	ARTICLE	IF	CITATIONS
55	Optical single sideband millimeter-wave signal generation and transmission using 120° hybrid coupler. <i>Optics Communications</i> , 2018, 411, 21-26.	2.1	15
56	High-Performance Lossy-Mode Resonance Sensor Based on Few-Layer Black Phosphorus. <i>Journal of Physical Chemistry C</i> , 2018, 122, 7368-7373.	3.1	47
57	Sensitivity Enhanced by MoS ₂ /Graphene Hybrid Structure in Guided-Wave Surface Plasmon Resonance Biosensor. <i>Plasmonics</i> , 2018, 13, 281-285.	3.4	46
58	Dual-Band Infrared Near-Perfect Absorption by Fabry-Perot Resonances and Surface Phonons. <i>Plasmonics</i> , 2018, 13, 803-809.	3.4	12
59	Enhanced Photonic Spin Hall Effect with a Bimetallic Film Surface Plasmon Resonance. <i>Plasmonics</i> , 2018, 13, 1467-1473.	3.4	18
60	Two-dimensional beta-lead oxide quantum dots. <i>Nanoscale</i> , 2018, 10, 20540-20547.	5.6	49
61	Fano Resonance in Waveguide Coupled Surface Exciton Polaritons: Theory and Application in Biosensor. <i>Sensors</i> , 2018, 18, 4437.	3.8	3
62	Thermotunable Terahertz Negative-Index Metamaterials with Dielectric Spheres Embedded in Semiconductor Host. <i>Advances in Condensed Matter Physics</i> , 2018, 2018, 1-6.	1.1	1
63	Ultrasensitive Terahertz Imaging Sensors Based on the Strong Coupling of Surface Phonon Polariton and Graphene Surface Plasmon Polariton. <i>IEEE Photonics Journal</i> , 2018, 10, 1-9.	2.0	2
64	Giant and controllable Goos-Hänchen shifts based on surface plasmon resonance with graphene-MoS ₂ heterostructure. <i>Optical Materials Express</i> , 2018, 8, 3036.	3.0	47
65	Few-layer Ti ₃ C ₂ T _x MXene: A promising surface plasmon resonance biosensing material to enhance the sensitivity. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 210-215.	7.8	163
66	Tunable terahertz/infrared coherent perfect absorption in a monolayer black phosphorus. <i>Optics Express</i> , 2018, 26, 5488.	3.4	44
67	Fano resonance in double waveguides with graphene for ultrasensitive biosensor. <i>Optics Express</i> , 2018, 26, 16884.	3.4	40
68	Black-phosphorus-analogue tin monosulfide: an emerging optoelectronic two-dimensional material for high-performance photodetection with improved stability under ambient/harsh conditions. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9582-9593.	5.5	153
69	Terahertz Biochemical Sensor Based on Strong Coupling Between Waveguide Mode and Surface Plasmons of Double-Layer Graphene. <i>IEEE Sensors Journal</i> , 2018, 18, 7436-7441.	4.7	18
70	Improving the Performance of an SPR Biosensor Using Long-Range Surface Plasmon of Ga-Doped Zinc Oxide. <i>Sensors</i> , 2018, 18, 2098.	3.8	31
71	Multi-channel perfect absorber based on a one-dimensional topological photonic crystal heterostructure with graphene. <i>Optics Letters</i> , 2018, 43, 4256.	3.3	73
72	Magneto-optical control of Imbert-Fedorov shifts of a light beam reflected from interfaced monolayer graphene. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2018, 35, 2889.	2.1	9

#	ARTICLE	IF	CITATIONS
73	Broadband nonlinear optical resonance and all-optical switching of liquid phase exfoliated tungsten diselenide. <i>Photonics Research</i> , 2018, 6, 1040.	7.0	52
74	Perfect Terahertz Absorption with Graphene Surface Plasmons in the Modified Otto Configuration. <i>Plasmonics</i> , 2017, 12, 1825-1831.	3.4	20
75	Absorption enhancement and total absorption in a graphene-waveguide hybrid structure. <i>AIP Advances</i> , 2017, 7, .	1.3	33
76	Nonlinear TE-polarized SPPs on a graphene cladded parallel plate waveguide. <i>Journal of Applied Physics</i> , 2017, 121, 103103.	2.5	14
77	Sensitivity enhancement by using few-layer black phosphorus-graphene/TMDCs heterostructure in surface plasmon resonance biochemical sensor. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 542-548.	7.8	322
78	Low-threshold optical bistability in a metasurface with graphene. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 434003.	2.8	16
79	Sensitivity Improved SPR Biosensor Based on the MoS ₂ /Graphene-Aluminum Hybrid Structure. <i>Journal of Lightwave Technology</i> , 2017, 35, 82-87.	4.6	165
80	Enhancing Photonic Spin Hall Effect in the Surface Plasmon Resonance Structure Covered by the Graphene-MoS ₂ Heterostructure. <i>IEEE Photonics Journal</i> , 2017, 9, 1-10.	2.0	11
81	Low threshold optical bistability in one-dimensional gratings based on graphene plasmonics. <i>Optics Express</i> , 2017, 25, 5972.	3.4	53
82	Enhanced spin Hall effect of reflected light with guided-wave surface plasmon resonance. <i>Photonics Research</i> , 2017, 5, 467.	7.0	71
83	Tunable and multichannel terahertz perfect absorber due to Tamm surface plasmons with graphene. <i>Photonics Research</i> , 2017, 5, 536.	7.0	139
84	Ultrasensitive Terahertz Biosensors Based on Fano Resonance of a Graphene/Waveguide Hybrid Structure. <i>Sensors</i> , 2017, 17, 1924.	3.8	52
85	Tunable Optical Bistability in One-Dimensional Photonic Crystal with a Nonlinear Defect Coupled by Graphene Sheets. <i>Advances in Condensed Matter Physics</i> , 2017, 2017, 1-6.	1.1	2
86	Ultrasensitive biosensors based on long-range surface plasmon polariton and dielectric waveguide modes. <i>Photonics Research</i> , 2016, 4, 262.	7.0	93
87	Tunable Fano resonances of a graphene/waveguide hybrid structure at mid-infrared wavelength. <i>Optics Express</i> , 2016, 24, 4740.	3.4	35
88	Long-Range Surface Plasmon With Graphene for Enhancing the Sensitivity and Detection Accuracy of Biosensor. <i>IEEE Photonics Journal</i> , 2016, 8, 1-9.	2.0	41
89	Manipulating the optical bistability at terahertz frequency in the Fabry-Perot cavity with graphene. <i>Optics Express</i> , 2015, 23, 31181.	3.4	32
90	Enhanced and controllable nonlinear effects in composite with aligned gold spheroid arrays. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2015, 24, 1550013.	1.8	1

#	ARTICLE	IF	CITATIONS
91	Enhanced and Tunable Goos-Hänchen Shift in a Cavity Containing Colloidal Ferrofluids. IEEE Photonics Journal, 2015, 7, 1-10.	2.0	16
92	Modulation instability in second harmonic generation in metamaterials with quadratic nonlinearity. Applied Physics B: Lasers and Optics, 2015, 121, 465-472.	2.2	6
93	Formation and Energy Exchange of Vector Dark Solitons in Fiber Lasers. IEEE Photonics Journal, 2015, 7, 1-9.	2.0	3
94	Superluminal Pulse Reflection From Graphene Covered Lossless Dielectric Slab. IEEE Journal of Quantum Electronics, 2015, 51, 1-6.	1.9	3
95	Low threshold optical bistability at terahertz frequencies with graphene surface plasmons. Scientific Reports, 2015, 5, 12271.	3.3	83
96	Tunable THz Angular/Frequency Filters in the Modified Kretschmann-Raether Configuration With the Insertion of Single Layer Graphene. IEEE Photonics Journal, 2015, 7, 1-8.	2.0	12
97	Tunable optical bistability of dielectric/nonlinear graphene/dielectric heterostructures. Optics Express, 2015, 23, 6497.	3.4	50
98	Tunable Group Delay of the Optical Pulse Reflection From Fabry-Perot Cavity With the Insertion of Graphene Sheets. IEEE Photonics Journal, 2014, 6, 1-9.	2.0	17
99	Tunable optical bistability at the graphene-covered nonlinear interface. Applied Physics Letters, 2014, 104, .	3.3	72
100	Critical coupling with graphene-based hyperbolic metamaterials. Scientific Reports, 2014, 4, 5483.	3.3	158
101	SPATIAL XPM-PAIRED SOLITONS IN NONLINEAR METAMATERIALS. Journal of Nonlinear Optical Physics and Materials, 2013, 22, 1350009.	1.8	0
102	Goos-Hänchen shifts of a light beam reflected from the interface of colloidal ferrofluids. Optik, 2013, 124, 5103-5106.	2.9	2
103	Electrically Tunable Goos-Hänchen Shift of Light Beam Reflected From a Graphene-on-Dielectric Surface. IEEE Photonics Journal, 2013, 5, 6500108-6500108.	2.0	55
104	BOUNDED TRAVELING WAVE SOLUTIONS TO THE SHORT PULSE EQUATION. Journal of Nonlinear Optical Physics and Materials, 2012, 21, 1250049.	1.8	0
105	Omnidirectional and controllable switching behavior in a multiple photonic quantum well system with single-negative material heterostructure. Optik, 2012, 123, 1157-1160.	2.9	1
106	Thermally tunable and omnidirectional terahertz photonic bandgap in the one-dimensional photonic crystals containing semiconductor InSb. Journal of Applied Physics, 2011, 109, 053104.	2.5	78
107	Controllable Raman soliton self-frequency shift in nonlinear metamaterials. Physical Review A, 2011, 84, .	2.5	80
108	Extend the omnidirectional zero-average-index photonic band gap using the band edge formalism: Application to the metamaterial with Drude dispersion. Journal of Applied Physics, 2010, 108, .	2.5	11

#	ARTICLE	IF	CITATIONS
109	Independently tunable omnidirectional multichannel filters based on the fractal multilayers containing negative-index materials. <i>Optics Letters</i> , 2008, 33, 1255.	3.3	32
110	Enlargement of zero averaged refractive index gaps in the photonic heterostructures containing negative-index materials. <i>Physical Review E</i> , 2007, 76, 056604.	2.1	31
111	Omnidirectional and multiple-channeled high-quality filters of photonic heterostructures containing single-negative materials. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2007, 24, A28.	1.5	38
112	Omnidirectional gaps of one-dimensional photonic crystals containing indefinite metamaterials. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2007, 24, 2033.	2.1	35
113	Graphene Based Waveguides. , 0, , .		3