

# Yong Bae Ji

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2482244/publications.pdf>

Version: 2024-02-01

70  
papers

1,883  
citations

201575

27  
h-index

276775

41  
g-index

70  
all docs

70  
docs citations

70  
times ranked

1447  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of core-needle biopsy and repeat fine-needle aspiration for thyroid nodules with inconclusive initial cytology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 3019-3025.	0.8	11
2	Neural Monitoring of the External Branch of the Superior Laryngeal Nerve During Transoral Thyroidectomy. <i>Laryngoscope</i> , 2021, 131, E671-E676.	1.1	11
3	Efficacy of Ultrasound-Guided Needle Biopsy in the Diagnosis of Kikuchi-Fujimoto Disease. <i>Laryngoscope</i> , 2021, 131, E1519-E1523.	1.1	8
4	Evaluation of Voice and Vocal Fold Vibration after Thyroidectomy Using Two-Dimensional Scanning Digital Kymography and High-Speed Videolaryngoscopy. <i>Journal of Voice</i> , 2021, , .	0.6	1
5	Risk factors for hypothyroidism and thyroid hormone replacement after hemithyroidectomy in papillary thyroid carcinoma. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 1223-1231.	0.8	12
6	Clinical Characteristics of Cervical Toxoplasma Lymphadenitis. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2021, 64, 901-905.	0.0	0
7	Success rate and learning curve of intraoperative neural monitoring of the external branch of the superior laryngeal nerve in thyroidectomy. <i>Head and Neck</i> , 2021, 43, 3946-3954.	0.9	1
8	Positive Rate of Human Papillomavirus and Its Trend in Head and Neck Cancer in South Korea. <i>Frontiers in Surgery</i> , 2021, 8, 833048.	0.6	6
9	A Case of Fungal Infection of Paratracheal Cyst that caused Airway Obstruction. <i>Journal of Clinical Otolaryngology</i> , 2021, 32, 322-326.	0.1	0
10	Comparison of postoperative cosmesis in transaxillary, postauricular facelift, and conventional transcervical thyroidectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 3388-3397.	1.3	36
11	Safety and efficacy of transoral robotic and endoscopic thyroidectomy: The first 100 cases. <i>Head and Neck</i> , 2020, 42, 321-329.	0.9	48
12	Efficacy of prophylactic central neck dissection in hemithyroidectomy for papillary thyroid carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 873-879.	0.8	10
13	Feasibility and efficacy of intraoperative neural monitoring in remote access robotic and endoscopic thyroidectomy. <i>Oral Oncology</i> , 2020, 103, 104617.	0.8	21
14	Surgical Outcomes and Efficacy of Isthmusectomy in Single Isthmic Papillary Thyroid Carcinoma: A Preliminary Retrospective Study. <i>Journal of Investigative Surgery</i> , 2020, 34, 1-6.	0.6	4
15	Efficacy of Transcartilaginous Electrodes for Intraoperative Neural Monitoring During Thyroid Surgery. <i>Clinical and Experimental Otorhinolaryngology</i> , 2020, 13, 422-428.	1.1	13
16	Impact on Quality of Life after Treatment with Proton Pump Inhibitor in Laryngopharyngeal Reflux. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2020, 63, 517-522.	0.0	0
17	Efficacy of hemithyroidectomy in papillary thyroid carcinoma with minimal extrathyroidal extension. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3435-3442.	0.8	10
18	Comparison of postoperative voice outcomes after postauricular facelift robotic hemithyroidectomy and conventional transcervical hemithyroidectomy. <i>Head and Neck</i> , 2019, 41, 2921-2928.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Robotic and Endoscopic Thyroid Surgery: Evolution and Advances. <i>Clinical and Experimental Otorhinolaryngology</i> , 2019, 12, 1-11.	1.1	141
20	Efficacy of Central Neck Dissection for Clinically Node-Negative Papillary Thyroid Carcinoma: Propensity Scoring Matching. <i>Frontiers in Endocrinology</i> , 2019, 10, 172.	1.5	11
21	Early experience of transoral thyroidectomy: Comparison of robotic and endoscopic procedures. <i>Head and Neck</i> , 2019, 41, 730-738.	0.9	42
22	Depressive Disorder in Thyroid Cancer Patients after Thyroidectomy: A Longitudinal Follow-up Study Using a National Cohort. <i>Otolaryngology - Head and Neck Surgery</i> , 2019, 160, 239-245.	1.1	17
23	Intrathyroidal Parathyroid Carcinoma in Chronic Kidney Disease: A Case Report and Review of Literature. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2019, 62, 740-746.	0.0	2
24	A Case of Rosai-Dorfman Disease Presented with Neck Mass. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2019, 62, 351-354.	0.0	0
25	Factors affecting operative time in robotic thyroidectomy. <i>Head and Neck</i> , 2018, 40, 893-903.	0.9	17
26	Optimal extent of prophylactic central neck dissection for papillary thyroid carcinoma: Comparison of unilateral versus bilateral central neck dissection. <i>Asian Journal of Surgery</i> , 2018, 41, 363-369.	0.2	22
27	The role of psychological factors in the development of burning mouth syndrome. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018, 47, 374-378.	0.7	13
28	Efficacy of 18F-fluorodeoxyglucose PET/CT for Detecting Lymph Node Metastasis in Papillary Thyroid Carcinoma. <i>OTO Open</i> , 2018, 2, 2473974X1878854.	0.6	2
29	Efficacy of Intraoperative Neural Monitoring (IONM) in Thyroid Surgery: the Learning Curve. <i>International Journal of Thyroidology</i> , 2018, 11, 130.	0.1	2
30	Long-term functional voice outcomes after thyroidectomy, and effect of endotracheal intubation on voice. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 3049-3058.	0.8	16
31	Number of Metastatic Lymph Nodes and Ratio of Metastatic Lymph Nodes to Total Number of Retrieved Lymph Nodes Are Risk Factors for Recurrence in Patients With Clinically Node Negative Papillary Thyroid Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 58-64.	1.1	48
32	Functional and cosmetic outcomes of robot-assisted neck dissection by a postauricular facelift approach for head and neck cancer. <i>Oral Oncology</i> , 2017, 70, 51-57.	0.8	18
33	Long-term functional outcomes after resection of tongue cancer: determining the optimal reconstruction method. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3751-3756.	0.8	45
34	Comparison of EMG signals recorded by surface electrodes on endotracheal tube and thyroid cartilage during monitored thyroidectomy. <i>Kaohsiung Journal of Medical Sciences</i> , 2017, 33, 503-509.	0.8	46
35	Robot-assisted excision of the submandibular gland by a postauricular facelift approach: comparison with the conventional transcervical approach. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2017, 55, 1030-1034.	0.4	14
36	Low transverse incision for lateral neck dissection in patients with papillary thyroid cancer: improved cosmesis. <i>World Journal of Surgical Oncology</i> , 2017, 15, 97.	0.8	8

#	ARTICLE	IF	CITATIONS
37	Guidelines for the Surgical Management of Laryngeal Cancer: Korean Society of Thyroid-Head and Neck Surgery. <i>Clinical and Experimental Otorhinolaryngology</i> , 2017, 10, 1-43.	1.1	68
38	Postoperative Hypoparathyroidism and the Viability of the Parathyroid Glands During Thyroidectomy. <i>Clinical and Experimental Otorhinolaryngology</i> , 2017, 10, 265-271.	1.1	17
39	Frequency and pattern of central lymph node metastasis in papillary carcinoma of the thyroid isthmus. <i>Head and Neck</i> , 2016, 38, E412-6.	0.9	46
40	Comparison of Robotic versus Conventional Selective Neck Dissection and Total Thyroidectomy for Papillary Thyroid Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2016, 154, 1005-1013.	1.1	27
41	Robotic Thyroidectomy. <i>Otolaryngology - Head and Neck Surgery</i> , 2016, 154, 997-1004.	1.1	55
42	Feasibility of robot-assisted modified radical neck dissection by post-auricular facelift approach. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016, 45, 1351-1357.	0.7	7
43	Long-term Voice Outcomes After Robotic Thyroidectomy. <i>World Journal of Surgery</i> , 2016, 40, 110-116.	0.8	30
44	Oncologic outcomes of robotic thyroidectomy: 5-year experience with propensity score matching. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4785-4792.	1.3	44
45	Predictive factors and pattern of central lymph node metastasis in unilateral papillary thyroid carcinoma. <i>Auris Nasus Larynx</i> , 2016, 43, 79-83.	0.5	34
46	SUVmax of 18F-FDG PET/CT in the differential diagnosis of benign and malignant thyroid nodules according to tumor volume. <i>World Journal of Surgical Oncology</i> , 2015, 13, 217.	0.8	5
47	Feasibility of Charcoal Tattooing for Localization of Metastatic Lymph Nodes in Robotic Selective Neck Dissection for Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 669-675.	0.7	14
48	Association between ADH1B and ADH1C polymorphisms and the risk of head and neck squamous cell carcinoma. <i>Tumor Biology</i> , 2015, 36, 4387-4396.	0.8	13
49	Characteristics and significance of minimal and maximal extrathyroidal extension in papillary thyroid carcinoma. <i>Oral Oncology</i> , 2015, 51, 759-763.	0.8	66
50	Robot-assisted excision of branchial cleft cysts using a postauricular facelift approach. <i>Auris Nasus Larynx</i> , 2015, 42, 424-427.	0.5	21
51	Significance of the Extracapsular Spread of Metastatic Lymph Nodes in Papillary Thyroid Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015, 8, 289.	1.1	42
52	Comparison of Modified Blair Incision and Modified Facelift Incision in Parotidectomy. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2015, 58, 337.	0.0	3
53	Long-Term Cosmetic Outcomes After Robotic/Endoscopic Thyroidectomy by a Gasless Unilateral Axillo-breast or Axillary Approach. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2014, 24, 248-253.	0.5	49
54	Quality of Life After Robotic Thyroidectomy by a Gasless Unilateral Axillary Approach. <i>Annals of Surgical Oncology</i> , 2014, 21, 4188-4194.	0.7	41

#	ARTICLE	IF	CITATIONS
55	Accuracy of Intraoperative Determination of Central Node Metastasis by the Surgeon in Papillary Thyroid Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 150, 542-547.	1.1	33
56	Long-term Sensory Disturbance and Discomfort After Robotic Thyroidectomy. <i>World Journal of Surgery</i> , 2014, 38, 1743-1748.	0.8	33
57	Optimal Regimen and Period for the Treatment of Patients with Laryngopharyngeal Reflux Disease. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2014, 57, 698.	0.0	4
58	A Study of Pulmonary Thromboembolism after Head and Neck Surgery. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2014, 57, 533.	0.0	1
59	A Case of Thyroid Granular Cell Tumor. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2014, 57, 108.	0.0	1
60	Comparative study of robotic versus endoscopic thyroidectomy by a gasless unilateral axillo-breast or axillary approach. <i>Head and Neck</i> , 2013, 35, 477-484.	0.9	44
61	Comparison of a gasless unilateral axillo-breast and axillary approach in robotic thyroidectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 3769-3775.	1.3	34
62	A Case of Oncocytic Glomus Tumor of the Larynx. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2013, 56, 297.	0.0	1
63	Early surgical outcomes of robotic thyroidectomy by a gasless unilateral axillo-breast or axillary approach for papillary thyroid carcinoma: 2 years' experience. <i>Head and Neck</i> , 2012, 34, 617-625.	0.9	123
64	Functional voice and swallowing outcomes after robotic thyroidectomy by a gasless unilateral axillo-breast approach: comparison with open thyroidectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 1871-1877.	1.3	92
65	Clinical Efficacy of Sentinel Lymph Node Biopsy Using Methylene Blue Dye in Clinically Node-Negative Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2012, 19, 1868-1873.	0.7	35
66	Initial Experience With a Gasless Unilateral Axillo-Breast or Axillary Approach Endoscopic Thyroidectomy for Papillary Thyroid Microcarcinoma. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011, 21, 162-169.	0.4	57
67	ADH1B and ALDH2 polymorphisms and their associations with increased risk of squamous cell carcinoma of the head and neck in the Korean population. <i>Oral Oncology</i> , 2011, 47, 583-587.	0.8	29
68	Robotic thyroidectomy by a gasless unilateral axillo-breast or axillary approach: our early experiences. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 221-228.	1.3	134
69	Change of telomerase activity in peripheral whole blood of head and neck squamous cell carcinoma patients before and after surgery: a pilot study. <i>Clinical and Translational Oncology</i> , 2011, 13, 747-752.	1.2	2
70	XPD Polymorphisms and Risk of Squamous Cell Carcinoma of the Head and Neck in a Korean Sample. <i>Clinical and Experimental Otorhinolaryngology</i> , 2010, 3, 42.	1.1	16