## Ling-Yi Kong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/248270/publications.pdf Version: 2024-02-01



LING-YIKONG

#	Article	IF	CITATIONS
1	Anti-inflammatory effects of Huang-Lian-Jie-Du decoction, its two fractions and four typical compounds. Journal of Ethnopharmacology, 2011, 134, 911-918.	4.1	113
2	Huang-Lian-Jie-Du-Decotion induced protective autophagy against the injury of cerebral ischemia/reperfusion via MAPK-mTOR signaling pathway. Journal of Ethnopharmacology, 2013, 149, 270-280.	4.1	78
3	Neuroprotective effects of Huang-Lian-Jie-Du-Decoction on ischemic stroke rats revealed by 1H NMR metabolomics approach. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 106-116.	2.8	75
4	Aureochaeglobosins A–C, Three [4 + 2] Adducts of Chaetoglobosin and Aureonitol Derivatives from <i>Chaetomium globosum</i> . Organic Letters, 2018, 20, 3345-3348.	4.6	60
5	Treatment Effects of Ischemic Stroke by Berberine, Baicalin, and Jasminoidin from Huang-Lian-Jie-Du-Decoction (HLJDD) Explored by an Integrated Metabolomics Approach. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-20.	4.0	49
6	The Anti-inflammatory Activities of Two Major Withanolides from Physalis minima Via Acting on NF-κB, STAT3, and HO-1 in LPS-Stimulated RAW264.7 Cells. Inflammation, 2017, 40, 401-413.	3.8	48
7	Chukvelutilides A–F, phragmalin limonoids from the stem barks of Chukrasia tabularis var. velutina. Tetrahedron, 2009, 65, 3425-3431.	1.9	47
8	Chuktabularins Eâ^'T, 16-Norphragmalin Limonoids from <i>Chukrasia tabularis</i> var. <i>velutina</i> . Journal of Natural Products, 2010, 73, 835-843.	3.0	43
9	Highly Oxidized Guaianolide Sesquiterpenoids with Potential Anti-inflammatory Activity from <i>Chrysanthemum indicum</i> . Journal of Natural Products, 2018, 81, 378-386.	3.0	42
10	Tetracyclic Diterpenoids with Isomerized Isospongian Skeleton and Labdane Diterpenoids from the Fruits of <i>Amomum kravanh</i> . Journal of Natural Products, 2013, 76, 237-242.	3.0	41
11	Withanolides from Physalis minima and their inhibitory effects on nitric oxide production. Steroids, 2014, 82, 38-43.	1.8	41
12	Artemisians A–D, Diseco-guaianolide Involved Heterodimeric [4 + 2] Adducts from <i>Artemisia argyi</i> . Organic Letters, 2017, 19, 5410-5413.	4.6	38
13	Research progress of meliaceous limonoids from 2011 to 2021. Natural Product Reports, 2022, 39, 1325-1365.	10.3	35
14	Citrifurans A–D, Four Dimeric Aromatic Polyketides with New Carbon Skeletons from the Fungus <i>Aspergillus</i> sp Organic Letters, 2017, 19, 4058-4061.	4.6	33
15	(±)-Melicolones A and B, Rearranged Prenylated Acetophenone Stereoisomers with an Unusual 9-Oxatricyclo[3.2.1.1 <sup>3,8</sup> ]nonane Core from the Leaves of <i>Melicope ptelefolia</i> . Organic Letters, 2015, 17, 146-149.	4.6	31
16	Velutabularins A–J, phragmalin-type limonoids with novel cyclic moiety from Chukrasia tabularis var. velutina. Tetrahedron, 2011, 67, 2942-2948.	1.9	30
17	Bioactive Benzofuran Neolignans from Aristolochia fordiana. Planta Medica, 2013, 79, 1730-1735.	1.3	30
18	Phragmalin-Type Limonoid Orthoesters from Chukrasia tabularis var. velutina. Chemical and Pharmaceutical Bulletin, 2011, 59, 225-230.	1.3	29

Ling-Yi Kong

#	Article	IF	CITATIONS
19	Cytotoxic withanolides from Physalis angulata var. villosa and the apoptosis-inducing effect via ROS generation and the activation of MAPK in human osteosarcoma cells. RSC Advances, 2016, 6, 53089-53100.	3.6	29
20	1H NMR-Based Metabolomics Reveals Refined-Huang-Lian-Jie-Du-Decoction (BBG) as a Potential Ischemic Stroke Treatment Drug With Efficacy and a Favorable Therapeutic Window. Frontiers in Pharmacology, 2019, 10, 337.	3.5	28
21	Delitschiapyrone A, a Pyrone–Naphthalenone Adduct Bearing a New Pentacyclic Ring System from the Leaf-Associated Fungus <i>Delitschia</i> sp. FL1581. Organic Letters, 2014, 16, 5944-5947.	4.6	27
22	Quantitative analysis of four major diterpenoids in Andrographis paniculata by 1H NMR and its application for quality control of commercial preparations. Journal of Pharmaceutical and Biomedical Analysis, 2012, 70, 87-93.	2.8	24
23	New phenalenone derivatives from Pinellia ternata tubers derived Aspergillus sp Fìtoterapìâ, 2017, 120, 72-78.	2.2	24
24	Cafestol-Type Diterpenoids from the Twigs of <i>Tricalysia fruticosa</i> with Potential Anti-inflammatory Activity. Journal of Natural Products, 2015, 78, 1322-1329.	3.0	23
25	Withaphysalin-type withanolides from Physalis minima. Phytochemistry Letters, 2016, 15, 1-6.	1.2	23
26	Metabolomic Assessment of Acute Cholestatic Injuries Induced by Thioacetamide and by Bile Duct Ligation, and the Protective Effects of Huang-Lian-Jie-Du-Decoction. Frontiers in Pharmacology, 2018, 9, 458.	3.5	23
27	Cytotoxic seco-cytochalasins from an endophytic Aspergillus sp. harbored in Pinellia ternata tubers. Fìtoterapìâ, 2019, 132, 53-59.	2.2	23
28	Twelve Novel and Diverse 16-Norphragmalin-Type Limonoids from Chukrasia tabularis var. velutina. Chemical and Pharmaceutical Bulletin, 2012, 60, 195-204.	1.3	22
29	Lactone ring-opening seco-guaianolide involved heterodimers linked via an ester bond from Artemisia argyi with NO inhibitory activity. Fìtoterapìâ, 2019, 132, 94-100.	2.2	22
30	13,14â€ <i>seco</i> â€Withanolides from <i>Physalis</i> Â <i>minima</i> with Potential Antiâ€inflammatory Activity. Chemistry and Biodiversity, 2016, 13, 884-890.	2.1	20
31	Antioxidant aromatic butenolides from an insect-associated Aspergillus iizukae. Phytochemistry Letters, 2016, 16, 134-140.	1.2	20
32	Asperones A–E, five dimeric polyketides with new carbon skeletons from the fungus <i>Aspergillus</i> sp. AWG 1–15. Organic Chemistry Frontiers, 2018, 5, 2432-2436.	4.5	17
33	Target discovery of cytotoxic withanolides from Physalis angulata var. villosa via reactivity-based screening. Journal of Pharmaceutical and Biomedical Analysis, 2018, 151, 194-199.	2.8	16
34	Cytotoxic withanolides from the aerial parts of Tubocapsicum anomalum. Bioorganic Chemistry, 2018, 81, 396-404.	4.1	16
35	Downregulation of Aquaporin 3 Mediated the Laxative Effect in the Rat Colon by a Purified Resin Glycoside Fraction from Pharbitis Semen. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-10.	1.2	12
36	Further C-15-acyl phragmalin derivatives from Chukrasia tabularis A. Juss Phytochemistry, 2015, 117, 410-416.	2.9	11

Ling-Yi Kong

#	Article	IF	CITATIONS
37	Pharesinosides A-G, acylated glycosidic acid methyl esters derivatized by NH 2 silica gel on-column catalyzation from the crude resin glycosides of Pharbitis Semen. Tetrahedron, 2017, 73, 2863-2871.	1.9	11
38	Osteosarcoma cell proliferation suppression via SHP-2-mediated inactivation of the JAK/STAT3 pathway by tubocapsenolide A. Journal of Advanced Research, 2021, 34, 79-91.	9.5	11
39	Phytosteroids and triterpenoids with potent cytotoxicities from the leaves of Chisocheton cumingianus. RSC Advances, 2016, 6, 6320-6328.	3.6	10
40	Four new limonoids from the seeds of Chukrasia tabularis A. Juss Phytochemistry Letters, 2017, 19, 12-17.	1.2	10
41	Diverse limonoids from barks of Toona ciliata var. yunnanensis and their biological activities. Industrial Crops and Products, 2020, 148, 112275.	5.2	10
42	Seven new guanacastane-type diterpenoids from the fungus Verticillium dahliae. Fìtoterapìâ, 2019, 133, 219-224.	2.2	9
43	Iso-seco-tanapartholide activates Nrf2 signaling pathway through Keap1 modification and oligomerization to exert anti-inflammatory effects. Free Radical Biology and Medicine, 2022, 178, 398-412.	2.9	9
44	Cipadessains A–K, eleven limonoids from the fruits of <i>Cipadessa cinerascens</i> . RSC Advances, 2018, 8, 10437-10445.	3.6	8
45	Novel rearranged acetophenone derivatives possessing diverse architectures from the leaves of Melicope ptelefolia. Tetrahedron, 2019, 75, 130784.	1.9	8
46	Identification of Tubocapsanolide A as a novel NLRP3 inhibitor for potential treatment of colitis. Biochemical Pharmacology, 2021, 190, 114645.	4.4	8
47	Guanacastane-type diterpenoids from the insect-associated fungus Verticillium dahliae. Journal of Asian Natural Products Research, 2016, 18, 117-124.	1.4	7
48	Online hyphenation of extraction, Sephadex LHâ€20 column chromatography, and highâ€speed countercurrent chromatography: A highly efficient strategy for the preparative separation of andrographolide from <i>Andrographis paniculata</i> in a single step. Journal of Separation Science, 2017_40_4865-4871	2.5	7
49	Phragmalin-type limonoids with structural diversity at D-ring from the fruit shells of Chukrasia tabularis. Fìtoterapìâ, 2019, 134, 188-195.	2.2	7
50	Acetophenone derivatives from the roots of Melicope ptelefolia. Fìtoterapìâ, 2019, 132, 40-45.	2.2	7
51	Ardeemins and citrinin dimer derivatives from Aspergillus terreus harbored in Pinellia ternate. Phytochemistry Letters, 2021, 42, 77-81.	1.2	5
52	Four new highly oxidized sesquiterpene lactones from the leaves of Artemisia argyi. Phytochemistry Letters, 2021, 43, 173-178.	1.2	5
53	Sequential transesterifications dominated reversible conversion of phragmalin-type 8/9/11-and 8/9/30-orthoesters. Tetrahedron Letters, 2021, 81, 153363.	1.4	2
54	Asperfuranones A-C, 3(2H)-furanone derivatives from the fungus Aspergillus sp. and the configuration reassignment of their eighteen analogues. FA¬toterapA¬A¢, 2019, 134, 196-200.	2.2	1

#	Article	IF	CITATIONS
55	Natural withanolide-based lysine-specific demethylase 1 inhibitors for antitumor metastasis activity. Phytochemistry Letters, 2022, 49, 93-98.	1.2	1