

Pietro Veglianesse

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2482785/publications.pdf>

Version: 2024-02-01

59
papers

2,846
citations

186265
28
h-index

189892
50
g-index

59
all docs

59
docs citations

59
times ranked

4323
citing authors

#	ARTICLE	IF	CITATIONS
1	Anticonvulsant and Antiepileptogenic Effects Mediated by Adeno-Associated Virus Vector Neuropeptide Y Expression in the Rat Hippocampus. <i>Journal of Neuroscience</i> , 2004, 24, 3051-3059.	3.6	222
2	Persistent activation of p38 mitogen-activated protein kinase in a mouse model of familial amyotrophic lateral sclerosis correlates with disease progression. <i>Molecular and Cellular Neurosciences</i> , 2003, 23, 180-192.	2.2	155
3	Functional alterations of the ubiquitin-proteasome system in motor neurons of a mouse model of familial amyotrophic lateral sclerosis. <i>Human Molecular Genetics</i> , 2009, 18, 82-96.	2.9	146
4	Hydrogels in Spinal Cord Injury Repair Strategies. <i>ACS Chemical Neuroscience</i> , 2011, 2, 336-345.	3.5	142
5	A new three dimensional biomimetic hydrogel to deliver factors secreted by human mesenchymal stem cells in spinal cord injury. <i>Biomaterials</i> , 2016, 75, 135-147.	11.4	141
6	Current Options for Cell Therapy in Spinal Cord Injury. <i>Trends in Molecular Medicine</i> , 2017, 23, 831-849.	6.7	141
7	Bone Marrow Mesenchymal Stromal Cells Drive Protective M2 Microglia Polarization After Brain Trauma. <i>Neurotherapeutics</i> , 2014, 11, 679-695.	4.4	140
8	Selective Nanovector Mediated Treatment of Activated Proinflammatory Microglia/Macrophages in Spinal Cord Injury. <i>ACS Nano</i> , 2013, 7, 9881-9895.	14.6	136
9	Early modulation of pro-inflammatory microglia by minocycline loaded nanoparticles confers long lasting protection after spinal cord injury. <i>Biomaterials</i> , 2016, 75, 13-24.	11.4	110
10	Polymeric nanoparticle system to target activated microglia/macrophages in spinal cord injury. <i>Journal of Controlled Release</i> , 2014, 174, 15-26.	9.9	100
11	Selective Modulation of A1 Astrocytes by Drug-Loaded Nano-Structured Gel in Spinal Cord Injury. <i>ACS Nano</i> , 2020, 14, 360-371.	14.6	94
12	Activation of the p38MAPK cascade is associated with upregulation of TNF alpha receptors in the spinal motor neurons of mouse models of familial ALS. <i>Molecular and Cellular Neurosciences</i> , 2006, 31, 218-231.	2.2	92
13	Multiple drug delivery hydrogel system for spinal cord injury repair strategies. <i>Journal of Controlled Release</i> , 2012, 159, 271-280.	9.9	84
14	Non-invasive in vitro and in vivo monitoring of degradation of fluorescently labeled hyaluronan hydrogels for tissue engineering applications. <i>Acta Biomaterialia</i> , 2016, 30, 188-198.	8.3	80
15	Mesenchymal stem cells encapsulated into biomimetic hydrogel scaffold gradually release CCL2 chemokine in situ preserving cytoarchitecture and promoting functional recovery in spinal cord injury. <i>Journal of Controlled Release</i> , 2018, 278, 49-56.	9.9	80
16	c-Jun N-terminal Kinase Regulates Soluble A β 2 Oligomers and Cognitive Impairment in AD Mouse Model. <i>Journal of Biological Chemistry</i> , 2011, 286, 43871-43880.	3.4	74
17	Neuroprotective Effects of Toll-Like Receptor 4 Antagonism in Spinal Cord Cultures and in a Mouse Model of Motor Neuron Degeneration. <i>Molecular Medicine</i> , 2012, 18, 971-981.	4.4	66
18	Current options for drug delivery to the spinal cord. <i>Expert Opinion on Drug Delivery</i> , 2013, 10, 385-396.	5.0	61

#	ARTICLE	IF	CITATIONS
19	3D Mass Spectrometry Imaging Reveals a Very Heterogeneous Drug Distribution in Tumors. Scientific Reports, 2016, 6, 37027.	3.3	58
20	Stem cell paracrine effect and delivery strategies for spinal cord injury regeneration. Journal of Controlled Release, 2019, 300, 141-153.	9.9	56
21	Distribution and cellular localization of high mobility group box protein 1 (HMGB1) in the spinal cord of a transgenic mouse model of ALS. Neuroscience Letters, 2007, 412, 73-77.	2.1	50
22	Amyotrophic Lateral Sclerosis, a Multisystem Pathology: Insights into the Role of TNF Mediators of Inflammation, 2017, 2017, 1-16.	3.0	45
23	Intracerebroventricular Administration of Human Umbilical Cord Blood Cells Delays Disease Progression in Two Murine Models of Motor Neuron Degeneration. Rejuvenation Research, 2011, 14, 623-639.	1.8	44
24	Inter- and Intracellular Signaling in Amyotrophic Lateral Sclerosis: Role of p38 Mitogen-Activated Protein Kinase. Neurodegenerative Diseases, 2005, 2, 128-134.	1.4	42
25	Specific inhibition of the JNK pathway promotes locomotor recovery and neuroprotection after mouse spinal cord injury. Neurobiology of Disease, 2012, 46, 710-721.	4.4	39
26	Tunable hydrogel Nanoparticles release system for sustained combination therapies in the spinal cord. Colloids and Surfaces B: Biointerfaces, 2013, 108, 169-177.	5.0	38
27	Mutant Prion Protein Expression Is Associated with an Alteration of the Rab GDP Dissociation Inhibitor (GDI)/Rab11 Pathway. Molecular and Cellular Proteomics, 2010, 9, 611-622.	3.8	35
28	Characterization and Degradation Behavior of Agarose/Carbomer Based Hydrogels for Drug Delivery Applications: Solute Effect. International Journal of Molecular Sciences, 2011, 12, 3394-3408.	4.1	32
29	Soluble A β oligomer-induced synaptopathy: c-Jun N-terminal kinase's role. Journal of Molecular Cell Biology, 2013, 5, 277-279.	3.3	28
30	Functionalized nanogel for treating activated astrocytes in spinal cord injury. Journal of Controlled Release, 2021, 330, 218-228.	9.9	25
31	Nanovector-mediated drug delivery for spinal cord injury treatment. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2014, 6, 506-515.	6.1	24
32	Modulators of microglia: a patent review. Expert Opinion on Therapeutic Patents, 2016, 26, 427-437.	5.0	23
33	Novel functionalization strategies to improve drug delivery from polymers. Expert Opinion on Drug Delivery, 2017, 14, 1305-1313.	5.0	23
34	In situ agarose/carbomer hydrogel polycondensation: A chemical approach to regenerative medicine. Materials Letters, 2011, 65, 1688-1692.	2.6	21
35	A New Fluorogenic Peptide Determines Proteasome Activity in Single Cells. Journal of Medicinal Chemistry, 2010, 53, 7452-7460.	6.4	20
36	Nanovector-Mediated Drug Delivery in Spinal Cord Injury: A Multitarget Approach. ACS Chemical Neuroscience, 2019, 10, 1173-1182.	3.5	20

#	ARTICLE	IF	CITATIONS
37	Regenerative medicine for spinal cord injury: focus on stem cells and biomaterials. Expert Opinion on Biological Therapy, 2020, 20, 1203-1213.	3.1	20
38	Chemoselective functionalization of nanogels for microglia treatment. European Polymer Journal, 2017, 94, 143-151.	5.4	17
39	Sustained Delivery of Chondroitinase ABC from Hydrogel System. Journal of Functional Biomaterials, 2012, 3, 199-208.	4.4	16
40	Double conjugated nanogels for selective intracellular drug delivery. RSC Advances, 2017, 7, 30345-30356.	3.6	15
41	Microwave-assisted synthesis of TEMPO-labeled hydrogels traceable with MRI. Soft Matter, 2018, 14, 558-565.	2.7	15
42	A refinement approach in a mouse model of rehabilitation research. Analgesia strategy, reduction approach and infrared thermography in spinal cord injury. PLoS ONE, 2019, 14, e0224337.	2.5	15
43	The Toxicity of a Mutant Prion Protein Is Cell-Autonomous, and Can Be Suppressed by Wild-Type Prion Protein on Adjacent Cells. PLoS ONE, 2012, 7, e33472.	2.5	13
44	Ranolazine ameliorates postresuscitation electrical instability and myocardial dysfunction and improves survival with good neurologic recovery in a rat model of cardiac arrest. Heart Rhythm, 2014, 11, 1641-1647.	0.7	9
45	Biomaterial-Mediated Factor Delivery for Spinal Cord Injury Treatment. Biomedicines, 2022, 10, 1673.	3.2	9
46	Effects of primary amine-based coatings on microglia internalization of nanogels. Colloids and Surfaces B: Biointerfaces, 2020, 185, 110574.	5.0	7
47	Profiling of orthosteric and allosteric group-III metabotropic glutamate receptor ligands on various G protein-coupled receptors with Tag-liteA® assays. Neuropharmacology, 2018, 140, 233-245.	4.1	6
48	Multidrug encapsulation within self-assembled 3D structures formed by biodegradable nanoparticles. European Polymer Journal, 2015, 68, 216-225.	5.4	5
49	Biphasic Porous Structures formed by Monomer/Water Interface Stabilization with Colloidal Nanoparticles. Advanced Materials Interfaces, 2021, 8, 2100991.	3.7	4
50	How can nanovectors be used to treat spinal cord injury?. Nanomedicine, 2019, 14, 3123-3125.	3.3	3
51	Introduction to spinal cord injury as clinical pathology. , 2020, , 1-12.		3
52	Improving the pharmacodynamic and pharmacological profile of bioactive molecules using biopolymers. , 2017, , 285-302.		1
53	Paracrine effects for spinal cord injury regeneration. , 2020, , 203-221.		1
54	Chemical engineering approach to regenerative medicine. Chemical Papers, 2012, 66, .	2.2	0

#	ARTICLE	IF	CITATIONS
55	Biphasic Porous Structures formed by Monomer/Water Interface Stabilization with Colloidal Nanoparticles (Adv. Mater. Interfaces 21/2021). Advanced Materials Interfaces, 2021, 8, 2170119.	3.7	0
56	Title is missing!., 2019, 14, e0224337.		0
57	Title is missing!., 2019, 14, e0224337.		0
58	Title is missing!., 2019, 14, e0224337.		0
59	Title is missing!., 2019, 14, e0224337.		0