

Mohammad Hossein Mashhadizadeh

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/2483568/mohammad-hossein-mashhadizadeh-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

2,577
citations

32
h-index

48
g-index

74
ext. papers

2,759
ext. citations

5.1
avg, IF

5.5
L-index

#	Paper	IF	Citations
73	Solid phase extraction of trace amounts of Ag, Cd, Cu, and Zn in environmental samples using magnetic nanoparticles coated by 3-(trimethoxysilyl)-1-propanthiol and modified with 2-amino-5-mercapto-1,3,4-thiadiazole and their determination by ICP-OES. <i>Journal of Hazardous Materials</i> , 2011 , 199-200	12.8	164
72	Synthesis, characterization and application of novel lead imprinted polymer nanoparticles as a high selective electrochemical sensor for ultra-trace determination of lead ions in complex matrixes. <i>Electrochimica Acta</i> , 2014 , 136, 59-65	6.7	126
71	Solid phase extraction of trace amounts of silver, cadmium, copper, mercury, and lead in various food samples based on ethylene glycol bis-mercaptoacetate modified 3-(trimethoxysilyl)-1-propanethiol coated Fe ₃ O ₄ nanoparticles. <i>Food Chemistry</i> , 2014 , 151, 300-5	8.5	109
70	Solid phase extraction of copper (II) by sorption on octadecyl silica membrane disk modified with a new Schiff base and determination with atomic absorption spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2008 , 63, 885-888	3.1	102
69	Silver(I)-selective membrane electrode based on hexathia-18-crown-6. <i>Analytica Chimica Acta</i> , 1999 , 381, 111-116	6.6	87
68	Mercury(II) ion-selective polymeric membrane sensor based on a recently synthesized Schiff base. <i>Talanta</i> , 2003 , 60, 73-80	6.2	83
67	Solid phase extraction of gold by sorption on octadecyl silica membrane disks modified with pentathia-15-crown-5 and determination by AAS. <i>Talanta</i> , 2003 , 60, 839-44	6.2	82
66	A novel ion selective membrane potentiometric sensor for direct determination of Fe(III) in the presence of Fe(II). <i>Talanta</i> , 2004 , 64, 1048-52	6.2	66
65	Atomic absorption spectrometric determination of Al ³⁺ and Cr ³⁺ after preconcentration and separation on 3-mercaptopropionic acid modified silica coated-Fe ₃ O ₄ nanoparticles. <i>Journal of Analytical Atomic Spectrometry</i> , 2013 , 28, 251	3.7	65
64	Cadmium ion-selective electrode based on tetrathia-12-crown-4. <i>Talanta</i> , 2001 , 53, 1065-71	6.2	64
63	Template-free synthesis of MnO ₂ nanowires with secondary flower like structure: Characterization and supercapacitor behavior studies. <i>Current Applied Physics</i> , 2012 , 12, 193-198	2.6	59
62	Electrochemical investigation of clozapine at TiO ₂ nanoparticles modified carbon paste electrode and simultaneous adsorptive voltammetric determination of two antipsychotic drugs. <i>Electrochimica Acta</i> , 2013 , 87, 816-823	6.7	58
61	Magnetic nanoparticles solid phase extraction for determination of ochratoxin A in cereals using high-performance liquid chromatography with fluorescence detection. <i>Journal of Chromatography A</i> , 2013 , 1320, 17-26	4.5	58
60	Mercapto-ordered carbohydrate-derived porous carbon electrode as a novel electrochemical sensor for simple and sensitive ultra-trace detection of omeprazole in biological samples. <i>Materials Science and Engineering C</i> , 2015 , 48, 213-9	8.3	56
59	Application of magnetic lamotrigine-imprinted polymer nanoparticles as an electrochemical sensor for trace determination of lamotrigine in biological samples. <i>RSC Advances</i> , 2016 , 6, 32374-32380	3.7	56
58	Facile synthesis of MnO ₂ one-dimensional (1D) nanostructure and energy storage ability studies. <i>Journal of Solid State Chemistry</i> , 2012 , 190, 202-207	3.3	55
57	Flame atomic absorption spectroscopy (FAAS) determination of iron(III) after preconcentration on to modified analcime zeolite with 5-((4-nitrophenylazo)-N-(2,4-dimethoxyphenyl))salicylaldimine by column method. <i>Journal of Analytical Atomic Spectrometry</i> , 2005 , 20, 476-478	3.7	55

56	Flame atomic absorption spectrometric determination of silver ion after preconcentration on octadecyl silica membrane disk modified with bis[5-((4-nitrophenyl)azosalicylaldehyde)] as a new Schiff base ligand. <i>Journal of Analytical Atomic Spectrometry</i> , 2003 , 18, 1407	3.7	53
55	High temperature and low current density synthesis of Mn ₃ O ₄ porous nano spheres: Characterization and electrochemical properties. <i>Current Applied Physics</i> , 2012 , 12, 544-549	2.6	47
54	Sol-Gel-Au nano-particle modified carbon paste electrode for potentiometric determination of sub ppb level of Al(III). <i>Analytical Methods</i> , 2010 , 2, 24-31	3.2	47
53	A novel morphine electrochemical biosensor based on intercalative and electrostatic interaction of morphine with double strand DNA immobilized onto a modified Au electrode. <i>Talanta</i> , 2015 , 131, 460-6	6.2	46
52	Voltammetric determination of some anti-malarial drugs using a carbon paste electrode modified with Cu(OH) ₂ nano-wire. <i>Talanta</i> , 2009 , 78, 1440-5	6.2	43
51	New Schiff base modified carbon paste and coated wire PVC membrane electrode for silver ion. <i>Sensors and Actuators B: Chemical</i> , 2006 , 113, 930-936	8.5	43
50	Degradation of diazinon by new hybrid nanocomposites N-TiO ₂ /Graphene/Au and N-TiO ₂ /Graphene/Ag using visible light photo-electro catalysis and photo-electro catalytic ozonation: Optimization and comparative study by Taguchi method. <i>Separation and Purification Technology</i> , 2019 , 211, 704-714	8.3	41
49	Used gold nano-particles as an on/off switch for response of a potentiometric sensor to Al(III) or Cu(II) metal ions. <i>Analytica Chimica Acta</i> , 2011 , 692, 109-15	6.6	39
48	A nickel hexacyanoferrate and poly(1-naphthol) hybrid film modified electrode used in the selective electroanalysis of dopamine. <i>Electrochimica Acta</i> , 2012 , 59, 321-328	6.7	38
47	Highly efficient and selective membrane transport of silver(I) using hexathia-18-crown-6 as a specific ion carrier. <i>Separation and Purification Technology</i> , 2000 , 20, 147-153	8.3	38
46	Highly selective and efficient transport of mercury(II) ions across a bulk liquid membrane containing tetrathia-12-crown-4 as a specific ion carrier. <i>Separation and Purification Technology</i> , 2002 , 27, 155-161	8.3	34
45	Nickel(II)-selective membrane potentiometric sensor using a recently synthesized Schiff base as neutral carrier. <i>Sensors and Actuators B: Chemical</i> , 2003 , 94, 241-246	8.5	34
44	Drug-Carrying Amino Silane Coated Magnetic Nanoparticles as Potential Vehicles for Delivery of Antibiotics. <i>Journal of Nanomedicine & Nanotechnology</i> , 2012 , 03,	1.9	33
43	Cobalt(II)-selective membrane electrode using a recently synthesized mercapto compound. <i>Analytica Chimica Acta</i> , 2002 , 462, 245-252	6.6	33
42	Synergistic effect of magnetite and gold nanoparticles onto the response of a label-free impedimetric hepatitis B virus DNA biosensor. <i>Materials Science and Engineering C</i> , 2016 , 59, 773-781	8.3	32
41	Comparative studies of mercapto thiadiazoles self-assembled on gold nanoparticle as ionophores for Cu(II) carbon paste sensors. <i>Analytica Chimica Acta</i> , 2010 , 665, 208-14	6.6	31
40	Electrochemical Studies and Selective Detection of Thioridazine Using a Carbon Paste Electrode Modified with ZnS Nanoparticles and Simultaneous Determination of Thioridazine and Olanzapine. <i>Electroanalysis</i> , 2012 , 24, 2193-2202	3	29
39	Copper(II) modified carbon paste electrodes based on self-assembled mercapto compounds-gold-nanoparticle. <i>Talanta</i> , 2008 , 76, 497-502	6.2	28

38	A novel Mn(2+) PVC membrane electrode based on a recently synthesized Schiff base. <i>Talanta</i> , 2007 , 72, 1088-92	6.2	28
37	Development of a novel MWCNTs-triazene-modified carbon paste electrode for potentiometric assessment of Hg(II) in the aquatic environments. <i>Materials Science and Engineering C</i> , 2015 , 47, 273-80	8.3	26
36	Potentiometric determination of nanomolar concentration of Cu (II) using a carbon paste electrode modified by a self-assembled mercapto compound on gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2012 , 169, 305-311	8.5	26
35	Synthesis, characterization, and supercapacitor studies of manganese (IV) oxide nanowires. <i>Materials Science in Semiconductor Processing</i> , 2013 , 16, 868-876	4.3	26
34	Selective transport of silver ion through a supported liquid membrane using hexathia-18-crown-6 as carrier. <i>Analytical Sciences</i> , 2001 , 17, 491-4	1.7	24
33	Preparation of reusable nano N-TiO ₂ /graphene/titanium grid sheet for electrosorption-assisted visible light photoelectrocatalytic degradation of a pesticide: Effect of parameters and neural network modeling. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 823, 713-722	4.1	23
32	Flame atomic absorption spectrometric determination of μ amounts of Fe (III) ions after solid phase extraction using modified octadecyl silica membrane disks. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2008 , 63, 889-892	3.1	23
31	Design of a New Carbon Paste Electrode Modified with TiO ₂ Nanoparticles to Use in an Electrochemical Study of Codeine and Simultaneous Determination of Codeine and Acetaminophen in Human Plasma Serum Samples. <i>Electroanalysis</i> , 2014 , 26, 2033-2042	3	21
30	Hausmannite nanorods prepared by electrodeposition from nitrate medium via electrogeneration of base. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2012 , 43, 614-618	5.3	21
29	Nickel(II) selective membrane potentiometric sensor using a recently synthesized mercapto compound as neutral carrier. <i>Talanta</i> , 2003 , 59, 47-53	6.2	21
28	Co ²⁺ -selective membrane electrode based on the Schiff Base NADS. <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 375, 708-12	4.4	18
27	A digoxin electrochemical aptasensor using Ag nanoparticle decorated graphene oxide. <i>Analytical Methods</i> , 2016 , 8, 7247-7253	3.2	17
26	A highly sensitive and selective hepatitis B DNA biosensor using gold nanoparticle electrodeposition on an Au electrode and mercaptobenzaldehyde. <i>Analytical Methods</i> , 2014 , 6, 8956-8964	3.2	17
25	Removal of strontium ions from nuclear waste using synthesized MnO ₂ -ZrO ₂ nano-composite by hydrothermal method in supercritical condition. <i>Korean Journal of Chemical Engineering</i> , 2015 , 32, 478-485	2.8	17
24	A new methodology for electrostatic immobilization of a non-labeled single strand DNA onto a self-assembled diazonium modified gold electrode and detection of its hybridization by differential pulse voltammetry. <i>Talanta</i> , 2013 , 103, 344-8	6.2	17
23	A novel optical DNA biosensor for detection of trace amounts of mercuric ions using gold nanoparticles introduced onto modified glass surface. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 132, 403-9	4.4	16
22	3-Mercapto propionic acid self-assembled on gold nano-particles applied for modification of screen-printed electrode as a new digoxin electrochemical aptasensor using graphene oxide-based signal-on strategy. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 787, 132-138	4.1	15
21	Facile cathodic electrosynthesis and characterization of iron oxide nano-particles. <i>Progress in Natural Science: Materials International</i> , 2013 , 23, 51-54	3.6	15

20	Application of diazo-thiourea and gold nano-particles in the design of a highly sensitive and selective DNA biosensor. <i>Chinese Chemical Letters</i> , 2015 , 26, 160-166	8.1	14
19	Used a new aza-thia-macrocyclic as a suitable carrier in potentiometric sensor of copper (II). <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2010 , 68, 219-227		14
18	Magnetic pH-responsive poly(methacrylic acid-co-acrylic acid)-co-polyvinylpyrrolidone magnetic nano-carrier for controlled delivery of fluvastatin. <i>Materials Science and Engineering C</i> , 2015 , 47, 281-9	8.3	13
17	Electrocatalytic determination of chlorpromazine drug using Alizarin Red S as a mediator on the glassy carbon electrode. <i>Russian Journal of Electrochemistry</i> , 2011 , 47, 34-41	1.2	13
16	Spectrophotometric Study of Complex Formation Between Iodine and Some Thiacrown Ethers in Chloroform Solution. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2000 , 38, 277-286		13
15	A simple non-enzymatic strategy for adenosine triphosphate electrochemical aptasensor using silver nanoparticle-decorated graphene oxide. <i>Journal of the Iranian Chemical Society</i> , 2017 , 14, 2007-2016		12
14	Determination of ultratrace levels of lead (II) in water samples using a modified carbon paste electrode based on a new podand. <i>Materials Science and Engineering C</i> , 2011 , 31, 1674-1680	8.3	11
13	Synthesis of iron oxide nanoparticles at low bath temperature: Characterization and energy storage studies. <i>Materials Science in Semiconductor Processing</i> , 2013 , 16, 1837-1841	4.3	10
12	Synthesis and characterization of cerium oxide nano-particles in chloride bath: Effect of the H ₂ O ₂ concentration and bath temperature on morphology. <i>Materials Science in Semiconductor Processing</i> , 2013 , 16, 1943-1948	4.3	10
11	Nitrone Synthesis via Pair Electrochemical Coupling of Nitro-Compounds with Benzyl Alcohol Derivatives. <i>Journal of Organic Chemistry</i> , 2019 , 84, 9307-9312	4.2	9
10	Structure-switching of an organothioliol neutral carrier by gold nanoparticles decorated on SH-MWCNTs for ultra-trace voltammetric assay of Hg(II) using a carbon paste electrode. <i>Analytical Methods</i> , 2015 , 7, 7765-7775	3.2	8
9	Comparative study of carbon paste electrodes modified by new pentaaza macrocyclic ligands and gold nanoparticles embedded in three-dimensional sol-gel network for determination of trace amounts of Ag(I). <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2013 , 76, 283-291	1.7	8
8	Synthesis and characterization of N,N'-bis(benzophenone imine)formamidine as ionophores for silver-selective electrodes. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 410-416	8.5	7
7	Electrocatalytic oxidation of hydrazine with alizarin red S as a homogenous mediator on the glassy carbon electrode. <i>Science China Chemistry</i> , 2010 , 53, 1195-1201	7.9	7
6	Comparative studies on carbon paste electrodes based on three dithiocarbamate podands as ionophore in Ag(I) sensors. <i>Analytical Methods</i> , 2012 , 4, 742	3.2	6
5	Simple in situ functionalizing of magnetite nanoparticles by 4-nitrobenzenediazonium for construction of a sensitive electrochemical DNA biosensor for detection of a DNA sequence related to Hepatitis B virus. <i>Journal of the Iranian Chemical Society</i> , 2015 , 12, 1747-1756	2	5
4	A novel ionic liquid/polyoxomolybdate based sensor for ultra-high sensitive monitoring of Al(III): Optimization by Taguchi statistical design. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 814, 7-19	4.1	5
3	Multilayer film of thiourea and gold nanoparticles as an effective platform for immobilization of activated non-labeled-DNA and construction of an ultrasensitive electrochemical DNA biosensor. <i>Russian Journal of Electrochemistry</i> , 2016 , 52, 154-162	1.2	4

- 2 Introducing a novel nanocomposite consisting of TiO₂ nanoparticles@copper oxide/reduced graphene oxide for the electrocatalytic sensing of ascorbic acid. *Journal of the Iranian Chemical Society*, **2021**, 18, 1329-1341 2 2
- 1 Transport of Cu²⁺ ion across a bulk liquid membrane containing a synthesized Schiff base as carrier. *Physics and Chemistry of Liquids*, **2014**, 52, 199-208 1.5 1