

# Marc Danguy des DÃ©serts

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2483810/publications.pdf>

Version: 2024-02-01

41  
papers

1,684  
citations

758635

12  
h-index

301761

39  
g-index

55  
all docs

55  
docs citations

55  
times ranked

2811  
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcomes of COVID-19-Related ARDS Patients Hospitalized in a Military Field Intensive Care Unit. <i>Military Medicine</i> , 2022, 187, e1549-e1555.	0.4	4
2	Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation. <i>Annals of Internal Medicine</i> , 2022, 175, 29-35.	2.0	33
3	Using PaCO <sub>2</sub> as a sensitive information for detection of respiratory deterioration in severe COVID-19 patients. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101019.	0.6	2
4	Early prone positioning in acute respiratory distress syndrome related to COVID-19: a propensity score analysis from the multicentric cohort COVID-ICU network—the ProneCOVID study. <i>Critical Care</i> , 2022, 26, 71.	2.5	14
5	Implementation of French Recommendations for the Prevention and the Treatment of Hospital-acquired Pneumonia: A Cluster-randomized Trial. <i>Clinical Infectious Diseases</i> , 2021, 73, e1601-e1610.	2.9	12
6	Long-term recurrence risk after a first venous thromboembolism in men and women under 50 years old: A French prospective cohort. <i>European Journal of Internal Medicine</i> , 2021, 84, 24-31.	1.0	10
7	Clinical characteristics and day-90 outcomes of 4244 critically ill adults with COVID-19: a prospective cohort study. <i>Intensive Care Medicine</i> , 2021, 47, 60-73.	3.9	597
8	Study protocol for a multicentre, 2Ã—2 factorial, randomised, controlled trial evaluating the interest of intravenous iron and tranexamic acid to reduce blood transfusion in hip fracture patients (the Tj ETQq0 0 0 rgBT, Overlock 10 Tf 50 4		
9	Goal-directed therapy in the perioperative management: is a complete hemodynamics bundle of care better?. <i>Critical Care</i> , 2021, 25, 105.	2.5	2
10	Assessment of remifentanyl for rapid sequence induction and intubation in patients at risk of pulmonary aspiration of gastric contents compared to rapid-onset paralytic agents: study protocol for a non-inferiority simple blind randomized controlled trial (the REMICRUSH study). <i>Trials</i> , 2021, 22, 237.	0.7	4
11	Pay Attention to Blood Pressure and Oxygen Supply for Neurocritically Ill Patients: Each Pathology Deserves a Specific Treatment. <i>Neurocritical Care</i> , 2021, 34, 697-698.	1.2	0
12	Consider Transcranial Doppler for Moderate and Severe Traumatic Brain Injuries. <i>Critical Care Medicine</i> , 2021, 49, e559-e559.	0.4	1
13	Consider Urinary Creatinine Clearance for Perioperative Acute Kidney Injury Management. <i>Anesthesia and Analgesia</i> , 2021, 132, e82-e83.	1.1	1
14	Precise Clinical Outcome in High-Grade Aneurysmal Subarachnoid Hemorrhage: Brain Oxygenation Matters!. <i>Neurocritical Care</i> , 2021, 34, 1108-1109.	1.2	1
15	Emergency Intubation in Covid-19. <i>New England Journal of Medicine</i> , 2021, 384, e74.	13.9	0
16	French multicentre observational study on SARS-CoV-2 infections intensive care initial management: the FRENCH CORONA study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100931.	0.6	19
17	SARS Cov2 outbreak management on a landing helicopter dock: An observational retrospective study. <i>Infectious Diseases Now</i> , 2021, 51, 424-428.	0.7	2
18	Oxygen supply: When military experience could help to the most. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100972.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Benefits and risks of noninvasive oxygenation strategy in COVID-19: a multicenter, prospective cohort study (COVID-ICU) in 137 hospitals. <i>Critical Care</i> , 2021, 25, 421.	2.5	33
20	Characteristics and prognosis of bloodstream infection in patients with COVID-19 admitted in the ICU: an ancillary study of the COVID-ICU study. <i>Annals of Intensive Care</i> , 2021, 11, 183.	2.2	20
21	Predicting 90-day survival of patients with COVID-19: Survival of Severely Ill COVID (SOSIC) scores. <i>Annals of Intensive Care</i> , 2021, 11, 170.	2.2	11
22	Trachéotomie percutanée pour afflux saturant de patients COVID-19: expérience des ORL militaires déployés à Mulhouse. <i>Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale</i> , 2020, 137, 242-247.	0.0	0
23	A Centrally Acting Antihypertensive, Clonidine, Sedates Patients Presenting With Acute Respiratory Distress Syndrome Evoked by Severe Acute Respiratory Syndrome-Coronavirus 2. <i>Critical Care Medicine</i> , 2020, 48, e991-e993.	0.4	9
24	Outcomes in 886 Critically Ill Patients After Near-Hanging Injury. <i>Chest</i> , 2020, 158, 2404-2413.	0.4	10
25	Personal protective equipment and intensive care unit healthcare worker safety in the COVID-19 era (PPE-SAFE): An international survey. <i>Journal of Critical Care</i> , 2020, 59, 70-75.	1.0	234
26	Percutaneous dilatational tracheostomy for saturating influx of COVID-19 patients: Experience of military ENT physicians deployed in Mulhouse, France. <i>European Annals of Otorhinolaryngology, Head and Neck Diseases</i> , 2020, 137, 263-268.	0.4	12
27	Conception and deployment of a 30-bed field military intensive care hospital in Eastern France during the 2020 COVID-19 pandemic. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 361-362.	0.6	25
28	Epidemiology and outcome of patients admitted to intensive care after anaphylaxis in France: a retrospective multicentre study. <i>British Journal of Anaesthesia</i> , 2020, 125, 1025-1033.	1.5	15
29	A randomized, double-blind, placebo-controlled trial on the efficacy of tranexamic acid combined with rivaroxaban thromboprophylaxis in reducing blood loss after primary cementless total hip arthroplasty. <i>Bone and Joint Journal</i> , 2019, 101-B, 207-212.	1.9	30
30	Post-anaesthesia pulmonary complications after use of muscle relaxants (POPULAR): a multicentre, prospective observational study. <i>Lancet Respiratory Medicine</i> , 2019, 7, 129-140.	5.2	241
31	A prospective international observational prevalence study on prone positioning of ARDS patients: the APRONET (ARDS Prone Position Network) study. <i>Intensive Care Medicine</i> , 2018, 44, 22-37.	3.9	226
32	Hypoxemia in the ICU: prevalence, treatment, and outcome. <i>Annals of Intensive Care</i> , 2018, 8, 82.	2.2	53
33	Cheyne-Stokes respiration: Implications for anaesthesiologists. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2017, 36, 245-246.	0.6	3
34	Le garrot hémostatique. <i>Journal Europeen Des Urgences Et De Reanimation</i> , 2017, 29, 8-15.	0.1	0
35	Le garrot hémostatique. <i>Praticien En Anesthesie Reanimation</i> , 2016, 20, 160-166.	0.0	1
36	Pre-hospital emergency medicine: pain control. <i>Lancet</i> , 2016, 387, 747.	6.3	2

#	ARTICLE	IF	CITATIONS
37	Purpura fulminans in <i>Neisseria meningitidis</i> as presenting feature of multiple myeloma. International Journal of Laboratory Hematology, 2012, 34, e1-2.	0.7	1
38	Ultrasound-guided cannulation of the left subclavian vein in a case of persistent left superior vena cava. Canadian Journal of Anaesthesia, 2011, 58, 471-472.	0.7	5
39	Intubation difficile pr hospitalire compliquee d'une rupture trachale. Annales Francaises De Medecine D'Urgence, 2011, 1, 136-137.	0.0	1
40	Ultrasound-guided epidural blood patch. European Journal of Anaesthesiology, 2010, 27, 221-222.	0.7	10
41	Must we always follow the instructions of automated external defibrillators?. Intensive Care Medicine, 2010, 36, 723-724.	3.9	0