
## Ramon Palmero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2485591/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Erlotinib versus standard chemotherapy as first-line treatment for European patients with advanced EGFR mutation-positive non-small-cell lung cancer (EURTAC): a multicentre, open-label, randomised phase 3 trial. Lancet Oncology, The, 2012, 13, 239-246.	5.1	4,943
2	Screening for Epidermal Growth Factor Receptor Mutations in Lung Cancer. New England Journal of Medicine, 2009, 361, 958-967.	13.9	2,213
3	Erlotinib and bevacizumab in patients with advanced non-small-cell lung cancer and activating EGFR mutations (BELIEF): an international, multicentre, single-arm, phase 2 trial. Lancet Respiratory Medicine,the, 2017, 5, 435-444.	5.2	172
4	Epigenetic prediction of response to anti-PD-1 treatment in non-small-cell lung cancer: a multicentre, retrospective analysis. Lancet Respiratory Medicine,the, 2018, 6, 771-781.	5.2	167
5	Phase I/II trial of vorinostat (SAHA) and erlotinib for non-small cell lung cancer (NSCLC) patients with epidermal growth factor receptor (EGFR) mutations after erlotinib progression. Lung Cancer, 2014, 84, 161-167.	0.9	81
6	Encephalitis Induced by Immune Checkpoint Inhibitors. JAMA Neurology, 2021, 78, 864.	4.5	61
7	Thyroid dysfunction induced by nivolumab: searching for disease patterns and outcomes. Endocrine, 2019, 64, 605-613.	1.1	46
8	Geriatric assessment may help decision-making in elderly patients with inoperable, locally advanced non-small-cell lung cancer. British Journal of Cancer, 2018, 118, 639-647.	2.9	31
9	Biomarker Discovery and Outcomes for Comprehensive Cell-Free Circulating Tumor DNA Versus Standard-of-Care Tissue Testing in Advanced Non–Small-Cell Lung Cancer. JCO Precision Oncology, 2021, 5, 93-102.	1.5	31
10	Fasting plasma glucose is an independent predictor of survival in patients with locally advanced non-small cell lung cancer treated with concurrent chemoradiotherapy. BMC Cancer, 2019, 19, 165.	1.1	24
11	Assessment of ALK Status by FISH on 1000 Spanish Non-Small Cell Lung Cancer Patients. Journal of Thoracic Oncology, 2014, 9, 1816-1820.	0.5	23
12	Phase I study of concurrent chemoradiation with pemetrexed and cisplatin followed by consolidation pemetrexed for patients with unresectable stage III non-small cell lung cancer. Lung Cancer, 2011, 74, 69-74.	0.9	19
13	A phase lb trial of continuous once-daily oral afatinib plus sirolimus in patients with epidermal growth factor receptor mutation-positive non-small cell lung cancer and/or disease progression following prior erlotinib or gefitinib. Lung Cancer, 2017, 108, 154-160.	0.9	18
14	Mutations in the Antioxidant KEAP1/NRF2 Pathway Define an Aggressive Subset of NSCLC Resistant to Conventional Treatments. Journal of Thoracic Oncology, 2019, 14, 1881-1883.	0.5	17
15	Evolution and Clinical Impact of EGFR Mutations in Circulating Free DNA in the BELIEF Trial. Journal of Thoracic Oncology, 2020, 15, 416-425.	0.5	17
16	Multiplex RNAâ€based detection of clinically relevant <i>MET</i> alterations in advanced nonâ€small cell lung cancer. Molecular Oncology, 2021, 15, 350-363.	2.1	17
17	Clinical Activity of Afatinib in Patients With Non–Small-Cell Lung Cancer Harboring Uncommon EGFR Mutations: A Spanish Retrospective Multicenter Study. Clinical Lung Cancer, 2020, 21, 428-436.e2.	1.1	14
18	Integrative transcriptome analysis of malignant pleural mesothelioma reveals a clinically relevant immune-based classification. , 2021, 9, e001601.		13

RAMON PALMERO

#	Article	IF	CITATIONS
19	Serum micronutrients and prealbumin during development and recovery of chemotherapyâ€induced peripheral neuropathy. Journal of the Peripheral Nervous System, 2016, 21, 134-141.	1.4	10
20	Severity of radiation pneumonitis, from clinical, dosimetric and biological features: a pilot study. Radiation Oncology, 2020, 15, 246.	1.2	9
21	Duloxetine against symptomatic chemotherapy-induced peripheral neurotoxicity in cancer survivors: a real world, open-label experience. Anti-Cancer Drugs, 2021, 32, 88-94.	0.7	8
22	Induction treatment in patients with stage III non-small cell lung cancer. Translational Lung Cancer Research, 2021, 10, 539-554.	1.3	8
23	Silibinin Suppresses Tumor Cell-Intrinsic Resistance to Nintedanib and Enhances Its Clinical Activity in Lung Cancer. Cancers, 2021, 13, 4168.	1.7	8
24	Efficacy of CDK4/6 inhibitors in preclinical models of malignant pleural mesothelioma. British Journal of Cancer, 2021, 125, 1365-1376.	2.9	8
25	PD-L1 expression associated with better response to EGFR tyrosine kinase inhibitors. Cancer Biology and Medicine, 2015, 12, 71-3.	1.4	7
26	Time-related improvement of survival in resectable gastric cancer: the role of Japanese-style gastrectomy with D2 lymphadenectomy and adjuvant chemotherapy. World Journal of Surgical Oncology, 2006, 4, 53.	0.8	6
27	Rapid palliation of symptoms with platinum-based chemotherapy plus cetuximab in recurrent oral cancer: a case report. Head & Neck Oncology, 2010, 2, 3.	2.3	5
28	Expression of cyclooxygenase-2 mRNA in peripheral blood of head and neck cancer patients and in healthy controls. A pilot study. Acta Oto-Laryngologica, 2007, 127, 71-75.	0.3	4
29	Phase IB study to evaluate efficacy and tolerability of olaparib (AZD2281) plus gefitinib in patients (P) with epidermal growth factor receptor (EGFR) mutation positive advanced non-small cell lung cancer (NSCLC) (NCT=1513174/GECP-GOAL) Journal of Clinical Oncology, 2014, 32, 8079-8079.	0.8	4
30	Treatment of resectable stage IIIA non-small cell lung cancer. Journal of Thoracic Disease, 2017, 9, 13-15.	0.6	3
31	Phase IB study of olaparib (AZD2281) plus gefitinib in EGFR-mutant patients (p) with advanced non-small-cell lung cancer (NSCLC) (NCT01513174/GECP-GOAL) Journal of Clinical Oncology, 2013, 31, 2581-2581.	0.8	3
32	Comment on an external validation of the 8th edition of the TNM classification for lung cancer staging in patients treated with chemoradiation. Annals of Translational Medicine, 2019, 7, S101-S101.	0.7	3
33	Perilesional edema in brain metastases as predictive factor of response to systemic therapy in non-small cell lung cancer patients: a preliminary study. Annals of Translational Medicine, 2021, 9, 648-648.	0.7	2
34	Alectinib after failure to crizotinib in patients with ALK-positive non-small cell lung cancer: results from the Spanish early access program. Oncotarget, 2022, 13, 812-827.	0.8	2
35	A prospective study assessing the value of geriatric assessment in elderly patients with stage III NSCLC for concurrent chemoradiation Journal of Clinical Oncology, 2016, 34, 8509-8509.	0.8	1
36	Geriatric assessment to predict toxicity in elderly patients with unresectable locally advanced non-small-cell lung cancer treated with concurrent chemoradiotherapy Journal of Clinical Oncology, 2018, 36, 8557-8557.	0.8	1

**RAMON PALMERO** 

#	Article	IF	CITATIONS
37	Induction of an aggressive phenotype and poor survival in early-stage lung adenocarcinoma and epigenetic inactivation of microRNA-34b/c Journal of Clinical Oncology, 2013, 31, 11056-11056.	0.8	0
38	Duloxetine in symptomatic chemotherapy-induced peripheral neuropathy: Single-center experience beyond the clinical trial Journal of Clinical Oncology, 2015, 33, e20713-e20713.	0.8	0
39	Clinical and therapeutic characteristics of patients died due to radiation-induced pneumonitis. , 2015, ,		Ο
40	Tracking plasma KRAS mutations (mu) in lung adenocarcinoma (LUAC) patients (p) and branching evolution Journal of Clinical Oncology, 2019, 37, 9055-9055.	0.8	0