

Levent A-ztAerk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2485669/publications.pdf>

Version: 2024-02-01

61
papers

5,026
citations

117571

34
h-index

133188

59
g-index

62
all docs

62
docs citations

62
times ranked

4161
citing authors

#	ARTICLE	IF	CITATIONS
1	Biofortification and Localization of Zinc in Wheat Grain. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 9092-9102.	2.4	427
2	Concentration and localization of zinc during seed development and germination in wheat. <i>Physiologia Plantarum</i> , 2006, 128, 144-152.	2.6	314
3	Iron and zinc grain density in common wheat grown in Central Asia. <i>Euphytica</i> , 2007, 155, 193-203.	0.6	284
4	Quantitative trait loci conferring grain mineral nutrient concentrations in durum wheat-wild emmer wheat RIL population. <i>Theoretical and Applied Genetics</i> , 2009, 119, 353-369.	1.8	264
5	Biofortification of Durum Wheat with Zinc Through Soil and Foliar Applications of Nitrogen. <i>Cereal Chemistry</i> , 2010, 87, 1-9.	1.1	257
6	Multiple QTL-effects of wheat Gpc-B1 locus on grain protein and micronutrient concentrations. <i>Physiologia Plantarum</i> , 2007, 129, 635-643.	2.6	244
7	Grain zinc, iron and protein concentrations and zinc-efficiency in wild emmer wheat under contrasting irrigation regimes. <i>Plant and Soil</i> , 2008, 306, 57-67.	1.8	181
8	Biofortification of wheat with iron through soil and foliar application of nitrogen and iron fertilizers. <i>Plant and Soil</i> , 2011, 349, 215-225.	1.8	181
9	Variation in phosphorus efficiency among 73 bread and durum wheat genotypes grown in a phosphorus-deficient calcareous soil. <i>Plant and Soil</i> , 2005, 269, 69-80.	1.8	171
10	Glyphosate reduced seed and leaf concentrations of calcium, manganese, magnesium, and iron in non-glyphosate resistant soybean. <i>European Journal of Agronomy</i> , 2009, 31, 114-119.	1.9	168
11	Zinc nutrition in wheat-based cropping systems. <i>Plant and Soil</i> , 2018, 422, 283-315.	1.8	152
12	Morphological and physiological differences in the response of cereals to zinc deficiency. <i>Euphytica</i> , 1998, 100, 349-357.	0.6	138
13	Genetic diversity for grain nutrients in wild emmer wheat: potential for wheat improvement. <i>Annals of Botany</i> , 2010, 105, 1211-1220.	1.4	132
14	Foliar-Applied Glyphosate Substantially Reduced Uptake and Transport of Iron and Manganese in Sunflower (<i>Helianthus annuus</i> L.) Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 10019-10025.	2.4	131
15	Grain concentrations of protein and mineral nutrients in a large collection of spelt wheat grown under different environments. <i>Journal of Cereal Science</i> , 2010, 52, 342-349.	1.8	112
16	High phosphorus supply reduced zinc concentration of wheat in native soil but not in autoclaved soil or nutrient solution. <i>Plant and Soil</i> , 2015, 393, 147-162.	1.8	112
17	Genetic variation and environmental stability of grain mineral nutrient concentrations in <i>Triticum dicoccoides</i> under five environments. <i>Euphytica</i> , 2010, 171, 39-52.	0.6	106
18	Grain yield, zinc efficiency and zinc concentration of wheat cultivars grown in a zinc-deficient calcareous soil in field and greenhouse. <i>Field Crops Research</i> , 1999, 63, 87-98.	2.3	97

#	ARTICLE	IF	CITATIONS
19	Iodine biofortification of wheat, rice and maize through fertilizer strategy. <i>Plant and Soil</i> , 2017, 418, 319-335.	1.8	89
20	Concentration of zinc and activity of copper/zinc-superoxide dismutase in leaves of rye and wheat cultivars differing in sensitivity to zinc deficiency. <i>Journal of Plant Physiology</i> , 1997, 151, 91-95.	1.6	83
21	Zinc-efficient wild grasses enhance release of phytosiderophores under zinc deficiency. <i>Journal of Plant Nutrition</i> , 1996, 19, 551-563.	0.9	82
22	Uptake and retranslocation of leaf-applied cadmium (¹⁰⁹ Cd) in diploid, tetraploid and hexaploid wheats. <i>Journal of Experimental Botany</i> , 2000, 51, 221-226.	2.4	82
23	Pseudomonas-aided zinc application improves the productivity and biofortification of bread wheat. <i>Crop and Pasture Science</i> , 2018, 69, 659.	0.7	76
24	Mapping QTLs conferring salt tolerance and micronutrient concentrations at seedling stage in wheat. <i>Scientific Reports</i> , 2017, 7, 15662.	1.6	66
25	The effect of organic and conventional management on the yield and quality of wheat grown in a long-term field trial. <i>European Journal of Agronomy</i> , 2013, 51, 71-80.	1.9	63
26	Effect of Organic and Conventional Crop Rotation, Fertilization, and Crop Protection Practices on Metal Contents in Wheat (<i>Triticum aestivum</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 4715-4724.	2.4	60
27	Genotypic variation in common bean in response to zinc deficiency in calcareous soil. <i>Plant and Soil</i> , 2004, 259, 71-83.	1.8	59
28	Shoot biomass and zinc/cadmium uptake for hyperaccumulator and non-accumulator <i>Thlaspi</i> species in response to growth on a zinc-deficient calcareous soil. <i>Plant Science</i> , 2003, 164, 1095-1101.	1.7	56
29	Expression and Cellular Localization of ZIP1 Transporter Under Zinc Deficiency in Wild Emmer Wheat. <i>Plant Molecular Biology Reporter</i> , 2011, 29, 582-596.	1.0	50
30	Differences in Zinc Efficiency among and within Diploid, Tetraploid and Hexaploid Wheats. <i>Annals of Botany</i> , 1999, 84, 163-171.	1.4	48
31	Effect of nitrogen on root release of phytosiderophores and root uptake of Fe(III)-phytosiderophore in Fe-deficient wheat plants. <i>Physiologia Plantarum</i> , 2011, 142, 287-296.	2.6	46
32	Glyphosate inhibition of ferric reductase activity in iron deficient sunflower roots. <i>New Phytologist</i> , 2008, 177, 899-906.	3.5	45
33	Leaf-applied sodium chloride promotes cadmium accumulation in durum wheat grain. <i>Plant and Soil</i> , 2007, 290, 323-331.	1.8	37
34	Micronutrient Malnutrition and Biofortification: Recent Advances and Future Perspectives. , 2018, , 225-243.		37
35	The influence of organic and conventional fertilisation and crop protection practices, preceding crop, harvest year and weather conditions on yield and quality of potato (<i>Solanum tuberosum</i>) in a long-term management trial. <i>European Journal of Agronomy</i> , 2013, 49, 83-92.	1.9	36
36	The effect of agronomic factors on crop health and performance of winter wheat varieties bred for the conventional and the low input farming sector. <i>Field Crops Research</i> , 2020, 254, 107822.	2.3	36

#	ARTICLE	IF	CITATIONS
37	TOLERANCE OF 65 DURUM WHEAT GENOTYPES TO ZINC DEFICIENCY IN A CALCAREOUS SOIL. <i>Journal of Plant Nutrition</i> , 2001, 24, 1831-1847.	0.9	34
38	Quantitative trait loci associated with soybean seed weight and composition under different phosphorus levels. <i>Journal of Integrative Plant Biology</i> , 2018, 60, 232-241.	4.1	32
39	Effects of Agronomic Management and Climate on Leaf Phenolic Profiles, Disease Severity, and Grain Yield in Organic and Conventional Wheat Production Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 10369-10379.	2.4	32
40	Effect of Crop Protection and Fertilization Regimes Used in Organic and Conventional Production Systems on Feed Composition and Physiological Parameters in Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 1017-1029.	2.4	28
41	Supra-optimal growth temperature exacerbates adverse effects of low Zn supply in wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2019, 182, 656-666.	1.1	28
42	Reduced root mycorrhizal colonization as affected by phosphorus fertilization is responsible for high cadmium accumulation in wheat. <i>Plant and Soil</i> , 2021, 468, 19-35.	1.8	28
43	Turfgrass species response exposed to increasing rates of glyphosate application. <i>European Journal of Agronomy</i> , 2009, 31, 120-125.	1.9	27
44	Differences in Shoot Boron Concentrations, Leaf Symptoms, and Yield of Turkish Barley Cultivars Grown on Boron-toxic Soil in Field. <i>Journal of Plant Nutrition</i> , 2002, 26, 1735-1747.	0.9	26
45	Zinc-biofortified seeds improved seedling growth under zinc deficiency and drought stress in durum wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2018, 181, 388-395.	1.1	26
46	Elevated carbon dioxide ameliorates the effect of Zn deficiency and terminal drought on wheat grain yield but compromises nutritional quality. <i>Plant and Soil</i> , 2017, 411, 57-67.	1.8	24
47	Effect of predicted climate change on growth and yield performance of wheat under varied nitrogen and zinc supply. <i>Plant and Soil</i> , 2019, 434, 231-244.	1.8	24
48	Potassium deficiency impedes elevated carbon dioxide-induced biomass enhancement in well watered or drought-stressed bread wheat. <i>Journal of Plant Nutrition and Soil Science</i> , 2017, 180, 474-481.	1.1	22
49	Differences in uptake and translocation of foliar-applied Zn in maize and wheat. <i>Plant and Soil</i> , 2021, 462, 235-244.	1.8	21
50	Activities of Iron-Containing Enzymes in Leaves of Two Tomato Genotypes Differing in Their Resistance to Fe Chlorosis. <i>Journal of Plant Nutrition</i> , 2003, 26, 1997-2007.	0.9	20
51	Differential expression of wheat transcriptomes in response to varying cadmium concentrations. <i>Biologia Plantarum</i> , 2008, 52, 703-708.	1.9	20
52	Differences in grain zinc are not correlated with root uptake and grain translocation of zinc in wild emmer and durum wheat genotypes. <i>Plant and Soil</i> , 2017, 411, 69-79.	1.8	17
53	Reactive Oxygen Species Production in Wheat Roots Is Not Linked with Changes in H ⁺ Fluxes During Acidic and Aluminium Stresses. <i>Plant Signaling and Behavior</i> , 2006, 1, 70-75.	1.2	16
54	Inclusion of urea in a ⁵⁹ FeEDTA solution stimulated leaf penetration and translocation of ⁵⁹ Fe within wheat plants. <i>Physiologia Plantarum</i> , 2014, 151, 348-357.	2.6	16

#	ARTICLE	IF	CITATIONS
55	Elevated carbon dioxide exacerbates adverse effects of Mg deficiency in durum wheat. <i>Plant and Soil</i> , 2017, 410, 41-50.	1.8	16
56	Accelerated Hydrolysis Method To Estimate the Amino Acid Content of Wheat (<i>Triticum) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T 59, 2958-2965.	2.4	14
57	Growth performance and antioxidative response in bread and durum wheat plants grown with varied potassium treatments under ambient and elevated carbon dioxide. <i>Environmental and Experimental Botany</i> , 2017, 137, 26-35.	2.0	8
58	Changes in yield attributes and K allocation in wheat as affected by K deficiency and elevated CO ₂ . <i>Plant and Soil</i> , 2018, 426, 153-162.	1.8	8
59	Nitrogen supply in combination of nitrate and ammonium enhances harnessing of elevated atmospheric CO ₂ through improved nitrogen and carbon metabolism in wheat (<i>Triticum aestivum</i>). <i>Crop and Pasture Science</i> , 2020, 71, 101.	0.7	8
60	Feed Composition Differences Resulting from Organic and Conventional Farming Practices Affect Physiological Parameters in Wistar Ratsâ€™ Results from a Factorial, Two-Generation Dietary Intervention Trial. <i>Nutrients</i> , 2021, 13, 377.	1.7	8
61	Combined Effects of Elevated Carbon Dioxide and K and Mg Deficiencies on Wheat Plants. <i>Procedia Environmental Sciences</i> , 2015, 29, 154-155.	1.3	0