

# Ann L Gruber-Baldini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2485847/publications.pdf>

Version: 2024-02-01

70  
papers

2,606  
citations

279487

23  
h-index

205818

48  
g-index

75  
all docs

75  
docs citations

75  
times ranked

3765  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cluster-Randomized Trial of a Mobile Phone Personalized Behavioral Intervention for Blood Glucose Control. <i>Diabetes Care</i> , 2011, 34, 1934-1942.	4.3	584
2	Cognitive Impairment in Hip Fracture Patients: Timing of Detection and Longitudinal Follow-Up. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1227-1236.	1.3	211
3	Validation of the PROMISÂ® measures of self-efficacy for managing chronic conditions. <i>Quality of Life Research</i> , 2017, 26, 1915-1924.	1.5	164
4	The Validity of the Minimum Data Set in Measuring the Cognitive Impairment of Persons Admitted to Nursing Homes. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1601-1606.	1.3	137
5	Behavioral Symptoms in Residential Care/Assisted Living Facilities: Prevalence, Risk Factors, and Medication Management. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1610-1617.	1.3	132
6	Characteristics Associated With Depression in Long-Term Care Residents With Dementia. <i>Gerontologist</i> , The, 2005, 45, 50-55.	2.3	87
7	Disability Rating Scales in Parkinson's Disease: Critique and Recommendations. <i>Movement Disorders</i> , 2016, 31, 1455-1465.	2.2	87
8	Rehabilitation Interventions for Older Individuals With Cognitive Impairment Post-Hip Fracture: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 200-205.	1.2	80
9	Relationship between aggressive behaviors and depression among nursing home residents with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 139-146.	1.3	72
10	Crafting a View of Self-Tracking Data in the Clinical Visit. , 2017, , .		68
11	Mobile diabetes intervention study: Testing a personalized treatment/behavioral communication intervention for blood glucose control. <i>Contemporary Clinical Trials</i> , 2009, 30, 334-346.	0.8	65
12	Effects of optimism/pessimism and locus of control on disability and quality of life in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 665-669.	1.1	54
13	Mobile Diabetes Intervention Study of Patient Engagement and Impact on Blood Glucose: Mixed Methods Analysis. <i>JMIR MHealth and UHealth</i> , 2018, 6, e31.	1.8	53
14	Stability of Postoperative Delirium Psychomotor Subtypes in Individuals with Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 970-976.	1.3	51
15	Effect of a Multicomponent Home-Based Physical Therapy Intervention on Ambulation After Hip Fracture in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 946.	3.8	51
16	Older Adult Self-Efficacy Study of Mobile Phone Diabetes Management. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 455-461.	2.4	49
17	Mobile Diabetes Intervention for Glycemic Control in 45- to 64-Year-Old Persons With Type 2 Diabetes. <i>Journal of Applied Gerontology</i> , 2016, 35, 227-243.	1.0	49
18	Delirium Outcomes in a Randomized Trial of Blood Transfusion Thresholds in Hospitalized Older Adults with Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1286-1295.	1.3	46

#	ARTICLE	IF	CITATIONS
19	Function Focused Care for Assisted Living Residents With Dementia. <i>Gerontologist, The</i> , 2015, 55, S13-S26.	2.3	45
20	Mobile Support for Older Adults and Their Caregivers: Dyad Usability Study. <i>JMIR Aging</i> , 2019, 2, e12276.	1.4	42
21	Sex differences in Parkinson's disease presentation and progression. <i>Parkinsonism and Related Disorders</i> , 2019, 69, 48-54.	1.1	37
22	The impact of body composition, pain and resilience on physical activity, physical function and physical performance at 2 months post hip fracture. <i>Archives of Gerontology and Geriatrics</i> , 2018, 76, 34-40.	1.4	28
23	Which features of Parkinson's disease predict earlier exit from the workforce?. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 1257-1259.	1.1	26
24	The Impact of a Mobile Diabetes Health Intervention on Diabetes Distress and Depression Among Adults: Secondary Analysis of a Cluster Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2017, 5, e183.	1.8	26
25	Discordance Between Physician Assessment and Patient-Reported Depressive Symptoms in Parkinson Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017, 30, 191-195.	1.2	25
26	Mobile Diabetes Intervention for Glycemic Control. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 362-370.	1.3	21
27	Assessment of the psychometrics of a PROMIS item bank: self-efficacy for managing daily activities. <i>Quality of Life Research</i> , 2016, 25, 2221-2232.	1.5	21
28	Cognitive Differences between Men and Women who Fracture their Hip and Impact on Six-Month Survival. <i>Journal of the American Geriatrics Society</i> , 2017, 65, e64-e69.	1.3	19
29	Resiliency Groups Following Hip Fracture in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2519-2527.	1.3	19
30	Residual Disability, Mortality, and Nursing Home Placement After Hip Fracture Over 2 Decades. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 874-882.	0.5	19
31	Comparative study of PROMIS's self-efficacy for managing chronic conditions across chronic neurologic disorders. <i>Quality of Life Research</i> , 2019, 28, 1893-1901.	1.5	18
32	Cognitive and Physical Demands of Activities of Daily Living in Older Adults: Validation of Expert Panel Ratings. <i>PM and R</i> , 2015, 7, 727-735.	0.9	17
33	Adverse Events Associated With the Res-Care Intervention. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 584-589.	1.2	16
34	Effects of Prefracture Depressive Illness and Postfracture Depressive Symptoms on Physical Performance After Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e171-e176.	1.3	15
35	Genotype, resilience and function and physical activity post hip fracture. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2019, 34, 36-42.	0.4	14
36	The factor structure of the Brief Symptom Inventory-18 (BSI-18) in Parkinson disease patients. <i>Journal of Psychosomatic Research</i> , 2017, 96, 21-26.	1.2	13

#	ARTICLE	IF	CITATIONS
37	Comparing Longitudinal Sarcopenia Trends by Definitions Across Men and Women After Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1537-1544.	1.3	13
38	Multidimensionality of the PROMIS self-efficacy measure for managing chronic conditions. <i>Quality of Life Research</i> , 2019, 28, 1595-1603.	1.5	11
39	Persistence of depressive symptoms and gait speed recovery in older adults after hip fracture. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 875-882.	1.3	9
40	An mHealth Diabetes Intervention for Glucose Control: Health Care Utilization Analysis. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10776.	1.8	9
41	Sensitivity of Nursing Home Cost Comparisons to Method of Dementia Diagnosis Ascertainment. <i>International Journal of Alzheimer's Disease</i> , 2009, 2009, 1-10.	1.1	8
42	Risk of Mortality in Individuals with Hip Fracture and Traumatic Brain Injury. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 124-127.	1.3	8
43	Weight loss and weight gain in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2021, 83, 31-36.	1.1	8
44	Sex Differences in Recovery Across Multiple Domains Among Older Adults With Hip Fracture. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1463-1471.	1.7	8
45	Response shift â€“ The experience of disease progression in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2017, 36, 52-56.	1.1	7
46	Pain, Genes, and Function in the Postâ€“Hip Fracture Period. <i>Pain Management Nursing</i> , 2016, 17, 181-196.	0.4	6
47	Comparison of Mini-Mental State Examination and Montreal Cognitive Assessment Ratings Across Levels of Parkinsonâ€™s Disease Severity. <i>Journal of Parkinson's Disease</i> , 2021, 11, 1995-2003.	1.5	6
48	People aging with HIV â€“ protecting a population vulnerable to effects of COVID-19 and its control measures. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2022, 34, 1355-1363.	0.6	6
49	Soluble Tumor Necrosis Factor Alpha Receptor 1, Bone Resorption, and Bone Mineral Density in the Year Following Hip Fractures: The Baltimore Hip Studies. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1649-1656.	3.1	5
50	Longâ€“term sex differences in allâ€“cause and <sc>infectionâ€“specific</sc> mortality post hip fracture. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2107-2114.	1.3	5
51	Measurement of Function Post Hip Fracture: Testing a Comprehensive Measurement Model of Physical Function. <i>Rehabilitation Nursing</i> , 2016, 41, 230-247.	0.3	4
52	Asymmetric responsiveness of disability and health-related quality of life to improvement versus decline in Parkinsonâ€™s disease. <i>Quality of Life Research</i> , 2016, 25, 3139-3145.	1.5	4
53	Telemedicine for Older Adult Nursing Home Residents to Avoid Emergency Department Visits: The Experience of the NHTeleED Project in Maryland. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1311-1312.	1.2	4
54	Assessment of Parkinson disease quality measures on 12-month patient outcomes. <i>Neurology: Clinical Practice</i> , 2020, 10, 58-64.	0.8	3

#	ARTICLE	IF	CITATIONS
55	Traumatic Brain Injury and Risk of Long-Term Nursing Home Entry among Older Adults: An Analysis of Medicare Administrative Claims Data. <i>Journal of Neurotrauma</i> , 2023, 40, 86-93.	1.7	3
56	Multidimensional PROMIS Self-Efficacy Measure for Managing Chronic Conditions. <i>Applied Research in Quality of Life</i> , 2021, 16, 1909-1924.	1.4	2
57	Reliability and Validity of the Resident Satisfaction Index in Assisted Living. <i>Journal of Applied Gerontology</i> , 2021, 40, 638-647.	1.0	2
58	Neurocognitive measures predict voluntary stepping performance in older adults post-hip fracture. <i>Clinical Biomechanics</i> , 2021, 81, 105234.	0.5	2
59	Four Square Step Test Performance in Hip Fracture Patients. <i>Journal of Geriatric Physical Therapy</i> , 2021, Publish Ahead of Print, .	0.6	2
60	Depressive symptom heterogeneity among older adults after hip fracture. <i>Age and Ageing</i> , 2021, 50, 1943-1951.	0.7	2
61	Differential misclassification of cognitive impairment by sex among hip fracture patients. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 838-845.	1.3	2
62	Winnow. , 2017, , .		1
63	Mobile Technology Care Coordination of Long-Term Services and Support: Cluster Randomized Clinical Trial. <i>Journal of Applied Gerontology</i> , 2021, 40, 529-535.	1.0	1
64	Relationship between aggressive behaviors and depression among nursing home residents with dementia. , 2001, 16, 139.		1
65	Impact of Cognitive Functioning and Age on Patient-Reported Outcomes in Parkinson's Disease. <i>Innovation in Aging</i> , 2020, 4, 156-157.	0.0	1
66	Confirming Parkinson Disease Diagnosis: Patterns of Diagnostic Changes by Movement Disorder Specialists. <i>Parkinson's Disease</i> , 2022, 2022, 1-6.	0.6	1
67	Thigh Muscle Composition and Its Relationship to Functional Recovery Post Hip Fracture Over Time and Between Sexes. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 2445-2452.	1.7	1
68	The Relationship Between Alcohol Consumption and Hip Fracture Recovery Among Older Adults. <i>Journal of Applied Gerontology</i> , 2020, 39, 1046-1051.	1.0	0
69	Distinct Trajectories of Recovery Within the First Year After Hip Fracture. <i>Innovation in Aging</i> , 2020, 4, 220-221.	0.0	0
70	Sex Differences in Bone-Active Medication Utilization Before and During the Year After Hip Fracture. <i>Innovation in Aging</i> , 2020, 4, 223-223.	0.0	0