

# Ann L Gruber-Baldini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2485847/publications.pdf>

Version: 2024-02-01

70  
papers

2,606  
citations

279798

23  
h-index

206112

48  
g-index

75  
all docs

75  
docs citations

75  
times ranked

3765  
citing authors

#	ARTICLE	IF	CITATIONS
1	Traumatic Brain Injury and Risk of Long-Term Nursing Home Entry among Older Adults: An Analysis of Medicare Administrative Claims Data. <i>Journal of Neurotrauma</i> , 2023, 40, 86-93.	3.4	3
2	Sex Differences in Recovery Across Multiple Domains Among Older Adults With Hip Fracture. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 1463-1471.	3.6	8
3	Telemedicine for Older Adult Nursing Home Residents to Avoid Emergency Department Visits: The Experience of the NHTeleED Project in Maryland. <i>Journal of the American Medical Directors Association</i> , 2022, 23, 1311-1312.	2.5	4
4	People aging with HIV “protecting a population vulnerable to effects of COVID-19 and its control measures. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2022, 34, 1355-1363.	1.2	6
5	Differential misclassification of cognitive impairment by sex among hip fracture patients. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 838-845.	2.6	2
6	Long-term sex differences in all-cause and <scp>infection-specific</scp> mortality post hip fracture. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2107-2114.	2.6	5
7	Confirming Parkinson Disease Diagnosis: Patterns of Diagnostic Changes by Movement Disorder Specialists. <i>Parkinson's Disease</i> , 2022, 2022, 1-6.	1.1	1
8	Thigh Muscle Composition and Its Relationship to Functional Recovery Post Hip Fracture Over Time and Between Sexes. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 2445-2452.	3.6	1
9	Multidimensional PROMIS Self-Efficacy Measure for Managing Chronic Conditions. <i>Applied Research in Quality of Life</i> , 2021, 16, 1909-1924.	2.4	2
10	Reliability and Validity of the Resident Satisfaction Index in Assisted Living. <i>Journal of Applied Gerontology</i> , 2021, 40, 638-647.	2.0	2
11	Neurocognitive measures predict voluntary stepping performance in older adults post-hip fracture. <i>Clinical Biomechanics</i> , 2021, 81, 105234.	1.2	2
12	Mobile Technology Care Coordination of Long-Term Services and Support: Cluster Randomized Clinical Trial. <i>Journal of Applied Gerontology</i> , 2021, 40, 529-535.	2.0	1
13	Weight loss and weight gain in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2021, 83, 31-36.	2.2	8
14	Four Square Step Test Performance in Hip Fracture Patients. <i>Journal of Geriatric Physical Therapy</i> , 2021, Publish Ahead of Print, .	1.1	2
15	Depressive symptom heterogeneity among older adults after hip fracture. <i>Age and Ageing</i> , 2021, 50, 1943-1951.	1.6	2
16	Comparison of Mini-Mental State Examination and Montreal Cognitive Assessment Ratings Across Levels of Parkinson’s Disease Severity. <i>Journal of Parkinson's Disease</i> , 2021, 11, 1995-2003.	2.8	6
17	The Relationship Between Alcohol Consumption and Hip Fracture Recovery Among Older Adults. <i>Journal of Applied Gerontology</i> , 2020, 39, 1046-1051.	2.0	0
18	Comparing Longitudinal Sarcopenia Trends by Definitions Across Men and Women After Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 1537-1544.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Assessment of Parkinson disease quality measures on 12-month patient outcomes. <i>Neurology: Clinical Practice</i> , 2020, 10, 58-64.	1.6	3
20	Distinct Trajectories of Recovery Within the First Year After Hip Fracture. <i>Innovation in Aging</i> , 2020, 4, 220-221.	0.1	0
21	Impact of Cognitive Functioning and Age on Patient-Reported Outcomes in Parkinson's Disease. <i>Innovation in Aging</i> , 2020, 4, 156-157.	0.1	1
22	Sex Differences in Bone-Active Medication Utilization Before and During the Year After Hip Fracture. <i>Innovation in Aging</i> , 2020, 4, 223-223.	0.1	0
23	Genotype, resilience and function and physical activity post hip fracture. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2019, 34, 36-42.	0.9	14
24	Sex differences in Parkinson's disease presentation and progression. <i>Parkinsonism and Related Disorders</i> , 2019, 69, 48-54.	2.2	37
25	Resiliency Groups Following Hip Fracture in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2519-2527.	2.6	19
26	Effect of a Multicomponent Home-Based Physical Therapy Intervention on Ambulation After Hip Fracture in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 946.	7.4	51
27	Comparative study of PROMIS self-efficacy for managing chronic conditions across chronic neurologic disorders. <i>Quality of Life Research</i> , 2019, 28, 1893-1901.	3.1	18
28	Multidimensionality of the PROMIS self-efficacy measure for managing chronic conditions. <i>Quality of Life Research</i> , 2019, 28, 1595-1603.	3.1	11
29	Residual Disability, Mortality, and Nursing Home Placement After Hip Fracture Over 2 Decades. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 874-882.	0.9	19
30	Risk of Mortality in Individuals with Hip Fracture and Traumatic Brain Injury. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 124-127.	2.6	8
31	Mobile Support for Older Adults and Their Caregivers: Dyad Usability Study. <i>JMIR Aging</i> , 2019, 2, e12276.	3.0	42
32	Persistence of depressive symptoms and gait speed recovery in older adults after hip fracture. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 875-882.	2.7	9
33	The impact of body composition, pain and resilience on physical activity, physical function and physical performance at 2 months post hip fracture. <i>Archives of Gerontology and Geriatrics</i> , 2018, 76, 34-40.	3.0	28
34	Soluble Tumor Necrosis Factor Alpha Receptor 1, Bone Resorption, and Bone Mineral Density in the Year Following Hip Fractures: The Baltimore Hip Studies. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1649-1656.	2.8	5
35	Mobile Diabetes Intervention Study of Patient Engagement and Impact on Blood Glucose: Mixed Methods Analysis. <i>JMIR MHealth and UHealth</i> , 2018, 6, e31.	3.7	53
36	An mHealth Diabetes Intervention for Glucose Control: Health Care Utilization Analysis. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10776.	3.7	9

#	ARTICLE	IF	CITATIONS
37	Response shift “ The experience of disease progression in Parkinson disease. Parkinsonism and Related Disorders, 2017, 36, 52-56.	2.2	7
38	Validation of the PROMIS® measures of self-efficacy for managing chronic conditions. Quality of Life Research, 2017, 26, 1915-1924.	3.1	164
39	Cognitive Differences between Men and Women who Fracture their Hip and Impact on Six-Month Survival. Journal of the American Geriatrics Society, 2017, 65, e64-e69.	2.6	19
40	Discordance Between Physician Assessment and Patient-Reported Depressive Symptoms in Parkinson Disease. Journal of Geriatric Psychiatry and Neurology, 2017, 30, 191-195.	2.3	25
41	The factor structure of the Brief Symptom Inventory-18 (BSI-18) in Parkinson disease patients. Journal of Psychosomatic Research, 2017, 96, 21-26.	2.6	13
42	Winnow. , 2017, , .		1
43	Crafting a View of Self-Tracking Data in the Clinical Visit. , 2017, , .		68
44	The Impact of a Mobile Diabetes Health Intervention on Diabetes Distress and Depression Among Adults: Secondary Analysis of a Cluster Randomized Controlled Trial. JMIR MHealth and UHealth, 2017, 5, e183.	3.7	26
45	Disability Rating Scales in Parkinson's Disease: Critique and Recommendations. Movement Disorders, 2016, 31, 1455-1465.	3.9	87
46	Effects of Prefracture Depressive Illness and Postfracture Depressive Symptoms on Physical Performance After Hip Fracture. Journal of the American Geriatrics Society, 2016, 64, e171-e176.	2.6	15
47	Assessment of the psychometrics of a PROMIS item bank: self-efficacy for managing daily activities. Quality of Life Research, 2016, 25, 2221-2232.	3.1	21
48	Pain, Genes, and Function in the Post-Hip Fracture Period. Pain Management Nursing, 2016, 17, 181-196.	0.9	6
49	Measurement of Function Post Hip Fracture: Testing a Comprehensive Measurement Model of Physical Function. Rehabilitation Nursing, 2016, 41, 230-247.	0.5	4
50	Asymmetric responsiveness of disability and health-related quality of life to improvement versus decline in Parkinson's disease. Quality of Life Research, 2016, 25, 3139-3145.	3.1	4
51	Mobile Diabetes Intervention for Glycemic Control in 45- to 64-Year-Old Persons With Type 2 Diabetes. Journal of Applied Gerontology, 2016, 35, 227-243.	2.0	49
52	Rehabilitation Interventions for Older Individuals With Cognitive Impairment Post-Hip Fracture: A Systematic Review. Journal of the American Medical Directors Association, 2016, 17, 200-205.	2.5	80
53	Stability of Postoperative Delirium Psychomotor Subtypes in Individuals with Hip Fracture. Journal of the American Geriatrics Society, 2015, 63, 970-976.	2.6	51
54	Cognitive and Physical Demands of Activities of Daily Living in Older Adults: Validation of Expert Panel Ratings. PM and R, 2015, 7, 727-735.	1.6	17

#	ARTICLE	IF	CITATIONS
55	Function Focused Care for Assisted Living Residents With Dementia. <i>Gerontologist, The</i> , 2015, 55, S13-S26.	3.9	45
56	Older Adult Self-Efficacy Study of Mobile Phone Diabetes Management. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 455-461.	4.4	49
57	Mobile Diabetes Intervention for Glycemic Control. <i>Journal of Diabetes Science and Technology</i> , 2014, 8, 362-370.	2.2	21
58	Which features of Parkinson's disease predict earlier exit from the workforce?. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 1257-1259.	2.2	26
59	Delirium Outcomes in a Randomized Trial of Blood Transfusion Thresholds in Hospitalized Older Adults with Hip Fracture. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1286-1295.	2.6	46
60	Adverse Events Associated With the Res-Care Intervention. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 584-589.	2.5	16
61	Cluster-Randomized Trial of a Mobile Phone Personalized Behavioral Intervention for Blood Glucose Control. <i>Diabetes Care</i> , 2011, 34, 1934-1942.	8.6	584
62	Sensitivity of Nursing Home Cost Comparisons to Method of Dementia Diagnosis Ascertainment. <i>International Journal of Alzheimer's Disease</i> , 2009, 2009, 1-10.	2.0	8
63	Mobile diabetes intervention study: Testing a personalized treatment/behavioral communication intervention for blood glucose control. <i>Contemporary Clinical Trials</i> , 2009, 30, 334-346.	1.8	65
64	Effects of optimism/pessimism and locus of control on disability and quality of life in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2009, 15, 665-669.	2.2	54
65	Characteristics Associated With Depression in Long-Term Care Residents With Dementia. <i>Gerontologist, The</i> , 2005, 45, 50-55.	3.9	87
66	Behavioral Symptoms in Residential Care/Assisted Living Facilities: Prevalence, Risk Factors, and Medication Management. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1610-1617.	2.6	132
67	Cognitive Impairment in Hip Fracture Patients: Timing of Detection and Longitudinal Follow-Up. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1227-1236.	2.6	211
68	Relationship between aggressive behaviors and depression among nursing home residents with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 139-146.	2.7	72
69	Relationship between aggressive behaviors and depression among nursing home residents with dementia. , 2001, 16, 139.		1
70	The Validity of the Minimum Data Set in Measuring the Cognitive Impairment of Persons Admitted to Nursing Homes. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1601-1606.	2.6	137