Kate Clouse

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2486092/kate-clouse-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75	1,332	19	34
papers	citations	h-index	g-index
82 ext. papers	1,653 ext. citations	3.8 avg, IF	4.61 L-index

#	Paper	IF	Citations
75	Use of tenofovir diphosphate levels to predict viremia during the postpartum period in women living with HIV: a nested case-control study <i>Clinical Infectious Diseases</i> , 2022 ,	11.6	1
74	Uninterrupted HIV treatment for women: Policies and practices for care transitions during pregnancy and breastfeeding in CEe dovoire, Lesotho and Malawi. <i>PLoS ONE</i> , 2021 , 16, e0260530	3.7	
73	Impact of adverse childhood experiences on women@psychosocial and HIV-related outcomes and early child development in their offspring. <i>Global Public Health</i> , 2021 , 1-13	3.5	1
72	Longitudinal association between intimate partner violence and viral suppression during pregnancy and postpartum in South African women. <i>Aids</i> , 2021 , 35, 791-799	3.5	3
71	Sharing genetic test results with family members of BRCA, PALB2, CHEK2, and ATM carriers. <i>Patient Education and Counseling</i> , 2021 , 104, 720-725	3.1	7
70	All the viral loads we cannot see. Lancet HIV,the, 2021, 8, e246-e247	7.8	
69	Timing of HIV diagnosis relative to pregnancy and postpartum HIV care continuum outcomes among Latin American women, 2000 to 2017. <i>Journal of the International AIDS Society</i> , 2021 , 24, e2574	10 ^{5.4}	1
68	Patterns of mobility and its impact on retention in care among people living with HIV in the Manhill District, Mozambique. <i>PLoS ONE</i> , 2021 , 16, e0250844	3.7	1
67	Family communication of genetic test results among women with inherited breast cancer genes. Journal of Genetic Counseling, 2021 , 30, 701-709	2.5	4
66	Mother-child separation among women living with HIV and their children in the first four years postpartum in South Africa. <i>Tropical Medicine and International Health</i> , 2021 , 26, 173-183	2.3	O
65	High blood pressure at entry into antenatal care and birth outcomes among a cohort of HIV-uninfected women and women living with HIV initiating antiretroviral therapy in South Africa. <i>Pregnancy Hypertension</i> , 2021 , 23, 79-86	2.6	3
64	Attitudes Toward a Proposed GPS-Based Location Tracking Smartphone App for Improving Engagement in HIV Care Among Pregnant and Postpartum Women in South Africa: Focus Group and Interview Study. <i>JMIR Formative Research</i> , 2021 , 5, e19243	2.5	3
63	Alcohol use and intimate partner violence in HIV-uninfected pregnant women in Cape Town, South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 1-6	2.2	
62	Lockdown babies: Birth and new parenting experiences during the 2020 Covid-19 lockdown in South Africa, a cross-sectional study. <i>Women and Birth</i> , 2021 ,	3.3	2
61	Approaches to transitioning women into and out of prevention of mother-to-child transmission of HIV services for continued ART: a systematic review. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25633	5.4	2
60	Does HIV infection modify the relationship between pre-pregnancy body mass index and adverse birth outcomes?. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 713-723	2.7	0
59	CareConekta: study protocol for a randomized controlled trial of a mobile health intervention to improve engagement in postpartum HIV care in South Africa. <i>Trials</i> , 2020 , 21, 258	2.8	3

(2019-2020)

58	Infectious morbidity of breastfed, HIV-exposed uninfected infants under conditions of universal antiretroviral therapy in South Africa: a prospective cohort study. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 220-231	14.5	16
57	Postpartum obesity and weight gain among human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women in South Africa. <i>Maternal and Child Nutrition</i> , 2020 , 16, e129	49 ⁴	2
56	Cancer risk management among female BRCA1/2, PALB2, CHEK2, and ATM carriers. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 421-428	4.4	4
55	Long-Term Outcomes of HIV-Infected Women Receiving Antiretroviral Therapy After Transferring Out of an Integrated Maternal and Child Health Service in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 202-209	3.1	7
54	Community-based adherence clubs for postpartum women on antiretroviral therapy (ART) in Cape Town, South Africa: a pilot study. <i>BMC Health Services Research</i> , 2020 , 20, 621	2.9	5
53	The South African National HIV Pregnancy Cohort: evaluating continuity of care among women living with HIV. <i>BMC Public Health</i> , 2020 , 20, 1662	4.1	3
52	Provider- and patient-level costs associated with providing antiretroviral therapy during the postpartum phase to women living with HIV in South Africa: A cost comparison of three postpartum models of care. <i>Tropical Medicine and International Health</i> , 2020 , 25, 1553-1567	2.3	1
51	"This is My Life We are Talking About": Adaptive Strategies for HIV Care Retention and Treatment Adherence Among Postpartum Women Living with HIV in Cape Town, South Africa. <i>Maternal and Child Health Journal</i> , 2020 , 24, 1454-1463	2.4	O
50	Antiretroviral Adherence, Elevated Viral Load, and Drug Resistance Mutations in Human Immunodeficiency Virus-infected Women Initiating Treatment in Pregnancy: A Nested Case-control Study. <i>Clinical Infectious Diseases</i> , 2020 , 70, 501-508	11.6	10
49	"You must leave but I didn@want to leave": qualitative evaluation of the integration of ART into postnatal maternal and child health services in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 480-485	2.2	6
48	The injection or the injection? Restricted contraceptive choices among women living with HIV. <i>Sexual and Reproductive Health Matters</i> , 2019 , 27, 1628593	2.4	6
47	Effect of PEPFAR funding policy change on HIV service delivery in a large HIV care and treatment network in Nigeria. <i>PLoS ONE</i> , 2019 , 14, e0221809	3.7	12
46	Acceptability of Interventions to Improve Engagement in HIV Care Among Pregnant and Postpartum Women at Two Urban Clinics in South Africa. <i>Maternal and Child Health Journal</i> , 2019 , 23, 1260-1270	2.4	2
45	High prevalence of Group B Streptococcus colonization among pregnant women in Amman, Jordan. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 177	3.2	13
44	Growth trajectories of breastfed HIV-exposed uninfected and HIV-unexposed children under conditions of universal maternal antiretroviral therapy: a prospective study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 234-244	14.5	35
43	Shifting to the long view: engagement of pregnant and postpartum women living with HIV in lifelong antiretroviral therapy services. <i>Expert Review of Anti-Infective Therapy</i> , 2019 , 17, 349-361	5.5	3
42	Substance Use, Demographic and Socioeconomic Factors Are Independently Associated With Postpartum HIV Care Engagement in the Southern United States, 1999-2016. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz023	1	2
41	Re-recruiting postpartum women living with HIV into a follow-up study in Cape Town, South Africa. <i>BMC Research Notes</i> , 2019 , 12, 461	2.3	4

40	Attrition of HIV-positive children from HIV services in low and middle-income countries. <i>Aids</i> , 2019 , 33, 2375-2386	3.5	6
39	Cost-effectiveness of integrating postpartum antiretroviral therapy and infant care into maternal & child health services in South Africa. <i>PLoS ONE</i> , 2019 , 14, e0225104	3.7	6
38	Decreases in Self-Reported ART Adherence Predict HIV Viremia Among Pregnant and Postpartum South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, 247-254	3.1	7
37	Impact of HIV-Status Disclosure on HIV Viral Load in Pregnant and Postpartum Women on Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 379-386	3.1	10
36	A Comparison of Plasma Efavirenz and Tenofovir, Dried Blood Spot Tenofovir-Diphosphate, and Self-Reported Adherence to Predict Virologic Suppression Among South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 311-318	3.1	16
35	Smartphone usage and preferences among postpartum HIV-positive women in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 723-729	2.2	9
34	Prevalence and determinants of unplanned pregnancy in HIV-positive and HIV-negative pregnant women in Cape Town, South Africa: a cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e019979	3	30
33	Experiences of HIV-positive postpartum women and health workers involved with community-based antiretroviral therapy adherence clubs in Cape Town, South Africa. <i>BMC Public Health</i> , 2018 , 18, 935	4.1	12
32	Determinants of suboptimal adherence and elevated HIV viral load in pregnant women already on antiretroviral therapy when entering antenatal care in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 1517-1523	2.2	17
31	Same-day antiretroviral therapy (ART) initiation in pregnancy is not associated with viral suppression or engagement in care: A cohort study. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25133	5.4	17
30	Linkage to care, mobility and retention of HIV-positive postpartum women in antiretroviral therapy services in South Africa. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 4, e25114	5.4	49
29	Integration of postpartum healthcare services for HIV-infected women and their infants in South Africa: A randomised controlled trial. <i>PLoS Medicine</i> , 2018 , 15, e1002547	11.6	53
28	Acceptability and feasibility of a financial incentive intervention to improve retention in HIV care among pregnant women in Johannesburg, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 453-460	2.2	12
27	Attrition of HIV-exposed infants from early infant diagnosis services in low- and middle-income countries: a systematic review and meta-analysis. <i>Journal of the International AIDS Society</i> , 2018 , 21, e2	5 2 049	12
26	"I will leave the baby with my mother": Long-distance travel and follow-up care among HIV-positive pregnant and postpartum women in South Africa. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 4, e25121	5.4	18
25	"I just wish that everything is in one place": facilitators and barriers to continuity of care among HIV-positive, postpartum women with a non-communicable disease in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 5-10	2.2	7
24	Beyond "Option B+": Understanding Antiretroviral Therapy (ART) Adherence, Retention in Care and Engagement in ART Services Among Pregnant and Postpartum Women Initiating Therapy in Sub-Saharan Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75 Suppl 2, S115-S1	3.1 22	39
23	Mobility and Clinic Switching Among Postpartum Women Considered Lost to HIV Care in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74, 383-389	3.1	55

(2013-2017)

22	association between reporting a national ID number and retention in public-sector HIV care in Johannesburg, South Africa. <i>BMJ Open</i> , 2017 , 7, e013908	3	3
21	Differentiated models of care for postpartum women on antiretroviral therapy in Cape Town, South Africa: a cohort study. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21636	5.4	35
20	Effect of alcohol consumption and psychosocial stressors on preterm and small-for-gestational-age births in HIV-infected women in South Africa: a cohort study. <i>BMJ Open</i> , 2017 , 7, e014293	3	9
19	Misdiagnosed HIV infection in pregnant women initiating universal ART in South Africa. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21758	5.4	6
18	Understanding data sources to measure patient retention in HIV care in sub-Saharan Africa. <i>International Health</i> , 2017 , 9, 203-205	2.4	10
17	Low implementation of Xpert MTB/RIF among HIV/TB co-infected adults in the International epidemiologic Databases to Evaluate AIDS (IeDEA) program. <i>PLoS ONE</i> , 2017 , 12, e0171384	3.7	22
16	Optimizing Antiretroviral Therapy (ART) for Maternal and Child Health (MCH): Rationale and Design of the MCH-ART Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 72 Suppl 2, S189	-96 ¹	59
15	Acceptability and Feasibility of a Mobile Phone-Based Case Management Intervention to Retain Mothers and Infants from an Option B+ Program in Postpartum HIV Care. <i>Maternal and Child Health Journal</i> , 2015 , 19, 2029-37	2.4	44
14	Plasma viraemia in HIV-positive pregnant women entering antenatal care in South Africa. <i>Journal of the International AIDS Society</i> , 2015 , 18, 20045	5.4	27
13	High mobile phone ownership, but low Internet and email usage among pregnant, HIV-infected women attending antenatal care in Johannesburg. <i>Journal of Telemedicine and Telecare</i> , 2015 , 21, 104-7	, 6.8	10
12	High uptake of systematic HIV counseling and testing and TB symptom screening at a primary care clinic in South Africa. <i>PLoS ONE</i> , 2014 , 9, e105428	3.7	9
11	Impact of systematic HIV testing on case finding and retention in care at a primary care clinic in South Africa. <i>Tropical Medicine and International Health</i> , 2014 , 19, 1411-9	2.3	7
10	"What they wanted was to give birth; nothing else": barriers to retention in option B+ HIV care among postpartum women in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 67, e12-8	3.1	124
9	Attrition through multiple stages of pre-treatment and ART HIV care in South Africa. <i>PLoS ONE</i> , 2014 , 9, e110252	3.7	50
8	Loss to follow-up before and after delivery among women testing HIV positive during pregnancy in Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , 2013 , 18, 451-60	2.3	82
7	Patient retention from HIV diagnosis through one year on antiretroviral therapy at a primary health care clinic in Johannesburg, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, e39-46	3.1	76
6	Initiating antiretroviral therapy when presenting with higher CD4 cell counts results in reduced loss to follow-up in a resource-limited setting. <i>Aids</i> , 2013 , 27, 645-50	3.5	44
5	Time to treatment and patient outcomes among TB suspects screened by a single point-of-care xpert MTB/RIF at a primary care clinic in Johannesburg, South Africa. <i>PLoS ONE</i> , 2013 , 8, e65421	3.7	68

4	Implementation of Xpert MTB/RIF for routine point-of-care diagnosis of tuberculosis at the primary care level. <i>South African Medical Journal</i> , 2012 , 102, 805-7	1.5	48
3	Establishing a continuum of care between HIV prevention trials and public healthcare systems: the MIRA Standard of Care program. <i>Clinical Trials</i> , 2010 , 7, 256-64	2.2	4
2	Feasibility and potential acceptability of three cervical barriers among vulnerable young women in Zimbabwe. <i>Journal of Family Planning and Reproductive Health Care</i> , 2010 , 36, 13-9		18
1	Consistent use of a combination product versus a single product in a safety trial of the diaphragm and microbicide in Harare, Zimbabwe. <i>Contraception</i> , 2008 , 77, 435-43	2.5	18