

Mansour Rismanchian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2486299/publications.pdf>

Version: 2024-02-01

39
papers

469
citations

759055

12
h-index

713332

21
g-index

40
all docs

40
docs citations

40
times ranked

703
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of Different Antimicrobial Agents on Malodor Prevention in Two-Stage Dental Implants: A Double-Blinded Randomized Clinical Trial. <i>European Journal of Dentistry</i> , 2023, 17, 524-529.	0.8	2
2	Does the crown-implant ratio affect the survival and complications of implant-supported prostheses? A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2022, . .	1.1	5
3	Does the systemic administration of l-arginine affect dental implant stability in nicotine consumer dogs?. <i>Maxillofacial Plastic and Reconstructive Surgery</i> , 2021, 43, 6.	0.7	0
4	Comparison of Hard and Soft Tissues Around Dental Implants in Smokers and Non-smokers. <i>Dental Hypotheses</i> , 2020, 11, 86.	0.1	0
5	The effects of implant design, bone quality, and insertion process on primary stability of dental implants: an in-vitro study. <i>International Journal of Biomedical Engineering and Technology</i> , 2020, 34, 319.	0.2	1
6	Effects of modifying implant screw access channels on the amount of extruded excess cement and retention of cement-retained implant-supported dental prostheses: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2019, 121, 52-58.	1.1	6
7	Dental Implant Rehabilitation in Patients Suffering from Mucocutaneous Diseases: A Systematic Review and Meta-Analysis. <i>Open Dentistry Journal</i> , 2018, 12, 873-883.	0.2	1
8	Dental Implant Rehabilitation in Patients Suffering from Mucocutaneous Diseases: A Systematic Review and Meta-Analysis. <i>Open Dentistry Journal</i> , 2018, 12, 1069-1069.	0.2	0
9	Comparing the Efficacy of Three Different Nano-scale Bone Substitutes: In vivo Study. <i>Advanced Biomedical Research</i> , 2017, 6, 64.	0.2	5
10	Application of Orthodontic Immediate Force on Dental Implants: Histomorphologic and Histomorphometric Assessment. <i>Annals of Maxillofacial Surgery</i> , 2017, 7, 11-17.	0.2	2
11	Effect of conventional and contemporary disinfectant techniques on three peri-implantitis associated microbiotas. <i>American Journal of Dentistry</i> , 2017, 30, 23-26.	0.1	10
12	A brief review on the efficacy of different possible and nonpharmacological techniques in eliminating discomfort of local anesthesia injection during dental procedures. <i>Anesthesia: Essays and Researches</i> , 2016, 10, 13.	0.2	26
13	Validity and reliability of a Persian version of the quality of masticatory function questionnaire for edentulous patients. <i>Dental Research Journal</i> , 2016, 13, 160.	0.2	3
14	Effect of Using Nano and Micro Airborne Abrasive Particles on Bond Strength of Implant Abutment to Prosthesis. <i>Brazilian Dental Journal</i> , 2015, 26, 50-55.	0.5	9
15	Comparative evaluation of hydroxyapatite and nano-bioglass in two forms of conventional micro- and nano-particles in repairing bone defects (an animal study). <i>Indian Journal of Dental Research</i> , 2015, 26, 366.	0.1	9
16	Comparing Three Different Three-dimensional Scaffolds for Bone Tissue Engineering: An in vivo Study. <i>Journal of Contemporary Dental Practice</i> , 2015, 16, 25-30.	0.2	2
17	A Mini-review on the Effect of Mini-implants on Contemporary Orthodontic Science. <i>Journal of International Oral Health</i> , 2015, 7, 83-7.	0.0	1
18	Flexural strengths of implant-supported zirconia based bridges in posterior regions. <i>Journal of Advanced Prosthodontics</i> , 2014, 6, 346.	1.1	12

#	ARTICLE	IF	CITATIONS
19	Conventional Versus Implant-Retained Overlay Dentures: A Pilot Study of Masseter and Anterior Temporalis Electromyography. <i>Journal of Oral Implantology</i> , 2014, 40, 418-424.	0.4	10
20	Dental Implants: Early Versus Standard Two-Stage Loading (Animal Study). <i>Journal of Oral Implantology</i> , 2014, 40, 84-92.	0.4	6
21	Histologic and Histomorphometric Assessment of Implants and Periapical Tissues When Placed in the Sockets of Extracted Teeth, Teeth With Periapical Lesions, and Healed Lesions: A Canine Study. <i>Journal of Oral Implantology</i> , 2013, 39, 709-713.	0.4	3
22	The Effect of Placement Depth of Platform-Switched Implants on Periimplant Cortical Bone Stress. <i>Implant Dentistry</i> , 2013, 22, 165-169.	1.7	12
23	In-vitro Comparison of Cytotoxicity of Two Bioactive Glasses in Micropowder and Nanopowder forms. <i>Iranian Journal of Pharmaceutical Research</i> , 2013, 12, 437-43.	0.3	20
24	Implant-Retained Mandibular Bar-Supported Overlay Dentures: A Finite Element Stress Analysis of Four Different Bar Heights. <i>Journal of Oral Implantology</i> , 2012, 38, 133-139.	0.4	13
25	Evaluation of Microgap Size and Microbial Leakage in the Connection Area of 4 Abutments With Straumann (ITI) Implant. <i>Journal of Oral Implantology</i> , 2012, 38, 677-685.	0.4	49
26	Dental Implants Immediate Loading Versus the Standard 2-Stage Protocol: An Experimental Study in Dogs. <i>Journal of Oral Implantology</i> , 2012, 38, 3-10.	0.4	10
27	Effects of Immediate Orthodontic and Orthopedic Forces on Peri-Miniscrew Bones: Histomorphologic and Histomorphometric Assessment in Dogs. <i>International Journal of Dentistry</i> , 2012, 2012, 1-6.	0.5	5
28	Comparison of shear bond strength of two veneering ceramics to zirconia. <i>Dental Research Journal</i> , 2012, 9, 628.	0.2	7
29	Effect of plasma-rich in platelet-derived growth factors on peri-implant bone healing: An experimental study in canines. <i>Dental Research Journal</i> , 2012, 9, 93.	0.2	18
30	Microflora around teeth and dental implants. <i>Dental Research Journal</i> , 2012, 9, 215.	0.2	20
31	Comparative Evaluation of Two Types of Immediately Loaded Implants Using Biomechanical and Histomorphometric Tests: An Animal Case Study. <i>ISRN Dentistry</i> , 2012, 2012, 1-6.	1.5	4
32	Genotoxicity effects of nano bioactive glass and Novabone bioglass on gingival fibroblasts using single cell gel electrophoresis (comet assay): An in vitro study. <i>Dental Research Journal</i> , 2012, 9, 314-20.	0.2	12
33	Influence of surface modification techniques on shear bond strength between different zirconia cores and veneering ceramics. <i>Journal of Advanced Prosthodontics</i> , 2011, 3, 221.	1.1	73
34	One-year clinical and radiographic assessment of fluoride-enhanced implants on immediate non-functional loading in posterior maxilla and mandible: a pilot prospective clinical series study. <i>Clinical Oral Implants Research</i> , 2011, 22, 1440-1445.	1.9	8
35	Comparison of Conventional and Standardized Bone Densitometry around Implants in Periapical Radiographs during a Three Months Period. <i>Dental Research Journal</i> , 2011, 8, 33-8.	0.2	2
36	Developing a new dental implant design and comparing its biomechanical features with four designs. <i>Dental Research Journal</i> , 2010, 7, 70-5.	0.2	7

#	ARTICLE	IF	CITATIONS
37	Micromotion and Stress Distribution of Immediate Loaded Implants: A Finite Element Analysis. <i>Clinical Implant Dentistry and Related Research</i> , 2009, 11, 267-271.	1.6	19
38	Effect of Implants on Maximum Bite Force in Edentulous Patients. <i>Journal of Oral Implantology</i> , 2009, 35, 196-200.	0.4	58
39	Effect of Macro-Design of Immediately Loaded Implants on Micromotion and Stress Distribution in Surrounding Bone Using Finite Element Analysis. <i>Implant Dentistry</i> , 2009, 18, 345-352.	1.7	18