

Runqiang Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2486503/publications.pdf>

Version: 2024-02-01

102
papers

2,628
citations

172207

29
h-index

253896

43
g-index

102
all docs

102
docs citations

102
times ranked

1999
citing authors

#	ARTICLE	IF	CITATIONS
1	GABA shunt and polyamine degradation pathway on $\hat{1}^3$ -aminobutyric acid accumulation in germinating fava bean (<i>Vicia faba</i> L.) under hypoxia. <i>Food Chemistry</i> , 2013, 136, 152-159.	4.2	122
2	GABA mediates phenolic compounds accumulation and the antioxidant system enhancement in germinated hulless barley under NaCl stress. <i>Food Chemistry</i> , 2019, 270, 593-601.	4.2	88
3	Glucoraphanin, sulforaphane and myrosinase activity in germinating broccoli sprouts as affected by growth temperature and plant organs. <i>Journal of Functional Foods</i> , 2014, 9, 70-77.	1.6	85
4	Heat-induced polymerization behavior variation of frozen-stored gluten. <i>Food Chemistry</i> , 2018, 255, 242-251.	4.2	76
5	Molecular characterization of water-extractable arabinoxylan from wheat bran and its effect on the heat-induced polymerization of gluten and steamed bread quality. <i>Food Hydrocolloids</i> , 2019, 87, 570-581.	5.6	68
6	Comparison of phenolic profiles, antioxidant capacity and relevant enzyme activity of different Chinese wheat varieties during germination. <i>Food Bioscience</i> , 2017, 20, 159-167.	2.0	67
7	The impact of heating on the unfolding and polymerization process of frozen-stored gluten. <i>Food Hydrocolloids</i> , 2018, 85, 195-203.	5.6	67
8	Factors Influencing Diamine Oxidase Activity and $\hat{1}^3$ -Aminobutyric Acid Content of Fava Bean (<i>Vicia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.4	62
9	Accumulation of $\hat{1}^3$ -aminobutyric acid in germinated soybean (<i>Glycine max</i> L.) in relation to glutamate decarboxylase and diamine oxidase activity induced by additives under hypoxia. <i>European Food Research and Technology</i> , 2012, 234, 679-687.	1.6	60
10	Effect of NaCl stress on health-promoting compounds and antioxidant activity in the sprouts of three broccoli cultivars. <i>International Journal of Food Sciences and Nutrition</i> , 2014, 65, 476-481.	1.3	60
11	Nitric oxide mediates isoflavone accumulation and the antioxidant system enhancement in soybean sprouts. <i>Food Chemistry</i> , 2016, 204, 373-380.	4.2	60
12	Effects of UV-B radiation on the isoflavone accumulation and physiological-biochemical changes of soybean during germination. <i>Food Chemistry</i> , 2018, 250, 259-267.	4.2	60
13	Impact of water extractable arabinoxylan with different molecular weight on the gelatinization and retrogradation behavior of wheat starch. <i>Food Chemistry</i> , 2020, 318, 126477.	4.2	52
14	Comparative proteomic and physiological analyses reveal the protective effect of exogenous calcium on the germinating soybean response to salt stress. <i>Journal of Proteomics</i> , 2015, 113, 110-126.	1.2	51
15	GABA enhances physio-biochemical metabolism and antioxidant capacity of germinated hulless barley under NaCl stress. <i>Journal of Plant Physiology</i> , 2018, 231, 192-201.	1.6	51
16	Effects of exogenous Ca ²⁺ on phenolic accumulation and physiological changes in germinated wheat (<i>Triticum aestivum</i> L.) under UV-B radiation. <i>Food Chemistry</i> , 2019, 288, 368-376.	4.2	45
17	Water-Extractable Arabinoxylan-Induced Changes in the Conformation and Polymerization Behavior of Gluten upon Thermal Treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 4005-4016.	2.4	45
18	UV-B mediates isoflavone accumulation and oxidative-antioxidant system responses in germinating soybean. <i>Food Chemistry</i> , 2019, 275, 628-636.	4.2	41

#	ARTICLE	IF	CITATIONS
19	NaCl stress and supplemental CaCl ₂ regulating GABA metabolism pathways in germinating soybean. <i>European Food Research and Technology</i> , 2014, 238, 781-788.	1.6	40
20	Isolation of novel wheat bran antifreeze polysaccharides and the cryoprotective effect on frozen dough quality. <i>Food Hydrocolloids</i> , 2022, 125, 107446.	5.6	40
21	Enhancement of glucosinolate and sulforaphane formation of broccoli sprouts by zinc sulphate via its stress effect. <i>Journal of Functional Foods</i> , 2015, 13, 345-349.	1.6	39
22	Comparative study of deterioration procedure in chemical-leavened steamed bread dough under frozen storage and freeze/thaw condition. <i>Food Chemistry</i> , 2017, 229, 464-471.	4.2	38
23	Microbial transglutaminase-modified protein network and its importance in enhancing the quality of high-fiber tofu with okara. <i>Food Chemistry</i> , 2019, 289, 169-176.	4.2	38
24	Effect of water-extractable arabinoxylan with different molecular weight on the heat-induced aggregation behavior of gluten. <i>Food Hydrocolloids</i> , 2020, 99, 105318.	5.6	38
25	Effects of CaCl ₂ on the metabolism of glucosinolates and the formation of isothiocyanates as well as the antioxidant capacity of broccoli sprouts. <i>Journal of Functional Foods</i> , 2016, 24, 156-163.	1.6	37
26	Phenolic Profile and Antioxidant Activity of the Edible Tree Peony Flower and Underlying Mechanisms of Preventive Effect on H ₂ O ₂ -Induced Oxidative Damage in Caco-2 Cells. <i>Foods</i> , 2019, 8, 471.	1.9	37
27	NaCl treatment on physio-biochemical metabolism and phenolics accumulation in barley seedlings. <i>Food Chemistry</i> , 2020, 331, 127282.	4.2	37
28	Effects of UV-B radiation on phenolic accumulation, antioxidant activity and physiological changes in wheat (<i>Triticum aestivum</i> L.) seedlings. <i>Food Bioscience</i> , 2019, 30, 100409.	2.0	34
29	Effect of mild thermal treatment on the polymerization behavior, conformation and viscoelasticity of wheat gliadin. <i>Food Chemistry</i> , 2018, 239, 984-992.	4.2	33
30	Comparative study on the freeze stability of yeast and chemical leavened steamed bread dough. <i>Food Chemistry</i> , 2017, 221, 482-488.	4.2	30
31	NaCl stress on physio-biochemical metabolism and antioxidant capacity in germinated hulless barley (<i>Hordeum vulgare</i> L.). <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 1755-1764.	1.7	30
32	Calcium regulating growth and GABA metabolism pathways in germinating soybean (<i>Glycine max</i> L.) under NaCl stress. <i>European Food Research and Technology</i> , 2014, 239, 149-156.	1.6	29
33	Cloning of genes related to aliphatic glucosinolate metabolism and the mechanism of sulforaphane accumulation in broccoli sprouts under jasmonic acid treatment. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 4329-4336.	1.7	29
34	Ca ²⁺ involved in GABA signal transduction for phenolics accumulation in germinated hulless barley under NaCl stress. <i>Food Chemistry: X</i> , 2019, 2, 100023.	1.8	29
35	iTRAQ analysis of low-phytate mung bean sprouts treated with sodium citrate, sodium acetate and sodium tartrate. <i>Food Chemistry</i> , 2017, 218, 285-293.	4.2	28
36	Heat and hypoxia stresses enhance the accumulation of aliphatic glucosinolates and sulforaphane in broccoli sprouts. <i>European Food Research and Technology</i> , 2016, 242, 107-116.	1.6	27

#	ARTICLE	IF	CITATIONS
37	Role of Ca ²⁺ in phenolic compound metabolism of barley (<i>Hordeum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 99, 5176-5186.	1.7	27
38	Ca ²⁺ and aminoguanidine on \hat{I}^3 -aminobutyric acid accumulation in germinating soybean under hypoxia NaCl stress. Journal of Food and Drug Analysis, 2015, 23, 287-293.	0.9	24
39	Enhanced \hat{I}^3 -aminobutyric acid accumulation, alleviated componential deterioration and technofunctionality loss of germinated wheat by hypoxia stress. Food Chemistry, 2018, 269, 473-479.	4.2	24
40	Spermidine improves antioxidant activity and energy metabolism in mung bean sprouts. Food Chemistry, 2020, 309, 125759.	4.2	24
41	Response of nutritional and functional composition, anti-nutritional factors and antioxidant activity in germinated soybean under UV-B radiation. LWT - Food Science and Technology, 2020, 118, 108709.	2.5	23
42	Effect of static magnetic field treatment on the germination of brown rice: Changes in \hat{I}^{\pm} -amylase activity and structural and functional properties in starch. Food Chemistry, 2022, 383, 132392.	4.2	23
43	Accumulation and Identification of Angiotensin-Converting Enzyme Inhibitory Peptides from Wheat Germ. Journal of Agricultural and Food Chemistry, 2011, 59, 3598-3605.	2.4	22
44	Salt Stress Induces Accumulation of \hat{I}^3 Aminobutyric Acid in Germinated Foxtail Millet (<i>Setaria</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 1.1	1.1	22
45	Effects of ABA and CaCl ₂ on GABA accumulation in fava bean germinating under hypoxia-NaCl stress. Bioscience, Biotechnology and Biochemistry, 2016, 80, 540-546.	0.6	22
46	Cyclic ADP-ribose and IP ₃ mediate abscisic acid-induced isoflavone accumulation in soybean sprouts. Biochemical and Biophysical Research Communications, 2016, 479, 530-536.	1.0	21
47	IP ₃ Mediates Nitric Oxide Guanosine 3',5'-Cyclic Monophosphate (NO-cGMP)-Induced Isoflavone Accumulation in Soybean Sprouts under UV-B Radiation. Journal of Agricultural and Food Chemistry, 2016, 64, 8282-8288.	2.4	21
48	Mechanism of Calcium Lactate Facilitating Phytic Acid Degradation in Soybean during Germination. Journal of Agricultural and Food Chemistry, 2016, 64, 5564-5573.	2.4	21
49	Heat-triggered polymerization of frozen gluten: The micro-morphology and thermal characteristic study. Journal of Cereal Science, 2019, 87, 185-193.	1.8	21
50	Purification, properties and cDNA cloning of glutamate decarboxylase in germinated faba bean (<i>Vicia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 4.2	4.2	20
51	Calcium mitigates the stress caused by ZnSO ₄ as a sulphur fertilizer and enhances the sulforaphane formation of broccoli sprouts. RSC Advances, 2015, 5, 12563-12570.	1.7	20
52	Effect of Manitoba-Grown Red-Osier Dogwood Extracts on Recovering Caco-2 Cells from H ₂ O ₂ -Induced Oxidative Damage. Antioxidants, 2019, 8, 250.	2.2	20
53	Accumulation of \hat{I}^3 aminobutyric acid in soybean by hypoxia germination and freeze-thawing incubation. Journal of the Science of Food and Agriculture, 2016, 96, 2090-2096.	1.7	19
54	Comparative Study on the Bread Making Quality of Normoxia- and Hypoxia-Germinated Wheat: Evolution of \hat{I}^3 -Aminobutyric Acid, Starch Gelatinization, and Gluten Polymerization during Steamed Bread Making. Journal of Agricultural and Food Chemistry, 2019, 67, 3480-3490.	2.4	19

#	ARTICLE	IF	CITATIONS
55	Nitric oxide mediates $\hat{1}^3$ -aminobutyric acid signaling to regulate phenolic compounds biosynthesis in soybean sprouts under NaCl stress. <i>Food Bioscience</i> , 2021, 44, 101356.	2.0	19
56	Proteomic analysis of broccoli sprouts by iTRAQ in response to jasmonic acid. <i>Journal of Plant Physiology</i> , 2017, 218, 16-25.	1.6	18
57	Dynamic variation of glucosinolates and isothiocyanates in broccoli sprouts during hydrolysis. <i>Scientia Horticulturae</i> , 2019, 255, 128-133.	1.7	18
58	Purification of diamine oxidase and its properties in germinated fava bean (<i>Vicia faba</i> L.). <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 1709-1715.	1.7	17
59	Effect of supplemental Ca ²⁺ on yield and quality characteristics of soybean sprouts. <i>Scientia Horticulturae</i> , 2016, 198, 352-362.	1.7	17
60	iTRAQ - based proteomic and physiological analyses of broccoli sprouts in response to the stresses of heat, hypoxia and heat plus hypoxia. <i>Plant and Soil</i> , 2017, 414, 355-377.	1.8	17
61	GABA Regulates Phenolics Accumulation in Soybean Sprouts under NaCl Stress. <i>Antioxidants</i> , 2021, 10, 990.	2.2	17
62	A comparative transcriptome and proteomics analysis reveals the positive effect of supplementary Ca ²⁺ on soybean sprout yield and nutritional qualities. <i>Journal of Proteomics</i> , 2016, 143, 161-172.	1.2	16
63	Low salinity promotes the growth of broccoli sprouts by regulating hormonal homeostasis and photosynthesis. <i>Horticulture Environment and Biotechnology</i> , 2019, 60, 19-30.	0.7	16
64	Effects of abscisic acid on glucosinolate content, isothiocyanate formation and myrosinase activity in cabbage sprouts. <i>International Journal of Food Science and Technology</i> , 2015, 50, 1839-1846.	1.3	15
65	Malic acid and oxalic acid spraying enhances phytic acid degradation and total antioxidant capacity of mung bean sprouts. <i>International Journal of Food Science and Technology</i> , 2016, 51, 370-380.	1.3	15
66	UV-B treatment enhances phenolic acids accumulation and antioxidant capacity of barley seedlings. <i>LWT - Food Science and Technology</i> , 2022, 153, 112445.	2.5	15
67	Conformational rearrangement and polymerization behavior of frozen-stored gluten during thermal treatment. <i>Food Hydrocolloids</i> , 2020, 101, 105502.	5.6	14
68	Mechanism of nitric oxide enhancing NaCl tolerance of barley seedlings based on physiol-biochemical analysis and LC-MS metabolomics. <i>Environmental and Experimental Botany</i> , 2021, 189, 104533.	2.0	14
69	Organ-Specific Proteomic Analysis of NaCl-Stressed Germinating Soybeans. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7233-7244.	2.4	13
70	Effect of germination and incubation on Zn, Fe, and Ca bioavailability values of soybeans (<i>Glycine max</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.25	13
71	NaCl treatment improves reactive oxygen metabolism and antioxidant capacity in broccoli sprouts. <i>Horticulture Environment and Biotechnology</i> , 2016, 57, 640-648.	0.7	13
72	Red-Osier Dogwood Extracts Prevent Inflammatory Responses in Caco-2 Cells and a Caco-2 BBel/EA.hy926 Cell Co-Culture Model. <i>Antioxidants</i> , 2019, 8, 428.	2.2	13

#	ARTICLE	IF	CITATIONS
73	Distribution of phytic acid and associated catabolic enzymes in soybean sprouts and indoleacetic acid promotion of Zn, Fe, and Ca bioavailability. <i>Food Science and Biotechnology</i> , 2015, 24, 2161-2167.	1.2	11
74	Partial purification and characterisation of cysteine protease in wheat germ. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, 2437-2442.	1.7	10
75	Polyamines regulating phytic acid degradation in mung bean sprouts. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 3299-3308.	1.7	10
76	Major nutrient compositions and functional properties of sorghum flour at 0-3 days of grain germination. <i>International Journal of Food Sciences and Nutrition</i> , 2014, 65, 48-52.	1.3	9
77	Hypoxia treatment on germinating faba bean (<i>Vicia faba</i> L.) seeds enhances GABA-related protection against salt stress. <i>Chilean Journal of Agricultural Research</i> , 2015, 75, 184-191.	0.4	9
78	Effect of freezing methods on sulforaphane formation in broccoli sprouts. <i>RSC Advances</i> , 2015, 5, 32290-32297.	1.7	9
79	Effect of γ -aminobutyric Acid on Phenolics Metabolism in Barley Seedlings under Low NaCl Treatment. <i>Antioxidants</i> , 2021, 10, 1421.	2.2	9
80	Effects of magnetron arrangement and power combination on temperature field uniformity of microwave drying of carrot. <i>Drying Technology</i> , 2016, 34, 912-922.	1.7	8
81	Ca ²⁺ influxes and transmembrane transport are essential for phytic acid degradation in mung bean sprouts. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 1968-1976.	1.7	8
82	Gibberellic acid promoting phytic acid degradation in germinating soybean under calcium lactate treatment. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 644-651.	1.7	8
83	The mechanism of freeze-thawing induced accumulation of γ -aminobutyric acid in germinated soybean. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 1099-1105.	1.7	8
84	Antioxidant Effect of <i>Chrysanthemum morifolium</i> (Chuju) Extract on H ₂ O ₂ -Treated L-O ₂ Cells as Revealed by LC/MS-Based Metabolic Profiling. <i>Antioxidants</i> , 2022, 11, 1068.	2.2	8
85	Partial purification, characterization and cDNA cloning of aminoaldehyde dehydrogenase in germinated soybean (<i>Glycine max</i> L.). <i>European Food Research and Technology</i> , 2013, 237, 731-738.	1.6	7
86	Heat Shock Enhances Isothiocyanate Formation and Antioxidant Capacity of Cabbage Sprouts. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e13034.	0.9	7
87	Determination of glucosinolates in rapeseed meal and their degradation by myrosinase from rapeseed sprouts. <i>Food Chemistry</i> , 2022, 382, 132316.	4.2	7
88	Tailormade Wheat Arabinoxylan Reveals the Role of Substitution in Regulating Gelatinization and Retrogradation Behavior of Wheat Starch. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 1659-1669.	2.4	6
89	Effects of germination on physio-biochemical metabolism and phenolic acids of soybean seeds. <i>Journal of Food Composition and Analysis</i> , 2022, 112, 104717.	1.9	6
90	Sequence analysis of diamine oxidase gene from fava bean and its expression related to γ -aminobutyric acid accumulation in seeds germinating under hypoxia-NaCl stress. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 1585-1591.	1.7	5

#	ARTICLE	IF	CITATIONS
91	Activation and Tempering on γ -Aminobutyric Acid Accumulation and Distribution in Brown Rice. Journal of Food Processing and Preservation, 2016, 40, 1364-1369.	0.9	5
92	Mitogen-activated protein kinase mediates nitric oxide-induced isoflavone accumulation in soybean sprouts under UV-B radiation. Canadian Journal of Plant Science, 2017, , .	0.3	5
93	UV-B- triggered H ₂ O ₂ production mediates isoflavones synthesis in germinated soybean. Food Chemistry: X, 2022, 14, 100331.	1.8	5
94	Cordyceps Rice Wine: A Novel Brewing Process. Journal of Food Process Engineering, 2016, 39, 581-590.	1.5	4
95	Glucosinolates metabolism and redox state of rocket (Eruca sativa Mill.) during germination. Journal of Food Processing and Preservation, 2019, 43, e14019.	0.9	4
96	Zinc Accumulation and Distribution in Germinated Brown Rice. Food Science and Technology Research, 2018, 24, 369-376.	0.3	3
97	AMADH inhibitor optimization and its effects on GABA accumulation in soybean sprouts under NaCl and CaCl ₂ treatment. 3 Biotech, 2019, 9, 184.	1.1	3
98	Effects of soaking and germination on deoxynivalenol content, nutrition and functional quality of Fusarium naturally contaminated wheat. LWT - Food Science and Technology, 2022, 160, 113324.	2.5	3
99	Chlorophyll degradation and lignification of fresh-cut water fennel treated with a complex chemical solution and subsequent packaging. Food Science and Biotechnology, 2016, 25, 483-488.	1.2	2
100	Red light enhances folate accumulation in wheat seedlings. Journal of Zhejiang University: Science B, 2021, 22, 906-916.	1.3	2
101	Cyclic ADP-ribose mediates nitric oxide-guanosine 3',5'-cyclic monophosphate-induced isoflavone accumulation in soybean sprouts under UV-B radiation. Canadian Journal of Plant Science, 2017, , .	0.3	1
102	Full length cDNA cloning of V _f Actin in germinated faba bean (Vicia faba L.). Indian Journal of Plant Physiology, 2014, 19, 65-68.	0.8	0