

Arnold J Den Dekker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2487667/arnold-j-den-dekker-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,776

citations

23

h-index

41

g-index

67

ext. papers

2,058

ext. citations

4.3

avg, IF

4.46

L-index

#	Paper	IF	Citations
62	Improved diffusion parameter estimation by incorporating T relaxation properties into the DKI-FWE model.. <i>NeuroImage</i> , 2022 , 119219	7.9	
61	Model-based super-resolution reconstruction with joint motion estimation for improved quantitative MRI parameter mapping. <i>Computerized Medical Imaging and Graphics</i> , 2022 , 102071	7.6	0
60	Supporting measurements or more averages? How to quantify cerebral blood flow most reliably in 5 minutes by arterial spin labeling. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 2523-2536	4.4	6
59	Joint Maximum Likelihood Estimation of Motion and T1 Parameters from Magnetic Resonance Images in a Super-resolution Framework: a Simulation Study. <i>Fundamenta Informaticae</i> , 2020 , 172, 105-128	1.2	2
58	Harmonization of Brain Diffusion MRI: Concepts and Methods. <i>Frontiers in Neuroscience</i> , 2020 , 14, 396	5.1	20
57	The costs and benefits of estimating T of tissue alongside cerebral blood flow and arterial transit time in pseudo-continuous arterial spin labeling. <i>NMR in Biomedicine</i> , 2020 , 33, e4182	4.4	5
56	Diffusion kurtosis imaging with free water elimination: A bayesian estimation approach. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 802-813	4.4	13
55	Parametric Reconstruction of Glass Fiber-reinforced Polymer Composites from X-ray Projection Data-A Simulation Study. <i>Journal of Nondestructive Evaluation</i> , 2018 , 37, 62	2.1	6
54	NOVIFAST: A Fast Algorithm for Accurate and Precise VFA MRI Mapping. <i>IEEE Transactions on Medical Imaging</i> , 2018 , 37, 2414-2427	11.7	7
53	Partial Discreteness: A Novel Prior for Magnetic Resonance Image Reconstruction. <i>IEEE Transactions on Medical Imaging</i> , 2017 , 36, 1041-1053	11.7	5
52	A nonlocal maximum likelihood estimation method for enhancing magnetic resonance phase maps. <i>Signal, Image and Video Processing</i> , 2017 , 11, 913-920	1.6	3
51	Atom-counting in High Resolution Electron Microscopy:TEM or STEM - That's the question. <i>Ultramicroscopy</i> , 2017 , 174, 112-120	3.1	5
50	A Unified Maximum Likelihood Framework for Simultaneous Motion and $T_{1\rho}$ Estimation in Quantitative MR $T_{1\rho}$ Mapping. <i>IEEE Transactions on Medical Imaging</i> , 2017 , 36, 433-446	11.7	11
49	Super-resolution T estimation: Quantitative high resolution T mapping from a set of low resolution T-weighted images with different slice orientations. <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1818-1830	4.4	9
48	Super-resolution reconstruction of diffusion parameters from diffusion-weighted images with different slice orientations. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 181-95	4.4	29
47	Advanced electron crystallography through model-based imaging. <i>IUCrJ</i> , 2016 , 3, 71-83	4.7	27
46	Detecting and locating light atoms from high-resolution STEM images: The quest for a single optimal design. <i>Ultramicroscopy</i> , 2016 , 170, 128-138	3.1	8

45	Iterative reweighted linear least squares for accurate, fast, and robust estimation of diffusion magnetic resonance parameters. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2174-84	4.4	39
44	Simultaneous motion correction and T1 estimation in quantitative T1 mapping: An ML restoration approach 2015 ,		1
43	A comparison between minimum variance control and other online compensation methods for specimen drift in transmission electron microscopy. <i>Multidimensional Systems and Signal Processing</i> , 2014 , 25, 247-271	1.8	
42	Convex saturated particle filter. <i>Automatica</i> , 2014 , 50, 2494-2503	5.7	1
41	Data distributions in magnetic resonance images: a review. <i>Physica Medica</i> , 2014 , 30, 725-41	2.7	44
40	A new non-local maximum likelihood estimation method for Rician noise reduction in magnetic resonance images using the Kolmogorov-Birnbaum test. <i>Signal Processing</i> , 2014 , 103, 16-23	4.4	34
39	The reconstructed residual error: A novel segmentation evaluation measure for reconstructed images in tomography. <i>Computer Vision and Image Understanding</i> , 2014 , 126, 28-37	4.3	5
38	Measure-by-Wire (MBW). <i>Advances in Imaging and Electron Physics</i> , 2013 , 179, 291-346	0.2	1
37	Parametric Bayesian filters for nonlinear stochastic dynamical systems: a survey. <i>IEEE Transactions on Cybernetics</i> , 2013 , 43, 1607-24	10.2	47
36	Estimation of unknown structure parameters from high-resolution (S)TEM images: what are the limits?. <i>Ultramicroscopy</i> , 2013 , 134, 34-43	3.1	43
35	Identification of Time Series Models From Segments Application to Scanning Transmission Electron Microscopy Images. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2013 , 62, 3231-3242	5.2	3
34	A New Nonlocal Maximum Likelihood Estimation Method for Denoising Magnetic Resonance Images. <i>Lecture Notes in Computer Science</i> , 2013 , 451-458	0.9	3
33	Defocus Polar Rose Estimation Method (POEM): A Fast Defocus Estimation Method for STEM. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2012 , 61, 2723-2730	5.2	3
32	Fast phase diversity wavefront sensing using object independent metrics 2012 ,		1
31	The role of Poisson's binomial distribution in the analysis of TEM images. <i>Ultramicroscopy</i> , 2011 , 111, 1553-6	3.1	12
30	Introducing measure-by-wire, the systematic use of systems and control theory in transmission electron microscopy. <i>Ultramicroscopy</i> , 2011 , 111, 1581-91	3.1	11
29	Towards an adaptive minimum variance control scheme for specimen drift compensation in transmission electron microscopes 2011 ,		3
28	POEM: A fast defocus estimation method for scanning transmission electron microscopy 2011 ,		5

27	Optimal experimental design for diffusion kurtosis imaging. <i>IEEE Transactions on Medical Imaging</i> , 2010 , 29, 819-29	11.7	154
26	Estimation of diffusion properties in crossing fiber bundles. <i>IEEE Transactions on Medical Imaging</i> , 2010 , 29, 1504-15	11.7	30
25	Towards STEM control: Modeling framework and development of a sensor for defocus control 2009		6
24	Towards automatic control of scanning transmission electron microscopes 2009 ,		2
23	Alignment Control of STEM a Ronchigram Based Approach. <i>Microscopy and Microanalysis</i> , 2009 , 15, 118-119		1
22	Observer Development for Automatic STEM Closed-Loop Control. <i>Microscopy and Microanalysis</i> , 2009 , 15, 1096-1097	0.5	
21	Automatic estimation of the noise variance from the histogram of a magnetic resonance image. <i>Physics in Medicine and Biology</i> , 2007 , 52, 1335-48	3.8	110
20	Resolution of coherent and incoherent imaging systems reconsidered - Classical criteria and a statistical alternative. <i>Optics Express</i> , 2006 , 14, 3830-9	3.3	56
19	Maximum likelihood estimation of structure parameters from high resolution electron microscopy images. Part I: a theoretical framework. <i>Ultramicroscopy</i> , 2005 , 104, 83-106	3.1	89
18	Maximum likelihood estimation of structure parameters from high resolution electron microscopy images. Part II: a practical example. <i>Ultramicroscopy</i> , 2005 , 104, 107-25	3.1	52
17	Implications of the Rician distribution for fMRI generalized likelihood ratio tests. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 953-9	3.3	11
16	Generalized likelihood ratio tests for complex fMRI data: a simulation study. <i>IEEE Transactions on Medical Imaging</i> , 2005 , 24, 604-11	11.7	8
15	Physical limits on atomic resolution. <i>Microscopy and Microanalysis</i> , 2004 , 10, 153-7	0.5	9
14	Is atomic resolution transmission electron microscopy able to resolve and refine amorphous structures?. <i>Ultramicroscopy</i> , 2003 , 98, 27-42	3.1	36
13	High-resolution electron microscopy: from imaging toward measuring. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2002 , 51, 611-615	5.2	16
12	Optimal experimental design of STEM measurement of atom column positions. <i>Ultramicroscopy</i> , 2002 , 90, 273-89	3.1	44
11	Does a monochromator improve the precision in quantitative HRTEM?. <i>Ultramicroscopy</i> , 2001 , 89, 275-90	3.1	28
10	Resolution reconsidered: Conventional approaches and an alternative. <i>Advances in Imaging and Electron Physics</i> , 2001 , 117, 241-360	0.2	24

9	How to optimize the design of a quantitative HREM experiment so as to attain the highest precision. <i>Journal of Microscopy</i> , 1999 , 194, 95-104	1.9	24
8	Model-based two-object resolution from observations having counting statistics. <i>Ultramicroscopy</i> , 1999 , 77, 37-48	3.1	47
7	Adaptive anisotropic noise filtering for magnitude MR data. <i>Magnetic Resonance Imaging</i> , 1999 , 17, 1533-39	3.9	49
6	Towards Quantitative Structure Determination Through Electron Holographic Methods. <i>Materials Characterization</i> , 1999 , 42, 265-281	3.9	
5	Parameter estimation from magnitude MR images. <i>International Journal of Imaging Systems and Technology</i> , 1999 , 10, 109-114	2.5	82
4	Estimation of the noise in magnitude MR images. <i>Magnetic Resonance Imaging</i> , 1998 , 16, 87-90	3.3	206
3	Maximum-likelihood estimation of Rician distribution parameters. <i>IEEE Transactions on Medical Imaging</i> , 1998 , 17, 357-61	11.7	264
2	Optimal estimation of T2 maps from magnitude MR images 1998 , 3338, 384		6
1	Ultimate resolution in the presence of coherence. <i>Ultramicroscopy</i> , 1995 , 60, 345-348	3.1	10