

# Ulrike Tappeiner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2488502/publications.pdf>

Version: 2024-02-01

176  
papers

9,681  
citations

34105

52  
h-index

45317

90  
g-index

187  
all docs

187  
docs citations

187  
times ranked

11604  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Stakeholder perspectives on ecosystem services of mountain lakes in the European Alps. <i>Ecosystem Services</i> , 2022, 53, 101386.   | 5.4 | 20        |
| 2  | Changes in perspective needed to forge "no-regret" forest-based climate change mitigation strategies. <i>GCB Bioenergy</i> , 2022, 14, 246-257.  | 5.6 | 12        |
| 3  | Effects of land use and climate on carbon and nitrogen pool partitioning in European mountain grasslands. <i>Science of the Total Environment</i> , 2022, 822, 153380.   | 8.0 | 10        |
| 4  | Swiss stone pine growth benefits less from recent warming than European larch at a dry-inner alpine forest line as it reacts more sensitive to humidity. <i>Agricultural and Forest Meteorology</i> , 2022, 315, 108788. | 4.8 | 3         |
| 5  | The contribution of landscape features, climate and topography in shaping taxonomical and functional diversity of avian communities in a heterogeneous Alpine region. <i>Oecologia</i> , 2022, 199, 499-512.             | 2.0 | 8         |
| 6  | Using the Ecosystem Services Concept to Assess Transformation of Agricultural Landscapes in the European Alps. <i>Land</i> , 2022, 11, 49.   | 2.9 | 6         |
| 7  | How do anthropogenic pressures affect the provision of ecosystem services of small mountain lakes?. <i>Anthropocene</i> , 2022, 38, 100336.  | 3.3 | 14        |
| 8  | How to consider history in landscape ecology: patterns, processes, and pathways. <i>Landscape Ecology</i> , 2021, 36, 2317-2328.   | 4.2 | 29        |
| 9  | Agent-based modelling of water balance in a social-ecological system: A multidisciplinary approach for mountain catchments. <i>Science of the Total Environment</i> , 2021, 755, 142962.                                 | 8.0 | 17        |
| 10 | "A Gem among the Rocks" Identifying and Measuring Visual Preferences for Mountain Lakes. <i>Water (Switzerland)</i> , 2021, 13, 1151.  | 2.7 | 12        |
| 11 | Evidence for the importance of land use, site characteristics and vegetation composition for rooting in European Alps. <i>Scientific Reports</i> , 2021, 11, 11246.  | 3.3 | 7         |
| 12 | Effects of past landscape changes on aesthetic landscape values in the European Alps. <i>Landscape and Urban Planning</i> , 2021, 212, 104109.   | 7.5 | 35        |
| 13 | Recreational ecosystem services of mountain lakes in the European Alps: Preferences, visitor groups and management implications. <i>Journal of Outdoor Recreation and Tourism</i> , 2021, 35, 100421.                    | 2.9 | 5         |
| 14 | What can geotagged photographs tell us about cultural ecosystem services of lakes?. <i>Ecosystem Services</i> , 2021, 51, 101354.  | 5.4 | 31        |
| 15 | Hidden Engineers and Service Providers: Earthworms in Agricultural Land-Use Types of South Tyrol, Italy. <i>Sustainability</i> , 2021, 13, 312.  | 3.2 | 7         |
| 16 | Soil invertebrate abundance, diversity, and community composition across steep high elevation snowmelt gradients in the European Alps. <i>Arctic, Antarctic, and Alpine Research</i> , 2021, 53, 288-299.                | 1.1 | 4         |
| 17 | TRY plant trait database "enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-188.   | 9.5 | 1,038     |
| 18 | Effects of land cover type on community structure and functional traits of alpine stream benthic macroinvertebrates. <i>Freshwater Biology</i> , 2020, 65, 524-539.  | 2.4 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Grassland biomass balance in the European Alps: current and future ecosystem service perspectives. <i>Ecosystem Services</i> , 2020, 45, 101163.   | 5.4 | 38        |
| 20 | Assessing conflicts between winter recreational activities and grouse species. <i>Journal of Environmental Management</i> , 2020, 276, 111194.   | 7.8 | 16        |
| 21 | Species richness and beta diversity patterns of multiple taxa along an elevational gradient in pastured grasslands in the European Alps. <i>Scientific Reports</i> , 2020, 10, 12516.                          | 3.3 | 63        |
| 22 | The role of land management and elevation in shaping soil microbial communities: Insights from the Central European Alps. <i>Soil Biology and Biochemistry</i> , 2020, 150, 107951.                            | 8.8 | 37        |
| 23 | Management Intensification of Hay Meadows and Fruit Orchards Alters Soil Macro- Invertebrate Communities Differently. <i>Agronomy</i> , 2020, 10, 767.   | 3.0 | 4         |
| 24 | Ordering 'wilderness': Variations in public representations of wilderness and their spatial distributions. <i>Landscape and Urban Planning</i> , 2020, 202, 103875.  | 7.5 | 10        |
| 25 | Assessing ecosystem service potentials to evaluate terrestrial, coastal and marine ecosystem types in Northern Germany – An expert-based matrix approach. <i>Ecological Indicators</i> , 2020, 112, 106116.    | 6.3 | 55        |
| 26 | Towards an integrative assessment of land-use type values from the perspective of ecosystem services. <i>Ecosystem Services</i> , 2020, 42, 101082.  | 5.4 | 36        |
| 27 | Functional spatial units are fundamental for modelling ecosystem services in mountain regions. <i>Applied Geography</i> , 2020, 118, 102200.   | 3.7 | 11        |
| 28 | Soil Macroinvertebrate Distribution Along a Subalpine Land Use Transect. <i>Mountain Research and Development</i> , 2020, 40, .  | 1.0 | 3         |
| 29 | Symbolic entities in the European Alps: Perception and use of a cultural ecosystem service. <i>Ecosystem Services</i> , 2019, 39, 100980.  | 5.4 | 15        |
| 30 | An integrated method for the mapping of landscape preferences at the regional scale. <i>Ecological Indicators</i> , 2019, 106, 105430.   | 6.3 | 28        |
| 31 | Research questions to facilitate the future development of European long-term ecosystem research infrastructures: A horizon scanning exercise. <i>Journal of Environmental Management</i> , 2019, 250, 109479. | 7.8 | 13        |
| 32 | Stakeholder perspectives on ecosystem service supply and ecosystem service demand bundles. <i>Ecosystem Services</i> , 2019, 37, 100938.   | 5.4 | 112       |
| 33 | A transnational perspective of global and regional ecosystem service flows from and to mountain regions. <i>Scientific Reports</i> , 2019, 9, 6678.  | 3.3 | 76        |
| 34 | What drives the future supply of regulating ecosystem services in a mountain forest landscape?. <i>Forest Ecology and Management</i> , 2019, 445, 37-47.   | 3.2 | 70        |
| 35 | Analyzing Spatial Congruencies and Mismatches between Supply, Demand and Flow of Ecosystem Services and Sustainable Development. <i>Sustainability</i> , 2019, 11, 2227.                                       | 3.2 | 27        |
| 36 | Catalyzing Transformations to Sustainability in the World's Mountains. <i>Earth's Future</i> , 2019, 7, 547-557.   | 6.3 | 65        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Assessing Freshwater Provision and Consumption in the Alpine Space Applying the Ecosystem Service Concept. Sustainability, 2019, 11, 1131.                                      | 3.2 | 22        |
| 38 | Geographical heterogeneity in mountain grasslands dynamics in the Austrian-Italian Tyrol region. Applied Geography, 2019, 106, 50-59.   | 3.7 | 28        |
| 39 | Farmers as data sources: Cooperative framework for mapping soil properties for permanent crops in South Tyrol (Northern Italy). Geoderma, 2019, 342, 93-105.                    | 5.1 | 20        |
| 40 | Agent-Based Modelling of a Coupled Water Demand and Supply System at the Catchment Scale. Sustainability, 2019, 11, 6178.   | 3.2 | 10        |
| 41 | Spatial and temporal variation of benthic macroinvertebrate assemblages during the glacial melt season in an Italian glacier-fed stream. Hydrobiologia, 2019, 827, 123-139.     | 2.0 | 17        |
| 42 | LTSER platforms as a place-based transdisciplinary research infrastructure: learning landscape approach through evaluation. Landscape Ecology, 2019, 34, 1461-1484.             | 4.2 | 32        |
| 43 | Using conjoint analysis to gain deeper insights into aesthetic landscape preferences. Ecological Indicators, 2019, 96, 202-212.   | 6.3 | 47        |
| 44 | Integrating supply, flow and demand to enhance the understanding of interactions among multiple ecosystem services. Science of the Total Environment, 2019, 651, 928-941.       | 8.0 | 212       |
| 45 | A protected area between subsistence and development. International Journal of the Commons, 2019, 13, 175.  | 1.4 | 9         |
| 46 | Stream benthic macroinvertebrates abundances over a 6-year monitoring period of an Italian glacier-fed stream. Biodiversity Data Journal, 2019, 7, e33576.                      | 0.8 | 9         |
| 47 | Assessment of climate change effects on mountain ecosystems through a cross-site analysis in the Alps and Apennines. Science of the Total Environment, 2018, 624, 1429-1442.    | 8.0 | 169       |
| 48 | Symbolic species as a cultural ecosystem service in the European Alps: insights and open issues. Landscape Ecology, 2018, 33, 711-730.  | 4.2 | 44        |
| 49 | Flowering Farmland Competitions in Europe: History, facts and potential interactions with agri-environmental measures. Land Use Policy, 2018, 70, 106-116.                      | 5.6 | 1         |
| 50 | Revealing spatial and temporal patterns of outdoor recreation in the European Alps and their surroundings. Ecosystem Services, 2018, 31, 336-350.                               | 5.4 | 129       |
| 51 | What is socio-ecological research delivering? A literature survey across 25 international LTSER platforms. Science of the Total Environment, 2018, 622-623, 1225-1240.          | 8.0 | 43        |
| 52 | Agricultural landscapes between intensification and abandonment: the expectations of the public in a Central-Alpine cross-border region. Landscape Research, 2018, 43, 428-442. | 1.6 | 18        |
| 53 | Indigenous livestock breeds as indicators for cultural ecosystem services: A spatial analysis within the Alpine Space. Ecological Indicators, 2018, 94, 55-63.                  | 6.3 | 60        |
| 54 | Multiscale socio-ecological networks in the age of information. PLoS ONE, 2018, 13, e0206672.   | 2.5 | 29        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Decline of rare and specialist species across multiple taxonomic groups after grassland intensification and abandonment. <i>Biodiversity and Conservation</i> , 2018, 27, 3729-3744.                            | 2.6 | 49        |
| 56 | Community-specific hydraulic conductance potential of soil water decomposed for two Alpine grasslands by small-scale lysimetry. <i>Biogeosciences</i> , 2018, 15, 1065-1078.                                    | 3.3 | 7         |
| 57 | Water stress limits transpiration and growth of European larch up to the lower subalpine belt in an inner-alpine dry valley. <i>New Phytologist</i> , 2018, 220, 460-475.                                       | 7.3 | 52        |
| 58 | Advancing Precipitation Estimation and Streamflow Simulations in Complex Terrain with X-Band Dual-Polarization Radar Observations. <i>Remote Sensing</i> , 2018, 10, 1258.                                      | 4.0 | 23        |
| 59 | Using land use/land cover trajectories to uncover ecosystem service patterns across the Alps. <i>Regional Environmental Change</i> , 2017, 17, 2237-2250.   | 2.9 | 55        |
| 60 | Supporting the Management of Ecosystem Services in Protected Areas: Trade-Offs Between Effort and Accuracy in Evaluation. <i>Journal of Environmental Assessment Policy and Management</i> , 2017, 19, 1750007. | 7.9 | 6         |
| 61 | Decomposing the land-use specific response of plant functional traits along environmental gradients. <i>Science of the Total Environment</i> , 2017, 599-600, 750-759.  | 8.0 | 19        |
| 62 | Characteristic trajectories of ecosystem services in mountains. <i>Frontiers in Ecology and the Environment</i> , 2017, 15, 150-159.  | 4.0 | 115       |
| 63 | Simplified and still meaningful: assessing butterfly habitat quality in grasslands with data collected by pupils. <i>Journal of Insect Conservation</i> , 2017, 21, 677-688.                                    | 1.4 | 11        |
| 64 | Historical trajectories in land use pattern and grassland ecosystem services in two European alpine landscapes. <i>Regional Environmental Change</i> , 2017, 17, 2251-2264.                                     | 2.9 | 71        |
| 65 | Monitoring of Freezing Dynamics in Trees: A Simple Phase Shift Causes Complexity. <i>Plant Physiology</i> , 2017, 173, 2196-2207.   | 4.8 | 53        |
| 66 | Participative Spatial Scenario Analysis for Alpine Ecosystems. <i>Environmental Management</i> , 2017, 60, 679-692.   | 2.7 | 22        |
| 67 | Influence of Land-Use Intensification on Vegetation C-Stocks in an Alpine Valley from 1865 to 2003. <i>Ecosystems</i> , 2017, 20, 1391-1406.  | 3.4 | 18        |
| 68 | Future impacts of changing land-use and climate on ecosystem services of mountain grassland and their resilience. <i>Ecosystem Services</i> , 2017, 26, 79-94.  | 5.4 | 193       |
| 69 | Climate change versus land-use change – What affects the mountain landscapes more?. <i>Land Use Policy</i> , 2017, 60, 60-72.   | 5.6 | 92        |
| 70 | Mapping the ecosystem service delivery chain: Capacity, flow, and demand pertaining to aesthetic experiences in mountain landscapes. <i>Science of the Total Environment</i> , 2017, 574, 422-436.              | 8.0 | 88        |
| 71 | Plant functional assemblages as indicators of the resilience of grassland ecosystem service provision. <i>Ecological Indicators</i> , 2017, 73, 118-127.  | 6.3 | 29        |
| 72 | The Tyrolean Alps LTSER platform – providing scientific insights for better management of protected areas. <i>Eco Mont</i> , 2017, 9, 35-39.  | 0.1 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | A simple method to combine snow height and meteorological observations to estimate winter precipitation at sub-daily resolution. <i>Hydrological Sciences Journal</i> , 2016, 61, 2050-2060.                                       | 2.6 | 12        |
| 74 | Down to future: Transplanted mountain meadows react with increasing phytomass or shifting species composition. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2016, 224, 172-182.                          | 1.2 | 13        |
| 75 | Identifying and mapping the tourists's perception of cultural ecosystem services: A case study from an Alpine region. <i>Land Use Policy</i> , 2016, 56, 251-261.  | 5.6 | 113       |
| 76 | Linking long-term landscape dynamics to the multiple interactions among ecosystem services in the European Alps. <i>Landscape Ecology</i> , 2016, 31, 1903-1918.   | 4.2 | 93        |
| 77 | Cultural ecosystem services of mountain regions: Modelling the aesthetic value. <i>Ecological Indicators</i> , 2016, 69, 78-90.  | 6.3 | 159       |
| 78 | Ecosystem services in mountain regions: experts' perceptions and research intensity. <i>Regional Environmental Change</i> , 2016, 16, 1989-2004.   | 2.9 | 47        |
| 79 | Exploring socio-cultural values of ecosystem service categories in the Central Alps: the influence of socio-demographic factors and landscape type. <i>Regional Environmental Change</i> , 2016, 16, 2033-2044.                    | 2.9 | 72        |
| 80 | Using a new PDP modelling approach for land-use and land-cover change predictions: A case study in the Stubai Valley (Central Alps). <i>Ecological Modelling</i> , 2016, 322, 101-114.   | 2.5 | 15        |
| 81 | Semi-arid watershed management: the experimental farm and representative catchment of the High Mountains of Sinai Peninsula. <i>International Journal of Water</i> , 2015, 9, 1.   | 0.1 | 0         |
| 82 | Impact of droughts on water provision in managed alpine grasslands in two climatically different regions of the Alps. <i>Ecohydrology</i> , 2015, 8, 1600-1613.  | 2.4 | 37        |
| 83 | Estimation of Soil Moisture in Mountain Areas Using SVR Technique Applied to Multiscale Active Radar Images at C-Band. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2015, 8, 262-283. | 4.9 | 51        |
| 84 | Rain simulation in patchy landscapes: Insights from a case study in the Central Alps. <i>Catena</i> , 2015, 127, 1-8.  | 5.0 | 10        |
| 85 | The dark side of biodiversity: Spatial application of the biological soil quality indicator (BSQ). <i>Ecological Indicators</i> , 2015, 53, 240-246.   | 6.3 | 46        |
| 86 | Biodiversity in cultural landscapes: influence of land use intensity on bird assemblages. <i>Landscape Ecology</i> , 2015, 30, 1851-1863.  | 4.2 | 17        |
| 87 | Different management of larch grasslands in the European Alps shows low impact on above- and belowground carbon stocks. <i>Agriculture, Ecosystems and Environment</i> , 2015, 213, 186-193.                                       | 5.3 | 14        |
| 88 | Ecosystem services and economic development in Austrian agricultural landscapes – The impact of policy and climate change scenarios on trade-offs and synergies. <i>Ecological Economics</i> , 2015, 109, 161-174.                 | 5.7 | 104       |
| 89 | Determinants of urban-rural land surface temperature differences – A landscape scale perspective. <i>Landscape and Urban Planning</i> , 2015, 134, 33-42.  | 7.5 | 73        |
| 90 | Vegetation effects on the water balance of mountain grasslands depend on climatic conditions. <i>Ecohydrology</i> , 2015, 8, 552-569.  | 2.4 | 25        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | On the Effects of Scale for Ecosystem Services Mapping. PLoS ONE, 2014, 9, e112601.  | 2.5 | 110       |
| 92  | Soil moisture monitoring in mountain areas by using high-resolution SAR images: results from a feasibility study. European Journal of Soil Science, 2014, 65, 852-864.                                     | 3.9 | 23        |
| 93  | Modelling changes in grassland hydrological cycling along an elevational gradient in the Alps. Ecohydrology, 2014, 7, 1453-1473.   | 2.4 | 41        |
| 94  | Temporal and spatial soil moisture dynamics in mountain meadows by integrating Radarsat 2 images and ground data. , 2014, , .  |     | 1         |
| 95  | Mapping beneficiaries of ecosystem services flows from Natura 2000 sites. Ecosystem Services, 2014, 9, 170-179.  | 5.4 | 63        |
| 96  | What plant traits tell us: Consequences of land-use change of a traditional agro-forest system on biodiversity and ecosystem service provision. Agriculture, Ecosystems and Environment, 2014, 186, 44-53. | 5.3 | 44        |
| 97  | Estimation of soil moisture patterns in mountain grasslands by means of SAR RADARSAT2 images and hydrological modeling. Journal of Hydrology, 2014, 516, 245-257.  | 5.4 | 68        |
| 98  | Predicting scenic beauty of mountain regions. Landscape and Urban Planning, 2013, 111, 1-12.   | 7.5 | 157       |
| 99  | Multi-source and multi-scale soil moisture dynamic modelling in mountain meadows. , 2013, , .  |     | 2         |
| 100 | Relative contributions of plant traits and soil microbial properties to mountain grassland ecosystem services. Journal of Ecology, 2013, 101, 47-57.   | 4.0 | 265       |
| 101 | Comparing land-use alternatives: Using the ecosystem services concept to define a multi-criteria decision analysis. Ecological Economics, 2013, 93, 128-136.   | 5.7 | 124       |
| 102 | Typology of Alpine region using spatial-pattern indicators. Ecological Indicators, 2013, 24, 37-47.  | 6.3 | 22        |
| 103 | Multiple ecosystem services of a changing Alpine landscape: past, present and future. International Journal of Biodiversity Science, Ecosystem Services & Management, 2013, 9, 123-135.                    | 2.9 | 80        |
| 104 | How far can be SAR considered a tool for mountain hydrology?. Proceedings of SPIE, 2013, , .   | 0.8 | 0         |
| 105 | Can We Model the Scenic Beauty of an Alpine Landscape?. Sustainability, 2013, 5, 1080-1094.  | 3.2 | 41        |
| 106 | Long-Term Socio-ecological Research in Mountain Regions: Perspectives from the Tyrolean Alps. , 2013, , 505-525.   |     | 4         |
| 107 | The benefits of considering land cover seasonality in multi-spectral image classification. Journal of Land Use Science, 2012, 7, 1-19.   | 2.2 | 6         |
| 108 | Diurnal Surface Temperature Regimes in Mountain Environments. Physical Geography, 2012, 33, 344-359.   | 1.4 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Distance to nature – A new biodiversity relevant environmental indicator set at the landscape level. <i>Ecological Indicators</i> , 2012, 15, 208-216.                            | 6.3 | 87        |
| 110 | SPA-LUCC: Developing land-use/cover scenarios in mountain landscapes. <i>Ecological Informatics</i> , 2012, 12, 68-76.  | 5.2 | 40        |
| 111 | Modelling Evapotranspiration and the Surface Energy Budget in Alpine Catchments. , 2012, , .  |     | 1         |
| 112 | Plant communities of mountain grasslands in a broad cross-section of the Eastern Alps. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2011, 206, 433-443. | 1.2 | 28        |
| 113 | Definition of the potential treeline in the European Alps and its benefit for sustainability monitoring. <i>Ecological Indicators</i> , 2011, 11, 438-447.                        | 6.3 | 23        |
| 114 | Polarimetric RADARSAT-2 imagery for soil moisture retrieval in alpine areas. <i>Canadian Journal of Remote Sensing</i> , 2011, 37, 535-547.                                       | 2.4 | 42        |
| 115 | Stability analysis for defining management strategies in abandoned mountain landscapes of the Mediterranean basin. <i>Landscape and Urban Planning</i> , 2011, 103, 335-346.      | 7.5 | 51        |
| 116 | Estimation of Soil Moisture in an Alpine Catchment with RADARSAT2 Images. <i>Applied and Environmental Soil Science</i> , 2011, 2011, 1-12.                                       | 1.7 | 55        |
| 117 | Comparison of L and C band polarimetric SAR data for the retrieval of soil moisture in the Alps. , 2011, , .  |     | 0         |
| 118 | Classification of the <i>Sieversio montanae-Nardetum strictae</i> in a cross-section of the Eastern Alps. <i>Plant Ecology</i> , 2011, 212, 105-126.                              | 1.6 | 8         |
| 119 | Stakeholder perceptions of grassland ecosystem services in relation to knowledge on soil fertility and biodiversity. <i>Regional Environmental Change</i> , 2011, 11, 791-804.    | 2.9 | 239       |
| 120 | Spatial and temporal mapping of soil moisture content with polarimetric RADARSAT 2 SAR imagery in the Alpine area. , 2011, , .  |     | 1         |
| 121 | “Kulawi” strategies for the cultural landscape of the future. <i>Ekologia</i> , 2011, 30, 187-198.  | 0.8 | 0         |
| 122 | Analysis of polarimetric RADARSAT2 images for soil moisture retrieval in an alpine catchment. <i>Proceedings of SPIE</i> , 2010, , .  | 0.8 | 1         |
| 123 | Effects of land-use and land-cover pattern on landscape-scale biodiversity in the European Alps. <i>Agriculture, Ecosystems and Environment</i> , 2010, 139, 13-22.               | 5.3 | 125       |
| 124 | Seasonal dynamics of surface runoff in mountain grassland ecosystems differing in land use. <i>Journal of Hydrology</i> , 2010, 385, 95-104.                                      | 5.4 | 47        |
| 125 | Topographical and ecohydrological controls on land surface temperature in an alpine catchment. <i>Ecohydrology</i> , 2010, 3, 189-204.  | 2.4 | 56        |
| 126 | Land use affects the net ecosystem CO <sub>2</sub> exchange and its components in mountain grasslands. <i>Biogeosciences</i> , 2010, 7, 2297-2309.                                | 3.3 | 98        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Identifying significant determinants for acceptance of nature reserves: a case study in the Stilfserjoch National Park, Italy. <i>Eco Mont</i> , 2010, 2, 15-22.   | 0.1 | 5         |
| 128 | An integrative approach for analysing landscape dynamics in diverse cultivated and natural mountain areas. <i>Landscape Ecology</i> , 2009, 24, 611-628.   | 4.2 | 66        |
| 129 | Plant diversity declines with recent land use changes in European Alps. <i>Plant Ecology</i> , 2009, 202, 195-210.   | 1.6 | 135       |
| 130 | Influences of changing land use and CO <sub>2</sub> concentration on ecosystem and landscape level carbon and water balances in mountainous terrain of the Stubai Valley, Austria. <i>Global and Planetary Change</i> , 2009, 67, 29-43. | 3.5 | 27        |
| 131 | Classifiers vs. input variables – The drivers in image classification for land cover mapping. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2009, 11, 423-430.  | 2.8 | 39        |
| 132 | Effects of Historical and Likely Future Scenarios of Land Use on Above- and Belowground Vegetation Carbon Stocks of an Alpine Valley. <i>Ecosystems</i> , 2008, 11, 1383-1400.   | 3.4 | 68        |
| 133 | Stakeholder Perceptions of the Impacts of Rural Funding Scenarios on Mountain Landscapes Across Europe. <i>Ecosystems</i> , 2008, 11, 1368-1382.   | 3.4 | 15        |
| 134 | Effects of Land-Use Changes on Sources, Sinks and Fluxes of Carbon in European Mountain Grasslands. <i>Ecosystems</i> , 2008, 11, 1335-1337.   | 3.4 | 21        |
| 135 | Development and validation of a spatial snow-glide model. <i>Ecological Modelling</i> , 2008, 211, 363-374.  | 2.5 | 39        |
| 136 | Understanding alpine tree line dynamics: An individual-based model. <i>Ecological Modelling</i> , 2008, 218, 235-246.  | 2.5 | 63        |
| 137 | Seasonal and inter-annual variability of the net ecosystem CO <sub>2</sub> exchange of a temperate mountain grassland: Effects of weather and management. <i>Journal of Geophysical Research</i> , 2008, 113, .                          | 3.3 | 184       |
| 138 | Biodiversity indicators for sustainability monitoring at municipality level: An example of implementation in an alpine region. <i>Ecological Indicators</i> , 2008, 8, 204-223.  | 6.3 | 75        |
| 139 | Disentangling leaf area and environmental effects on the response of the net ecosystem CO <sub>2</sub> exchange to diffuse radiation. <i>Geophysical Research Letters</i> , 2008, 35, .  | 4.0 | 40        |
| 140 | Leaf area controls on energy partitioning of a temperate mountain grassland. <i>Biogeosciences</i> , 2008, 5, 421-431.   | 3.3 | 80        |
| 141 | Ecological and Land Use Studies Along Elevational Gradients. <i>Mountain Research and Development</i> , 2007, 27, 58-65.   | 1.0 | 135       |
| 142 | Land-use changes and natural reforestation in the Eastern Central Alps. <i>Agriculture, Ecosystems and Environment</i> , 2007, 118, 115-129.   | 5.3 | 334       |
| 143 | Modification of the effective mesh size for measuring landscape fragmentation to solve the boundary problem. <i>Landscape Ecology</i> , 2007, 22, 447-459.   | 4.2 | 116       |
| 144 | Short-time effects of land-use changes on O-horizon in subalpine grasslands. <i>Plant and Soil</i> , 2007, 299, 101-115.   | 3.7 | 20        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Integrating disciplinary research into an interdisciplinary framework: A case study in sustainability research. <i>Environmental Modeling and Assessment</i> , 2007, 12, 253-256.   | 2.2 | 13        |
| 146 | Eddy covariance measurements of carbon dioxide, latent and sensible energy fluxes above a meadow on a mountain slope. <i>Boundary-Layer Meteorology</i> , 2007, 122, 397-416.   | 2.3 | 83        |
| 147 | The Stability of Rankings Derived From Composite Indicators: Analysis of the "L Sole 24 Ore" Quality of Life Report. <i>Social Indicators Research</i> , 2006, 77, 307-331.   | 2.7 | 27        |
| 148 | New model to predict rooting in diverse plant community compositions. <i>Ecological Modelling</i> , 2005, 185, 195-211.   | 2.5 | 42        |
| 149 | Statistical aspects of multilayer perceptrons under data limitations. <i>Computational Statistics and Data Analysis</i> , 2004, 46, 173-188.  | 1.2 | 4         |
| 150 | Canopy structure versus physiology effects on net photosynthesis of mountain grasslands differing in land use. <i>Ecological Modelling</i> , 2003, 170, 407-426.  | 2.5 | 27        |
| 151 | Effects of land use in alpine grasslands on the probability of landslides. <i>Basic and Applied Ecology</i> , 2003, 4, 271-280.   | 2.7 | 160       |
| 152 | The Classification of Rural Areas in the European Context: Some Remarks on the Article of J. R. Blunden, W. T. R. Pryce and P. Dreyer, <i>Regional Studies</i> 32(2). <i>Regional Studies</i> , 2002, 36, 157-160.                    | 4.4 | 0         |
| 153 | Impact of land use changes on mountain vegetation. <i>Applied Vegetation Science</i> , 2002, 5, 173-184.  | 1.9 | 330       |
| 154 | Impact of land use changes on mountain vegetation. <i>Applied Vegetation Science</i> , 2002, 5, 173.  | 1.9 | 21        |
| 155 | Spatio-temporal landscape analysis in mountainous terrain by means of small format photography: a methodological approach. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 885-893.                             | 6.3 | 33        |
| 156 | GIS-based modelling of spatial pattern of snow cover duration in an alpine area. <i>Ecological Modelling</i> , 2001, 138, 265-275.  | 2.5 | 51        |
| 157 | A multi-component, multi-species model of vegetation-atmosphere CO <sub>2</sub> and energy exchange for mountain grasslands. <i>Agricultural and Forest Meteorology</i> , 2001, 106, 261-287.   | 4.8 | 57        |
| 158 | Estimation of plant area index of grasslands from measurements of canopy radiation profiles. <i>Agricultural and Forest Meteorology</i> , 2001, 109, 1-12.  | 4.8 | 31        |
| 159 | Site and management effects on soil microbial properties of subalpine meadows: a study of land abandonment along a north-south gradient in the European Alps. <i>Soil Biology and Biochemistry</i> , 2001, 33, 639-649.               | 8.8 | 128       |
| 160 | Impact of land-use change on nitrogen mineralization in subalpine grasslands in the Southern Alps. <i>Biology and Fertility of Soils</i> , 2000, 31, 441-448.   | 4.3 | 67        |
| 161 | A model of whole plant gas exchange for herbaceous species from mountain grassland sites differing in land use. <i>Ecological Modelling</i> , 2000, 125, 173-201.   | 2.5 | 22        |
| 162 | Inter-specific variation of the biochemical limitation to photosynthesis and related leaf traits of 30 species from mountain grassland ecosystems under different land use. <i>Plant, Cell and Environment</i> , 1999, 22, 1281-1296. | 5.7 | 94        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Some remarks on the 'System of Integrated Environmental and Economic Accounting' of the United Nations. <i>Ecological Economics</i> , 1999, 29, 329-336.  | 5.7 | 19        |
| 164 | ECOMONT: a combined approach of field measurements and process-based modelling for assessing effects of land-use changes in mountain landscapes. <i>Ecological Modelling</i> , 1998, 113, 167-178.  | 2.5 | 32        |
| 165 | A nitrogen sensitive model of leaf carbon dioxide and water vapour gas exchange: application to 13 key species from differently managed mountain grassland ecosystems. <i>Ecological Modelling</i> , 1998, 113, 179-199.                    | 2.5 | 43        |
| 166 | Model simulation of spatial distribution of photosynthesis in structurally differing plant communities in the Central Caucasus. <i>Ecological Modelling</i> , 1998, 113, 201-223.   | 2.5 | 34        |
| 167 | Modelling vegetation patterns using natural and anthropogenic influence factors: preliminary experience with a GIS based model applied to an Alpine area. <i>Ecological Modelling</i> , 1998, 113, 225-237.                                 | 2.5 | 72        |
| 168 | Microclimate and fluxes of water vapour, sensible heat and carbon dioxide in structurally differing subalpine plant communities in the Central Caucasus. <i>Plant, Cell and Environment</i> , 1996, 19, 403-417.                            | 5.7 | 51        |
| 169 | Title is missing!. <i>Pirineos</i> , 1996, 147-148, 145-172.  | 0.6 | 28        |
| 170 | Title is missing!. <i>Pirineos</i> , 1993, 141-142, 97-118.   | 0.6 | 17        |
| 171 | The combination of measurements and mathematical modelling for assessing canopy structure effects. , 1991, , 161-193.   |     | 3         |
| 172 | Canopy structure and light climate of different alpine plant communities: Analysis by means of a model. <i>Theoretical and Applied Climatology</i> , 1989, 40, 81-92.   | 2.8 | 17        |
| 173 | Morphological and functional correlates with distribution of <i>Murex trunculus</i> L. and <i>Murex brandaris</i> L. (Mollusca, Gastropoda) in the northern Adriatic. <i>Bollettino Di Zoologia</i> , 1981, 48, 191-195.                    | 0.3 | 14        |
| 174 | Are interest groups different in the factors determining landscape preferences?. <i>Landscape Online</i> , 0, 47, 1-18.   | 0.0 | 6         |
| 175 | First records of <i>Opetiopalpus sabulosus</i> Motschulsky, 1840 (Coleoptera, Cleridae) for the European Alps. <i>Nature Conservation</i> , 0, 34, 119-125.   | 0.0 | 4         |
| 176 | Small Hydropower – Small Ecological Footprint? A Multi-Annual Environmental Impact Analysis Using Aquatic Macroinvertebrates as Bioindicators. Part 1: Effects on Community Structure. <i>Frontiers in Environmental Science</i> , 0, 10, . | 3.3 | 3         |