

# Ichizo Tsujino

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2489049/publications.pdf>

Version: 2024-02-01

66  
papers

2,170  
citations

304602

22  
h-index

223716

46  
g-index

67  
all docs

67  
docs citations

67  
times ranked

2511  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between the Development of Thrombosis and Worsening of Disease Severity in Patients With Moderate COVID-19 on Admission—From the CLOT-COVID Study. <i>Circulation Journal</i> , 2023, 87, 448-455.	0.7	3
2	Selexipag for the treatment of chronic thromboembolic pulmonary hypertension. <i>European Respiratory Journal</i> , 2022, 60, 2101694.	3.1	26
3	Determinants of altered left ventricular suction in pre-capillary pulmonary hypertension. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 1399-1406.	0.5	2
4	D-Dimer Values and Venous Thromboembolism in Patients With COVID-19 in Japan—From the CLOT-COVID Study. <i>Circulation Reports</i> , 2022, , .	0.4	4
5	Accuracy of Swan-Ganz catheterization-based assessment of right ventricular function: Validation study using high-fidelity micromanometry-derived values as reference. <i>Pulmonary Circulation</i> , 2022, 12, e12078.	0.8	3
6	Phorbol 12-myristate 13-acetate stimulation under hypoxia induces nuclear swelling with DNA outflow but not extracellular trap formation of neutrophils. <i>Experimental and Molecular Pathology</i> , 2022, 125, 104754.	0.9	3
7	The current status of thrombosis and anticoagulation therapy in patients with COVID-19 in Japan: From the CLOT-COVID study. <i>Journal of Cardiology</i> , 2022, 80, 285-291.	0.8	18
8	Influence of sex on development of thrombosis in patients with COVID-19: From the CLOT-COVID study. <i>Thrombosis Research</i> , 2022, 213, 173-178.	0.8	12
9	Underdiagnosis of cardiac sarcoidosis by ECG and echocardiography in cases of extracardiac sarcoidosis. <i>ERJ Open Research</i> , 2022, 8, 00516-2021.	1.1	7
10	Therapeutic-Dose vs. Prophylactic-Dose Anticoagulation Therapy for Critically Ill Patients With COVID-19 in a Practice-Based Observational Study. <i>Circulation Journal</i> , 2022, 86, 1137-1142.	0.7	4
11	The rate of myocardial perfusion recovery after steroid therapy and its implication for cardiac events in cardiac sarcoidosis and primarily preserved left ventricular ejection fraction. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1745-1756.	1.4	9
12	18F-FMISO PET/CT detects hypoxic lesions of cardiac and extra-cardiac involvement in patients with sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2141-2148.	1.4	23
13	Prognostic value of phase analysis on gated single photon emission computed tomography in patients with cardiac sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 128-136.	1.4	9
14	Improvements in French risk stratification score were correlated with reductions in mean pulmonary artery pressure in pulmonary arterial hypertension: a subanalysis of the Japan Pulmonary Hypertension Registry (JAPHR). <i>BMC Pulmonary Medicine</i> , 2021, 21, 28.	0.8	2
15	Multi-Institutional Prospective Cohort Study of Patients With Pulmonary Hypertension Associated With Respiratory Diseases. <i>Circulation Journal</i> , 2021, 85, 333-342.	0.7	10
16	Right ventricular pressure-volume loop produced with simultaneous application of three-dimensional echocardiography and high-fidelity micromanometry in a patient with pulmonary arterial hypertension. <i>Echocardiography</i> , 2021, 38, 805-807.	0.3	1
17	Incidence and Clinical Features of Venous Thromboembolism in Hospitalized Patients With Coronavirus Disease 2019 (COVID-19) in Japan. <i>Circulation Journal</i> , 2021, 85, 2208-2214.	0.7	30
18	Right ventricular function as assessed by cardiac magnetic resonance imaging-derived strain parameters compared to high-fidelity micromanometer catheter measurements. <i>Pulmonary Circulation</i> , 2021, 11, 1-10.	0.8	4

#	ARTICLE	IF	CITATIONS
19	The assessment of left heart disease in patients with systemic sclerosis and pulmonary hypertension. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 131, 103-110.	0.4	0
20	The assessment of left heart disease in patients with systemic sclerosis and pulmonary hypertension. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 103-110.	0.4	0
21	A histopathological report of a 16-year-old male with peripheral pulmonary artery stenosis and Moyamoya disease with a homozygous RNF213 mutation. <i>Respiratory Medicine Case Reports</i> , 2020, 29, 100977.	0.2	5
22	Right ventricular pulmonary arterial uncoupling and poor outcomes in pulmonary arterial hypertension. <i>Pulmonary Circulation</i> , 2020, 10, 1-11.	0.8	5
23	Pulmonary capillary hemangiomatosis-predominant vasculopathy in a patient with rheumatoid arthritis-associated interstitial lung disease: An autopsy report. <i>Respiratory Medicine Case Reports</i> , 2020, 31, 101215.	0.2	0
24	Psychometric Validation of a Japanese Version of the emPHasis-10 Questionnaire, a Patient-Reported Outcome Measure for Pulmonary Hypertension—Multicenter Study in Japan. <i>Circulation Reports</i> , 2020, 2, 255-259.	0.4	5
25	Right ventricular dimension index by cardiac magnetic resonance for prognostication in connective tissue diseases and pulmonary hypertension. <i>Rheumatology</i> , 2019, 59, 622-633.	0.9	2
26	Reduced diffusing capacity for carbon monoxide predicts borderline pulmonary arterial pressure in patients with systemic sclerosis. <i>Rheumatology International</i> , 2019, 39, 1883-1887.	1.5	5
27	Guidelines for the Treatment of Pulmonary Hypertension (JCS 2017/JPCPHS 2017). <i>Circulation Journal</i> , 2019, 83, 842-945.	0.7	132
28	Chinese herbal medicine Qing-Dai-induced pulmonary arterial hypertension in a patient with ulcerative colitis: A case report and experimental investigation. <i>Respiratory Medicine Case Reports</i> , 2019, 26, 265-269.	0.2	8
29	Cardiac sarcoidosis classification with deep convolutional neural network-based features using polar maps. <i>Computers in Biology and Medicine</i> , 2019, 104, 81-86.	3.9	36
30	Use of 18F-FDG PET/CT texture analysis to diagnose cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1240-1247.	3.3	36
31	Amelioration of right ventricular systolic function and stiffness in a patient with idiopathic pulmonary arterial hypertension treated with oral triple combination therapy. <i>Pulmonary Circulation</i> , 2018, 8, 1-5.	0.8	4
32	Which is the proper reference tissue for measuring the change in FDG PET metabolic volume of cardiac sarcoidosis before and after steroid therapy?. <i>EJNMMI Research</i> , 2018, 8, 94.	1.1	15
33	Successful Application of Edoxaban in the Treatment of Venous Thromboembolism Recurrence in a Patient with Non-small Cell Lung Cancer after Tumor Shrinkage. <i>Internal Medicine</i> , 2018, 57, 1769-1772.	0.3	2
34	Balloon pulmonary angioplasty for chronic thromboembolic pulmonary hypertension: A systematic review. <i>Respiratory Investigation</i> , 2018, 56, 332-341.	0.9	42
35	Successful treatment of tocilizumab-resistant large vessel pulmonary arteritis with infliximab. <i>Immunological Medicine</i> , 2018, 41, 39-42.	1.4	5
36	Efficient detection of pulmonary arterial hypertension using serum haptoglobin level and cardiac MRI in patients with connective tissue diseases: a pilot study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 345-346.	0.4	1

#	ARTICLE	IF	CITATIONS
37	Representative Chest Auscultation Findings in Pulmonary Hypertension: Phonocardiograms and Sound Clips. <i>Annals of the American Thoracic Society</i> , 2017, 14, e1-e3.	1.5	2
38	Replacement myocardial fibrosis at the site of late gadolinium enhancement on magnetic resonance imaging in a patient with diffuse cutaneous systemic sclerosis: An autopsy report. <i>Journal of Cardiology Cases</i> , 2017, 16, 48-51.	0.2	3
39	Performance of computed tomography-derived pulmonary vasculature metrics in the diagnosis and haemodynamic assessment of pulmonary arterial hypertension. <i>European Journal of Radiology</i> , 2017, 96, 31-38.	1.2	14
40	Accuracy of echocardiographic indices for serial monitoring of right ventricular systolic function in patients with precapillary pulmonary hypertension. <i>PLoS ONE</i> , 2017, 12, e0187806.	1.1	7
41	Clinical Application of $^{18}\text{F}$ -fluorodeoxyglucose PET and LGE CMR in Cardiac Sarcoidosis. <i>Annals of Nuclear Cardiology</i> , 2017, 3, 125-130.	0.0	5
42	The Effects of Pulmonary Vasodilating Agents on Right Ventricular Parameters in Severe Group 3 Pulmonary Hypertension: A Pilot Study. <i>Pulmonary Circulation</i> , 2016, 6, 524-531.	0.8	6
43	Comparison of $^{18}\text{F}$ -fluorodeoxyglucose positron emission tomography (FDG PET) and cardiac magnetic resonance (CMR) in corticosteroid-naïve patients with conduction system disease due to cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 259-269.	3.3	73
44	Associations among the plasma amino acid profile, obesity, and glucose metabolism in Japanese adults with normal glucose tolerance. <i>Nutrition and Metabolism</i> , 2016, 13, 5.	1.3	131
45	The effects of 18-h fasting with low-carbohydrate diet preparation on suppressed physiological myocardial $^{18}\text{F}$ -fluorodeoxyglucose (FDG) uptake and possible minimal effects of unfractionated heparin use in patients with suspected cardiac involvement sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 244-252.	1.4	142
46	Multi-institutional retrospective cohort study of patients with severe pulmonary hypertension associated with respiratory diseases. <i>Respirology</i> , 2015, 20, 805-812.	1.3	38
47	Right atrial volume and reservoir function are novel independent predictors of clinical worsening in patients with pulmonary hypertension. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 414-423.	0.3	41
48	Current trends in the management of pulmonary hypertension associated with respiratory disease in institutions approved by the Japanese Respiratory Society. <i>Respiratory Investigation</i> , 2014, 52, 167-172.	0.9	6
49	Right ventricular $^{18}\text{F}$ -FDG uptake is an important indicator for cardiac involvement in patients with suspected cardiac sarcoidosis. <i>Annals of Nuclear Medicine</i> , 2014, 28, 656-663.	1.2	40
50	Hemodynamic effects of ambrisentan-tadalafil combination therapy on progressive portopulmonary hypertension. <i>World Journal of Hepatology</i> , 2014, 6, 825.	0.8	5
51	Elevated $^{18}\text{F}$ -fluorodeoxyglucose uptake in the interventricular septum is associated with atrioventricular block in patients with suspected cardiac involvement sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1558-1566.	3.3	50
52	Four cases with group 3 out-of-proportion pulmonary hypertension with a favorable response to vasodilators. <i>Respiratory Medicine Case Reports</i> , 2013, 9, 4-7.	0.2	4
53	Simple prediction of right ventricular ejection fraction using tricuspid annular plane systolic excursion in pulmonary hypertension. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1799-1805.	0.7	31
54	Right atrial volume and phasic function in pulmonary hypertension. <i>International Journal of Cardiology</i> , 2013, 168, 420-426.	0.8	45

#	ARTICLE	IF	CITATIONS
55	Broad and heterogeneous vasculopathy in pulmonary fibrosis and emphysema with pulmonary hypertension. <i>Respirology Case Reports</i> , 2013, 1, 10-13.	0.3	20
56	Paradoxical Interventricular Septal Motion as a Major Determinant of Late Gadolinium Enhancement in Ventricular Insertion Points in Pulmonary Hypertension. <i>PLoS ONE</i> , 2013, 8, e66724.	1.1	30
57	Validation Study on the Accuracy of Echocardiographic Measurements of Right Ventricular Systolic Function in Pulmonary Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 280-286.	1.2	125
58	Early Detection of Cardiac Sarcoid Lesions with 18F-fluoro-2-deoxyglucose Positron Emission Tomography. <i>Internal Medicine</i> , 2011, 50, 1207-1209.	0.3	22
59	18F-Fluoro-2-deoxyglucose positron emission tomography in cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1773-1783.	3.3	124
60	Enhanced computed tomography unveiling the underlying cause of pulmonary hypertension. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 257-258.	0.7	0
61	Imaging of Cardiac Sarcoid Lesions Using Fasting Cardiac <sup>18</sup> F-Fluorodeoxyglucose Positron Emission Tomography: An Autopsy Case. <i>Circulation</i> , 2010, 122, 535-536.	1.6	44
62	Myocardial imaging with 18F-fluoro-2-deoxyglucose positron emission tomography and magnetic resonance imaging in sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 933-941.	3.3	301
63	Focal uptake on 18F-fluoro-2-deoxyglucose positron emission tomography images indicates cardiac involvement of sarcoidosis. <i>European Heart Journal</i> , 2005, 26, 1538-1543.	1.0	360
64	Combination of 18F-fluoro-2-deoxyglucose positron emission tomography and magnetic resonance imaging in assessing cardiac sarcoidosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2005, 22, 234-5.	0.2	22
65	A case of idiopathic constrictive bronchiolitis in a middle-aged male smoker. <i>Respirology</i> , 2000, 5, 305-307.	1.3	4
66	Measurement of exhaled nitric oxide concentration using nasal continuous negative pressure. <i>Respirology</i> , 1999, 4, 155-159.	1.3	1